

---

---

## Traceability of rare earths in the supply chain from mine to separated products

*Traçabilité des terres rares dans la chaîne d'approvisionnement de la  
mine jusqu'aux produits séparés*

STANDARDSISO.COM : Click to view the full PDF of ISO 23664:2021



STANDARDSISO.COM : Click to view the full PDF of ISO 23664:2021



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Planning a traceability system</b> .....	<b>5</b>
4.1 General.....	5
4.2 Documented information.....	5
4.3 Counterparties.....	5
4.4 Unique identifier (UI).....	5
<b>5 Operation of traceability system</b> .....	<b>6</b>
5.1 General.....	6
5.2 Primary producer.....	6
5.3 Mass balance.....	6
5.4 Identification.....	6
5.5 Blending and mixing.....	7
5.6 Recycled rare earth material.....	7
5.7 Transactions.....	7
5.7.1 General.....	7
5.7.2 Transaction information.....	7
<b>6 Information transmitted with shipments between adjacent nodes</b> .....	<b>8</b>
6.1 Mine.....	8
6.2 Beneficiation plant.....	10
6.3 Hydrometallurgical plant.....	11
6.4 Trader.....	13
6.5 Separation plant.....	14
<b>7 Performance evaluation</b> .....	<b>16</b>
<b>8 Improvement</b> .....	<b>16</b>
8.1 General.....	16
8.2 Nonconformity and corrective actions.....	16
<b>Bibliography</b> .....	<b>17</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 298, *Rare earth*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

The adoption of a traceability system is a strategic decision for an organization that can help provide a sound basis for a sustainable supply chain. A traceability system is a useful tool to assist an organization operating within a rare earth supply chain to achieve defined goals and objectives within their overall management system(s). The choice of how a traceability system is defined is influenced by regulations, product characteristics and end user expectations. The complexity of the traceability system can vary depending on the nature of the product(s) within the supply chain, the sources of inputs and the objectives to be achieved.

The implementation of a traceability system by an organization depends on:

- technical limits inherent to the supply chain organization and products (i.e. nature of the raw materials, size of the lots, collection and transport procedures, processing and packaging methods);
- the cost benefits of applying such a system;
- the characteristics of mining and processing;
- the environmental impact, waste treatment and disposal processing.

The potential benefits of implementing the traceability system defined in this document are:

- the ability to trace rare earth materials and products between mine and separated products;
- reduction and prevention of pollution;
- promotion of environmentally responsible and sustainable production of rare earths throughout the supply chain;
- to align a rare earth supply chain with sustainable development goals;
- to provide better service for users/customers by supplying quality products.

This document can be used by all participants in the rare earth supply chain. However, this document does not specify the need for:

- complete uniformity in the structure of traceability systems for different rare earth supply chains;
- alignment of documentation to the clause structure of this document;
- use of specific terminology within the rare earth supply chain.

In this document, the following verbal forms are used:

- “shall” indicates a requirement;
- “should” indicates a recommendation;
- “may” indicates a permission;
- “can” indicates a possibility or capability.

Information marked as “NOTE” is intended to assist the understanding or use of the document. “Notes to entry” used in [Clause 3](#) provide additional information that supplements the terminological data and can contain provisions relating to the use of a term.

This document describes a traceability system covering the rare earth supply chain between the originating mine and separated rare earth products. This document is intended to give supply chain members the ability to access information relating to rare earth materials or products as they pass through the supply chain. This information will include the identity of each business in the supply chain which has handled the rare earth material or product shipment. This makes it possible for the purchasers and suppliers of separated rare earth products to identify the businesses in the supply

chain that process a given shipment of rare earth material, and the location of that rare earth material as it passes between supply chain nodes.

The following types of businesses in the rare earth supply chain are considered in this document.

- a) Mines, in which rare earth-bearing minerals are:
- 1) extracted as ore from the ground in solid form by underground, open-pit or dredge mining methods;
  - 2) extracted as a rare earth-bearing solution from the ground using in situ leaching/recovery methods, or as a solution using heap or vat leaching methods;
  - 3) extracted from tailings or other wastes that contain rare earths.
- b) Recycling operations, in which waste, scrap, tailings or end-of-life materials containing rare earths are reprocessed to produce a rare earth containing material suitable as input to a beneficiation, hydrometallurgical or separation plant.
- c) Beneficiation plants, in which solid ore containing rare earth minerals is processed to concentrate the rare earth minerals into one or more mineral concentrates.
- d) Hydrometallurgical plants, in which either:
- 1) rare earth mineral ore or beneficiation plant product are dissolved, and the solution processed;
  - 2) an in situ or heap leach or vat leach solution, is processed.
- NOTE In either case, the hydrometallurgical plant produces a relatively pure precipitated solid, salt or concentrated solution, containing mixed rare earths and suitable as feed to a separation plant.
- e) Separation plants, in which mixed rare earth products from hydrometallurgical plants are separated into one or more relatively pure products each containing one or more specific rare earths to the substantial exclusion of other rare earths. Separation plant products are further processed into alloys, magnets, catalysts and other materials in downstream operations outside the rare earth supply chain considered in this document.
- f) Traders, brokers and wholesalers: entities that handle rare earths, generally the products of hydrometallurgical and separation plants, possibly re-package or blend material, but otherwise do not change the chemical or physical nature of the rare earth-bearing material.
- g) Transporters: businesses that move rare earth products between different businesses in the rare earth supply chain.

The connections between the businesses are illustrated in [Figure 1](#).




Figure 1 — Overview of rare earth supply chain — Mine to separated products

Some business entities conduct more than one of these activities either at a single site or at two or more sites. For example, it is common for a mine to own and operate a beneficiation plant, so its product is an upgraded concentrate rather than whole ore. It is also common for a mining company to own and operate a hydrometallurgical plant to process its ore or mineral concentrate and then ship a purified

mixed rare earth product to a separation plant or to a trader. Traders can be involved in the supply chain, as indicated, but also in the marketing of mineral concentrates.

Recycled rare earth materials can be inputs at several points in the supply chain model described in [Figure 1](#). Recycling can comprise significant inputs or outputs for some rare earth supply chain nodes. By their nature, it is often difficult to trace the origin of the rare earths in recycled materials, since the recycled material can include end-of-life material from products produced many years earlier. Consequently, it is possible that a percentage of the material in the supply chain will not be traceable back to a source. If recycling is an important input or output for a supply chain, it is the responsibility of the supply chain partners to define and disclose how recycling will be handled to meet the overall objectives of the traceability system (see [4.1](#)).

The scheme specified in this document does not provide guidance on how to account for supply chain mass balance (see [5.3](#)). The methodology for determining mass balance can be unique to each rare earth supply chain. It is anticipated that some of the methodologies being developed by ISO/TC 308, *Chain of custody*, will give insight into how mass balance should be defined and addressed in the context of this traceability standard. However, until such a standard on mass balance is achieved, it will be the responsibility of the rare earth supply chain to provide the framework and justification for their mass balance calculations that would support their traceability claims.

The scheme specified in this document does not demand perfect traceability. There will be occasions where whole chain traceability of rare earth materials and products is neither possible nor commercially practical. Also, some supply chains focus on certain rare earth elements rather than on the full suite of rare earth elements. For example, the focus can be on neodymium-praseodymium oxide (or NdPr oxides) which is a precursor material for NdFeB magnets versus total rare earth oxides (TREOs). Rather than providing full traceability for all the rare earth elements, some supply chains choose to focus on this subset. These limitations and choices should be recognized and should not be taken as a nonconformity of an otherwise conforming rare earth supply chain traceability system.

Traceability may also be viewed as bidirectional. Although the scheme specified in this document focuses on the traceability of rare earths from mine to separated oxides, there can be circumstances in which the backward flow of traceability information from downstream to upstream can be advantageous. Reverse information flows from downstream users to suppliers can include information on the distribution of rare earths in different supply chain channels and downstream use applications. The bidirectional flow of traceability information benefits the downstream users by providing provenance information on the rare earths incorporated into their products, while upstream suppliers benefit through better connections with the downstream users which can allow the supplier to provide better products and services to meet the downstream demand.

Given that rare earth supply chains operate within and between different countries and varying legal requirements, this document cannot stipulate all the requirements for every situation. A measure of flexibility is allowed for supply chain businesses to record further supplementary transaction information in their own non-standardized format but following the same transaction information requirements specified in this document.

The extension of the traceability of rare earths in the supply chain from mine to separated products is expected. This extension beyond the separated products is important in order to provide assurance to consumers that their products contain traceable rare earths and to align the entire rare earth supply chain from mine to finished goods with sustainable development goals. In the immediate future, the most logical extension would be to focus on the traceability of rare earths in the supply chain from separated rare earth products to permanent magnets, such as NdFeB and SmCo. It is possible that other supply chains in which rare earths are an important component, such as catalysts, will also be covered in separate traceability standards. It is anticipated that ISO/TC 298, in tandem with other ISO Technical Committees, will work to draft such traceability standards as a companion to this document.

# Traceability of rare earths in the supply chain from mine to separated products

## 1 Scope

This document specifies requirements for, and gives guidance on, the design and use of a traceability system in a rare earth supply chain. It specifies the information to be recorded by supply chain businesses for rare earth materials or products passing through the supply chain from mine to separated products.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9000, *Quality management systems — Fundamentals and vocabulary*

ISO 22444-1, *Rare earth — Vocabulary — Part 1: Minerals, oxides and other compounds*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 9000, ISO 22444-1 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

### 3.1

#### **beneficiation plant**

*node* (3.8) that receives unprocessed ore from mines and produce a *rare earth concentrate* (3.11) using various methods, such as gravity or magnetic concentration, or froth flotation

### 3.2

#### **confidential information**

information related to product *traceability* (3.22) that a company possesses which, although it is possible to share with a *counterparty* (3.3), usually within a non-disclosure agreement, it does not wish to become public

Note 1 to entry: Information can be considered confidential by the possessor because of legal or business reasons.

### 3.3

#### **counterparty**

business or other *entity* (3.6) that either supplies or receives rare earth-bearing materials or products, to or from a given party

Note 1 to entry: It is possible that a party's counterparties will be its *supplier* (3.19) of rare earth-bearing materials or product, or the customer to whom it supplies rare earth-bearing materials or products.

**3.4**  
**data matrix code**  
**DM**

two-dimensional code that contains encoded data

Note 1 to entry: There are several data matrix systems in use including quick response (QR) code (see ISO 17367), portable data file (PDF417) (see ISO/IEC 15438), and Han Xin code (see ISO/IEC 20830).

**3.5**  
**downstream user**

customer that buys or uses, or both, *rare earth materials* (3.12) or products, in separated or unseparated forms

**3.6**  
**entity**

*node* (3.8) that exists separately from other nodes and has a clear identity of its own

**3.7**  
**hydrometallurgical plant**

*node* (3.8) that receives ore from mines or mineral concentrates from *beneficiation plants* (3.1) or solutions from in situ leach operations that extracts rare earths away from other elements by a series of chemical or thermal, or both, processes, and generates a purified mixed *rare earth concentrate* (3.11)

**3.8**  
**node**

rare earth supply chain business or organization

EXAMPLE Rare earth mine, *beneficiation plant* (3.1), *hydrometallurgical plant* (3.7), *separation plant* (3.17), *trader* (3.25).

Note 1 to entry: Other nodes not identified in this document may also be considered as part of the *traceability system* (3.24) if their contribution to the rare earth supply chain is substantial [e.g. sources of *recycled rare earth materials* (3.14)].

Note 2 to entry: The movement between nodes is generally downstream, although lateral movements are possible (e.g. from one separation plant to another, or upstream movement, such as the reprocessing of recycled material scrap sources of rare earths or off-specification rare earth material). The movement of material through a rare earth supply chain can include substantial holding periods while material is being warehoused or passing through a process with a long residence time.

**3.9**  
**primary producer**

business or company involved in primary production of *rare earth ores* (3.10) or *rare earth materials* (3.12)

EXAMPLE Rare earth mine, ionic clay processor.

**3.10**  
**rare earth ore**

naturally occurring solid material containing rare earth minerals that can be commercially exploited

**3.11**  
**rare earth concentrate**

material containing a preponderance of rare earths, obtained by physical or chemical processes, and in the form of a solid or solution

Note 1 to entry: The concentrate can be obtained from an ionic clay deposit by in situ dissolution followed by solution purification and precipitation of the rare earths, or from an ore or concentrate by leaching followed by solution purification and precipitation of the rare earths.

**3.12****rare earth material**

inputs to manufacturing processes containing rare earths used to produce products or more complex or refined materials containing rare earths

**3.13****rare earth containing material**

material in which the rare earth content is not the primary constituent

**3.14****recycled rare earth material**

recycled magnets, industrial waste or scrap from rare earth permanent magnet manufactures, other rare earth *downstream users* (3.5) and rare earth end-of-life recyclers

Note 1 to entry: This includes end-of-life lamp phosphors, catalysts, *tailings* (3.20), or other waste materials containing rare earths.

**3.15****rare earth oxide**

compound that contains only rare earths and oxygen

Note 1 to entry: Generally, the formula for a rare earth oxide is  $RE_xO_y$  where x is 2 and y is 3.

Note 2 to entry: Three of the rare earth oxides have different formulae, specifically  $CeO_2$ ,  $Pr_6O_{11}$  and  $Tb_4O_7$ .

**3.16****radio frequency identification****RFID**

use of a device applied to or incorporated into a product for the purpose of identification and tracking using radio waves

Note 1 to entry: The device is commonly referred to as an “RFID tag”.

**3.17****separation plant**

plant that receives purified mixed *rare earth concentrate* (3.11) either directly from *hydrometallurgical plants* (3.7) or from *traders* (3.25) and separates the feed material into several purified *rare earth materials* (3.12) that are purchased by *downstream users* (3.5)

Note 1 to entry: The products are purchased to produce metal, alloys, magnets, ceramics, catalysts, etc.

**3.18****ship-to-party**

person or business that receives goods or materials

**3.19****supplier**

company that produces and provides *rare earth ores* (3.10), *rare earth concentrates* (3.11), compounds, metals, alloys or solutions for its customer

Note 1 to entry: It includes the mines, *beneficiation plants* (3.1), *hydrometallurgical plants* (3.7) and *traders* (3.25) of *rare earth materials* (3.12).

**3.20****tailings**

materials left over from various processes, such as mining, beneficiation, hydrometallurgical or solvent extraction

### 3.21

#### **transit time**

time taken between the receipt of raw material or products and the shipment of processed material or products

Note 1 to entry: The transit times for rare earths passing through *beneficiation plants* (3.1) and *hydrometallurgical plants* (3.7) can have a duration of days. However, the time from when rare earths enter a blending/broker/logistics facility or a *separation plant* (3.17) to when the rare earths leave can have a duration of several months, for example:

- when warehousing products with limited demand;
- when rare earths enter a separation plant and emerge as a separated product in the product warehouse after significant processing times.

Note 2 to entry: Long processing hold times (transit times) complicate the determination of a complete material mass balance over short time spans (e.g. less than three months).

### 3.22

#### **traceability**

ability to trace the origin, processing history, application, distribution or place of materials or products under consideration

### 3.23

#### **traceability data**

information that can build effective links between *nodes* (3.8) in the rare earth supply chain

EXAMPLE Company name, product name, batch number, ex-factory date (the date on which an item left the company's factory), shipment mass, shipment composition.

### 3.24

#### **traceability system**

system or process that is designed to follow material through all phases of manufacturing and distribution

### 3.25

#### **trader**

#### **broker**

#### **blender**

business, organization or *entity* (3.6) that receives rare earth-bearing materials and passes it on, in whole or in part, to a purchaser, either as-received or after blending with other rare earth-bearing materials from other parties

Note 1 to entry: Traders do not change the nature of the rare earth products.

Note 2 to entry: Traders operate at various stages of the rare earth supply chain [e.g. as intermediaries between *hydrometallurgical plants* (3.7) producing purified mixed *rare earth concentrate* (3.11) and rare earth *separation plants* (3.17)].

### 3.26

#### **unique identifier**

#### **UI**

unique company name, government-issued identifier or alphanumeric code that identifies a *node* (3.8) in the rare earth supply chain

## 4 Planning a traceability system

### 4.1 General

To plan an effective traceability system, each node of the supply chain shall:

- a) establish the boundaries and applicability of the traceability system to define its scope;
- b) establish the objectives of the traceability system;
- c) identify relevant regulatory and policy requirements to be considered by the traceability system and request that supply chain counterparties provide evidence that they are meeting these requirements;
- d) ensure the effective operation of the traceability system by:
  - 1) implementing and maintaining the traceability system requirements in accordance with this document;
  - 2) assigning responsibility and authority for ensuring that the traceability system conforms to the requirements of this document;
  - 3) allocating adequate and appropriate resources to carry out commitments, including competences needed, training of personnel and monitoring of the implementation of the traceability system.

### 4.2 Documented information

Organizations shall retain:

- a) documented information required by this document;
- b) additional information that is determined as being necessary to meet the objectives of this document, which makes it effective in tracing the movement of rare earths materials through the supply chain.

### 4.3 Counterparties

Nodes shall determine their positions in the supply chain by identifying their supply chain counterparties.

Nodes shall require that supply chain counterparties participating in the traceability system demonstrate an awareness of the following elements of the traceability system:

- a) the objectives;
- b) the regulatory and policy requirements;
- c) the controls.

They shall retain documented information as evidence of conformance.

### 4.4 Unique identifier (UI)

Each node should have a UI within the rare earth supply chain if the node supplies or receives rare earth materials to or from a counterparty.

UIs should be recognized by all nodes in the rare earth supply chain.

If a node operates at several different locations or has different types of businesses within the rare earth supply chain, then each node location or business shall have a unique UI.

## 5 Operation of traceability system

### 5.1 General

The traceability of rare earth materials and products should be facilitated by:

- a) product segregation in which the identity of shipments is preserved;
- b) balancing of inputs and outputs of nodes.

It shall consist of:

- a combination of record keeping and sharing of data between counterparties;
- unique identification and labelling of rare earths materials as they flow between nodes within the supply chain;
- determining controls to be applied to counterparties in order to satisfy the requirements in this document.

NOTE If a shipment is broken up into smaller components, the identity and passage through the supply chain of each component can be traced.

### 5.2 Primary producer

A primary producer should only supply rare earth ores or materials that it has produced from its own mine.

NOTE A node that is at the upstream termination of the supply chain (e.g. a rare earth mine) will not have upstream counterparties.

### 5.3 Mass balance

The mass of TREO or total rare earth element (TREE), or any defined TREO/TREE subset, entering a node in the supply chain should balance the mass leaving the node over a given time period.

If there is an imbalance in the input and output masses, the explanation for the imbalance shall be documented.

Mass balance should be determined over a timescale appropriate to operations within the node.

Transit times within a node should be considered.

NOTE 1 Mass balance is an effective measure for the establishment of a traceability system within a node of rare earth production. It is also a key measure for quality management within a node.

NOTE 2 Mass balance data are usually kept as confidential information by the node. For example, sources of materials/commodities and outgoing/whereabouts of products/commodities are usually not divulged without a non-disclosure agreement between the seller and the buyer.

NOTE 3 Due to dynamic and continuous production processes and time lags, inaccuracies can occur for mass balance within a node of rare earth production. It is possible that imbalances will only be checked by a rare earth node over a significant time period of time (e.g. several months).

NOTE 4 An example of an imbalance is a waste stream containing rare earth materials. Another example of an imbalance is when material either enters or is extracted from a warehouse or other storage facility.

### 5.4 Identification

Each shipment of material containing rare earths shall have:

- a) a UI;

- b) information concerning the origin of the rare earths;
- c) other parameters that will allow downstream businesses to identify the origin of rare earths and verify that the shipment has not been tampered with.

NOTE Specific requirements are defined in [5.7](#) and [Clause 6](#).

## 5.5 Blending and mixing

The shipment information for blended or mixed materials shall include the following elements, which are representative of the shipment:

- a) the UI of each source;
- b) the percentage of the total mass for each source;
- c) the TREO content or a defined subset of the TREO content.

## 5.6 Recycled rare earth material

Recycled rare earth material should be treated in the same manner as material sourced from a mine (see [6.1](#)).

The mass of input or outputs, or both, of recycled rare earth material should be included in the mass balance of each node (see [5.3](#)). Transaction information shall be retained as evidence of conformance.

## 5.7 Transactions

### 5.7.1 General

A node shipping rare earth materials or products shall retain and transmit transaction information on the node's outgoing shipments.

### 5.7.2 Transaction information

5.7.2.1 Transaction information between supply chain nodes shall comprise:

- a) UI of the node(s) sending the shipment;
- b) a unique serial shipment number;
- c) shipment name, mass and composition;
- d) shipment dispatch date;
- e) UI of each node that supplied rare earths that are contained in the shipment;
- f) UI of the transportation company;
- g) UI of the node(s) that will receive the shipment.

5.7.2.2 Transaction information on outgoing shipments shall be supplied to the ship-to-party using one or more of the following:

- a) direct printing on packaging;
- b) label(s) in plain text;
- c) data matrix code;
- d) RFID tag.

These shall be affixed to or physically accompany the shipment.

**5.7.2.3** The shipper shall additionally provide the transaction information to downstream supply chain counterparties by hard copy or electronic means.

A node receiving shipments should:

- a) review the transaction information found on packaging, labels, etc. accompanying the shipment with the transaction information provided by the shipper separately by hard copy or electronic means;
- b) notify the shipping party of any discrepancies between the transaction information accompanying the shipment and that provided separately;
- c) record further flow of the rare earth product produced from the supplier materials and let the record of these products be accessible to the supplier under a non-disclosure agreement.

**5.7.2.4** Transaction information on incoming shipments, as defined in [Tables 1 to 5](#), shall be retained by the ship-to-party (see [6.1](#) to [6.5](#)).

Each node shall retain transaction information for each shipment:

- a) until the material in the shipment is further processed plus one year;
- b) until the material in the shipment is sold to end-user(s) plus one year;
- c) for at least two years;

or whichever is greatest.

**5.7.2.5** Transaction information identified as confidential by a node, including information required in [Tables 1 to 5](#), may be excluded from disclosure to any other node. However, confidential information should:

- a) be retained by the node in control of the confidential information;
- b) be made available for review by counterparties to fulfil the objectives of the traceability system.

To facilitate the review of confidential information, nodes should implement non-disclosure agreements between their relevant counterparties.

## 6 Information transmitted with shipments between adjacent nodes

### 6.1 Mine

**6.1.1** For a mine that is shipping ore in either bulk or packages to a remote location, the traceability data in [Table 1](#) shall, by physical or electronic means:

- a) accompany the shipment;
- b) be sent directly to the ship-to-party;
- c) be securely stored by both the mine and the ship-to-party.

**6.1.2** Each separate ore shipment shall be accompanied by the detailed shipping information described in [Table 1](#).

Ores from different mines that are shipped together should be kept separate and not blended.

If any ore that originated from a mine other than the reporting mine has been blended into the material of the shipment, then the contributing mine's:

- a) traceability data shall be declared;
- b) UI shall be stated;
- c) mass and analysis data shall be included for the shipment.

**6.1.3** If a mine delivers its ore or an in situ generated leach solution directly to a proximate beneficiation or hydrometallurgical plant that is wholly owned by the mine, then:

- a) the requirements of [Table 1](#) do not apply;
- b) the requirements of [Table 2](#) or [Table 3](#), or both, shall be met.

NOTE There can be operations where ore from two or more mines are consolidated to form a single shipment.

**Table 1 — Data transmitted with shipments between a mine shipping unprocessed ore and its customer**

Item	Traceability data	Description	Required	Optional	Example
Shipper	Mine	Name and address of company	√		Any REE Co., Smith Creek, AB, CA
		Company UI	√		0799366123453
Ore in shipment <sup>c</sup>	Ore 1	Company UI <sup>a</sup>	√		4620698787620
		Mass (dry), t	√		45 t
		Mass fraction (as %) TREO <sup>b</sup>		√	7 %
	Ore 2	Company UI <sup>a</sup>	√		0829366173456
		Mass (dry), t	√		5 t
		Mass fraction (as %) TREO <sup>b</sup>		√	5 %
	Ore 3	Company UI <sup>a</sup>	√		0629366443453
		Mass (dry), t	√		10 t
		Mass fraction (as %) TREO <sup>b</sup>		√	8 %
Shipment	Material description	Brief description	√		Coarse ore in bulk
	Shipment number	UI for shipment	√		5629605077289
	Quantity	Total dry mass of material in shipment, t	√		60 t
		Mass of TREO in shipment, t <sup>d</sup>	√		4,2 t
	Shipment	Date of shipment	√		2019-02-18
		Packaging methods	√		FIBC in Container

<sup>a</sup> UI of the company contributing ore to the shipment.  
<sup>b</sup> Analysis of the TREO content of shipment (or a defined subset of the TREO content).  
<sup>c</sup> If there are more than three ore sources, additional rows may be added.  
<sup>d</sup> Total TREO mass in shipment, i.e. sum of TREO mass content in ores.

**Table 1** (continued)

Item	Traceability data	Description	Required	Optional	Example
Destination	Transportation company	Name and address of company	√		Speedyshipping, Inc. Geigerville, ON, CA
		Company UI	√		0889366123451
	Ship-to-party	Name and address of company	√		REUpgrade LLC, Latown, SK, CA
		Company UI	√		0889374123856
<p><sup>a</sup> UI of the company contributing ore to the shipment.</p> <p><sup>b</sup> Analysis of the TREO content of shipment (or a defined subset of the TREO content).</p> <p><sup>c</sup> If there are more than three ore sources, additional rows may be added.</p> <p><sup>d</sup> Total TREO mass in shipment, i.e. sum of TREO mass content in ores.</p>					

**6.2 Beneficiation plant**

**6.2.1** For a beneficiation plant that is shipping packaged mineral concentrates, the traceability data in [Table 2](#) shall, by physical or electronic means:

- a) accompany the shipment;
- b) be sent directly to the ship-to-party;
- c) be securely stored by both the mine and the ship-to-party.

**6.2.2** To the maximum extent possible, ore and concentrate should be treated without blending.

If a beneficiation plant processes a blend of ores from more than one mine and the resulting mineral concentrate contains materials from more than one mine, then:

- a) each ore source shall be declared;
- b) the contributing mine’s UI shall be stated;
- c) the percentage of the TREO content of the shipment from each mine shall be declared, as in [Table 2](#).

If a beneficiation plant delivers its mineral concentrate directly to a proximate hydrometallurgical plant that is wholly owned by the beneficiation plant, then the requirements of [Tables 2](#) and [3](#) shall be met.

NOTE 1 There can be beneficiation plants receiving ore from two or more mines either as a blend or as separate ore shipments.

NOTE 2 Blending is strongly discouraged. By not blending, beneficiation plants will facilitate the tracing of the resulting mineral concentrate to the originating mine using the transaction information in [Table 2](#).

**Table 2 — Data transmitted with shipments between a beneficiation plant shipping mineral concentrate and its customer**

Item	Traceability data	Description	Required	Optional	Example
Shipper	Beneficiation plant	Name and address of company	√		REUpgraders LLC, LaLutown, SK, CA
		Company UI	√		0889374123856
Feed source <sup>b,c</sup>	Source 1	Company UI	√		3810383974750
		Contribution to TREO mass in shipment, as mass fraction (as %) <sup>a</sup>		√	80 %
	Source 2	Company UI	√		0496366123483
		Contribution to TREO mass in shipment, as mass fraction (as %) <sup>a</sup>		√	20 %
Shipment	Material description	Brief description	√		REE mineral filter cake
	Shipment number	UI for shipment	√		646831003756
	Quantity	Mass of material in shipment, t	√		20 t
		Mass of TREO in shipment, t <sup>d</sup>	√		10 t
	Shipment	Date of shipment	√		2019-02-22
		Packaging methods	√		FIBC in container
Destination	Transportation company	Name and address of company	√		Speedyshipping, Inc. Geigerville, ON, CA
		Company UI	√		0889366123451
	Ship-to-party	Name and address of company	√		REOdissolvers LLC, Lutown, SK, CA
		Company UI	√		0449374123856
<p><sup>a</sup> Estimated percentage contribution of the stated feed source to the TREO content (or a defined subset of the TREO content) of shipment.</p> <p><sup>b</sup> Feed source can refer to a mine shipping ore to the beneficiation plant or another beneficiation plant shipping concentrate that is combined with the reporting plant material.</p> <p><sup>c</sup> If there are more than two feed sources, additional rows may be added.</p> <p><sup>d</sup> Total TREO mass in shipment, i.e. sum of TREO mass content in feed sources.</p>					

### 6.3 Hydrometallurgical plant

**6.3.1** For a hydrometallurgical operation shipping purified mixed rare earth concentrate to a trader or directly to a separation plant, the traceability data in [Table 3](#) shall, by physical or electronic means:

- accompany the shipment;
- be sent directly to the ship-to-party;
- be securely stored by both the hydrometallurgical operations and the ship-to-party.

6.3.2 To the maximum extent possible, ore and concentrates should be hydrometallurgically treated without blending.

If a hydrometallurgical plant processes a blend of ores, mineral concentrates or in situ leach solutions, and the purified mixed rare earth concentrate contains materials from more than one mine, beneficiation plant, or in situ leach operation, then:

- a) each source shall be declared;
- b) the UI of contributing source(s) shall be stated;
- c) the percentage of the TREO content (or a defined subset of the TREO content) of the shipment from each source(s) shall be declared, as in [Table 3](#).

6.3.3 If a hydrometallurgical plant delivers its purified mixed rare earth concentrate directly to a proximate separation plant that is wholly owned by the hydrometallurgical plant, then:

- a) the requirements of [Table 3](#) do not apply;
- b) the requirements of [Table 5](#) shall be met.

NOTE 1 There can be a hydrometallurgical plant receiving ore or concentrates as a blend or as separate shipments.

NOTE 2 Blending is strongly discouraged. By not blending, hydrometallurgical plants will facilitate the tracing of the resulting purified mixed rare earth concentrate back to the originating mine using the transaction information in [Table 3](#).

**Table 3 — Data transmitted with shipments between a hydrometallurgical plant shipping purified mixed rare earth concentrate and its customer**

Item	Traceability data	Description	Required	Optional	Example
Shipper	Hydrometal-lurgical plant	Name and address of company	√		REEleacher LLC, Ceriumville, NU, CA
		Company UI	√		0799366123453
Feed source <sup>b,c</sup>	Source 1	Source <sup>b</sup> UI	√		7572390110012
		TREO in shipment, mass fraction (as %) <sup>a</sup>		√	50 %
	Source 2	Source <sup>b</sup> UI	√		6389602628002
		TREO in shipment, mass fraction (as %) <sup>a</sup>		√	30 %
	Source 3	Source <sup>b</sup> UI	√		7834890306013
		TREO in shipment, mass fraction (as %) <sup>a</sup>		√	20 %

<sup>a</sup> Estimated contribution of stated feed source to TREO (or a defined subset of TREO content) in the purified mixed rare earth concentrate shipment.

<sup>b</sup> Feed source can refer to a mine that is shipping ore to the hydrometallurgical plant or a beneficiation plant that is shipping mineral concentrate to the hydrometallurgical plant.

<sup>c</sup> If there are more than three feed sources, additional rows may be added.

<sup>d</sup> Total TREO mass in shipment, i.e. sum of TREO mass content in feed sources.