



400 Commonwealth Dr., Warrendale, PA 15096

AEROSPACE MATERIAL SPECIFICATION

SAE AMS 3892/10

Issued 10-1-86

Submitted for recognition as an American National Standard

TOW, CARBON (GRAPHITE) FIBER For Structural Composites 550 (3790) Tensile Strength, 38,000,000 (262) Tensile Modulus

1. SCOPE:

- 1.1 Form: This specification covers one type of carbon (graphite) fiber in the form of tow.
- 1.2 Classification: Carbon (graphite) tow with 550,000 psi (3790 MPa) tensile strength and 38,000,000 psi (262 GPa) tensile modulus for use in general purpose structural composites requiring high tensile strength and high modulus of elasticity in tension.

2. APPLICABLE DOCUMENTS: See AMS 3892.

3. TECHNICAL REQUIREMENTS:

- 3.1 Basic Specification: The complete requirements for procuring the carbon (graphite) tow described herein shall consist of this document and the latest issue of the basic specification, AMS 3892.
- 3.2 Storage Life: The product shall meet the interlaminar shear strength requirements of this specification when tested at any time up to 12 months from date of receipt by purchaser provided it has been stored at room temperature in the original closed container.
- 3.3 Properties: Shall be as follows; the requirements of 3.3.1, 3.3.2, and 3.3.3 apply to the average of four determinations for each property; no individual value shall be less than 90% of the minimum average values specified. The tests of 3.3.1 and 3.3.2 are lamina tests, normalized to 100% fiber volume. Tensile strain (3.3.3) is a calculated value, tensile strength divided by modulus of elasticity.

SAE Technical Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

AMS documents are protected under United States and international copyright laws. Reproduction of these documents by any means is strictly prohibited without the written consent of the publisher.

REAFFIRMED
10-91