

REV. E

AS1005

FEDERAL SUPPLY CLASS  
4730





FIGURE 1 - TEE, FLARELESS

TABLE 1 - DIMENSIONS AND WEIGHTS

BASIC NO. AS1005 /11/ /17/ SIZE CODE	V	W	LB/EA	
			MAX ALUM	MAX CRES
02	.312	.090	.014	.040
03	.375	.100	.019	.051
04	.438	.110	.024	.069
05	.500	.120	.035	.098
06	.562	.120	.043	.119
08	.750	.150	.083	.269
10	.875	.170	.120	.356
12	1.062	.185	.195	.550
14	1.188	.200	---	---
16	1.312	.205	.296	.800
20	1.625	.240	.490	1.330
24	1.875	.250	.591	1.690
32	2.562	.350	---	---



CUSTODIAN: SAE G-3/G-3B      PROCUREMENT SPECIFICATION: /3/ MIL-F-18280

**SAE** The Engineering Society  
For Advancing Mobility  
Land Sea Air and Space  
**INTERNATIONAL**  
400 Commonwealth Drive, Warrendale, PA 15096-0001

**AEROSPACE STANDARD**  
TEE,  
STANDARD AND REDUCER,  
FLARELESS TUBE

**AS1005**  
SHEET 1 OF 4

**REV. E**

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user." SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

ISSUED 1966-03-15      REVISED 1993-08-12 (E)

AS1005 REV. E

TABLE 2 - LEG LENGTH A

SIZE OF PORT	FORGING SIZE /11/		FORGING SIZE /11/		FORGING SIZE /11/		FORGING SIZE /11/		FORGING SIZE /11/		FORGING SIZE /11/		FORGING SIZE /11/		FORGING SIZE /11/		FORGING SIZE /11/	
	02	03	04	05	06	08	10	12	14	16	20	24	32					
02	.773	.789	.820	.883	.961	1.086	1.180	1.272	1.398	1.429	1.585	1.710	2.148					
03	---	.836	.867	.930	1.008	1.133	1.226	1.320	1.445	1.476	1.632	1.757	2.159					
04	---	---	.898	.961	1.039	1.164	1.258	1.351	1.476	1.507	1.663	1.788	2.226					
05	---	---	---	.961	1.039	1.164	1.258	1.351	1.476	1.507	1.663	1.788	2.226					
06	---	---	---	---	1.055	1.180	1.274	1.367	1.492	1.523	1.679	1.804	2.242					
08	---	---	---	---	---	1.273	1.367	1.450	1.585	1.616	1.772	1.897	2.335					
10	---	---	---	---	---	---	1.610	1.523	1.648	1.679	1.835	1.960	2.398					
12	---	---	---	---	---	---	---	1.586	1.742	1.742	1.898	2.023	2.461					
14	---	---	---	---	---	---	---	---	1.680	1.742	1.898	2.023	2.461					
16	---	---	---	---	---	---	---	---	---	1.742	1.898	2.023	2.461					
20	---	---	---	---	---	---	---	---	---	---	1.898	2.023	2.461					
24	---	---	---	---	---	---	---	---	---	---	---	2.023	2.461					
32	---	---	---	---	---	---	---	---	---	---	---	---	2.461					

SAENORM.COM: Click to view the full PDF of as1005e



**AEROSPACE STANDARD**  
TEE,  
STANDARD AND REDUCER,  
FLARELESS TUBE

AS1005  
SHEET 2 OF 4

REV. E

REV.  
E

AS1005

TABLE 3 - TUBE SIZE AND CORRESPONDING THREAD

PORT SIZE	(NOMINAL)	
	TUBE SIZE)	T THREAD PER MIL-S-8879
02	.125	.3125-24UNJF
03	.188	.3750-24UNJF
04	.250	.4375-20UNJF
05	.312	.5000-20UNJF
06	.375	.5625-18UNJF
08	.500	.7500-16UNJF
10	.625	.8750-14UNJF
12	.750	1.0625-12UNJ
14	.875	1.1875-12UNJ
16	1.000	1.3125-12UNJ
20	1.250	1.6250-12UNJ
24	1.500	1.8750-12UNJ
32	2.000	2.5000-12UNJ

## NOTES:

## /1/ MATERIAL:

- a. CODE LETTER D: 2014T6 ALUMINUM ALLOY FORGING PER AMS 4133 OR QQ-A-367; OR 2024T6 ALUMINUM ALLOY BAR PER AMS 4112 OR QQ-A-225/6; OR 2024T851 ALUMINUM ALLOY BAR PER QQ-A-225/6.
- b. CODE LETTER F: 4130 STEEL FORGING OR BAR PER AMS 6370 OR MIL-S-6758.
- c. CODE LETTER J: 30304 CORROSION RESISTANT STEEL FORGING OR BAR PER AMS 5639 OR 304 CORROSION RESISTANT STEEL PER QQ-S-763.
- d. CODE LETTER K: 30316 CORROSION RESISTANT STEEL FORGING OR BAR PER AMS 5648 OR 316 CORROSION RESISTANT STEEL PER QQ-S-763.
- e. CODE LETTER R: 30321 CORROSION RESISTANT STEEL FORGING OR BAR PER AMS 5645 OR 321 CORROSION RESISTANT STEEL PER QQ-S-763. /7/
- f. CODE LETTER S: 30347 CORROSION RESISTANT STEEL FORGING OR BAR PER AMS 5646 OR 347 CORROSION RESISTANT STEEL PER QQ-S-763. /8/
- g. CODE LETTER T: 6AL4V TITANIUM ALLOY FORGING OR BAR PER AMS 4928.
- h. CODE LETTER W: 7075T73 ALUMINUM ALLOY FORGING PER AMS 4141 OR QQ-A-367; OR 7075T7351 ALUMINUM ALLOY BAR PER AMS 4124; OR 7075T73 ALUMINUM ALLOY BAR PER QQ-A-225/9.

## 2. FINISH:

- a. MATERIAL CODE LETTER D: ANODIZE PER AMS 2472 OR MIL-A-8625, TYPE II, CLASS 2. DYE GREEN, SIMILAR TO COLOR 14187 OF FED-STD-595.
- b. MATERIAL CODE LETTER F: CADMIUM PLATE PER QQ-P-416, TYPE II, CLASS 2.
- c. MATERIAL CODE LETTER J: PASSIVATE PER QQ-P-35, TYPE VI OR VII.
- d. MATERIAL CODE LETTER K: PASSIVATE PER QQ-P-35, TYPE VI OR VII.
- e. MATERIAL CODE LETTER R: PASSIVATE PER QQ-P-35, TYPE VI OR VII.
- f. MATERIAL CODE LETTER S: PASSIVATE PER QQ-P-35, TYPE VI OR VII.
- g. MATERIAL CODE LETTER T: FLUORIDE PHOSPHATE CONVERSION COAT PER AMS 2486.
- h. MATERIAL CODE LETTER W: ANODIZE PER AMS 2472 OR MIL-A-8625, TYPE II, CLASS 2. DYE BROWN, SIMILAR TO COLOR 10080 OF FED-STD-595.

**SAE** The Engineering Society  
For Advancing Mobility  
Land Sea Air and Space  
INTERNATIONAL

## AEROSPACE STANDARD

TEE,  
STANDARD AND REDUCER,  
FLARELESS TUBE

AS1005  
SHEET 3 OF 4

REV.  
E