

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, stabilized or cancelled. SAE invites your written comments and suggestions.

**REV.
B**

**SAE AS125101
THRU AS125250**

FEDERAL SUPPLY CLASS

RATIONALE

THIS DOCUMENT HAS BEEN DETERMINED TO CONTAIN BASIC AND STABLE TECHNOLOGY WHICH IS NOT DYNAMIC IN NATURE.


STABILIZED NOTICE

THIS DOCUMENT HAS BEEN DECLARED "STABILIZED" BY THE E-25 TECHNICAL COMMITTEE AND WILL NO LONGER BE SUBJECT TO PERIODIC REVIEWS FOR CURRENCY. USERS ARE RESPONSIBLE FOR VERIFYING REFERENCES AND CONTINUED SUITABILITY OF TECHNICAL REQUIREMENTS. NEWER TECHNOLOGY MAY EXIST.

SAENORM.COM : Click to view the full PDF of as125101c

SAE values your input. To provide feedback on this Technical Report, please visit <http://www.sae.org/technical/standards/AS125101C>

THIRD ANGLE PROJECTION



CUSTODIAN: E-25

SAE Aerospace
An SAE International Group

AEROSPACE STANDARD

RIVET - 100° COUNTERSUNK HEAD,
MILD STEEL

**SAE AS125101
THRU AS125250**

**REV.
C**

ISSUED 1954-03 REAFFIRMED 2006-07 REVISED 2011-08 STABILIZED 2012-02


Copyright 2012 SAE International

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of SAE.

TO PLACE A DOCUMENT ORDER: Tel: 877-606-7323 (inside USA and Canada)
Fax: 724-776-0790

Tel: +1 724-776-4970 (outside USA)
Email: CustomerService@sae.org

SAE WEB ADDRESS: <http://www.sae.org>



DIAMETER	A	B +.001 -.003	C	X
.062 + .003 -.004	.105 + .002 -.006	.022	.094	.010
.094 + .003 -.004	.170 + .002 -.006	.036	.141	.010
.125 + .004 -.004	.216 + .002 -.006	.042	.188	.010
.156 + .004 -.004	.278 + .002 -.006	.055	.234	.015
.188 + .004 -.006	.344 + .003 -.007	.070	.281	.015
.250 + .004 -.006	.467 + .003 -.007	.095	.375	.020
.312 + .004 -.008	.555 + .003 -.007	.106	.469	.020
.375 + .005 -.010	.685 + .003 -.007	.134	.562	.020

SAENORM.COM : Click to view the full PDF of as125101c