

INTERNATIONAL STANDARD

IEC 60335-2-62

1996

AMENDMENT 2
2000-02

Amendment 2

**Safety of household and similar electrical
appliances –**

**Part 2-62:
Particular requirements for commercial
electric rinsing sinks**

Amendement 2

Sécurité des appareils électrodomestiques et analogues –

*Partie 2-62:
Règles particulières pour les planges électriques
à usage collectif*

© IEC 2000 — Copyright - all rights reserved

International Electrotechnical Commission
Telefax: +41 22 919 0300

3, rue de Varembe Geneva, Switzerland
e-mail: inmail@iec.ch

IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

C

For price, see current catalogue

FOREWORD

This amendment has been prepared by subcommittee 61E: Safety of electrical commercial catering equipment, of IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this amendment is based on the following documents:

FDIS	Report on voting
61E/334/FDIS	61E/360/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

A bilingual version of this amendment may be issued at a later date.

Page 13

6 Classification

Delete subclause 6.101.

Page 17

11 Heating

11.7 *Replace, on page 19, the replacement as follows:*

Replace the test specification paragraph by the following:

Appliances are operated until steady conditions are established.

Page 19

13 Leakage current and electric strength at operating temperature

13.2 *Delete the addition.*

Page 25

22 Construction

22.102 Add the following sentence to the first requirement paragraph:

If the **non-self-resetting thermal cut-out** is only accessible after removing parts with the aid of a **tool**, the trip-free type is not required.

Add the following after the first requirement paragraph:

NOTE **Thermal cut-outs** of the trip-free type have an automatic action, with a reset actuating member, so constructed that the automatic action is independent of manipulation or position of the reset mechanism.

Page 31

30 Resistance to heat, fire and tracking

30.2.2 Replace the modification by the following:

Not applicable

IECNORM.COM: Click to view the full PDF of IEC 60335-2-62:1996/AM2:2000

Withd
