

INTERNATIONAL STANDARD

IEC 60335-2-66

1993

AMENDMENT 1
2000-08

Amendment 1

**Safety of household and similar electrical
appliances –**

**Part 2-66:
Particular requirements for electrical water-bed
heaters**

Amendement 1

Sécurité des appareils électrodomestiques et analogues –

*Partie 2-66:
Règles particulières pour les dispositifs de chauffage
pour matelas à eau*

© IEC 2000 — Copyright - all rights reserved

International Electrotechnical Commission
Telefax: +41 22 919 0300

3, rue de Varembe Geneva, Switzerland
e-mail: inmail@iec.ch

IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

C

For price, see current catalogue

FOREWORD

This amendment has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this amendment is based on the following documents:

FDIS	Report on voting
61/1877/FDIS	61/1896/RVD

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

A bilingual version of this amendment may be issued at a later date.

FOREWORD

Add the following to the list of differences existing in some countries:

- 2.2.9: The conditions for normal operation are different (USA).

2 Definitions

2.2.9 *Replace the text by:*

normal operation

operation of the appliance after the heater has been installed under a water mattress, taking into account the instructions for installation.

The appliance is supported by an appropriately sized wooden base. The top of the base consists of plywood approximately 13 mm thick and is supported 150 mm above the floor by pinewood boards approximately 20 mm thick. The boards are assembled to form a rectangular framework which includes a longitudinal and two transverse members to produce six approximately equal sections.

The wooden base is completely covered by a sheet of open-cell polyether approximately 25 mm thick. The polyether has the following specifications:

- cell count: 18^{+2}_0 per cm;
- specific mass: $30 \text{ kg/m}^3^{+10}_0$ %;
- hardness: 120 N to 170 N at 40 % impression, measured according to ISO 2439.

NOTE 1 This polyether sheet is omitted if the instructions for installation state that the heater is unsuitable for use on a soft support.

NOTE 2 Additional material is placed on the polyether sheet if this is stated in the instructions for installation.

The heater, together with any control, is positioned on the polyether sheet. A piece of the bottom layer of water mattress material having dimensions 10 cm × 20 cm is folded to form a crease 5 cm × 20 cm. It is placed on the upper surface of the heater, parallel to its shortest side, and approximately in the middle of its longest side.

The mattress is placed over the heater, filled with water and completely covered by a similar piece of polyether sheet approximately 36 mm thick.

7 Marking and instructions

7.12.1 *Replace the 8th dashed item and note 2 by:*

- details of any additional supporting material required if the heater is installed on a soft support or, if the heater is unsuitable for such use, a statement to this effect.

11 Heating

11.2 *Replace the text by:*

The appliance is installed as specified for normal operation.

IECNORM.COM: Click to view the full PDF of IEC 60335-2-66:1995/AMD1:2000