

INTERNATIONAL
STANDARD

IEC
60384-22-1

First edition
2004-06

Fixed capacitors for use in electronic equipment –

Part 22-1:

Blank detail specification:

**Fixed surface mount multilayer capacitors
of ceramic dielectric, Class 2 –**

Assessment level E2

IECNORM.COM : Click to view the full PDF of IEC 60384-22-1:2004



Reference number
IEC 60384-22-1:2004(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60384-22-1

First edition
2004-06

Fixed capacitors for use in electronic equipment –

Part 22-1:

Blank detail specification: Fixed surface mount multilayer capacitors of ceramic dielectric, Class 2 – Assessment level E2

IECNORM.COM : Click to view the full PDF of IEC 60384-22-1:2004

© IEC 2004 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

P

For price, see current catalogue

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 General data	7
1.1 Recommended method(s) of mounting (to be inserted).....	7
1.2 Dimensions	7
1.3 Ratings and characteristics	7
1.4 Normative references	8
1.5 Marking.....	8
1.6 Ordering information.....	8
1.7 Certified records of released lots.....	8
1.8 Additional information (not for inspection purposes)	8
1.9 Additional or increased severities or requirements to those specified in the generic and/or sectional specification	8
2 Inspection requirements	9
2.1 Procedures.....	9
Table 1 – Case size reference and dimensions	7
Table 2 – Values of capacitance and of voltage related to case sizes	7
Table 3 – Other characteristics	8
Table 4 – Test schedule for quality conformance inspection.....	9

IECNORM.COM : Click to view the full PDF of IEC 60384-22-1:2004

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

**Part 22-1: Blank detail specification:
Fixed surface mount multilayer capacitors
of ceramic dielectric, Class 2 –
Assessment level EZ**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60384-22-1 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment

This standard and its related publications (CEI 60384-21, IEC 60384-21-1 and IEC 60384-22) cancel and replace IEC 60384-10 (1989) and its Amendments 1 (1993) and 2 (2000) as well as IEC 60384-10-1 (1989) and its Amendment 1 (1993).

The text of this standard is based on the following documents:

FDIS	Report on voting
40/1423/FDIS	40/1454/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.

The contents of the corrigendum of September 2004 have been included in this copy.

IECNORM.COM : Click to view the full PDF of IEC 60384-22-1:2004

INTRODUCTION

Blank detail specification

A blank detail specification is a supplementary document to the sectional specification and contains requirements for style, layout and minimum content of detail specifications. Detail specifications not complying with these requirements may not be considered as being in accordance with IEC specifications nor shall they so be described.

In the preparation of detail specifications the content of 1.4 of the sectional specification shall be taken into account.

The numbers between square brackets on the first page of the detail specification correspond to the following information which shall be inserted in the position indicated.

Identification of the detail specification

- (1) The “International Electrotechnical Commission” or the National Standards Organization under whose authority the detail specification is drafted.
- (2) The IEC or National Standards number of the detail specification, date of issue and any further information required by the national system.
- (3) The number and issue number of the IEC or national generic specification.
- (4) The IEC number of the blank detail specification.

Identification of the capacitor

- (5) A short description of the type of capacitor.
- (6) Information on typical construction (when applicable).
- (7) Outline drawing with main dimensions which are of importance for interchangeability and/or reference to the national or international documents for outlines. Alternatively, this drawing may be given in an annex to the detail specification.
- (8) Application or group of applications covered and/or assessment level.
- (9) Reference data on the most important properties, to allow comparison between the various capacitor types.

	(1)	IEC 60384-22-1-ZZZ QC 30XXXX-ZZZ	(2)
ELECTRONIC COMPONENTS OF ASSESSED QUALITY IN ACCORDANCE WITH :	(3)	IEC 60384-22-1 QC 30 XXXX	(4)
Outline drawing : (see Table 1) (...angle projection) (Other shapes are permitted within the dimensions given)	(7)	FIXED SURFACE MOUNT MULTILAYER CAPACITORS OF CERAMIC DIELECTRIC CLASS 2	(5)
			(6)
		Assessment level: EZ	(8)

Information on the availability of components qualified to this detail specification is given in the IEC QC 001005.

(9)

IECNORM.COM : Click to view the full PDF of IEC 60384-22-1:2004

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 22-1: Blank detail specification: Fixed surface mount multilayer capacitors of ceramic dielectric, Class 2 – Assessment level EZ

1 General data

1.1 Recommended method(s) of mounting (to be inserted)

(See 1.4.2 of IEC 60384-22).

1.2 Dimensions

Table 1 – Case size reference and dimensions

Case size reference	Dimension (mm)						
	L_1	W	H	L_2	L_3	L_4	---

When there is no case size reference, Table 1 may be omitted and the dimensions shall be given in Table 2, which then becomes Table 1.

The dimensions shall be given as maximum dimensions or as nominal dimensions with a tolerance.

1.3 Ratings and characteristics

Rated capacitance range	(see Table 2)
Tolerance on rated capacitance	
Rated voltage	(see Table 2)
Category voltage (if applicable)	(see Table 2)
Climatic category	
Rated temperature	
Category temperature (if applicable)	
Tangent of loss angle	
Insulation resistance	
Temperature characteristics of capacitance	...%

Table 2 – Values of capacitance and of voltage related to case sizes

Rated voltage				
Category voltage ¹⁾				
Rated capacitance (in pF, nF and/ or µF)	Case size	Case size	Case size	Case size

¹⁾ If different from the rated voltage.

1.4 Normative references

IEC 60384-1:1999, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification.*

IEC 60384-22:2004, *Fixed capacitors for use in electronic equipment – Part 22: Sectional specification: Fixed surface mount multilayer capacitors of ceramic dielectric, Class 2*

IEC 60410:1973, *Sampling plans and procedures for inspection by attributes*

1.5 Marking

The marking of the capacitor, if applied, and the package shall be in accordance with the requirements of 1.6 of IEC 60384-22.

NOTE The details of the marking of the component and package shall be given in full in the detail specification.

1.6 Ordering information

Orders for capacitors covered by this specification shall contain, in clear or in coded form, the following minimum information:

- a) Rated capacitance.
- b) Tolerance on rated capacitance.
- c) Rated d.c. voltage.
- d) Temperature characteristics of capacitance.
- e) Number and issue reference of the detail specification and style reference.

1.7 Certified records of released lots

Required/not required.

1.8 Additional information (not for inspection purposes)

1.9 Additional or increased severities or requirements to those specified in the generic and/or sectional specification

NOTE Additions or increased requirements should be specified only when essential.

Table 3 – Other characteristics

<p>This table is to be used for defining characteristics which are additional to or more severe than those given in the sectional specification.</p>
--

2 Inspection requirements

2.1 Procedures

2.1.1

For qualification approval, the procedures shall be in accordance with 3.4 of IEC 60384-22.

2.1.2

For quality conformance inspection, the test schedule (Table 4) includes sampling, periodicity, severities and requirements. The formation of inspection lots is covered by 3.5.1 of IEC 60384-22.

Table 4 – Test schedule for quality conformance inspection

Subclause number and test ¹⁾	D or ND	Conditions of test ¹⁾	Number of specimens and number of non-conformances ²⁾			Performance requirements ¹⁾
			IL	<i>n</i>	<i>c</i>	
Group A inspection (lot-by-lot)						
Subgroup A0	ND			100 % ³⁾		
4.5.1 Capacitance		Frequency: ... Hz Measuring voltage: ... V r.m.s				Within specified tolerance
4.5.2 Tangent of loss angle (tan δ)		Frequency and measuring voltage same as in 4.5.1				As in 4.5.2
4.5.3 Insulation resistance		See detail specification for the method				As in 4.5.3.3
4.5.4 Voltage proof		See detail specification for the method				No breakdown or flashover

Table 4 – Test schedule for Quality Conformance Inspection (continued)

Subclause number and test ¹⁾	D or ND	Conditions of test ¹⁾	Number of specimens and number of non-conformances ²⁾			Performance requirements ¹⁾
			IL	n ⁴⁾	c	
Subgroup A1 4.4 Visual inspection	ND		S-4	⁴⁾	0	As in 4.4.2 Legible marking and as specified in 1.5 of this specification
Subgroup A2 4.4 Dimension ⁵⁾	ND		S-3	⁴⁾	0	As specified in Table 1 of this specification
Group B inspection (lot-by-lot) Subgroup B1 4.5.5 Impedance (if required) 4.5.6 ESR (if required) 4.10 Solderability 4.10.3 Final measurements 4.17 Solvent resistance of the marking (if required) ⁶⁾	D	Frequency: 100 kHz Frequency: 100 kHz See detail specification for the method Visual examination Solvent: Solvent temperature: ... Method 1 Rubbing material: cotton wool Recovery: ...	S-3	⁴⁾	0	See detail specification See detail specification As in 4.10.3 Legible marking
Subgroup B2 4.6 Temperature characteristics of capacitance ⁷⁾	ND	Special preconditioning as in 4.1	S-2	⁴⁾	0	$\Delta C/C$: As in 4.6.3

Table 4 – Test schedule for Quality Conformance Inspection (continued)

Subclause number and test ¹⁾	D or ND	Conditions of test ¹⁾	Number of specimens and number of non-conformances ²⁾			Performance requirements ¹⁾
			<i>p</i>	<i>n</i>	<i>c</i>	
Group C inspection (periodic) Subgroup C1	D					
4.15 Robstness of termination (if required)		Test Ua1, Force: 2,5 N Test Ub, Method 1, Force: 2,5 N Number of bends: 1 Visual examination Special preconditioning as in 4.1	3	12	0 8)	No visible damage
4.9.2 Initial measurement		Capacitance				
4.9 Resistance to soldering heat		See detail specification for the method Recovery: 24 h ± 2 h				
4.9.5 Final measurements		Visual examination Capacitance				As in 4.9.5 As in 4.9.5
4.16 Component solvent resistance (if required)		Solvent: ... Solvent temperature: ... Method 2 Recovery: ...				See detail specification
Subgroup C2	D		3	12	0 8)	
4.8 Substrate bending test 9)		Deflection: ... Number of bends: ...				See detail specification
4.8.1 Initial measurement		Capacitance				
4.8.2 Final inspection		Capacitance (with printed board in bent position) Visual examination				$\Delta C/C \leq 10 \%$ No visible damage

Table 4 – Test schedule for Quality Conformance Inspection (continued)

Subclause number and test ¹⁾	D or ND	Conditions of test ¹⁾	Number of specimens and number of non-conformances ²⁾			Performance requirements ¹⁾
			<i>p</i>	<i>n</i>	<i>c</i>	
Subgroup C3 4.3 Mounting ¹⁰⁾	D	Substrate material: ... Visual examination Capacitance Tangent of loss angle Insulation resistance Voltage proof	/	/	/	As in 4.4.2 Within specified tolerance As in 4.5.2 As in 4.5.3.3 No breakdown or flashover

IECNORM.COM : Click to view the full PDF of IEC 60384-22-1:2004