

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Modular order for the development of mechanical structures for electrical and electronic equipment practices –
Part 1: Generic standard**

**Ordre modulaire pour le développement des structures mécaniques pour les infrastructures électriques et électroniques –
Partie 1: Norme générique**

IECNORM.COM : Click to view the full PDF of IEC 60917-1:2019



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2019 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

Electropedia - www.electropedia.org

The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

67 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Recherche de publications IEC -

webstore.iec.ch/advsearchform

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et une fois par mois par email.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: sales@iec.ch.

Electropedia - www.electropedia.org

Le premier dictionnaire d'électrotechnologie en ligne au monde, avec plus de 22 000 articles terminologiques en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

67 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Modular order for the development of mechanical structures for electrical and electronic equipment practices –
Part 1: Generic standard**

**Ordre modulaire pour le développement des structures mécaniques pour les infrastructures électriques et électroniques –
Partie 1: Norme générique**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 31.240

ISBN 978-2-8322-7164-3

Warning! Make sure that you obtained this publication from an authorized distributor. Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.
--

CONTENTS

FOREWORD	4
INTRODUCTION	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	9
4 Fundamentals and background information	19
4.1 General	19
4.2 Structures of electrical and electronic equipment practices	20
4.3 Dimensional co-ordination with adjacent technical fields	20
4.4 Preparation of standards for new equipment practices	21
5 Modular order details	24
5.1 Modular grid	24
5.2 Pitches	24
5.2.1 Base and multiple pitches for equipment practice	24
5.2.2 Mounting pitches example	25
5.3 Co-ordination dimensions	26
5.4 Illustration of the modular order	27
Figure 1 – Pitch	10
Figure 2 – Grid	11
Figure 3 – Rack	12
Figure 4 – Cabinet	12
Figure 5 – Case	13
Figure 6 – Swing frame	13
Figure 7 – Subrack	14
Figure 8 – Chassis	14
Figure 9 – Plug-in unit	15
Figure 10 – Console	15
Figure 11 – Plug-in unit guide	15
Figure 12 – Slides	16
Figure 13 – Telescopic slides	16
Figure 14 – Mounting frame	17
Figure 15 – Mounting plate	17
Figure 16 – Front panel	17
Figure 17 – Backplane	18
Figure 18 – Cabinet panel	18
Figure 19 – Door	19
Figure 20 – Mounting section	19
Figure 21 – Structures of electrical and electronic equipment practices	20
Figure 22 – Structure of equipment practice standards	23
Figure 23 – Modular grid	24
Figure 24 – Partitioning of co-ordination dimensions C_0 with the same mounting pitch mp	26

Figure 25 – Examples of the application of the modular order28

Table 1 – Publications containing standardized modular dimensions and/or related documents21

Table 2 – Co-ordination dimensions C_i 26

IECNORM.COM : Click to view the full PDF of IEC 60917-1:2019

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MODULAR ORDER FOR THE DEVELOPMENT OF MECHANICAL STRUCTURES FOR ELECTRICAL AND ELECTRONIC EQUIPMENT PRACTICES –

Part 1: Generic standard

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60917-1 has been prepared by subcommittee 48D: Mechanical structures for electrical and electronic equipment, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

This second edition cancels and replaces the first edition published in 1998 and its Amendment 1:2000. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) added information on newly developed detail specification standards of mechanical structures for the electrical and electronic equipment practices;
- b) added information on newly developed performance test standards for the verifications of environmental performances and safety aspects and issues of the thermal performance and thermal management for the electrical and electronic equipment practices;

- c) introduced the relations between the mechanical structure for electrical and electronic system, the verification of environmental performance and safety aspects and issues of the thermal performance and thermal management for the electrical and electronic equipment practices.

The text of this standard is based on the following documents:

FDIS	Report on voting
48D/703/FDIS	48D/708/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

Future standards in this series will carry the new general title as cited above. Titles of existing standards in this series will be updated at the time of the next edition.

A list of all parts in the IEC 60917 series, published under the general title *Modular order for the development of mechanical structures for electrical and electronic equipment practices*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IECNORM.COM : Click to view the full text of IEC 60917-1:2019

INTRODUCTION

There is a continuous trend towards higher functional integration and smaller electronic components and integrated circuits. At the same time, new manufacturing methods, automatic manufacturing and testing equipment, and Computer Aided Engineering (CAE) systems have created commercial advantages for their users.

For users to take technical and economic advantage of these new components and technologies during planning, design, manufacturing, and testing, it is necessary for equipment practices to meet the following requirements (see IEC Guide 103): arrangement of products with a minimum loss of area and space;

- dimensional interchangeability of products, e.g. regarding overall dimensions, mounting dimensions (fixing holes, cut-out, etc.);
- dimensional compatibility and determination of interface dimensions of products which:
 - are combined with other products, e.g. instruments, racks, panels and cabinets, etc.;
 - are used in buildings that have been built in accordance with a modular system, e.g. column spacing, room height, door height, etc.

An obstacle arises from the use of two systems of dimensioning (inch – metre) that are not compatible with each other. The use of an interface between both dimensioning systems represents one way around this obstacle. The recommendation is:

- to use only one dimensioning system and to use SI units.

The dimensions given in 5.3 of this document have been taken from System I of IEC Guide 103 in consideration with other documents on dimensional coordination.

In accordance with the above considerations, IEC 60917-1 Ed.1 was published in 1998. This generic standard for mechanical structures for electronic equipment practices has been used to meet advanced requirements for various industrial applications of micro-electronics technology.

After publication of this generic standard, development of dimensional sectional and detail specifications consisting of the metric 25 mm modular standards, IEC 60917-2-X, and 19 inch (in) conventional standards, IEC 60297-3-XXX, was undertaken. In parallel, standards to address environmental performance and safety aspects of the mechanical structures were developed as the IEC 61587 series. All these standards are based on indoor system applications. The next step for the mechanical structure was the developments of the IEC 61969 series for outdoor applications.

In the first decade of the 21st century, the IEC 62194 and IEC 62610 series were developed to define the verification of the thermal performance of enclosures and address thermal management issues of the electrical and electronic equipment practices.

This document describes the relationships between the mechanical structure for electrical and electronic systems, the verification of environmental performance and safety aspects, and the issues of the thermal performance and of the thermal management for the electrical and electronic equipment practices.

MODULAR ORDER FOR THE DEVELOPMENT OF MECHANICAL STRUCTURES FOR ELECTRICAL AND ELECTRONIC EQUIPMENT PRACTICES –

Part 1: Generic standard

1 Scope

This part of IEC 60917 specifies the relationships between equipment practices and the modular order which are applicable to the main structural dimensions of electronic and electrical equipment mounted in various installations where dimensional interfaces have to be considered for mechanical compatibility.

This document also established terms for parts and assemblies of mechanical structures for electrical and electronic equipment, to clarify the specific relations between equipment practices and modular order.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-581, *International Electrotechnical Vocabulary – Part 581: Electromechanical components for electronic equipment*

IEC 60297 (all parts), *Mechanical structures for electronic equipment*

IEC 60297-3-100, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-100: Basic dimensions of front panels, subracks, chassis, racks and cabinets*

IEC 60297-3-101, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-101: Subracks and associated plug-in units*

IEC 60297-3-102, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-102: Injector/extractor handle*

IEC 60297-3-103, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-103: Keying and alignment pin*

IEC 60297-3-104, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-104: Connector dependent interface dimensions of subracks and plug-in units*

IEC 60297-3-105, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-105: Dimensions and design aspects for 1U high chassis*

IEC 60297-3-106, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-106: Adaptation dimensions for subracks and chassis applicable with metric cabinets or racks in accordance with IEC 60917-2-1*

IEC 60297-3-107, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-107: Dimensions of subracks and plug-in units, small form factor*

IEC 60297-3-108, *Mechanical structures for electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-108: Dimensions of R-type subracks and plug-in units*

IEC 60297-3-109, *Mechanical structures for electrical and electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-109: Dimensions of chassis for embedded computing devices*

IEC 60297-3-110, *Mechanical structures for electrical and electronic equipment – Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-110: Residential racks and cabinets for smart houses*

IEC TR 60668, *Dimensions of panel areas and cut-outs for panel and rack-mounted industrial-process measurement and control instruments*

IEC 60917-2, *Modular order for the development of mechanical structures for electronic equipment practices – Part 2: Sectional specification – Interface co-ordination dimensions for the 25 mm equipment practice*

IEC 60917-2-1, *Modular order for the development of mechanical structures for electronic equipment practices – Part 2: Sectional specification – Interface co-ordination dimensions for the 25 mm equipment practice – Section 1: Detail specification – Dimensions for cabinets and racks*

IEC 60917-2-2, *Modular order for the development of mechanical structures for electronic equipment practices – Part 2: Sectional specification – Interface co-ordination dimensions for the 25 mm equipment practice – Section 2: Detail specification – Dimensions for subracks, chassis, backplanes, front panels and plug-in units*

IEC 60917-2-3, *Modular order for the development of mechanical structures for electronic equipment practices – Part 2-3: Sectional specification – Interface co-ordination dimensions for the 25 mm equipment practice – Extended detail specification – Dimensions for subracks, chassis, backplanes, front panels and plug-in units*

IEC 60917-2-4, *Modular order for the development of mechanical structures for electronic equipment practices – Part 2-4: Sectional specification – Interface co-ordination dimensions for the 25 mm equipment practice – Adaptation dimensions for subracks or chassis applicable in cabinets or racks in accordance with IEC 60297-3-100 (19 in)*

IEC 60917-2-5, *Modular order for the development of mechanical structures for electronic equipment practices – Part 2-5: Sectional specification – Interface co-ordination dimensions for the 25 mm equipment practice – Cabinet interface dimensions for miscellaneous equipment*

IEC 61554, *Panel mounted equipment – Electrical measuring instruments – Dimensions for panel mounting*

IEC 61587 (all parts), *Mechanical structures for electronic equipment – Tests for IEC 60917 and IEC 60297 series*

IEC 61969-1, *Mechanical structures for electronic equipment – Outdoor enclosures – Part 1: Design guidelines*

IEC 61969-2, *Mechanical structures for electronic equipment – Outdoor enclosures – Part 2: Coordination dimensions*

IEC 61969-3, *Mechanical structures for electronic equipment – Outdoor enclosures – Part 3: Environmental requirements, tests and safety aspects*

IEC 62194, *Method of evaluating the thermal performance of enclosures*

IEC TS 62454, *Mechanical structures for electronic equipment – Design guide: Interface dimensions and provisions for water cooling of electronic equipment within cabinets of the IEC 60297 and IEC 60917 series*

IEC 62610 (all parts), *Mechanical structures for electrical and electronic equipment – Thermal management for cabinets in accordance with IEC 60297 and IEC 60917 series*

IEC Guide 103:1980, *Guide on dimensional co-ordination*

ISO 1006, *Building construction – Modular coordination – Basic module*

ISO 1040, *Building construction – Modular coordination – Multimodules for horizontal coordinating dimensions*

ISO 1791, *Building construction – Modular co-ordination – Vocabulary*

ISO 2848, *Building construction – Modular coordination – Principles and rules*

ISO 3394, *Packaging – Complete, filled transport packages and unit loads – Dimensions of rigid rectangular packages*

ISO 3676, *Packaging – Complete, filled transport packages and unit loads – Unit load dimensions*

ISO 6514, *Building construction – Modular coordination – Sub-modular increments*

ISO 80000-1:2009, *Quantities and units – Part 1: General*

ISO 80000-3:2006, *Quantities and units – Part 3: Space and time*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-581 as well as the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

equipment practice

mechanical structure involved in housing and mounting of electrical, electronic and electromechanical systems

Note 1 to entry: The equipment practice provides for compatibility between mechanical parts, electrical interconnections and electrical and electronic components.

3.2

modular order

set of rules which establishes a relationship between co-ordination dimensions and the base pitch, multiple pitches and mounting pitches to be used in equipment practice

3.3

co-ordination dimension

reference dimension used to co-ordinate mechanical interfaces. This is not a manufacturing dimension with a tolerance.

3.4

aperture dimension

special co-ordination dimension for the usable space between features (structural parts)

Note 1 to entry: The actual inside dimension of an aperture can only increase.

3.5

n

multiplier having values in continuous series of integers 1, 2, 3, ...

3.6

pitch

one division step of a regularly subdivided coordinate

SEE: Figure 1.




Figure 1 – Pitch

3.7

base pitch

p

smallest distance between adjacent grid lines used in the equipment practices

3.8

multiple pitch

Mp

integer multiple of the base pitch

3.9

mounting pitch

mp

pitch used to arrange parts or assemblies in a given space

Note 1 to entry: The nominal value of a mounting pitch is achieved by using a base or multiple pitch multiplied by a factor F from Table 2.

Note 2 to entry: Actual dimensions used in an equipment practice are created for the nominal mounting pitch and they include manufacturing tolerance.

3.10**reference plane**

theoretical plane without thickness or tolerances used to define spaces

3.11**grid**

two- or three-dimensional arrangement of pitches used to coordinate a position, complying with the modular order

SEE: Figure 2.




Figure 2 – Grid

3.12**module**

three-dimensional structure where all sides are multiples of whole numbers of the pitch, it can also be used in a two-dimensional grid.

Note 1 to entry: One dimensional module is often called unit (U) in some documents.

3.13**suite of racks****suite of cabinets**

row of racks or cabinets placed side by side

3.14**rack**

free-standing or fixed structure for housing electronic or electrical equipment

SEE: Figure 3.




Figure 3 – Rack

3.15 cabinet

free-standing and self-supporting enclosure for housing electronic and/or electrical equipment. It is usually fitted with doors and/or side panels which may or may not be removable

SEE: Figure 4.




Figure 4 – Cabinet

3.16**case**

table, bench or wall mounted enclosure in which electronic and /or electrical equipment can be housed

SEE: Figure 5.




Figure 5 – Case

3.17**swing frame**

hinged frame for housing electronic and/or electrical equipment

Note 1 to entry: The hinge frame swings to permit access to the back.

SEE: Figure 6.




Figure 6 – Swing frame

3.18**subrack**

structural unit for housing printed boards with components inserted, and plug-in units

SEE: Figure 7.




Figure 7 – Subrack

3.19

chassis

mechanical structure designed specifically to support associated electrical and electronic components

SEE: Figure 8.




Figure 8 – Chassis

3.20

plug-in unit

unit which plugs into a subrack and is supported by guides

Note 1 to entry: These units can be of various types, ranging from a printed board with components inserted to a frame or box-type unit designed with a plug-in connection.

SEE: Figure 9.




Figure 9 – Plug-in unit

3.21

console

table-mounted or floor-standing enclosure having horizontal, vertical and/or sloping faces to accommodate control, information and monitoring equipment

SEE: Figure 10.




Figure 10 – Console

3.22

plug-in unit guide

device to guide, locate and support plug-in units and printed boards, with components inserted, in subracks

SEE: Figure 11.




Figure 11 – Plug-in unit guide

3.23
slides

angle-bars on which subracks and chassis may slide and be supported within a rack, cabinet or case

SEE: Figure 12.




Figure 12 – Slides

3.24
telescopic slides

devices to support withdrawable subracks and chassis in the extended position

SEE: Figure 13.




Figure 13 – Telescopic slides

3.25
mounting frame

frame design of profiles for the mounting of electronic /electrical devices. Fixed or movable location within cabinets

SEE: Figure 14.




Figure 14 – Mounting frame

3.26

mounting plate

plate for the mounting of electronic/electrical devices, located within e.g. cabinets

SEE: Figure 15.




Figure 15 – Mounting plate

3.27

front panel

plane panel allocated to the vertical mounting area of racks and cabinets

SEE: Figure 16.



Figure 16 – Front panel

3.28

backplane

mounting plane of connectors and printed board for the electrical interconnection of plug-in units within a subrack or chassis

SEE: Figure 17.




Figure 17 – Backplane

3.29

cabinet panel

design part of a cabinet as protection against incidental touch and environmental influences

SEE: Figure 18.




Figure 18 – Cabinet panel

3.30

door

hinged cabinet panel, typically incorporating latching and/or locking devices

SEE: Figure 19.




Figure 19 – Door

3.31

mounting section

compartment of a cabinet for the assembly of interior parts

SEE: Figure 20.




Figure 20 – Mounting section

4 Fundamentals and background information

4.1 General

The basis of the modular order is the basic SI unit of length, the metre according to ISO 80000-1 and to ISO 80000-3.

For compatibility with other modular orders, see IEC 61554, IEC TR 60668, ISO 1006 and ISO 1040.

4.2 Structures of electrical and electronic equipment practices

In Figure 21, the four structure levels of presently known electronic equipment practices are outlined.

The modular order not only covers this kind of structure, but also any other structure of new electrical and electronic equipment practice designs where a modular grid with metric pitches and co-ordination dimensions can be allocated.




Figure 21 – Structures of electrical and electronic equipment practices

4.3 Dimensional co-ordination with adjacent technical fields

Developing a new electrical and/or electronic equipment practice requires the consideration of external and internal interfaces.

The most important interfaces to electronic and electrical equipment practice are:

a) External interfaces

- buildings with their room facilities, for example doors, elevators, tiles on floor and ceiling, etc.;
- packaging and transport, for example, pallets and containers for lorries, ships and aircraft;
- joint installation of various equipment, for example switching and transmission, power supply, industrial process equipment, etc.

b) Internal interfaces

- printed circuits, connectors, electromechanical components, electrical components;
- semiconductor components;
- wiring and cables;
- functional units such as a.c./d.c. convertor, measure and control instruments, fuses, etc.

Many of these interfaces have to be considered when specifying the requirements of any equipment practice for electronic and /or electrical systems. For such interfaces co-ordination dimensions should be used as means to reach dimensional compatibility with adjacent technical fields.

Table 1 gives an overview of ISO and IEC publications that should be considered when relevant co-ordination dimensions for common interfaces have to be determined.

Table 1 – Publications containing standardized modular dimensions and/or related documents

Publication	Title	Co-ordination dimensions mm
ISO 2848	Building construction – Modular coordination – Principles and rules	---
ISO 1791	Building construction – Modular co-ordination – Vocabulary	---
ISO 1006	Building construction – Modular coordination – Basic module	100
ISO 6514	Building construction – Modular coordination – Sub-modular increments	20; 25; 50
ISO 1040	Building construction – Modular coordination – Multimodules for horizontal coordinating dimensions	300; 600; 1 200; 1 500; 3 000; 6 000
ISO 3394	Packaging – Complete, filled transport packages and unit loads – Dimensions of rigid rectangular packages	600 x 400 1 200 x 800
ISO 3676	Packaging – Complete, filled transport packages and unit loads – Unit load dimensions	1 200 x 800
IEC GUIDE 103	Guide on dimensional co-ordination	0,5; 1; 2,5 (system I)
IEC TR 60668	Dimensions of panel areas and cut-outs for panel and rack-mounted industrial-process measurement and control instruments	12,5
IEC 60297-3-100	Dimensions of mechanical structures of the 482,6 mm (19 in) series – Part 3-100: Basic dimensions of front panels, subracks, chassis, racks and cabinets	100
IEC 61969-2	Mechanical structures for electronic equipment – Outdoor enclosures – Part 2: Coordination dimensions	25

4.4 Preparation of standards for new equipment practices

IEC standards for equipment practices to be prepared in accordance with this standard shall be based on the following structure (See Figure 22).

a) Generic standard

All new equipment practices shall comply with this document.

b) Sectional specification standards

They describe particular equipment practices within the scope of the generic standard. In a sectional standard, co-ordination dimensions (selected from the generic standard) shall be specified as standard dimensions, for example for height, width, depth, and so on. There may be more than one sectional standard based on different multiple pitches.


c) Detail specification standards

They standardize units or subunits of equipment practice described in a sectional standard. These units could be such as cabinets, racks, subracks, chassis, backplanes, front panels and plug-in units, etc., and the details can be dimensions, tolerances, requirements, etc., under the condition that mechanical compatibility is maintained.

NOTE Related with the mechanical structure for equipment practices, Figure 22 contains categorised standards and technical specifications.

- a) Conventional standard (Legacy system): IEC 60297 series, Dimensions of mechanical structures of the 482,6 mm (19 in) series, defines the detail dimensions of the structure levels through the level 1 to the level 4 as the same as the structure levels shown in Figure 21, and the level 4 of IEC 60297 series can be adaptable to the 25 mm co-ordination dimensions of IEC 60917-2. Standards in the IEC 60297 series are treated as detail specification standards in Figure 22.
- b) Outdoor enclosures: IEC 61969 series defines dimensions, environmental requirements of the protective outer-shells for outdoor applications (stationary uses at non-weather protected locations) of the mechanical structures in accordance with IEC 60917 series and IEC 60297 series and other equipment practices.
- c) Performance test standards: IEC 61587 series, IEC 62610 series and IEC TS 62454 provide specifications and requirements for verifications of environmental issues and thermal managements related with equipment practices applying mechanical structures in accordance with IEC 60917 series and IEC 60297 series. IEC 62194 specifies the test method for thermal performance of outdoor enclosures.

IECNORM.COM : Click to view the full PDF of IEC 60917-1:2019



IEC

Figure 22 – Structure of equipment practice standards

5 Modular order details

5.1 Modular grid

The correlation between the base pitch and the multiple pitches is explained in Figure 23 which shows the three-dimensional modular grid for equipment practices. Sometimes only a two-dimensional grid or a pitch in one axis is needed. The values of the pitches are specified in 5.2. The choice of pitch is dependent on the size of the mechanical structure as outlined in the following subclauses.




Figure 23 – Modular grid

5.2 Pitches

5.2.1 Base and multiple pitches for equipment practice

Base pitch: a value of 0,5 mm shall be used. It shall not be further subdivided.

Multiple pitches: the values 2,5 mm and 25 mm have been used in Figure 23 to create the coordination dimensions in Table 1. According to the rules of the modular order other values for mp are allowed, for example 2,0 mm and 20 mm.

5.2.2 Mounting pitches example

The relations between mounting pitches mp_i , the pitches p (base or multiple) and co-ordination dimensions C_i are shown in Figure 24. Mounting pitches shall fulfil the following conditions:

$$mp_i = F \times p$$

where

mp_i is the nominal value of mounting pitch;

p is the pitch (base or multiple as applicable);

F is the factor from Table 2.

$$mp_i = \frac{C_i}{n_i}$$

where

n_i is an integer;

C_i is the co-ordination dimension from Table 2.

$$C_i = n_i \times mp_i$$

$$C_0 = C_1 + C_2 + C_3 + \dots$$

where

C_0 is the overall co-ordination dimension.

In the example of Figure 24, the overall co-ordination dimension C_0 contains four co-ordination dimensions C_1 , C_2 , C_3 and C_4 and only one mp with the conditions (all dimensions in millimetres).

$$mp = F \times p = 2 \times 25 = 50$$

$$C_0 = C_1 + C_2 + C_3 + C_4$$

$$= n_1 \times mp + n_2 \times mp + n_3 \times mp + n_4 \times mp$$

$$= 2 \times 50 + 3 \times 50 + 5 \times 50 + 6 \times 50$$

$$= 100 + 150 + 250 + 300$$

$$= 800$$

The mounting pitch mp_i as well as the co-ordination dimensions C_i shall coincide with the values in Table 2. Dimension C_i may have equal or different values.




Figure 24 – Partitioning of co-ordination dimensions C_0 with the same mounting pitch mp

5.3 Co-ordination dimensions

Preferred co-ordination dimensions C_i for mechanical structures of equipment practices are listed in Table 2. The dimensions are mainly taken from Table 1 of IEC Guide 103:1980.

Table 2 – Co-ordination dimensions C_i

Co-ordination dimensions C_i mm $C_i = p \times F$			Factor F
Base pitch $p = 0,5 \text{ mm}$	Multiple pitch M_p		
	$p = 2,5 \text{ mm}$	$p = 25 \text{ mm}$	
40,0	200	2 000	80
36,0	180	1 800	72
32,0	160	1 600	64
30,0	150	1 500	60
25,0	125	-----	50
24,0	120	1 200	48
20,0	100	1 000	40
16,0	80,0	800	32
15,0	75,0	----	30
12,5	----	----	25
12,0	60,0	600	24
10,0	50,0	500	20
8,0	40,0	400	16
7,5	----	----	15
6,0	30,0	300	12
5,0	25,0	250	10


Co-ordination dimensions C_i mm $C_i = p \times F$			Factor F
Base pitch $p = 0,5 \text{ mm}$	Multiple pitch Mp		
	$p = 2,5 \text{ mm}$	$p = 25 \text{ mm}$	
4,0	20,0	200	8
3,0	15,0	150	6
2,5	12,5	125	5
2,0	10,0	100	4
1,5	7,5	75	3
1,0	5,0	50	2
0,5	2,5	25	1
NOTE The series $C_i = 25 \times F$ can be extended to cover greater values, e.g. 2 200 mm, 2 400 mm if necessary.			

Examples of the application of co-ordination dimensions:

- outside dimensions of racks, cabinets, cases, etc.;
- mounting spaces for assemblies, sub-assemblies and piece parts, wiring, cabling, etc.;
- mounting pitches of piece parts and assemblies.

5.4 Illustration of the modular order

Figure 25 illustrates the indoor application of modular order for electrical and electronic equipment practices.



NOTE Pitches “ p ” are presented in the frames, see 5.2.1.

Figure 25 – Examples of the application of the modular order

IECNORM.COM : Click to view the full PDF of IEC 60917-1:2019

SOMMAIRE

AVANT-PROPOS	32
INTRODUCTION	34
1 Domaine d'application	35
2 Références normatives	35
3 Termes et définitions	37
4 Principes fondamentaux et information de base	47
4.1 Généralités	47
4.2 Structures pour les infrastructures électriques et électroniques	48
4.3 Coordination dimensionnelle avec des domaines voisins	48
4.4 Elaboration de normes pour de nouvelles infrastructures	49
5 Détails de l'ordre modulaire	52
5.1 Grille modulaire	52
5.2 Pas	52
5.2.1 Pas de base et pas multiples pour les infrastructures	52
5.2.2 Pas de montage	53
5.3 Dimensions de coordination	54
5.4 Illustration de l'ordre modulaire	55
Figure 1 – Pas	38
Figure 2 – Grille	39
Figure 3 – Bâti	40
Figure 4 – Baie	40
Figure 5 – Coffret	41
Figure 6 – Cadre oscillant	41
Figure 7 – Bac à cartes	42
Figure 8 – Châssis	42
Figure 9 – Bloc enfichable	43
Figure 10 – Console	43
Figure 11 – Guide du bloc enfichable	43
Figure 12 – Glissières	44
Figure 13 – Glissières télescopiques	44
Figure 14 – Cadre de montage	45
Figure 15 – Plaque de montage	45
Figure 16 – Panneau frontal	45
Figure 17 – Fond de panier	46
Figure 18 – Panneau d'habillage de baie	46
Figure 19 – Porte	47
Figure 20 – Zone de montage	47
Figure 21 – Structures pour les infrastructures électriques et électroniques	48
Figure 22 – Architecture des normes des infrastructures	51
Figure 23 – Grille modulaire	52

Figure 24 – Partition des dimensions de coordination C_0 avec un pas de montage constant mp	54
Figure 25 – Exemples de l'application de l'ordre modulaire	56
Tableau 1 – Publications comprenant des dimensions modulaires normalisées et/ou documents apparentés.....	49
Tableau 2 – Dimensions de coordination C_i	54

IECNORM.COM : Click to view the full PDF of IEC 60917-1:2019

COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

ORDRE MODULAIRE POUR LE DÉVELOPPEMENT DES STRUCTURES MÉCANIQUES POUR LES INFRASTRUCTURES ÉLECTRIQUES ET ÉLECTRONIQUES –

Partie 1: Norme générique

AVANT-PROPOS

- 1) La Commission Electrotechnique Internationale (IEC) est une organisation mondiale de normalisation composée de l'ensemble des comités électrotechniques nationaux (Comités nationaux de l'IEC). L'IEC a pour objet de favoriser la coopération internationale pour toutes les questions de normalisation dans les domaines de l'électricité et de l'électronique. A cet effet, l'IEC – entre autres activités – publie des Normes internationales, des Spécifications techniques, des Rapports techniques, des Spécifications accessibles au public (PAS) et des Guides (ci-après dénommés "Publication(s) de l'IEC"). Leur élaboration est confiée à des comités d'études, aux travaux desquels tout Comité national intéressé par le sujet traité peut participer. Les organisations internationales, gouvernementales et non gouvernementales, en liaison avec l'IEC, participent également aux travaux. L'IEC collabore étroitement avec l'Organisation Internationale de Normalisation (ISO), selon des conditions fixées par accord entre les deux organisations.
- 2) Les décisions ou accords officiels de l'IEC concernant les questions techniques représentent, dans la mesure du possible, un accord international sur les sujets étudiés, étant donné que les Comités nationaux de l'IEC intéressés sont représentés dans chaque comité d'études.
- 3) Les Publications de l'IEC se présentent sous la forme de recommandations internationales et sont agréées comme telles par les Comités nationaux de l'IEC. Tous les efforts raisonnables sont entrepris afin que l'IEC s'assure de l'exactitude du contenu technique de ses publications; l'IEC ne peut pas être tenue responsable de l'éventuelle mauvaise utilisation ou interprétation qui en est faite par un quelconque utilisateur final.
- 4) Dans le but d'encourager l'uniformité internationale, les Comités nationaux de l'IEC s'engagent, dans toute la mesure possible, à appliquer de façon transparente les Publications de l'IEC dans leurs publications nationales et régionales. Toutes divergences entre toutes Publications de l'IEC et toutes publications nationales ou régionales correspondantes doivent être indiquées en termes clairs dans ces dernières.
- 5) L'IEC elle-même ne fournit aucune attestation de conformité. Des organismes de certification indépendants fournissent des services d'évaluation de conformité et, dans certains secteurs, accèdent aux marques de conformité de l'IEC. L'IEC n'est responsable d'aucun des services effectués par les organismes de certification indépendants.
- 6) Tous les utilisateurs doivent s'assurer qu'ils sont en possession de la dernière édition de cette publication.
- 7) Aucune responsabilité ne doit être imputée à l'IEC, à ses administrateurs, employés, auxiliaires ou mandataires, y compris ses experts particuliers et les membres de ses comités d'études et des Comités nationaux de l'IEC, pour tout préjudice causé en cas de dommages corporels et matériels, ou de tout autre dommage de quelque nature que ce soit, directe ou indirecte, ou pour supporter les coûts (y compris les frais de justice) et les dépenses découlant de la publication ou de l'utilisation de cette Publication de l'IEC ou de toute autre Publication de l'IEC, ou au crédit qui lui est accordé.
- 8) L'attention est attirée sur les références normatives citées dans cette publication. L'utilisation de publications référencées est obligatoire pour une application correcte de la présente publication.
- 9) L'attention est attirée sur le fait que certains des éléments de la présente Publication de l'IEC peuvent faire l'objet de droits de brevet. L'IEC ne saurait être tenue pour responsable de ne pas avoir identifié de tels droits de brevets et de ne pas avoir signalé leur existence.

La Norme internationale IEC 60917-1 a été établie par le sous-comité 48D: Structures mécaniques pour les équipements électriques et électroniques, du comité d'études 48 de l'IEC: Connecteurs électriques et structures mécaniques pour les équipements électriques et électroniques.

Cette deuxième édition annule et remplace la première édition publiée en 1998, ainsi que son Amendement 1:2000. Cette édition constitue une révision technique.

Cette édition inclut les modifications techniques majeures suivantes par rapport à l'édition précédente:

- a) informations ajoutées sur les nouvelles normes de spécification particulière de structures mécaniques pour les infrastructures électroniques et électriques;
- b) informations ajoutées sur les nouvelles normes d'essai de performances destinées à la vérification des performances environnementales, les aspects de la sécurité et le sujet des performances thermiques et de la gestion thermique pour les infrastructures électroniques et électriques;
- c) introduction des relations entre la structure mécanique pour les systèmes électriques et électroniques, la vérification des performances environnementales, les aspects de la sécurité et le sujet des performances thermiques et de la gestion thermique pour les infrastructures électroniques et électriques.

Le texte de cette norme est issu des documents suivants:

FDIS	Rapport de vote
48D/703/FDIS	48D/708/RVD

Le rapport de vote indiqué dans le tableau ci-dessus donne toute information sur le vote ayant abouti à l'approbation de la présente norme.

Cette publication a été rédigée selon les Directives ISO/IEC, Partie 2.

Les prochaines normes de cette série porteront le nouveau titre général nommé ci-dessus. Les titres des normes existantes de la série seront mis à jour lors de leur prochaine édition.

Une liste de toutes les parties de la série IEC 60917, publiées sous le titre général *Ordre modulaire pour le développement des structures mécaniques pour les infrastructures électriques et électroniques*, peut être consultée sur le site web de l'IEC.

Le comité a décidé que le contenu de cette publication ne sera pas modifié avant la date de stabilité indiquée sur le site web de l'IEC sous "<http://webstore.iec.ch>" dans les données relatives à la publication recherchée. A cette date, la publication sera

- reconfirmée,
- supprimée,
- remplacée par une édition révisée, ou
- amendée.

INTRODUCTION

Il existe une tendance constante vers une intégration plus fonctionnelle, des composants électroniques et des circuits intégrés plus petits. Dans le même temps, l'arrivée de nouvelles méthodes de fabrication, d'équipements automatiques de fabrication, d'essai, de l'utilisation de systèmes d'ingénierie assistée par ordinateur (IAO), offre des avantages commerciaux aux utilisateurs.

Afin que les utilisateurs exploitent les avantages techniques et économiques des composants et des technologies récemment développés durant la planification, la conception, la fabrication et les essais, il est nécessaire que les infrastructures satisfassent aux exigences suivantes (voir Guide IEC 103): arrangement des produits avec le minimum de perte d'espace et de place;

- interchangeabilité dimensionnelle des produits en tenant compte par exemple des dimensions hors-tout, des dimensions de montage (trous de fixation, découpes, etc.);
- compatibilité dimensionnelle et détermination des interfaces des produits qui:
 - sont combinés à d'autres produits, par exemple instruments de mesure, armoires, panneaux, bâtis, etc.;
 - sont utilisés dans des immeubles construits selon un ordre modulaire, par exemple pour l'espacement des colonnes, la hauteur des pièces, des portes, etc.

L'obstacle principal provient de la nécessité fréquemment rencontrée de se servir de deux systèmes de référence pour les dimensions (pouce-mètre) qui ne sont pas compatibles. L'utilisation d'une interface entre les deux systèmes représente une solution qui, en fait, n'est pas satisfaisante. La solution qui s'impose est:

- l'utilisation d'un seul système de référence pour les dimensions, et du système d'unités SI.

Les dimensions indiquées en 5.3 du présent document ont été extraites du Système I du Guide IEC 103, en considération d'autres documents sur les dimensions de coordination.

Conformément aux considérations ci-dessus, l'IEC 60917-1 Ed.1 est parue en 1998. La présente norme générique pour le développement des structures mécaniques pour les infrastructures électroniques a été utilisée pour satisfaire aux exigences spécifiques des diverses applications industrielles de la technologie microélectronique.

Après la publication de la présente norme générique, le développement de spécifications particulières et intermédiaires de dimensions, constituées des normes modulaires, IEC 60917-2-X, avec une métrique de 25 mm et les normes conventionnelles, IEC 60297-3-XXX, avec une métrique de 19 pouces, a été réalisé. En parallèle, des normes visant à traiter les performances environnementales et les aspects de la sécurité des structures mécaniques ont été développées, comme la série IEC 61587. Toutes ces normes sont basées sur des applications de système intérieures. L'étape suivante pour la structure mécanique fut le développement de la série IEC 61969 pour les applications de plein air.

Au cours de la première décennie du 21^e siècle, les séries IEC 62194 et IEC 62610 ont été développées afin de définir la vérification des performances thermiques des enveloppes et de s'occuper du sujet de la gestion thermique pour les infrastructures électroniques et électriques.

Le présent document décrit les relations entre la structure mécanique pour les systèmes électriques et électroniques, la vérification des performances environnementales, les aspects de la sécurité et le sujet des performances thermiques et de la gestion thermique pour les infrastructures électroniques et électriques.

ORDRE MODULAIRE POUR LE DÉVELOPPEMENT DES STRUCTURES MÉCANIQUES POUR LES INFRASTRUCTURES ÉLECTRIQUES ET ÉLECTRONIQUES –

Partie 1: Norme générique

1 Domaine d'application

La présente partie de l'IEC 60917 spécifie les relations entre les infrastructures et l'ordre modulaire qui sont applicables aux dimensions structurelles principales de l'équipement électronique et électrique monté au sein de diverses installations où des interfaces dimensionnelles doivent être considérées pour une compatibilité mécanique.

Le présent document établit également les termes pour les composants et les ensembles des structures mécaniques pour l'équipement électrique et électronique, afin de clarifier les relations spécifiques entre les infrastructures et l'ordre modulaire.

2 Références normatives

Les documents suivants cités dans le texte constituent, pour tout ou partie de leur contenu, des exigences du présent document. Pour les références datées, seule l'édition citée s'applique. Pour les références non datées, la dernière édition du document de référence s'applique (y compris les éventuels amendements).

IEC 60050-581, *Vocabulaire Electrotechnique International – Partie 581: Composants électromécaniques pour équipements électroniques*

IEC 60297 (toutes les parties), *Structures mécaniques pour équipements électroniques*

IEC 60297-3-100, *Structures mécaniques pour équipements électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) – Partie 3-100: Dimensions de base des panneaux avant, des bacs, des châssis, des bâtis et des baies*

IEC 60297-3-101, *Structures mécaniques pour équipements électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) – Partie 3-101: Bacs et blocs enfichables associés*

IEC 60297-3-102, *Structures mécaniques pour équipements électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) – Partie 3-102: Poignée d'injecteur/d'extracteur*

IEC 60297-3-103, *Structures mécaniques pour équipements électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) – Partie 3-103: Codage et broche d'alignement*

IEC 60297-3-104, *Structures mécaniques pour équipements électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) – Partie 3-104: Dimensions de l'interface des bacs et blocs enfichables en fonction du connecteur*

IEC 60297-3-105, *Structures mécaniques pour équipements électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) – Partie 3-105: Dimensions et aspects de conception pour les châssis d'une hauteur de 1U*

IEC 60297-3-106, *Structures mécaniques pour équipements électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) – Partie 3-106: Dimensions d'adaptation des bacs et des châssis, applicables aux baies ou aux bâtis dimensionnés selon le système métrique, conformément à l'IEC 60917-2-1*

IEC 60297-3-107, *Structures mécaniques pour équipements électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) – Partie 3-107: Dimensions des bacs et blocs enfichables de petit facteur de forme*

IEC 60297-3-108, *Structures mécaniques pour équipements électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) – Partie 3-108: Dimensions des bacs de type R et des blocs enfichables*

IEC 60297-3-109, *Structures mécaniques pour équipements électriques et électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) – Partie 3-109: Dimensions des châssis pour dispositifs informatiques intégrés*

IEC 60297-3-110, *Structures mécaniques pour équipements électriques et électroniques – Dimensions des structures mécaniques de la série 482,6 mm (19 pouces) – Partie 3-110: Bâtis et baies domestiques pour maisons intelligentes*

IEC TR 60668, *Dimensions des surfaces et des ajourages à prévoir pour les appareils de mesure et de commande montés en tableaux ou en tiroirs dans les processus industriels*

IEC 60917-2, *Ordre modulaire pour le développement des structures mécaniques pour les infrastructures électroniques – Partie 2: Spécification intermédiaire – Dimensions de coordination pour les interfaces des infrastructures au pas de 25 mm*

IEC 60917-2-1, *Ordre modulaire pour le développement des structures mécaniques pour les infrastructures électroniques – Partie 2: Spécification intermédiaire – Dimensions de coordination pour les interfaces des infrastructures au pas de 25 mm – Section 1: Spécification particulière – Dimensions pour baies et bâtis*

IEC 60917-2-2, *Ordre modulaire pour le développement des structures mécaniques pour les infrastructures électroniques – Partie 2: Spécification intermédiaire – Dimensions de coordination pour les interfaces des infrastructures au pas de 25 mm – Section 2: Spécification particulière – Dimensions pour bacs, châssis, fonds de paniers, faces avant et unités enfichables*

IEC 60917-2-3, *Ordre modulaire pour le développement des structures mécaniques pour les infrastructures électroniques – Partie 2-3: Spécification intermédiaire – Dimensions de coordination pour les interfaces des infrastructures au pas de 25 mm – Spécification particulière étendue – Dimensions pour bacs, châssis, fonds de panier, faces avant et unités enfichables*

IEC 60917-2-4, *Ordre modulaire pour le développement des structures mécaniques pour les infrastructures électroniques – Partie 2-4: Spécification intermédiaire – Dimensions de coordination pour les interfaces des infrastructures au pas de 25 mm – Dimensions d'adaptation des bacs ou des châssis, applicables dans les baies ou les bâtis, conformément à l'IEC 60297-3-100 (19 pouces)*

IEC 60917-2-5, *Ordre modulaire pour le développement des structures mécaniques pour les infrastructures électroniques – Partie 2-5: Spécification intermédiaire – Dimensions de coordination pour les interfaces des infrastructures au pas de 25 mm – Dimensions pour les interfaces des baies pour équipements divers*

IEC 61554, *Appareils montés en tableaux – Instruments de mesure électriques – Dimensions pour le montage en tableaux*

IEC 61587 (toutes les parties), *Structures mécaniques pour équipement électronique – Essais pour les séries IEC 60917 et IEC 60297*

IEC 61969-1, *Structures mécaniques pour équipement électronique – Enveloppes de plein air – Partie 1: Lignes directrices pour la conception*

IEC 61969-2, *Structures mécaniques pour équipement électronique – Enveloppes de plein air – Partie 2: Dimensions de coordination*

IEC 61969-3, *Structures mécaniques pour équipement électronique – Enveloppes de plein air – Partie 3: Exigences environnementales, essais et aspects de la sécurité*

IEC 62194, *Méthode d'évaluation de la performance thermique des enveloppes*

IEC TS 62454, *Structures mécaniques pour équipement électronique – Guide de conception: Dimensions d'interface et dispositions relatives au refroidissement par l'eau des équipements électroniques dans les armoires des séries IEC 60297 et IEC 60917*

IEC 62610 (toutes les parties), *Structures mécaniques pour équipements électriques et électroniques – Gestion thermique pour les armoires conformes aux séries IEC 60297 et IEC 60917*

Guide IEC 103:1980, *Guide pour la coordination dimensionnelle*

ISO 1006, *Construction immobilière – Coordination modulaire – Module de base*

ISO 1040, *Construction immobilière – Coordination modulaire – Multimodules pour dimensions de coordination horizontale*

ISO 1791, *Construction immobilière – Coordination modulaire – Vocabulaire*

ISO 2848, *Construction immobilière – Coordination modulaire – Principes et règles*

ISO 3394, *Emballages – Emballages d'expédition complets et pleins et charges unitaires – Dimensions des emballages rectangulaires rigides*

ISO 3676, *Emballages – Emballages d'expédition complets et pleins et charges unitaires – Dimensions d'unité de charge*

ISO 6514, *Construction immobilière – Coordination modulaire – Accroissements inframodulaires*

ISO 80000-1:2009, *Grandeurs et unités – Partie 1: Généralités*

ISO 80000-3:2006, *Grandeurs et unités – Partie 3: Espace et temps*

3 Termes et définitions

Pour les besoins du présent document, les termes et définitions de l'IEC 60050-581 ainsi que les suivants, s'appliquent.

L'ISO et l'IEC tiennent à jour des bases de données terminologiques destinées à être utilisées en normalisation, consultables aux adresses suivantes:

- IEC Electropedia: disponible à l'adresse <http://www.electropedia.org/>
- ISO Online browsing platform: disponible à l'adresse <http://www.iso.org/obp>

3.1

infrastructure

structure mécanique utilisée dans le boîtier et le montage des systèmes électriques, électroniques et électromécaniques

Note 1 à l'article: L'infrastructure est prévue pour la compatibilité entre les parties mécaniques, les interconnexions électriques et les composants électriques et électroniques.

3.2

ordre modulaire

ensemble de règles qui établissent une relation entre les dimensions de coordination et le pas de base, les pas multiples et les pas de montage à utiliser dans l'infrastructure

3.3

dimension de coordination

dimension de référence utilisée pour coordonner les interfaces mécaniques. Ce n'est pas une dimension de fabrication assortie de tolérances

3.4

dimension d'ouverture

dimension de coordination utilisée pour désigner l'espace utile entre deux éléments de structure

Note 1 à l'article: Une dimension d'ouverture peut uniquement être augmentée.

3.5

n

multiplicateur issu de la suite des entiers 1, 2, 3, ...

3.6

pas

distance entre deux divisions d'un espace modulaire à une dimension

VOIR: Figure 1.




Figure 1 – Pas

3.7

pas de base

p

plus petite distance entre deux lignes successives de la grille utilisée dans les infrastructures

3.8**pas multiple***M_p*

multiple entier du pas de base

3.9**pas de montage***m_p*

pas utilisé pour disposer des pièces ou des ensembles dans un espace donné

Note 1 à l'article: La valeur nominale d'un pas de montage s'obtient en multipliant un pas de base ou un pas multiple par un facteur F, tiré du Tableau 2.

Note 2 à l'article: Les dimensions réelles utilisées dans les infrastructures sont créées à partir de pas de montage additionnés de tolérances de fabrication.


3.10**plan de référence**

plan théorique, sans dimensions ni tolérances, utilisé pour délimiter des espaces

3.11**grille**

disposition à deux ou trois dimensions de pas utilisée pour coordonner une position selon les règles de l'ordre modulaire

VOIR: Figure 2.

**Figure 2 – Grille****3.12****module**

structure tridimensionnelle dont les dimensions extérieures sont des multiples entiers du pas. Il peut être également utilisé dans une grille à deux dimensions

Note 1 à l'article: Un module unidimensionnel est souvent appelé unité (U) dans certains documents.

3.13**rangée de baies**

ensemble de baies ou de bâtis disposés côte à côte

3.14**bâti**

structure ouverte indépendante ou fixée destinée à loger du matériel électrique ou électronique

VOIR: Figure 3.




Figure 3 – Bâti

3.15 baie

structure fermée indépendante et autoportée destinée à loger du matériel électrique et/ou électronique. Elle est habituellement munie de portes et/ou de panneaux latéraux qui peuvent être amovibles ou non

VOIR: Figure 4.




Figure 4 – Baie

3.16**coffret**

enveloppe disposée sur une table ou sur un établi, ou bien attachée à une paroi et destinée à loger du matériel électrique et/ou électronique

VOIR: Figure 5.




Figure 5 – Coffret

3.17**cadre oscillant**

cadre à charnière prévu pour contenir le matériel électrique et/ou électronique

Note 1 à l'article: Le cadre oscillant oscille pour permettre l'accès à l'arrière.

VOIR: Figure 6.




Figure 6 – Cadre oscillant

3.18**bac à cartes**

structure mécanique prévue pour contenir les cartes imprimées avec des composants insérés et des blocs enfichables

VOIR: Figure 7.




Figure 7 – Bac à cartes

3.19

châssis

structure mécanique conçue spécifiquement pour supporter les composants électriques et électroniques associés

VOIR: Figure 8.




Figure 8 – Châssis

3.20

bloc enfichable

bloc qui est enfiché dans un bac à cartes et est supporté par des guides

Note 1 à l'article: Ces blocs enfichables peuvent être de divers types, depuis une carte imprimée avec composants insérés à un bloc de type bâti ou fermé conçu avec une connexion enfichable.

VOIR: Figure 9.




Figure 9 – Bloc enfichable

3.21

console

enveloppe pour montage sur table ou posée sur le sol comportant des faces horizontales, verticales et/ou obliques en vue de contenir le matériel de commande, d'information et de surveillance

VOIR: Figure 10.




Figure 10 – Console

3.22

guide du bloc enfichable

dispositif prévu pour guider, loger et supporter les blocs enfichables et les cartes imprimées dans des bacs à cartes, avec des composants insérés

VOIR: Figure 11.




Figure 11 – Guide du bloc enfichable

3.23

glissières

barres en angle sur lesquelles les bacs à cartes et les châssis peuvent glisser et être supportés dans un bâti, une baie ou un coffret

VOIR: Figure 12.




Figure 12 – Glissières

3.24

glissières télescopiques

dispositifs permettant le soutien de bacs à cartes ou de châssis en position sortie

VOIR: Figure 13.




Figure 13 – Glissières télescopiques

3.25

cadre de montage

cadre constitué de profilés et destiné au montage d'appareils électroniques/ électriques. Il peut être fixe ou mobile à l'intérieur d'une baie

VOIR: Figure 14.




Figure 14 – Cadre de montage

3.26

plaque de montage

plaque prévue pour le montage de dispositifs électroniques/électriques et placée à l'intérieur de, par exemple, une baie

VOIR: Figure 15.




Figure 15 – Plaquette de montage

3.27

panneau frontal

panneau destiné à être fixé à la zone de montage vertical des bâtis et des baies

VOIR: Figure 16.




Figure 16 – Panneau frontal

3.28

fond de panier

plaque destinée à la fixation de connecteurs et de circuits imprimés pour l'interconnexion électrique de blocs enfichables au sein d'un bac à cartes ou d'un châssis

VOIR: Figure 17.




Figure 17 – Fond de panier

3.29

panneau d'habillage de baie

pièce externe d'une baie, destinée à en protéger l'intérieur contre les contacts accidentels et les effets de l'environnement

VOIR: Figure 18.




Figure 18 – Panneau d'habillage de baie

3.30

porte

panneau d'habillage de baie, monté sur charnières et comprenant typiquement un dispositif de fermeture et/ou de condamnation