

INTERNATIONAL STANDARD

IEC 61029-2-8

1995

AMENDMENT 1
1999-02

Amendment 1

**Safety of transportable motor-operated
electric tools –**

**Part 2-8:
Particular requirements for single spindle
vertical moulders**

Amendement 1

Sécurité des machines-outils électriques semi-fixes –

*Partie 2-8:
Règles particulières pour les toupies
monobroches verticales*

© IEC 1999 — Copyright - all rights reserved

International Electrotechnical Commission
Telefax: +41 22 919 0300

3, rue de Varembeé Geneva, Switzerland
e-mail: inmail@iec.ch

IEC web site <http://www.iec.ch>



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

C

For price, see current catalogue

IECNORM.COM : Click to view the full PDF of IEC 61029-2-8:1995/AMD1:1999

FOREWORD

This amendment has been prepared by subcommittee 61F: Safety of hand-held motor-operated electric tools, of IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this amendment is based on the following documents:

| FDIS | Report on voting |
|--------------|------------------|
| 61F/258/FDIS | 61F/264/RVD |

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

Page 15

18 Stability and mechanical hazards

Subclause 18.1

Add the following new paragraph:

The machine shall be equipped with means to fix anti-kickback devices (e.g. adjustable end stops) at the fence or at the extension table. Such means may be fixing holes of 12 mm diameter maximum.

The anti-kickback devices shall be capable of withstanding a static force of 300 N in the direction of kickback without permanent damage.

The position of such devices shall be adjustable on both sides of the spindle up to a distance equal to double the fence length.

IECNORM.COM - Click to view the full PDF of IEC 61029-2-8:1995/AMD1:1999