

INTERNATIONAL STANDARD

AMENDMENT 1

**Global maritime distress and safety system (GMDSS) –
Part 6: Narrowband direct-printing telegraph equipment for the reception of
navigational and meteorological warnings and urgent information to ships
(NAVTEX)**

IECNORM.COM : Click to view the full PDF of IEC 61097-6:2005/AMD1:2011





THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2011 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

IECNORM.COM : Click to view the full PDF of IEC 61097-6:2005/AMD1:2011



INTERNATIONAL STANDARD

AMENDMENT 1

**Global maritime distress and safety system (GMDSS) –
Part 6: Narrowband direct-printing telegraph equipment for the reception of
navigational and meteorological warnings and urgent information to ships
(NAVTEX)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

C

ICS 47.020.70

ISBN 978-2-88912-846-4

FOREWORD

This amendment has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

The text of this amendment is based on the following documents:

CDV	Report on voting
80/619/CDV	80/648/RVC

Full information on the voting for the approval of this amendment can be found in the report on voting indicated in the above table.

The committee has decided that the contents of this amendment and the base publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION to Amendment 1

The amendment removes the description in Annex C of the sentences NRX and NRM. These sentences are now described in IEC 61162-1 (see NOTE below).

NOTE Applies as of edition 4 (2010).

Annex C – IEC 61162 sentences for NAVTEX operation

Replace the entire text of Annex C by the following new text. The Annex title remains unchanged.

C.1 NRX – NAVTEX received message

The NRX sentence is used to transfer the contents of a received NAVTEX message from the NAVTEX receiver to another device. Details of the sentence are given in IEC 61162-1.

C.2 NRM – NAVTEX receiver mask

The NRM command is used to manipulate the configuration masks that control which messages are stored, printed and sent to the INS port of the NAVTEX receiver. Details of the sentence are given in IEC 61162-1.

IECNORM.COM : Click to view the full PDF of IEC 61097-6:2005/AMD1:2011

IECNORM.COM : Click to view the full PDF of IEC 61097-6:2005/AMD1:2017