

INTERNATIONAL STANDARD

**Touch and interactive displays –
Part 1-2: Generic – Terminology and letter symbols**

IECNORM.COM : Click to view the full PDF of IEC 62908-1-2:2017



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IECNORM.COM : Click to view the full text of IEC 60908-12:2017

INTERNATIONAL STANDARD

**Touch and interactive displays –
Part 1-2: Generic – Terminology and letter symbols**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.120

ISBN 978-2-8322-4800-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
1 Scope.....	5
2 Normative references	5
3 Terms and definitions	5
3.1 Classification of terms.....	5
3.2 Touch displays.....	6
3.3 Components of touch displays	6
3.4 Structure types of touch displays	6
3.5 Sensor types of touch displays.....	7
3.6 Input operations of touch displays.....	7
3.7 Measurement elements of touch displays.....	7
3.8 Measurement performances of touch displays.....	7
3.9 Interactive displays	9
3.10 Components of interactive displays.....	9
3.11 Sensor types of interactive displays	10
3.12 Input operations of interactive displays	10
3.13 Actuator types of interactive displays	11
3.14 Feedback operations of interactive displays	11
3.15 Measurement performances of interactive displays	11
Annex A (normative) Structure of touch display module	13
Figure A.1 – Touch display module structure	13

IECNORM.COM : Click to view the full PDF of IEC 62908-1-2:2017

INTERNATIONAL ELECTROTECHNICAL COMMISSION

TOUCH AND INTERACTIVE DISPLAYS –

Part 1-2: Generic – Terminology and letter symbols

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62908-1-2 has been prepared by IEC technical committee 110: Electronic display devices.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
110/886/FDIS	110/903/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 62908 series, under the general title *Touch and interactive displays*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IECNORM.COM : Click to view the full PDF of IEC 62908-1-2:2017

TOUCH AND INTERACTIVE DISPLAYS –

Part 1-2: Generic – Terminology and letter symbols

1 Scope

This part of IEC 62908 provides a list of terminological entries that are frequently used in the literature related to touch and interactive displays in the IEC 62908 series. Terms for various input methods such as touch, hovering, proximity, gesture, eye tracking, and motion recognition are included. This document is applicable to touch displays, interactive displays and their components.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

3.1 Classification of terms

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

Terms for touch and interactive displays are classified as follows (see also Annex A):

- touch displays (3.2);
- components of touch displays (3.3);
- structure types of touch displays (3.4);
- sensor types of touch displays (3.5);
- input operations of touch displays (3.6);
- measurement elements of touch displays (3.7);
- measurement performances of touch displays (3.8);
- interactive displays (3.9);
- components of interactive displays (3.10);
- sensor types of interactive displays (3.11);
- input operations of interactive displays (3.12);
- actuator types of interactive displays (3.13);
- feedback operations of interactive displays (3.14); and
- measurement performances of interactive displays (3.15).

3.2 Touch displays

3.2.1

touch display

touch display module

electronic device that allows the users to input by using touch objects corresponding to the displayed information

3.3 Components of touch displays

3.3.1

touch sensor

sensor which recognizes input through touch

3.3.2

touch display panel

combination of a touch sensor module and a display panel

3.3.3

touch sensor module

touch screen panel

combination of a touch sensor and touch controller that creates an integrated module capable of sensing and processing touch

Note 1 to entry: A cover window is sometimes attached to the touch sensor.

3.3.4

test pattern cell

test sample with patterned electrodes that is made for reliability measurement

3.3.5

cover window

transparent window that covers and protects the touch screen panel and display panel

3.3.6

touch controller

integrated circuit that converts analogue input signals to digital output signals in the touch screen panel

3.3.7

receive electrode array

Rx

array of electrodes used for receiving the electrical signal

3.3.8

transmit electrode array

Tx

array of electrodes with changing voltage used for transmitting the electrical signal

3.4 Structure types of touch displays

3.4.1

add-on type

out-cell type

structure that has touch sensors which are separately fabricated and attached to the display panel

3.4.2**in-cell type**

structure that has touch sensors which are integrated inside the display panel

3.4.3**on-cell type**

structure that has touch sensors which are integrated on the outside of the display panel

3.4.4**hybrid-cell type**

structure that has touch sensors which are both inside and outside the display panel

3.5 Sensor types of touch displays**3.5.1****capacitive touch sensor**

sensor for detecting the change of capacitance

3.5.2**resistive touch sensor**

sensor for detecting the change of resistance

3.5.3**optical touch sensor**

sensor that senses the change of light intensity by using light emitter and detector pairs arranged around the perimeter of the touch screen

3.5.4**surface acoustic wave touch sensor**

sensor for detecting the change of surface acoustic wave which is generated by the touch input operations of the touch displays

3.6 Input operations of touch displays**3.6.1****touch event**

event of detecting the coordinate of the physical contact with a touch sensor

3.6.2**hovering**

detection which responds to the non-physical touch of a human body or an object which is suspended over the touch sensor

3.6.3**pressure touch**

touch putting pressure on the touch sensor which recognizes the changes in pressure

3.7 Measurement elements of touch displays**3.7.1****touch test bar**

artificial bar that is applied as touch input on the touch screen panel

3.8 Measurement performances of touch displays**3.8.1****false touch**

phenomenon where touch coordinates are incorrectly reported

3.8.2

adjacent touch distance

minimum distance between two separate touch points which the touch screen panel can report as being distinct from one another

3.8.3

maximum hover distance

greatest distance between the hovering input object and the touch screen panel surface for which the object position can be reported

3.8.4

minimum sensing size

smallest diameter of the test bar for which touch data can be reported

3.8.5

touch accuracy

degree which shows how close a measured value is to the targeted (true) value

Note 1 to entry: Unit: mm.

3.8.6

touch jitter

deviation of the reported coordinates from the touch screen panel when a stationary touch is applied

3.8.7

touch latency

delay time from actual touch to reported touch in idle/doze mode

3.8.8

touch linearity

linearity of sensed touch points when a linear dragging touch is applied

3.8.9

touch precision

touch repeatability

degree which shows how close the measured values are to each other with subsequent touches in the same location

3.8.10

touch reporting time

interval time of the touch signal from the touch sensor to the touch controller

3.8.11

move latency

delay time between the actual touch position change and the recognized position change

3.8.12

touch report rate

frequency of touch reports

3.8.13

touch resolution

density (or number per unit length) of distinctly reportable points

3.9 Interactive displays

3.9.1

interactive display

electronic display device that allows the users to interact with the device by touching or applying other non-physical inputs and gives interactive feedback to the users

3.10 Components of interactive displays

3.10.1

interactive display module

combination of interactive screen panel, interactive input sensor, interactive feedback actuator, interactive touch controller, surface cover, and connector that creates a fully integrated module capable of sensing and processing inputs

3.10.2

interactive input sensor

sensor that is connected to the interactive touch controller and recognizes the touch event and interactive inputs

3.10.3

wirelessly input sensor

sensor that wirelessly communicates with the interactive touch controller and recognizes the touch and other interactive inputs

3.10.4

surface input sensor

sensor that is integrated with the display and recognises touch and hovering inputs

3.10.5

optical input sensor

sensor that is connected to the display and recognises proximity and gesture inputs

3.10.6

tactile sensor

sensor that detects the parameters of physical touch of the surface which is touched on the display

3.10.7

hovering sensor

sensor that detects the hovering of an object above the display surface

3.10.8

proximity sensor

sensor that detects the proximity of an object

3.10.9

gesture sensor

sensor that detects the human gesture which is recognized by an optical input sensor and tracking camera sensor

3.10.10

tracking camera sensor

sensor that tracks the movement of objects in space where the camera can recognize the object

3.10.11

interactive feedback actuator

feedback actuator that is integrated with the display and responds to touch and interactive input

3.11 Sensor types of interactive displays

3.11.1

bio-signal input sensor

sensor that detects the signal of human body as input

EXAMPLE Body heat.

3.12 Input operations of interactive displays

3.12.1

finger gesture

interactive input of human gesture that is taken by a combination of finger actions such as finger bending, finger swiping, finger twisting, and finger crossing

3.12.2

palm gesture

interactive input of human gesture that is taken by a combination of palm actions such as palm swiping, palm twisting, and palm fist

3.12.3

arm gesture

interactive input of human gesture that is taken by a combination of arm actions such as arm bending, arm swiping, and arm twisting

3.12.4

gesture recognition

input recognition by interpreting human gestures including finger gesture, palm gesture, and arm gesture

3.12.5

three-dimensional model gesture recognition

gesture recognition that is interpreted by a three-dimensional volumetric modelling of human gesture

3.12.6

skeletal gesture recognition

gesture recognition that is interpreted by a skeletal modelling of human gesture

3.12.7

appearance gesture recognition

gesture recognition that is interpreted by a binary silhouette and contour modelling of human gesture

3.12.8

motion recognition

input recognition by interpreting the movement of an object that is recognized with a tracking camera sensor

3.12.9

eye tracking

interactive input that is recognized with a tracking camera sensor by measuring either the point of gaze or the motion of an eye

3.12.10**head tracking**

interactive input that is recognized with a tracking camera sensor by measuring the motion of a human head

3.13 Actuator types of interactive displays**3.13.1****haptic feedback actuator**

physical actuator that applies force, vibration, and motion to the user as interactive feedback

3.13.2**tactile feedback actuator**

surface tactile actuator that changes surface texture as interactive feedback

3.13.3**electrical feedback actuator**

electrical actuator that applies electrical stimulation to the user as interactive feedback

3.14 Feedback operations of interactive displays**3.14.1****display feedback**

visual feedback which shows interactive images and videos on the interactive screen panel as response to the interactive input

3.14.2**haptic feedback**

physical feedback which applies force, vibration, and motion to the user as response to the interactive input

3.14.3**surface tactile feedback**

tactile feedback which changes the surface texture of the surface cover as response to the interactive input

3.14.4**electrical feedback**

electrical feedback which applies electrical stimulus to the user as response to the interactive input

3.15 Measurement performances of interactive displays**3.15.1****feedback time**

response time between input recognition of the interactive input sensor and interactive feedback

3.15.2**hovering range**

distance range where the surface input sensor recognizes an object as hovering

3.15.3**proximity range**

range of the distance where an optical sensor recognizes an object in proximity

3.15.4

gesture recognition accuracy

accuracy between the actual gesture and the recognized input gesture

3.15.5

tracking speed

maximum speed with which the tracking camera can recognize an object

IECNORM.COM : Click to view the full PDF of IEC 62908-1-2:2017