

CONSOLIDATED VERSION



Guideline for implementation of copy controlled multimedia interface

IECNORM.COM : Click to view the full PDF of IEC TS 62436:2008+AMD1:2016 CSV



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2016 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 15 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

IECNORM.COM : Click to view the full PDF www.iec.ch IEC 60384-1:2016 CSV

CONSOLIDATED VERSION



Guideline for implementation of copy controlled multimedia interface

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.160; 35.240.99

ISBN 978-2-8322-3193-7

Warning! Make sure that you obtained this publication from an authorized distributor.

IECNORM.COM : Click to view the full PDF of IEC TS 62436:2008+AMD1:2016 CSV

REDLINE VERSION



Guideline for implementation of copy controlled multimedia interface

IECNORM.COM : Click to view the full PDF of IEC TS 62436:2008+AMD1:2016 CSV

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
INTRODUCTION to Amendment 1.....	5
1 Scope	6
2 Normative references	6
3 Terms, definitions and abbreviations	6
3.1 Terms and definitions	6
3.2 Abbreviations	7
4 Relation between interface standards and specifications	7
4.1 IEC standards with copy control information	7
4.2 Relation between IEC standards	7
4.3 IEC 60958 conformant data format.....	9
4.3.1 The structure defined in IEC 61883-6	9
4.3.2 Application to the other interface specification	11
4.4 IEC 61937 format based on IEC 60958	11
5 Information for copy control	12
5.1 Audio	12
5.1.1 SCMS.....	12
5.1.2 Other information	12
5.2 Video	12
6 Implementation of copy control information of audio	12
6.1 IEC 61937 implementation	12
6.2 IEC 61883-6 implementation	13
7 Implementation of copy control information of audio accompanied with video	13
8 Implementation of other information	13
Annex A (informative) Relation between IEC standards and other specifications	14
Annex B (informative) Copy control information of audio accompanied with video.....	16
Annex C (informative) Other specifications applying copy control information	17
Bibliography	18
Figure 1 – The relationship between IEC standards	9
Figure 2 – Sub-frame format	10
Figure 3 – IEC 60958 conformant data format.....	10
Figure 4 – The logical structure of IEC 60958 conformant data format.....	11
Figure 5 – IEC 61937 data area	11
Figure A.1 – The relationship between IEC 60958, AES3 and CP-340.....	14
Figure A.2 – The relationship IEEE1394 and IEC 61883-6	15
Table 1 – IEC standards with copy control information	7
Table 2 – IEC 60958 conformant data format.....	10

INTERNATIONAL ELECTROTECHNICAL COMMISSION

GUIDELINE FOR IMPLEMENTATION OF COPY CONTROLLED MULTIMEDIA INTERFACE

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC TS 62436 bears the edition number 1.1. It consists of the first edition (2008-02) [documents 100/1231/DTS and 100/1334/RVC] and its amendment 1 (2016-02) [documents 100/2504/DTS and 100/2609/RVC]. The technical content is identical to the base edition and its amendment.

In this Redline version, a vertical line in the margin shows where the technical content is modified by amendment 1. Additions are in green text, deletions are in strikethrough red text. A separate Final version with all changes accepted is available in this publication.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62436, which is a technical specification, has been prepared by technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Various IEC standards have included methods for transmission of copy control information at the time when they were developed. For instance, IEC 61119-6 defines copyright status bit for DAT recorder, and IEC 60958-3 defines the L bit that is specified in IEC 61119-6.

The current consumer products become more complex and use the many IEC standards in one product.

For instance, a DVD player produces its high quality audio signal securely through IEC 61883-6, it also performs CD quality audio signal through IEC 60958 or IEC 61937 and the DVD player can produce audio signals through the other interface using IEC 60958 conformant data format, defined in IEC 61883-6.

Another example is a digital video recorder with hard disk drive or DVD that produces audio signal to the other audio recorder using IEC 60958 or IEC 61883-6.

These consumer products use many interface standards and should give copy control information and other information appropriately.

This guideline describes

- the relation between digital interface standards,
- the relation of copy control information and related information,
- the method for information implementation.

INTRODUCTION to Amendment 1

The revision of IEC TS 62436:2008 has become necessary to revise Figure 1 and add a new Annex C to provide copy control information for the use of SCMS in other interface standards and specifications that have been revised.

GUIDELINE FOR IMPLEMENTATION OF COPY CONTROLLED MULTIMEDIA INTERFACE

1 Scope

This Technical Specification gives a guideline for the implementation of the audio and video interfaces with copy control information.

2 Normative references

The following ~~referenced~~ documents, in whole or in part, are normally referenced in this document and are indispensable for ~~the~~ its application ~~of this document~~. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958 (all parts), *Digital audio interface*

IEC 60958-1, *Digital audio interface – Part 1: General*

IEC 60958-3, *Digital audio interface – Part 3: Consumer applications*

IEC 61119-6, *Digital audio tape cassette system (DAT) – Part 6: Serial copy management system*

IEC 61880-2, *Video systems (525/60) – Video and accompanied data using the vertical blanking interval – Analogue interface – Part 2: 525 progressive scan system*

IEC 61883-6, *Consumer audio/video equipment – Digital interface – Part 6: Audio and music data transmission protocol*

IEC 61909, *Audio recording – Minidisc system*

IEC 61937 (all parts), *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958*

IEC 61937-1, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General*

IEC 61937-2, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 2: Bust-info*

IEC 62375, *Video systems (625/50 progressive) – Video and accompanied data using the vertical blanking interval – Analogue interface*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

IEC 60958 conformant data format

data format that has conformance with the data protocol defined in of IEC 60958

3.2 Abbreviations

SCMS	serial copy management system, for copy management of one generation
CCI	copy control information
CGMS-A	copy generation management system on analogue video interface

4 Relation between interface standards and specifications

4.1 IEC standards with copy control information

IEC standards that have information of copy control are described in Table 1, these standards are the subjects of this technical specification.

Table 1 – IEC standards with copy control information

IEC standard	Description of copy control information
IEC 60958-3	Digital audio interface, contains SCMS information
IEC 61937-1, IEC 61937-2, IEC 61937-3, IEC 61937-4, IEC 61937-5, IEC 61937-6, IEC 61937-7, IEC 61937-8, IEC 61937-9 IEC 61937 all parts	Digital audio interface, contains SCMS information (note 1)
IEC 61883-6	Digital audio interface, contains SCMS and Audio CCI (note 2)
IEC 61119-6	Digital audio tape cassette system, defines SCMS
IEC 61909	Minidisc system, describes SCMS
IEC 61880-2	525 progressive video system, defines VBI with CGMS-A
IEC 62375	625 progressive video system, defines VBI with CGMS-A
NOTE 1 IEC 61937 does not describe SCMS, that come from the structure of IEC 60958.	
NOTE 2 SCMS is contained in the IEC 60958 conformant data format.	

4.2 Relation between IEC standards

Figure 1 shows the relation between digital audio interface standards IEC 60958, IEC 61937 and IEC 61883-6.


IEC 60958-1 is the fundamental standard of these related standards, and it defines the basic structure. The application standards derived from IEC 60958-1 for the linear PCM audio data transmission are IEC 60958-3 for consumer use and IEC 60958-4 for professional use.


IEC 61937 is derived from IEC 60958, it specifies the data packet structure based on IEC 60958-1, it is mainly for the transmission of compressed audio data. IEC 61937-1 and IEC 61937-2 specify the general structure. In part 1 and part 2 of IEC 61937, transmission method for the specific compressed audio format are specified ~~from in part 3 to part 9 and later parts~~. Also IEC 62105 specifies the receiver data transmission using IEC 61937-1 structure.

IEC 61883-6 specifies IEC 60958 conformant data format, this format defines IEC 60958-1 structure in IEC 61883-6. IEC 60958 conformant data format can transmit IEC 60958-1 and all of its derivative standards.

IEC 60958 conformant data format can be used in any other interface specification applying the definition of the structure of IEC 60958-1.

IEC 60958 conformant data format





IEC

Figure 1 – The relationship between IEC standards

4.3 IEC 60958 conformant data format

4.3.1 The structure defined in IEC 61883-6

IEC 60958 conformant data format is defined by IEC 61883-6, this format defines the use of the frame format and sub-frame format defined in IEC 60958-1 as it is.

Figure 2 shows the sub-frame format of IEC 60958 defined in IEC 60958-1. Figure 3 shows IEC 60958 conformant data format defined in IEC 61883-6. This defines the sync preamble in 2 bits as described in Table 2. The 32 bit data of IEC 61883-6 consists of an 8 bit label and 24 bit data that are called AM824 data, and the label from 00₁₆ to 3F₁₆ are assigned to IEC 60958 conformant data format including the sync preambles and the bits V, U, C and P.




Figure 2 – Sub-frame format





Figure 3 – IEC 60958 conformant data format

Table 2 – IEC 60958 conformant data format

SB (Start of Block) and SF (Start of Frame) definitions				
LABEL	SB	SF	Description	Equivalent IEC 60958 preamble codes
00 ₁₆ - 0F ₁₆	0	0	Second subframe of IEC 60958 frames 0 to 191	W,Y
10 ₁₆ - 1F ₁₆	0	1	First subframe of IEC 60958 frames 1 to 191	M,X
20 ₁₆ - 2F ₁₆	1	0	Reserved	-
30 ₁₆ - 3F ₁₆	1	1	First subframe of IEC 60958 frame 0	B,Z

Figure 4 shows the logical structure of IEC 60958 conformant data format of IEC 61883-6 that enables to transmit all of IEC 60958-1 derivative standards as Figure 1 shows.



IEC 198/08


Figure 4 – The logical structure of IEC 60958 conformant data format

4.3.2 Application to the other interface specification

As IEC 61883-6 defines IEC 60958 conformant data format, IEC 60958 conformant data format can be applied to any other interface specifications with the definition of sub-frame, frame and block structure of IEC 60958-1. The other interface specification that applies IEC 60958 conformant data format can transmit all of IEC 60958-1 derivative standards.

4.4 IEC 61937 format based on IEC 60958

IEC 61937-1, clause 5 defines that the interface format as defined in IEC 60958-1 and IEC 60958-3 is used. The non-linear PCM encoded bitstream use every 16 bits data of sub-frame defined in IEC 60958-1 as shown in Figure 5. The bits V, U, C and P are maintained as IEC 60958 defines.



IEC 199/08

Figure 5 – IEC 61937 data area

5 Information for copy control

5.1 Audio

5.1.1 SCMS

IEC 61119-6 specifies SCMS. The status of SCMS is defined in 2 bits of DAT sub-code ID6.

- When ID6 is "00" Copyright status bit set for "not copyright protected".
- When ID6 is "10" or "11" Copyright status bit set for "copyright protected".
- The condition "01" in ID6 is not to be used.

A DAT recorder should provide the copyright status in the channel status of digital output. A DAT recorder records digital audio signal from the digital input, the source device should provide a category code with the copyright status bit "L-bit", and it indicates the "generation status" of the digital audio signal. A DAT recorder detects the copyright status and the category, and controls recording permission and ID6 information referring the schemes defined in IEC 61119-6.

The channel status includes the category code with the copyright status bit "L-bit", which transmits the generation status of SCMS.

IEC 60958-3 specifies the category codes in the channel status including the category codes that IEC 61119-6 defines. In the channel status, bit 15 is referred to as the "L-bit".

IEC 60958-3 Annex C describes the implementation for DAT in relation with input source signal category.

IEC 60958-3 does not mention about SCMS but defines category codes with L-bit.

5.1.2 Other information

IEC 61883-6 specifies the ancillary data for CCI in the DVD-Audio adoption layer, but the compliance rule of CCI is not defined, it is defined by another specification, not an IEC standard.

5.2 Video

IEC 61880-2 and IEC 62375 specify CGMS-A copy control information of analogue video signal. In the identification data format, bit 7 and bit 8 of WORD 2 are assigned to CGMS-A. It defines copyright status as follows.

Bit number	7, 8	
	0, 0	Copying is permitted without restriction
	0, 1	Condition not be used
	1, 0	One generation of copies may be made
	1, 1	No copying is permitted

6 Implementation of copy control information of audio

6.1 IEC 61937 implementation

IEC 61937-1 defines that the interface format as defined in IEC 60958-1 and IEC 60958-3 is used. The definition of channel status defined in IEC 60958-3 is applied to all parts of

IEC 61937, as the structure of IEC 61937 is described in 4.4. The category codes defined in IEC 60958-3 is applied to the all parts of IEC 61937.

6.2 IEC 61883-6 implementation

IEC 61883-6 can transmit IEC 60958, IEC 61937 and others with IEC 60958 conformant data format, the channel status is transmitted with IEC 60958 conformant data format as it is. The category codes are transmitted with this structure.

7 Implementation of copy control information of audio accompanied with video

Audio signal accompanied with video is transmitted through IEC 60958-3, IEC 61883-6 and other interfaces. CGMS-A is applied to video signal, the procedure of translation from CGMS-A of video to SCMS of audio accompanied with that video depends on applications and conditions (see Annex B).

8 Implementation of other information

Other information is defined in IEC 60958-3 by channel status and user data, for example sampling frequency, SMPTE time code. This information is transmitted with IEC 61937 and IEC 60958 conformant format.

IECNORM.COM : Click to view the full PDF of IEC TS 62436:2008+AMD1:2016 CSV

Annex A
 (informative)

Relation between IEC standards and other specifications


The Interface standards of IEC have a relation with the other specifications.

Figure A.1 shows IEC 60958 relation. AES 3 is a standard of AES for professional use, CP-340 is a standard of the former JEITA (EIAJ) for consumer use. The former version of IEC 60958 (1989) originates from AES 3 and CP-340 and is for consumer use. After that IEC 60958 was revised and divided into three parts, as follows:

- Part 1: General;
- Part 3: Consumer applications and
- Part 4: Professional applications; Part 4 reflects AES3.

CP-340 was revised to CPR-1201 and both were withdrawn, the latest one is CPR-1205, which is an explanation of IEC 60958 and refers to IEC 60958-1 and IEC 60958-3.

AES 3(2002) version was converted into IEC 60958-4 (2003), the future version of AES 3 will be transformed into the future edition of IEC 60958-4.




IEC 200/08

Figure A.1 – The relationship between IEC 60958, AES 3 and CP-340

Figure A.2 shows the IEC 61883-6 relation. Application specifications of IEEE 1394 were specified as the IEC 61883 series; Audio and music protocol (A/M Protocol) was specified in

1394 Trade Association (1394TA)¹. It was proposed to IEC as a PAS and became IEC 61883-6. A revision of A/M Protocol is specified by 1394TA, the future version of A/M Protocol is planned as future edition of IEC 61883-6.

Except for part 6, all other parts are mainly digital video interface standards.



IEC 201/08

Figure A.2 – The relationship IEE 1394 and IEC 61883-6

¹ 1394 Trade Association Office, 1560 East Southlake Blvd., Suite 242, Southlake, TX 76092, USA

Annex B (informative)

Copy control information of audio accompanied with video

Video contents have its audio contents. Audio, video and multimedia equipment such as DVD-Video player outputs video signal, audio signal and information. The copyright control scheme of the video contents is CGMS-A or the other more complex schemes. This scheme will cover the audio contents that are accompanied with the video contents.

The copyright control method and information that should be applied to the audio signal that is output from the video equipment depends on the video format and its copy control schemes. For instance, DVD-Video format employs its own copy control system that defines the restriction to the digital audio interface.

Copyright control of digital audio interface is classified as follows.

- SCMS is applied.
- CGMS-A is applied.
- Other copy control scheme is applied.
- No output of audio signal.

IEC standards are applicable to SCMS and CGMS-A cases, another specification would be applied to the other cases.

IECNORM.COM : Click to view the full PDF of IEC TS 62436:2008+AMD1:2016 CSV

Annex C (informative)

Other specifications applying copy control information

Other specifications can apply copy control information by utilizing the procedure of SCMS and CGMS-A, or by utilizing IEC 60958 conformant data format with SCMS.

Examples of utilizing SCMS are the following specifications.

- Bluetooth™² (<https://www.bluetooth.org/>) applies SCMS in A/V distribution protocol named as SCMS-T.
- HDMI™³ (<http://www.hdmi.org/>) applies IEC 60958 conformant data format.

IECNORM.COM : Click to view the full PDF of IEC TS 62436:2008+AMD1:2016 CSV

² Bluetooth™ is a trade mark of Bluetooth Special Interest Group. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named.

³ HDMI™ is a trade mark of High-Definition Multimedia Interface. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named.

Bibliography

IEC 60958-4, *Digital audio interface – Part 4: Professional applications (TA4)*

IEC 61880, *Video systems (525/60) – Video and accompanied data using the vertical blanking interval – Analogue interface*

IEC 61883-1, *Consumer audio/video equipment – Digital interface – Part 1: General*

IEC 61883-2, *Consumer audio/video equipment – Digital interface – Part 2: SD-DVCR data transmission*

IEC 61883-3, *Consumer audio/video equipment – Digital interface – Part 3: HD-DVCR data transmission*

IEC 61883-4, *Consumer audio/video equipment – Digital interface – Part 4: MPEG2-TS data transmission*

IEC 61883-5, *Consumer audio/video equipment – Digital interface – Part 5: SDL-DVCR data transmission*

IEC 61883-7, *Consumer audio/video equipment – Digital interface – Part 7: Transmission of ITU-R BO.1294 System B*

IEC 61883-8, *Consumer audio/video equipment – Digital interface – Part 8: Transmission of ITU-R BT.601 style digital video data*

IEC 61937-3, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 3: Non-linear PCM bitstreams according to the AC-3 format and enhanced AC-3 formats*

IEC 61937-4, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 4: Non-linear PCM bitstreams according to the MPEG audio formats*

IEC 61937-5, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 5: Non-linear PCM bitstreams according to the DTS (Digital Theater Systems) format(s)*

IEC 61937-6, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 6: Non-linear PCM bitstreams according to the MPEG-2 AAC and MPEG-4 AAC audio formats*

IEC 61937-7, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 7: Non-linear PCM bitstreams according to the ATRAC, ATRAC2/3 and ATRAC-X formats*

IEC 61937-8, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 8: Non-linear PCM bitstreams according to the Windows Media Audio (WMA) Professional format*

IEC 61937-9, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 9: Non-linear PCM bitstreams according to the MAT format*

IEC 61937-10, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 10: Non-linear PCM bitstreams according to the MPEG-4 audio lossless coding (ALS) format*

IEC 61937-11, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 11: MPEG-4 AAC and its extensions in LATM/LOAS*

IEC 61937-12, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 12: Non-linear PCM bitstreams according to the DRA formats*

IEC 62105, *Digital audio broadcast system – Specification of the receiver data interface (RDI)*

~~AES 3:2003, AES standard for digital audio – Digital input-output interfacing – Serial transmission format for two-channel linearly represented digital audio data~~

AES 3 (all parts), *AES standard for digital audio engineering – Serial transmission format for two-channel linearly represented digital audio data*

~~CP 340, Digital Audio Interface (cancelled and replaced by CPR-1205, see below)~~

~~CP 1201, Digital Audio Interface (cancelled and replaced by CPR-1205, see below)~~

CPR-1205A:2014, *Reference Standards for Digital Audio Interface*, JEITA

IEEE 1394-1995 2008, *IEEE Standard for a High Performance Serial Bus – Firewire*

ITU-R BO.1294:1997, *Common functional requirements for the reception of digital multiprogramme television emissions by satellites operating in the 11/12 GHz frequency range*⁴

~~ITU-R BT.601-5:1995, Studio encoding parameters of digital television for standard 4:3 and wide-screen 16:9 aspect ratios~~

NF EN 50255-1998, *Digital Audio Broadcasting system – Specification of the Receiver Data interface (RDI)*

SMPTE ST 337, *Format for Non-PCM Audio and Data in AES3 Serial Digital Audio Interface*

SMPTE ST 338, *Format for Non-PCM Audio and Data in AES3 – Data Types*

⁴ This document has been superseded by ITU-R Recommendation BO.1516 (see normative references).

IECNORM.COM : Click to view the full PDF of IEC TS 62436:2008+AMD1:2016 CSV

FINAL VERSION

Guideline for implementation of copy controlled multimedia interface

IECNORM.COM : Click to view the full PDF of IEC TS 62436:2008+AMD1:2016 CSV

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
INTRODUCTION to Amendment 1.....	5
1 Scope	6
2 Normative references	6
3 Terms, definitions and abbreviations	6
3.1 Terms and definitions	6
3.2 Abbreviations	7
4 Relation between interface standards and specifications	7
4.1 IEC standards with copy control information	7
4.2 Relation between IEC standards	7
4.3 IEC 60958 conformant data format.....	8
4.3.1 The structure defined in IEC 61883-6	8
4.3.2 Application to the other interface specification	10
4.4 IEC 61937 format based on IEC 60958	10
5 Information for copy control	11
5.1 Audio	11
5.1.1 SCMS.....	11
5.1.2 Other information	11
5.2 Video	11
6 Implementation of copy control information of audio	11
6.1 IEC 61937 implementation.....	11
6.2 IEC 61883-6 implementation.....	12
7 Implementation of copy control information of audio accompanied with video	12
8 Implementation of other information	12
Annex A (informative) Relation between IEC standards and other specifications	13
Annex B (informative) Copy control information of audio accompanied with video.....	15
Annex C (informative) Other specifications applying copy control information.....	16
Bibliography	17
Figure 1 – The relationship between IEC standards	8
Figure 2 – Sub-frame format	9
Figure 3 – IEC 60958 conformant data format.....	9
Figure 4 – The logical structure of IEC 60958 conformant data format.....	10
Figure 5 – IEC 61937 data area	10
Figure A.1 – The relationship between IEC 60958, AES3 and CP-340.....	13
Figure A.2 – The relationship IEEE1394 and IEC 61883-6	14
Table 1 – IEC standards with copy control information.....	7
Table 2 – IEC 60958 conformant data format.....	9

INTERNATIONAL ELECTROTECHNICAL COMMISSION

GUIDELINE FOR IMPLEMENTATION OF COPY CONTROLLED MULTIMEDIA INTERFACE

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Consolidated version is not an official IEC Standard and has been prepared for user convenience. Only the current versions of the standard and its amendment(s) are to be considered the official documents.

This Consolidated version of IEC TS 62436 bears the edition number 1.1. It consists of the first edition (2008-02) [documents 100/1231/DTS and 100/1334/RVC] and its amendment 1 (2016-02) [documents 100/2504/DTS and 100/2609/RVC]. The technical content is identical to the base edition and its amendment.

This Final version does not show where the technical content is modified by amendment 1. A separate Redline version with all changes highlighted is available in this publication.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC 62436, which is a technical specification, has been prepared by technical area 4: Digital system interfaces and protocols, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The committee has decided that the contents of the base publication and its amendment will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IECNORM.COM : Click to view the full PDF of IEC TS 62436:2008+AMD1:2016 CSV

INTRODUCTION

Various IEC standards have included methods for transmission of copy control information at the time when they were developed. For instance, IEC 61119-6 defines copyright status bit for DAT recorder, and IEC 60958-3 defines the L bit that is specified in IEC 61119-6.

The current consumer products become more complex and use the many IEC standards in one product.

For instance, a DVD player produces its high quality audio signal securely through IEC 61883-6, it also performs CD quality audio signal through IEC 60958 or IEC 61937 and the DVD player can produce audio signals through the other interface using IEC 60958 conformant data format, defined in IEC 61883-6.

Another example is a digital video recorder with hard disk drive or DVD that produces audio signal to the other audio recorder using IEC 60958 or IEC 61883-6.

These consumer products use many interface standards and should give copy control information and other information appropriately.

This guideline describes

- the relation between digital interface standards,
- the relation of copy control information and related information,
- the method for information implementation.

INTRODUCTION to Amendment 1

The revision of IEC TS 62436:2008 has become necessary to revise Figure 1 and add a new Annex C to provide copy control information for the use of SCMS in other interface standards and specifications that have been revised.

IECNORM.COM : Click to view the full PDF of IEC TS 62436:2008+AMD1:2016 CSV

GUIDELINE FOR IMPLEMENTATION OF COPY CONTROLLED MULTIMEDIA INTERFACE

1 Scope

This Technical Specification gives a guideline for the implementation of the audio and video interfaces with copy control information.

2 Normative references

The following documents, in whole or in part, are normally referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60958 (all parts), *Digital audio interface*

IEC 60958-1, *Digital audio interface – Part 1: General*

IEC 60958-3, *Digital audio interface – Part 3: Consumer applications*

IEC 61119-6, *Digital audio tape cassette system (DAT) – Part 6: Serial copy management system*

IEC 61880-2, *Video systems (525/60) – Video and accompanied data using the vertical blanking interval – Analogue interface – Part 2: 525 progressive scan system*

IEC 61883-6, *Consumer audio/video equipment – Digital interface – Part 6: Audio and music data transmission protocol*

IEC 61909, *Audio recording – Minidisc system*

IEC 61937 (all parts), *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958*

IEC 61937-1, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 1: General*

IEC 61937-2, *Digital audio – Interface for non-linear PCM encoded audio bitstreams applying IEC 60958 – Part 2: Bust-info*

IEC 62375, *Video systems (625/50 progressive) – Video and accompanied data using the vertical blanking interval – Analogue interface*

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

IEC 60958 conformant data format

data format that has conformance with the data protocol defined in of IEC 60958

3.2 Abbreviations

SCMS	serial copy management system, for copy management of one generation
CCI	copy control information
CGMS-A	copy generation management system on analogue video interface

4 Relation between interface standards and specifications

4.1 IEC standards with copy control information

IEC standards that have information of copy control are described in Table 1, these standards are the subjects of this technical specification.

Table 1 – IEC standards with copy control information

IEC standard	Description of copy control information
IEC 60958-3	Digital audio interface, contains SCMS information
IEC 61937 all parts	Digital audio interface, contains SCMS information (note 1)
IEC 61883-6	Digital audio interface, contains SCMS and Audio CCI (note 2)
IEC 61119-6	Digital audio tape cassette system, defines SCMS
IEC 61909	Minidisc system, describes SCMS
IEC 61880-2	525 progressive video system, defines VBI with CGMS-A
IEC 62375	625 progressive video system, defines VBI with CGMS-A

NOTE 1 IEC 61937 does not describe SCMS, that come from the structure of IEC 60958.
NOTE 2 SCMS is contained in the IEC 60958 conformant data format.

4.2 Relation between IEC standards


Figure 1 shows the relation between digital audio interface standards IEC 60958, IEC 61937 and IEC 61883-6.

IEC 60958-1 is the fundamental standard of these related standards, and it defines the basic structure. The application standards derived from IEC 60958-1 for the linear PCM audio data transmission are IEC 60958-3 for consumer use and IEC 60958-4 for professional use.

IEC 61937 is derived from IEC 60958, it specifies the data packet structure based on IEC 60958-1, it is mainly for the transmission of compressed audio data. IEC 61937-1 and IEC 61937-2 specify the general structure. In part 1 and part 2 of IEC 61937, transmission method for the specific compressed audio format are specified in part 3 and later parts. Also IEC 62105 specifies the receiver data transmission using IEC 61937-1 structure.

IEC 61883-6 specifies IEC 60958 conformant data format, this format defines IEC 60958-1 structure in IEC 61883-6. IEC 60958 conformant data format can transmit IEC 60958-1 and all of its derivative standards.

IEC 60958 conformant data format can be used in any other interface specification applying the definition of the structure of IEC 60958-1.



IEC

Figure 1 – The relationship between IEC standards

4.3 IEC 60958 conformant data format

4.3.1 The structure defined in IEC 61883-6

IEC 60958 conformant data format is defined by IEC 61883-6, this format defines the use of the frame format and sub-frame format defined in IEC 60958-1 as it is.

Figure 2 shows the sub-frame format of IEC 60958 defined in IEC 60958-1. Figure 3 shows IEC 60958 conformant data format defined in IEC 61883-6. This defines the sync preamble in 2 bits as described in Table 2. The 32 bit data of IEC 61883-6 consists of an 8 bit label and 24 bit data that are called AM824 data, and the label from 00₁₆ to 3F₁₆ are assigned to IEC 60958 conformant data format including the sync preambles and the bits V, U, C and P.




Figure 2 – Sub-frame format





Figure 3 – IEC 60958 conformant data format

Table 2 – IEC 60958 conformant data format

SB (Start of Block) and SF (Start of Frame) definitions				
LABEL	SB	SF	Description	Equivalent IEC 60958 preamble codes
00 ₁₆ - 0F ₁₆	0	0	Second subframe of IEC 60958 frames 0 to 191	W,Y
10 ₁₆ - 1F ₁₆	0	1	First subframe of IEC 60958 frames 1 to 191	M,X
20 ₁₆ - 2F ₁₆	1	0	Reserved	-
30 ₁₆ - 3F ₁₆	1	1	First subframe of IEC 60958 frame 0	B,Z

Figure 4 shows the logical structure of IEC 60958 conformant data format of IEC 61883-6 that enables to transmit all of IEC 60958-1 derivative standards as Figure 1 shows.



IEC 198/08


Figure 4 – The logical structure of IEC 60958 conformant data format

4.3.2 Application to the other interface specification

As IEC 61883-6 defines IEC 60958 conformant data format, IEC 60958 conformant data format can be applied to any other interface specifications with the definition of sub-frame, frame and block structure of IEC 60958-1. The other interface specification that applies IEC 60958 conformant data format can transmit all of IEC 60958-1 derivative standards.

4.4 IEC 61937 format based on IEC 60958

IEC 61937-1, clause 5 defines that the interface format as defined in IEC 60958-1 and IEC 60958-3 is used. The non-linear PCM encoded bitstream use every 16 bits data of sub-frame defined in IEC 60958-1 as shown in Figure 5. The bits V, U, C and P are maintained as IEC 60958 defines.



IEC 199/08

Figure 5 – IEC 61937 data area

5 Information for copy control

5.1 Audio

5.1.1 SCMS

IEC 61119-6 specifies SCMS. The status of SCMS is defined in 2 bits of DAT sub-code ID6.

- When ID6 is “00” Copyright status bit set for “not copyright protected”.
- When ID6 is “10” or “11” Copyright status bit set for “copyright protected”.
- The condition “01” in ID6 is not to be used.

A DAT recorder should provide the copyright status in the channel status of digital output. A DAT recorder records digital audio signal from the digital input, the source device should provide a category code with the copyright status bit “L-bit”, and it indicates the “generation status” of the digital audio signal. A DAT recorder detects the copyright status and the category, and controls recording permission and ID6 information referring the schemes defined in IEC 61119-6.

The channel status includes the category code with the copyright status bit “L-bit”, which transmits the generation status of SCMS.

IEC 60958-3 specifies the category codes in the channel status including the category codes that IEC 61119-6 defines. In the channel status, bit 15 is referred to as the “L-bit”.

IEC 60958-3 Annex C describes the implementation for DAT in relation with input source signal category.

IEC 60958-3 does not mention about SCMS but defines category codes with L-bit.

5.1.2 Other information

IEC 61883-6 specifies the ancillary data for CCI in the DVD-Audio adoption layer, but the compliance rule of CCI is not defined, it is defined by another specification, not an IEC standard.

5.2 Video

IEC 61880-2 and IEC 62375 specify CGMS-A copy control information of analogue video signal. In the identification data format, bit 7 and bit 8 of WORD 2 are assigned to CGMS-A. It defines copyright status as follows.

Bit number	7, 8	
	0, 0	Copying is permitted without restriction
	0, 1	Condition not be used
	1, 0	One generation of copies may be made
	1, 1	No copying is permitted

6 Implementation of copy control information of audio

6.1 IEC 61937 implementation

IEC 61937-1 defines that the interface format as defined in IEC 60958-1 and IEC 60958-3 is used. The definition of channel status defined in IEC 60958-3 is applied to all parts of