

INTERNATIONAL
STANDARD

ISO/IEC
10021-4

First edition
1990-12-01

AMENDMENT 1
1994-08-01

**Information technology — Text Communication —
Message-Oriented Text Interchange Systems
(MOTIS) —**

**Part 4:
Message Transfer System: Abstract Service
Definition and Procedures**

**AMENDMENT 1: Minor enhancements:
Notification type and directory substitution**

*Technologies de l'information — Communication de texte — Systèmes d'échange
de texte en mode message —*

*Partie 4: Système de transfert de message: Procédures et définition de service
abstrait*

*AMENDEMENT 1: Améliorations mineures: Substitution de type de notification et
de répertoire*



Reference number
ISO/IEC 10021-4:1990/Amd.1:1994(E)

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 1 to International Standard ISO/IEC 10021-4:1990 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology, Subcommittee 18, Document processing and related communication*.

© ISO/IEC 1994

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

**Information technology — Text Communication —
Message-Oriented Text Interchange Systems (MOTIS) —**

Part 4:

**Message Transfer System: Abstract Service Definition and Procedures
AMENDMENT 1: Minor enhancements: Notification-type and
directory substitution**

Page 14

Table 3 (Part 2 of 2)

Append to Content Arguments:

Notification-type	O	8.2.1.1.1.38
Service-message	O	8.2.1.1.1.39

Add new subclauses 8.2.1.1.1.38 and 8.2.1.1.1.39:

8.2.1.1.1.38 Notification-type

This argument indicates that the **content** is a notification, and indicates that it is one of three types of notification (type-1, type-2 or type-3); the use of these values is defined in the relevant **content** specification. It may be generated by the originator of the message, but shall be generated only if the **content** is a notification as defined in the relevant **content** specification.

The **notification-type** indication is not delivered to the recipient(s) of the message and is not returned to the originator with any report(s). Depending upon policy, this argument may be verified by the MTS.

8.2.1.1.1.39 Service-message

This argument indicates that the message is for service purposes. It may be generated by the originator of the message, but shall be used only by bilateral agreement.

The **service-message** indication is not delivered to the recipient(s) of the message and is not returned to the originator with any report(s). Depending upon policy, this argument may be verified by the MTS.

Table 7 (Part 2 of 2)

Append to Content Arguments:

Notification-type	O	8.2.1.1.1.38
Service-message	O	8.2.1.1.1.39

Subclause 8.3.1.1.1.5

Append an additional value for **redirection-reason**:

directory-substitution: the **OR-address** of the intended-recipient did not identify a recipient MTS-user; the **OR-name** of that intended-recipient also contained a **directory-name** which was used to obtain from the Directory a different **OR-address** for that intended-recipient; the MTS redirected the message to the replacement **OR-address** for that intended-recipient.

Subclause 8.3.1.2.1.11

Append an additional value for **non-delivery-diagnostic-code**:

incorrect-notification-type: the subject-message contained a **notification-type** argument which did not correspond to its **content**.

Page 77

Figure 2 (Part 10 of 26)

Replace the production for *PerMessageIndicators* by:

```
PerMessageIndicators ::= [APPLICATION 8] BIT STRING {
  disclosure-of-other-recipients (0), -- disclosure-of-other-recipients-allowed 'one',
                                     -- disclosure-of-recipient-prohibited 'zero';
                                     -- ignored for Probe-submission
  implicit-conversion-prohibited (1), -- implicit-conversion-prohibited 'one',
                                     -- implicit-conversion-allowed 'zero'
  alternate-recipient-allowed (2),   -- alternate-recipient-allowed 'one',
                                     -- alternate-recipient-prohibited 'zero'
  content-return-request (3),        -- content-return-requested 'one',
                                     -- content-return-not-requested 'zero';
                                     -- ignored for Probe-submission
  reserved (4),                      -- bit reserved by MOTIS 1986
  bit-5 (5),
  bit-6 (6),
  service-message (7)
  (SIZE (0..ub-bit-options))
  -- notification type-1 : bit 5 'zero' and bit 6 'one'
  -- notification type-2 : bit 5 'one' and bit 6 'zero'
  -- notification type-3 : bit 5 'one' and bit 6 'one'
  -- the mapping between notification type 1, 2, 3
  -- and the content specific notification types is defined
  -- in relevant content specifications
  -- the message content is for service purposes;
  -- it may be a notification related to a service-message;
  -- used only by bilateral agreement -- }
```

Page 79

Figure 2 (Part 12 of 26) (as modified by Technical Corrigendum 4)

In the production for *NonDeliveryDiagnosticCode*, replace:

~~transfer-attempts-limit-reached (49) } (0..ub-diagnostic-codes)~~

by:

~~transfer-attempts-limit-reached (49),
incorrect-notification-type (50) } (0..ub-diagnostic-codes)~~

Page 102

Table 29 (Part 3 of 3)

Append to Content Arguments:

Notification-type	C	8.2.1.1.1.38
Service-message	C	8.2.1.1.1.39