



Information technology — Open Systems Interconnection — Structure of management information: Definition of management information

TECHNICAL CORRIGENDUM 2

*Technologies de l'information — Interconnexion de systèmes ouverts — Structure des informations de gestion:
Définition des informations de gestion*

RECTIFICATIF TECHNIQUE 2

Technical Corrigendum 2 to International Standard ISO/IEC 10165-2:1992 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 21, *Open systems interconnection, data management and open distributed processing*.

This page intentionally left blank

IECNORM.COM : Click to view the full PDF of ISO/IEC 10165-2:1992/Cor 2:1996

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

**INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –
STRUCTURE OF MANAGEMENT INFORMATION:
DEFINITION OF MANAGEMENT INFORMATION**

TECHNICAL CORRIGENDUM 2

1) Subclause 6.1

Apply the following changes:

Replace “{smi2Package 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 1}”.

Replace “{smi2Package 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 2}”.

Replace “{smi2Package 3}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 3}”.

Replace “{smi2Package 4}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 4}”.

Replace “{smi2Package 5}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 5}”.

Replace “{smi2Package 6}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 6}”.

Replace “{smi2Package 7}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 7}”.

Replace “{smi2Package 8}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 8}”.

Replace “{smi2MObjectClass 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 1}”.

2) Subclause 6.2

Apply the following change:

Replace “{smi2MObjectClass 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 2}”.

3) Subclause 6.3

Apply the following change:

Replace “{smi2MObjectClass 3}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 3}”.

4) Subclause 6.4

Apply the following changes:

Replace “{smi2Package 9}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 9}”.

Replace “{smi2Package 10}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 10}”.

Replace “{smi2MObjectClass 4}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 4}”.

5) Subclause 6.5

Apply the following changes:

Replace “{smi2Package 11}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 11}”.

Replace “{smi2MObjectClass 5}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 5}”.

6) Subclause 6.6

Apply the following changes:

Replace “{smi2Package 12}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 12}”.

Replace “{smi2Package 13}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 13}”.

Replace “{smi2MObjectClass 6}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 6}”.

7) Subclause 6.7

Apply the following change:

Replace “{smi2MObjectClass 7}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 7}”.

8) Subclause 6.8

Apply the following change:

Replace “{smi2MObjectClass 8}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 8}”.

9) Subclause 6.9

Apply the following change:

Replace “{smi2MObjectClass 9}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 9}”.

10) Subclause 6.10

Apply the following change:

Replace “{smi2MObjectClass 10}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 10}”.

11) Subclause 6.11

Apply the following change:

Replace “{smi2MObjectClass 11}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 11}”.

12) Subclause 6.12

Apply the following change:

Replace “{smi2MObjectClass 12}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 12}”.

13) Subclause 6.13

Apply the following changes:

Replace “{smi2Package 14}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 14}”.

Replace “{smi2Package 15}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 15}”.

Replace “{smi2MObjectClass 13}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 13}”.

14) Subclause 6.14

Apply the following changes:

Replace “{smi2Package 16}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 16}”.

Replace “{smi2Package 17}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 17}”.

Replace “{smi2MObjectClass 14}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) managedObjectClass(3) 14}”.

15) Subclause 7.1

Apply the following change:

Replace “{smi2NameBinding 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) nameBinding(6) 1}”.

16) Subclause 7.2

Apply the following change:

Replace “{smi2NameBinding 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) nameBinding(6) 2}”.

17) Subclause 7.3

Apply the following change:

Replace “{smi2NameBinding 3}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) nameBinding(6) 3}”.

18) Subclause 8.1

Apply the following change:

Replace “{smi2Package 18}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 18}”.

19) Subclause 8.2

Apply the following change:

Replace “{smi2Package 19}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 19}”.

20) Subclause 8.3

Apply the following change:

Replace “{smi2Package 20}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 20}”.

21) Subclause 8.4

Apply the following change:

Replace “{smi2Package 21}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 21}”.

22) Subclause 8.5

Apply the following change:

Replace “{smi2Package 22}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 22}”.

23) Subclause 8.6

Apply the following change:

Replace “{smi2Package 23}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 23}”.

24) Subclause 8.7

Apply the following change:

Replace “{smi2Package 24}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 24}”.

25) Subclause 8.8

Add the following after “dailyScheduling PACKAGE”:

“BEHAVIOUR dailySchedulingBehaviour;”.

Replace “{smi2Package 25}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 25}”.

Add the following at the end of 8.8:

“dailySchedulingBehaviour BEHAVIOUR

DEFINED AS !Unless otherwise specified in a managed object behaviour definition, the values of the intervalStart and intervalEnd components of IntervalsOfDay are interpreted as local time.!”

26) Subclause 8.9

Apply the following change:

Replace “{smi2Package 26}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 26}”.

27) Subclause 8.10

Apply the following change:

Replace “{smi2Package 27}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 27}”.

28) Subclause 8.11

Apply the following change:

Replace “{smi2Package 28}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 28}”.

29) Subclause 8.12

Add the following after “weeklyScheduling PACKAGE”:

BEHAVIOUR weeklySchedulingBehaviour;

Replace “{smi2Package 29}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) package(4) 29}”.

Add the following at the end of 8.12:

weeklySchedulingBehaviour **BEHAVIOUR**

DEFINED AS! Unless otherwise specified in a managed object behaviour definition, the values of the intervalStart and intervalEnd components of IntervalsOfDay component of WeekMask, and the daysOfWeek component of WeekMask are interpreted as local time.!

30) Subclause 10.1.1

Apply the following change:

Replace “{smi2AttributeID 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 1}”.

31) Subclause 10.1.2

Apply the following change:

Replace “{smi2AttributeID 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 2}”.

32) Subclause 10.1.3

Apply the following change:

Replace “{smi2AttributeID 3}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 3}”.

33) Subclause 10.1.4

Apply the following change:

Replace “{smi2AttributeID 4}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 4}”.

34) Subclause 10.1.5

Apply the following change:

Replace “{smi2AttributeID 5}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 5}”.

35) Subclause 10.7.1.1

Apply the following change:

Replace “{smi2AttributeID 6}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 6}”.

36) Subclause 10.7.1.2

Apply the following change:

Replace “{smi2AttributeID 7}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 7}”.

37) Subclause 10.7.1.3

Apply the following change:

Replace “{smi2AttributeID 8}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 8}”.

38) Subclause 10.7.1.4

Apply the following change:

Replace “{smi2AttributeID 9}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 9}”.

39) Subclause 10.7.1.5

Apply the following change:

Replace “{smi2AttributeID 10}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 10}”.

40) Subclause 10.7.1.6

Apply the following change:

Replace “{smi2AttributeID 11}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 11}”.

41) Subclause 10.7.1.7

Apply the following change:

Replace “{smi2AttributeID 12}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 12}”.

42) Subclause 10.7.1.8

Apply the following change:

Replace “{smi2AttributeID 13}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 13}”.

43) Subclause 10.7.1.9

Apply the following change:

Replace “{smi2AttributeID 14}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 14}”.

44) Subclause 10.7.1.10

Apply the following change:

Replace “{smi2AttributeID 15}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 15}”.

45) Subclause 10.7.1.11*Apply the following change:**Replace “{smi2AttributeID 16}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 16}”.***46) Subclause 10.7.1.12***Apply the following change:**Replace “{smi2AttributeID 17}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 17}”.***47) Subclause 10.7.1.13***Apply the following change:**Replace “{smi2AttributeID 18}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 18}”.***48) Subclause 10.7.1.14***Apply the following change:**Replace “{smi2AttributeID 19}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 19}”.***49) Subclause 10.7.1.15***Apply the following change:**Replace “{smi2AttributeID 20}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 20}”.***50) Subclause 10.7.1.16***Apply the following change:**Replace “{smi2AttributeID 21}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 21}”.***51) Subclause 10.7.1.17***Apply the following change:**Replace “{smi2AttributeID 22}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 22}”.***52) Subclause 10.7.1.18***Apply the following change:**Replace “{smi2AttributeID 23}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 23}”.***53) Subclause 10.7.1.19***Apply the following change:**Replace “{smi2AttributeID 24}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 24}”.***54) Subclause 10.7.1.20***Apply the following change:**Replace “{smi2AttributeID 25}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 25}”.*

55) Subclause 10.7.1.21

Apply the following change:

Replace “{smi2AttributeID 26}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 26}”.

56) Subclause 10.7.1.22

Apply the following change:

Replace “{smi2AttributeID 27}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 27}”.

57) Subclause 10.7.1.23

Apply the following change:

Replace “{smi2AttributeID 28}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 28}”.

58) Subclause 10.7.1.24

Apply the following change:

Replace “{smi2AttributeID 29}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 29}”.

59) Subclause 10.7.1.25

Apply the following change:

Replace “{smi2AttributeID 30}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 30}”.

60) Subclause 10.7.2.1

Apply the following change:

Replace “{smi2AttributeID 31}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 31}”.

61) Subclause 10.7.2.2

Apply the following change:

Replace “{smi2AttributeID 32}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 32}”.

62) Subclause 10.7.2.3

Apply the following change:

Replace “{smi2AttributeID 33}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 33}”.

63) Subclause 10.7.2.4

Apply the following change:

Replace “{smi2AttributeID 34}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 34}”.

64) Subclause 10.7.2.5*Apply the following change:**Replace “{smi2AttributeID 35}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 35}”.***65) Subclause 10.7.2.6***Apply the following change:**Replace “{smi2AttributeID 36}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 36}”.***66) Subclause 10.7.2.7***Apply the following change:**Replace “{smi2AttributeID 37}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 37}”.***67) Subclause 10.7.2.8***Apply the following change:**Replace “{smi2AttributeID 38}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 38}”.***68) Subclause 10.7.2.9***Apply the following change:**Replace “{smi2AttributeID 39}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 39}”.***69) Subclause 10.7.2.10***Apply the following change:**Replace “{smi2AttributeGroup 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attributeGroup(8) 1}”.***70) Subclause 10.7.3.1***Apply the following change:**Replace “{smi2AttributeID 40}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 40}”.***71) Subclause 10.7.3.2***Apply the following change:**Replace “{smi2AttributeID 41}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 41}”.***72) Subclause 10.7.3.3***Apply the following change:**Replace “{smi2AttributeID 42}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 42}”.***73) Subclause 10.7.3.4***Apply the following change:**Replace “{smi2AttributeID 43}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 43}”.*

74) Subclause 10.7.3.5

Apply the following change:

Replace “{smi2AttributeID 44}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 44}”.

75) Subclause 10.7.3.6

Apply the following change:

Replace “{smi2AttributeID 45}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 45}”.

76) Subclause 10.7.3.7

Apply the following change:

Replace “{smi2AttributeID 46}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 46}”.

77) Subclause 10.7.3.8

Apply the following change:

Replace “{smi2AttributeGroup 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attributeGroup(8) 2}”.

78) Subclause 10.7.3.9

Apply the following change:

Replace “{smi2AttributeID 47}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 47}”.

79) Subclause 10.7.3.10

Apply the following change:

Replace “{smi2AttributeID 48}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 48}”.

80) Subclause 10.7.4.1

Apply the following change:

Replace “{smi2AttributeID 49}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 49}”.

81) Subclause 10.7.4.2

Apply the following change:

Replace “{smi2AttributeID 50}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 50}”.

82) Subclause 10.7.4.3*Apply the following change:**Replace “{smi2AttributeID 51}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 51}”.***83) Subclause 10.7.4.4***Apply the following change:**Replace “{smi2AttributeID 52}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 52}”.***84) Subclause 10.7.4.5***Apply the following change:**Replace “{smi2AttributeID 53}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 53}”.***85) Subclause 10.7.4.6***Apply the following change:**Replace “{smi2AttributeID 54}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 54}”.***86) Subclause 10.7.4.7***Apply the following change:**Replace “{smi2AttributeID 55}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 55}”.***87) Subclause 10.7.4.8***Apply the following change:**Replace “{smi2AttributeID 56}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 56}”.***88) Subclause 10.7.4.9***Apply the following change:**Replace “{smi2AttributeID 57}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 57}”.***89) Subclause 10.7.4.10***Apply the following change:**Replace “{smi2AttributeID 58}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 58}”.***90) Subclause 10.7.4.11***Apply the following change:**Replace “{smi2AttributeID 59}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 59}”.*

91) Subclause 10.7.4.12

Apply the following change:

Replace “{smi2AttributeID 60}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 60}”.

92) Subclause 10.7.4.13

Apply the following change:

Replace “{smi2AttributeID 61}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 61}”.

93) Subclause 10.7.4.14

Apply the following change:

Replace “{smi2AttributeID 62}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 62}”.

94) Subclause 10.7.4.15

Apply the following change:

Replace “{smi2AttributeID 63}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 63}”.

95) Subclause 10.7.4.16

Apply the following change:

Replace “{smi2AttributeID 64}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 64}”.

96) Subclause 10.7.4.17

Apply the following change:

Replace “{smi2AttributeID 65}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 65}”.

97) Subclause 10.7.4.18

Apply the following change:

Replace “{smi2AttributeID 66}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 66}”.

98) Subclause 10.7.4.19

Apply the following change:

Replace “{smi2AttributeID 67}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 67}”.

99) Subclause 10.7.4.20

Apply the following changes:

Replace “Weekly Scheduling” with “Duration”.

Replace “{smi2AttributeID 68}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 68}”.

100) Subclause 10.7.4.21

Apply the following changes:

Replace “Weekly Scheduling” with “Duration”.

Replace “{smi2AttributeID 69}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 69}”.

101) Subclause 10.7.4.22

Apply the following change:

Replace “{smi2AttributeID 70}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 70}”.

102) Subclause 10.7.4.23

Apply the following change:

Replace “{smi2AttributeID 71}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 71}”.

103) Subclause 12

Apply the following change:

Replace “{smi2Parameter 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) parameter(5) 1}”.

104) Subclause 13.1

Apply the following change:

Replace “{smi2Notification 1}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 1}”.

105) Subclause 13.2

Apply the following change:

Replace “{smi2Notification 2}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 2}”.

106) Subclause 13.3

Apply the following change:

Replace “{smi2Notification 3}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 3}”.

107) Subclause 13.4

Apply the following change:

Replace “{smi2Notification 4}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 4}”.

108) Subclause 13.5

Apply the following change:

Replace “{smi2Notification 5}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 5}”.

109) Subclause 13.6

Apply the following change:

Replace “{smi2Notification 6}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 6}”.

110) Subclause 13.7

Apply the following change:

Replace “{smi2Notification 7}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 7}”.

111) Subclause 13.8

Apply the following change:

Replace “{smi2Notification 8}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 8}”.

112) Subclause 13.9

Apply the following change:

Replace “{smi2Notification 9}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 9}”.

113) Subclause 13.10

Apply the following change:

Replace “{smi2Notification 10}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 10}”.

114) Subclause 13.11

Apply the following change:

Replace “{smi2Notification 11}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 11}”.

115) Subclause 13.12

Apply the following change:

Replace “{smi2Notification 12}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 12}”.

116) Subclause 13.13

Apply the following change:

Replace “{smi2Notification 13}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 13}”.

117) Subclause 13.14

Apply the following change:

Replace “{smi2Notification 14}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 14}”.

118) Subclause 13.15

Apply the following change:

Replace “{smi2Notification 15}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) notification(10) 15}”.

119) Subclause 14.2

In the definition for IntervalsOfDay, in page 43 (of CCITT Rec. X.721 | ISO/IEC 10165-2), add comments replacing

IntervalsOfDay ::= SET OF SEQUENCE{

```
intervalStart Time24,
intervalEnd  Time24}
```

with

IntervalsOfDay ::= SET OF SEQUENCE{

intervalStart Time24, -- start at the beginning of this minute
intervalEnd Time24} -- stop at the end of this minute

*In the definition for **PrioritisedObject**, in page 43 (of CCITT Rec. X.721 | ISO/IEC 10165-2), replace*

priority **INTEGER {lowest(0), highest(127)}**

with

priority **INTEGER {highest(0), lowest(127)}**

Add labels for the choice in the definition for **SpecificIdentifierPrioritisedObject** in page 44 (of CCITT Rec. X.721 | ISO/IEC 10165-2), replacing

SpecificIdentifier ::= CHOICE { OBJECT IDENTIFIER, INTEGER }

with

**SpecificIdentifier ::= CHOICE { oi OBJECT IDENTIFIER,
 int INTEGER }**

120) Subclause 14.3

In the imports clause, in page 45 (of CCITT Rec. X.721 | ISO/IEC 10165-2), replace

FROM **Attribute-ASN1Module**

```
ObjectClass,AttributeId,ObjectInstance FROM CMIP-1 {joint-iso-ccitt ms(9) cmip(1) version1 (1)
protocol(3)} ;
```

with

FROM Attribute-ASN1Module

```
ObjectClass,AttributeId,ObjectInstance FROM CMIP-1 {joint-iso-ccitt ms(9) cmip(1) modules(0)
protocol(3)};
```

*and also add the following after the definition of **AlarmInfo**:*

-- <i>backUpObject</i> attribute	<i>backedUpStatus</i>	<i>backUpObject</i>	<i>backUpObject</i> attribute
-- (except in log record	<i>component</i>	<i>component</i>	in log record

-- <i>ObjectInstance</i>	<i>T</i>	<i>ObjectInstance</i>	<i>ObjectInstance</i>
-- <i>NULL</i>	<i>F</i>	< <i>absent</i> >	< <i>absent</i> >
-- < <i>absent</i> >	< <i>absent</i> >	< <i>absent</i> >	< <i>absent</i> >

121) Annex A, Subclause A.1.1

Apply the following change:

Replace “{smi2AttributeID 72}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 72}”.

122) Subclause A.1.2

Apply the following change:

Replace “{smi2AttributeID 73}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 73}”.

123) Subclause A.1.3

Apply the following change:

Replace “{smi2AttributeID 74}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 74}”.

124) Subclause A.1.4

Apply the following change:

Replace “{smi2AttributeID 75}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 75}”.

125) Subclause A.1.5

Apply the following change:

Replace “{smi2AttributeID 76}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 76}”.

126) Subclause A.1.6

Apply the following change:

Replace “{smi2AttributeID 77}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 77}”.

127) Subclause A.1.7

Apply the following change:

Replace “{smi2AttributeID 78}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 78}”.

128) Subclause A.1.8

Apply the following change:

Replace “{smi2AttributeID 79}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 79}”.

129) Subclause A.1.9

Apply the following change:

Replace “{smi2AttributeID 80}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 80}”.

130) Subclause A.1.10

Apply the following change:

Replace “{smi2AttributeID 81}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 81}”.

131) Subclause A.1.11*Apply the following change:**Replace “{smi2AttributeID 82}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 82}”.***132) Subclause A.1.12***Apply the following change:**Replace “{smi2AttributeID 83}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 83}”.***133) Subclause A.1.13***Apply the following change:**Replace “{smi2AttributeID 84}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 84}”.***134) Subclause A.1.14***Apply the following change:**Replace “{smi2AttributeID 85}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 85}”.***135) Subclause A.1.15***Apply the following change:**Replace “{smi2AttributeID 86}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 86}”.***136) Subclause A.1.16***Apply the following change:**Replace “{smi2AttributeID 87}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 87}”.***137) Subclause A.1.17***Apply the following change:**Replace “{smi2AttributeID 88}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 88}”.***138) Subclause A.2.1***Apply the following change:**Replace “{smi2AttributeID 89}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 89}”.***139) Subclause A.2.2***Apply the following change:**Replace “{smi2AttributeID 90}” with “{joint-iso-ccitt ms(9) smi(3) part2(2) attribute(7) 90}”.*