

First edition
1993-05-01

AMENDMENT 20
1998-11-01

**Information technology — Universal
Multiple-Octet Coded Character Set
(UCS) —**

**Part 1:
Architecture and Basic Multilingual Plane**

AMENDMENT 20: Ogham

*Technologies de l'information — Jeu universel de caractères codés à
plusieurs octets —*

Partie 1: Architecture et table multilingue

AMENDEMENT 20: «Ogham»



Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 20 to ISO/IEC 10646-1:1993 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 2, *Coded character sets*.

© ISO/IEC 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland
Printed in Switzerland

Information technology — Universal Multiple-Octet Coded Character Set (UCS) —

Part 1:

Architecture and Basic Multilingual Plane

AMENDMENT 20: Ogham

Page 11, Clause 19

In the list of Block names, after the entry HANGUL JAMO, insert a new entry as follows:

OGHAM	1680-169F
-------	-----------

Page 15, Clause 25, Figure 4 (see Amendment 5)

In Figure 4 (see Amendment 5), replace the first quarter of the second half of row 16, and leaving the rightmost half of the row cross-hatched, with the word:

Ogham

centred on a white background.

After page 75

Add the following new table titled:

Table 235 - Row 16: OGHAM

TABLE 235 - Row 16: OGHAM

	168	169
0	— 128	↔ 144
1	┐ 129	↔↔ 145
2	┐┐ 130	↔↔↔ 146
3	┐┐┐ 131	↔↔↔↔ 147
4	┐┐┐┐ 132	↔↔↔↔↔ 148
5	┐┐┐┐┐ 133	✕ 149
6	┐┐ 134	◊ 150
7	┐┐┐ 135	┐ 151
8	┐┐┐┐ 136	✕✕ 152
9	┐┐┐┐┐ 137	▣ 153
A	┐┐┐┐┐┐ 138	— 154
B	/ 139	> 155
C	// 140	< 156
D	/// 141	157
E	//// 142	158
F	/////	159

G = 00
P = 00

IECNORM.COM :: Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 20:1998

TABLE 235 - Row 16: OGHAM

dec	hex	Name	dec	hex	Name
128	80	OGHAM SPACE MARK			
129	81	OGHAM LETTER BEITH			
130	82	OGHAM LETTER LUIS			
131	83	OGHAM LETTER FEARN			
132	84	OGHAM LETTER SAIL			
133	85	OGHAM LETTER NION			
134	86	OGHAM LETTER UATH			
135	87	OGHAM LETTER DAIR			
136	88	OGHAM LETTER TINNE			
137	89	OGHAM LETTER COLL			
138	8A	OGHAM LETTER CEIRT			
139	8B	OGHAM LETTER MUIN			
140	8C	OGHAM LETTER GORT			
141	8D	OGHAM LETTER NGEADAL			
142	8E	OGHAM LETTER STRAIF			
143	8F	OGHAM LETTER RUIIS			
144	90	OGHAM LETTER AILM			
145	91	OGHAM LETTER ONN			
146	92	OGHAM LETTER UR			
147	93	OGHAM LETTER EADHADH			
148	94	OGHAM LETTER IODHADH			
149	95	OGHAM LETTER EABHADH			
150	96	OGHAM LETTER OR			
151	97	OGHAM LETTER UILLEANN			
152	98	OGHAM LETTER IFIN			
153	99	OGHAM LETTER EAMHANCHOLL			
154	9A	OGHAM LETTER PEITH			
155	9B	OGHAM FEATHER MARK			
156	9C	OGHAM REVERSED FEATHER MARK			
157	9D	(This position shall not be used)			
158	9E	(This position shall not be used)			
159	9F	(This position shall not be used)			

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 20:1998

Group 00

Plane 00

Row 16

Page 700, Annex A

In the list of collection numbers and names, after 75 CHEROKEE (see Amendment 12) insert a new line as follows:

82 OGHAM 1680-169F

Page 736, Annex E

After the entry 2443 OCR INVERTED FORK insert new entries, as shown below:

169B	OGHAM FEATHER MARK
1690	OGHAM LETTER AILM
1681	OGHAM LETTER BEITH
168A	OGHAM LETTER CEIRT
1689	OGHAM LETTER COLL
1687	OGHAM LETTER DAIR
1695	OGHAM LETTER EABHADH
1693	OGHAM LETTER EADHADH
1699	OGHAM LETTER EAMHANCHOLL
1683	OGHAM LETTER FEARN
168D	OGHAM LETTER NGEADAL
168C	OGHAM LETTER GORT
1694	OGHAM LETTER IODHADH
1698	OGHAM LETTER IFIN
1682	OGHAM LETTER LUIS
168B	OGHAM LETTER MUIN
1685	OGHAM LETTER NION
1691	OGHAM LETTER ONN
1696	OGHAM LETTER OR
169A	OGHAM LETTER PEITH
168F	OGHAM LETTER RUIS
1684	OGHAM LETTER SAIL
168E	OGHAM LETTER STRAIF
1688	OGHAM LETTER TINNE
1686	OGHAM LETTER UATH
1697	OGHAM LETTER UILLEANN
1692	OGHAM LETTER UR
169C	OGHAM REVERSED FEATHER MARK
1680	OGHAM SPACE MARK

IECNORM.COM : Click to view the full PDF of ISO/IEC 10646-1:1993/Amd 20:1998