
**Information technology — Structure
for the identification of organizations
and organization parts —**

**Part 1:
Identification of organization
identification schemes**

*Technologies de l'information — Structure pour l'identification des
organisations et des parties d'organisations —*

Partie 1: Identification des systèmes d'identification d'organisations

IECNORM.COM : Click to view the PDF of ISO/IEC 6523-1:2023



IECNORM.COM : Click to view the full PDF of ISO/IEC 6523-1:2023



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms, definitions and abbreviated terms.....	1
4 Structure for the identification of organizations and organization parts.....	3
4.1 Purpose and components of the structure.....	3
4.2 International Code Designator (ICD).....	3
4.3 Identification of an organization within an identification scheme (OI).....	4
4.4 Identification of an organization part (OPI).....	4
4.4.1 Purpose and usage.....	4
4.4.2 Rules.....	5
4.5 Organization Part Identifier Source indicator (OPIS).....	5
4.5.1 Purpose.....	5
4.5.2 Rules.....	5
4.6 Mechanism for association of the ICD value, the organization identifier, the organization part identifier and the OPIS value.....	5
5 Reserved ICD values.....	6
Annex A (normative) Specification of attributes of the International Code Designator (ICD) and of the Organization Part Identifier Source indicator (OPIS).....	7
Annex B (informative) Examples of use of the structure.....	9
Bibliography.....	10

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 32, *Data management services*.

This second edition cancels and replaces the first edition (ISO/IEC 6523-1:1998), which has been technically revised.

The main changes are as follows:

- extended length of OI and allowed UNICODE;
- OPIS content limited to one character from “0” to “9”;
- updated [Annex A](#) to reflect the limitation of OPIS content and the current body responsible for the standard and other similar changes;
- changes in application to ISO/IEC drafting rules in force.

A list of all parts in the ISO/IEC 6523 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

Introduction

The increased use of data processing and telecommunications capabilities in commercial, governmental and other applications has made possible the interchange of information in an effective machine-processable form. As this type of automated interchange increases, the need for International Standards covering data also increases. The ISO/IEC 6523 series, defining a structure for a globally unique and unambiguous identification of organizations and organization parts, is one of a number of International Standards that have been developed as a means for improving the accuracy and effectiveness of data processing and data interchange.

In the development of this document, it has been recognized that a single method for identifying all organizations on an international basis is neither feasible nor practicable. Instead, this document recognizes existing methods of identification and provides a means for systematically incorporating these in a uniform structure for the purposes of information interchange. In this document, an organization can be identified by more than one identification method.

The use of the structure for the identification of organizations and organization parts, for the purpose of interchange of information, will:

- a) improve the accuracy of the identification of organizations and organization parts, and hence of the interchange of data;
- b) reduce the need for human intervention in the interchange of information in machine-to-machine environments;
- c) diminish the time required to specify interchange agreements;
- d) as a consequence of the foregoing, reduce the cost of the interchange of data.

Examples illustrating the use of the structure for the identification of organizations and organization parts are given in [Annex B](#).

[IECNORM.COM](https://www.iecnorm.com) : Click to view the full PDF of ISO/IEC 6523-1:2023

Information technology — Structure for the identification of organizations and organization parts —

Part 1: Identification of organization identification schemes

1 Scope

This document specifies a structure for globally and unambiguously identifying organizations, and parts thereof, for the purpose of information interchange.

This document also gives recommendations regarding cases where prior agreements can be concluded between interchange partners.

This document does not specify file organization techniques, storage media, languages, etc. to be used in its implementation.

NOTE The procedure for registration of organization identification schemes is specified in ISO/IEC 6523-2.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 6523-2, *Information technology — Structure for the identification of organizations and organization parts — Part 2: Registration of organization identification schemes*

ISO/IEC 10646, *Information technology — Universal coded character set (UCS)*

3 Terms, definitions and abbreviated terms

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 organization

unique framework of authority within which a person or persons act, or are designated to act, towards some purpose

EXAMPLE

- a) An organization incorporated under law.
- b) An unincorporated organization or activity providing goods and/or services including:
 - 1) partnerships;

- 2) social or other non-profit organizations or similar bodies in which ownership or control is vested in a group of individuals;
 - 3) sole proprietorships;
 - 4) governmental bodies.
- c) Groupings of the above types of organizations where there is a need to identify these in information interchange.

3.2 organization part

any department, service or other entity within an *organization* (3.1), which needs to be identified for information interchange

3.3 data element

<organization of data> unit of data that is considered in context to be indivisible

Note 1 to entry: The definition states that a data element is “indivisible” in some context. This means that it is possible that a data element considered indivisible in one context (e.g., telephone number) may be divisible in another context, (e.g. country code, area code, local number).

EXAMPLE The data element “age of a person” with values consisting of all combinations of 3 decimal digits.

[SOURCE: ISO/IEC 2382:2015, 2121599, modified — Example moved to the end without the Note to entry prefix, other Notes to entry replaced by the above].

3.4 data element value

value out of a set of permissible values pertaining to a *data element* (3.3)

3.5 identifier

character or group of characters constituting a *data element value* (3.4) used to identify or name an object and possibly to indicate certain properties of that object

3.6 identification scheme

system for allocating identifiers to registered objects

3.7 organization identification scheme

identification scheme (3.6) dedicated to the unique identification of *organizations* (3.1)

3.8 International Code Designator

ICD

data element (3.3) used to uniquely identify an *organization identification scheme* (3.7)

3.9 International Code Designator value

ICD value

identifier (3.5) allocated to a particular *organization identification scheme* (3.7)

3.10 organization identifier

OI

identifier (3.5) assigned to an *organization* (3.1) within an *organization identification scheme* (3.7), and unique within that scheme

3.11**organization part identifier****OPI**

identifier (3.5) allocated to a particular *organization part* (3.2)

3.12**OPI source indicator****OPIS**

data element (3.3) used to specify the source for the *organization part identifier* (3.11)

3.13**OPIS value**

particular value (digit or capital letter) taken by the *OPIS* (3.12) to designate the source of an *organization part identifier* (3.11)

3.14**character repertoire**

set of characters, considered independently of its encoding

4 Structure for the identification of organizations and organization parts**4.1 Purpose and components of the structure**

The purpose of the structure for the identification of organizations and organization parts is to provide a global and unambiguous identification of one organization among all other organizations, and of any part of it as appropriate.

However, a single method for identifying all organizations on an international basis is neither feasible nor practicable. Therefore, this document recognizes existing methods of identification (identification schemes) and defines the rules to provide an International Code Designator to uniquely identify an identification scheme with a globally unique code. An organization (or if needed, its organization parts) may be uniquely identified, possibly by one or more identification schemes with the structure identified in this clause.

The structure for the identification of organizations and organization parts shall consist of the following four components:

- a) the International Code Designator (ICD), specified in 4.2;
- b) the organization identifier (OI) within an identification scheme, specified in 4.3;
- c) an optional organization part identifier (OPI), specified in 4.4;
- d) an optional OPI source indicator (OPIS), specified in 4.5.

No particular sequence of the four components is specified in this document.

Examples of use of the structure are given in informative [Annex B](#).

4.2 International Code Designator (ICD)

The International Code Designator (ICD) is used to uniquely identify an organization identification scheme according with the following requirements.

- a) The ICD values shall be integers from 1 to 9999. The ICD may be transmitted as a variable-length data element; conversely, if transmitted in a 4 digit fixed length field, leading zeros shall be added to complete the format to 4 digits if the ICD value is less than 1000.
- b) An International Code Designator value shall be allocated to an organization identification scheme in accordance with the procedure specified in ISO/IEC 6523-2.

- c) The ICD value allocated to an organization identification scheme shall be unique.
- d) To guarantee unique identification of organization identification schemes, an ICD value once assigned shall not be reallocated.

ICD values reserved for special use are specified in [Clause 5](#).

ICD format shall be as specified in [Annex A](#).

4.3 Identification of an organization within an identification scheme (OI)

An organization shall be identified within an identification scheme by the identifier allocated to it within that scheme, the Organization Identifier (OI). The identification scheme is identified by the ICD value.

The following requirements apply for the OI values allocated to an organization within an identification scheme.

- a) It shall be possible to express the OI value by a sequence of characters with ISO/IEC 10646 UTF-8 encoding and with a length of maximum 255 octets.
- b) The OI value shall be a single line field unique within the identification scheme, and the acceptable characters shall be, as per ISO/IEC 10646 classification, graphic characters and space characters.
- c) Without prejudice to items "a" and "b", the format of the OI, including the actual number of characters and character repertoire used, shall comply with the identification scheme as documented upon registration, in accordance with ISO/IEC 6523-2.

4.4 Identification of an organization part (OPI)

4.4.1 Purpose and usage

The purpose of the identification of an organization part is to facilitate, through an Organization Part Identifier (OPI), the reference to any department, service or other entity within an organization, which needs to be identified for information interchange.

Organization part identifiers may be allocated:

- a) either by the scheme identifying the organization (in addition to the identifier of the organization itself); or
- b) by another method, specified at the initiative of the organization or by agreement between the interchange partners.

NOTE 1 In case "b", the identifier can be, for example, created by the organization, or chosen by it using an external source of identifiers other than the one used for the identification of the organization.

NOTE 2 A combination of approaches "a" and "b" can also be used, for example if the organization part identifier used is an identifier created by the scheme identifying the organization, completed by a sub-identifier coming from another source.

When the identification of organization parts is done by the organizations themselves, and except if otherwise specified by the rules governing the identification scheme:

- some organizations may choose to allocate identifiers to parts of themselves, other may choose not to do so;
- changes in the list of parts identified by the organization, and to the identifiers allocated to them, are managed by the organization itself, at its own initiative.

4.4.2 Rules

The following requirements apply to the OPI values:

- the identifier allocated to a part of organization is optional; if used it shall be unique within that organization;
- it shall be possible to express the OPI by a sequence of characters with ISO/IEC 10646 UTF-8 encoding and with a length of maximum 256 octets.

When identifiers have been allocated to parts of an organization, and except if otherwise specified by the rules governing an identification scheme, the transmission of these identifiers as components of the structure remains optional.

4.5 Organization Part Identifier Source indicator (OPIS)

4.5.1 Purpose

Interchange partners may use various types of OPI, depending, for example, on the type of organization parts they want to designate, or on requirements proper to a given category of interchanges. For example, they may use in some cases identifiers allocated by third parties such as a public administration; in other cases, they will use identifiers allocated freely by the organization itself, etc.

The purpose of the OPIS is to allow specifying the source for the Organization Part Identifier.

4.5.2 Rules

The OPIS is optional and shall not be used if OPI is not used. If used, the following requirements apply to the OPIS value:

- a) The OPIS shall have a length of 1 character and be a digit (0 to 9).
- b) The following values of the OPIS shall have the following meaning:
 - 1) "0": The OPI is allocated by the issuing organization managing the Identification Scheme specified in the ICD;

NOTE Such a case exists only if the Organization identification scheme, in addition to allocating identifiers to organizations, also allocates identifiers to parts of these organizations [see [4.4.1 a\)](#)].
 - 2) "1": The OPI is selected by the organization specified in the organization identifier;
 - 3) "9": The OPI used is selected according to agreements between the interchange partners;
 - 4) "2" to "8": reserved for future use.
- c) When the OPI used is a combination of an identifier allocated by the issuing organization managing the Identification Scheme specified in the ICD, and of a complementary identifier allocated by other means (for example by the organization itself), the values 0 and 1 shall not be used.

The OPIS format is specified in [Annex A](#).

4.6 Mechanism for association of the ICD value, the organization identifier, the organization part identifier and the OPIS value

The mechanism by which the ICD value, the OI value, the organization part identifier value (when used), and the OPIS value (when used) are associated is not specified in this document. It may include implicit use of ICD value (e.g. prior agreement between interchanging partners allowing for its omission in the actual interchange) as well as explicit interchange of ICD value together with the organization identifier and, if used, the organization part identifier and the OPIS value. Any syntax (including eventually the use of separators) may be agreed for this purpose.

5 Reserved ICD values

Interchanging partners may want, by prior agreement, to interchange organization identifiers allocated by an identification scheme to which no ICD value has been assigned, or for which the assignment of an ICD value is pending.

The following range of ICD values shall be reserved to this effect:

9900 - 9999

The interchange partners shall agree on the identification of the identification scheme, using one of the above reserved values. When exchanging assigned reserved values between interchange partners they shall not be referenced as ICD values and shall not be published or made generally available.

IECNORM.COM : Click to view the full PDF of ISO/IEC 6523-1:2023

Annex A (normative)

Specification of attributes of the International Code Designator (ICD) and of the Organization Part Identifier Source indicator (OPIS)

For the purposes of this document, the technical specifications of the ICD (see [Table A.1](#)) and of the OPIS (see [Table A.2](#)) are given in this annex, in accordance with ISO/IEC 11179-30. They shall be implemented for the registration of organization identification schemes and may support those preparing for or using organization identifiers or organization part identifiers in information interchange.

NOTE There is in this annex no specification of attributes for the data element "Identification of an organization" nor for the OPI because their precise specification will depend on the identification schemes used.

Table A.1 — Attributes of International Code Designator (ICD)

Attribute name	Attribute description
Name	International Code Designator
Abbreviated name	ICD
Version	2
Definition	Data element used to uniquely identify an organization identification scheme
Representation category	Character representation
Form of representation	Code
Datatype of data element values	Integer
Maximum size of data element values	4
Minimum size of data element values	1
Comment on representation	Leading zeros are optional
Permissible data element values	— Identifiers for the Organization identification schemes that have been registered according to ISO/IEC 6523-2:202X, or — values 9900 to 9999 (reserved for use by agreement between interchange partners)
Usage category	Information interchange
Responsible organization	ISO/IEC JTC 1/SC 32
Registration status	International Standard
Source document	ISO/IEC 6523-1:202X

Table A.2 — Attributes of Organization Part Identifier Source indicator (OPIS)

Attribute name	Attribute description
Name	Organization Part Identifier Source indicator
Abbreviated name	OPIS
Version	2
Definition	Data element used to specify the source for the organization part identifier
Representation category	Character representation
Form of representation	Code

Table A.2 (continued)

Attribute name	Attribute description
Datatype of data element values	Character
Maximum size of data element values	1
Minimum size of data element values	1
Permissible data element values	0 to 9
Validity category for usage	Information interchange
Responsible organization	ISO/IEC JTC 1/SC 32
Registration status	International Standard
Source document	ISO/IEC 6523-1:202X

IECNORM.COM : Click to view the full PDF of ISO/IEC 6523-1:2023