

INTERNATIONAL
STANDARD

ISO/IEC
7816-3

First edition
1989-09-15

**Identification cards – Integrated circuit(s) cards
with contacts –**

Part 3 :
Electronic signals and transmission protocols

*Cartes d'identification – Cartes à circuit(s) intégré(s) à contacts –
Partie 3 : Signaux électroniques et protocoles de transmission*

IECNORM.COM : Click to view the full PDF of ISO/IEC 7816-3:1989



Reference number
ISO/IEC 7816-3 : 1989 (E)

Contents

	Page
Foreword	iii
Introduction	iv
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Electrical characteristics of the contacts	1
5 Operating procedure for integrated circuit(s) cards	4
6 Answer-to-Reset	7
7 Protocol type selection (PTS)	12
8 Protocol type T=0, asynchronous half duplex character transmission protocol	12
9 Protocol type T=1, asynchronous half duplex block transmission protocol	14

© ISO/IEC 1989

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) together form a system for worldwide standardization as a whole. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for approval before their acceptance as International Standards. They are approved in accordance with procedures requiring at least 75 % approval by the national bodies voting.

International Standard ISO/IEC 7816-3 was prepared by Joint Technical Committee ISO/IEC JTC1, *Information Technology*.

IECNORM.COM : Click to view the full text of ISO/IEC 7816-3:1989

Introduction

This part of ISO/IEC 7816 is one of a series of standards describing the parameters for integrated circuit(s) cards with contacts and the use of such cards for international interchange.

These cards are identification cards intended for information exchange negotiated between the outside and the integrated circuit in the card. As a result of an information exchange, the card delivers information (computation results, stored data), and/or modifies its content (data storage, event memorization).

During the preparation of this International Standard, information was gathered concerning relevant patents upon which application of this standard might depend. Relevant patents were identified in France and USA, the patent holder being Bull S.A. in each case. However, ISO cannot give authoritative or comprehensive information about evidence, validity or scope of patents or like rights.

The patent holder has stated that licences will be granted on appropriate terms to enable application of this part of ISO/IEC 7816, provided that those who seek licences agree to reciprocate.

Further information is available from:

BULL S.A.
Division de la Propriété Industrielle
25, avenue de la Grande Armée
75016 PARIS
FRANCE

IECNORM.COM : Click to view the full PDF of ISO/IEC 7816-3:1989

Identification cards – Integrated circuit(s) cards with contacts –

Part 3 : Electronic signals and transmission protocols

1 Scope

This part of ISO/IEC 7816 specifies the power and signal structures, and information exchange between an integrated circuit(s) card and an interface device such as a terminal.

It also covers signal rates, voltage levels, current values, parity conventions, operation procedures, transmission mechanisms and communication with the integrated circuit(s) card.

It does not cover information and instruction content, such as identification of issuers and users, services and limits, security features, journaling and instruction definitions.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC 7816.

At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO/IEC 7816 are encouraged to investigate the possibility of applying the most recent editions of the standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 1177 : 1985, *Information processing — Character structure for start/stop and synchronous character oriented transmission.*

ISO 7810 : 1985, *Identification cards — Physical characteristics.*

ISO 7816-1 : 1987, *Identification cards — Integrated circuit(s) cards with contacts — Part 1 : Physical characteristics.*

ISO 7816-2 : 1988, *Identification cards — Integrated circuit(s) cards with contacts — Part 2 : Dimensions and location of the contacts.*

3 Definitions

The term identification card is defined in ISO 7810. For the purpose of this part of ISO/IEC 7816, the following definitions apply :

Interface device : A terminal, communication device or machine to which the integrated circuit(s) card is electrically connected during operation.

State H : High state logic level.

State L : Low state logic level.

State Z : Mark (as defined in ISO 1177).

State A : Space (as defined in ISO 1177).

'XY' : Hexadecimal notation, equal to XY to the base 16.

4 Electrical characteristics of the contacts

4.1 Electrical functions

Contacts assignments are specified in ISO 7816-2, supporting at least the following electrical circuits :

I/O : Input or output for serial data to the integrated circuit inside the card.

VPP : Programming voltage input (optional use by the card).

GND : Ground (reference voltage).

CLK : Clocking or timing signal (optional use by the card).

RST : Either used by itself (reset signal supplied from the interface device) or in combination with an additional internal reset control circuit (optional use by the card). If internal reset is implemented, the voltage supply on VCC is mandatory.

VCC : Power supply input (optional use by the card).

NOTE — The use of two remaining contacts will be defined in the appropriate application standards.

4.2 Voltage and current values

4.2.1 Measurement conventions

All measurements are defined with respect to contact GND and in an ambient temperature range of 0° C to 50° C.

All currents flowing into the card are considered positive.

All timings shall be measured relative to the appropriate threshold levels as defined in 4.2.3 to 4.2.7.

A contact is inactive when it remains between 0 V and 0,4 V referenced to contact GND for currents less than 1 mA.

4.2.2 Abbreviations

V_{IH}	High level input voltage	I_{IH}	High level input current
V_{IL}	Low level input voltage	I_{IL}	Low level input current
V_{CC}	Power supply voltage at VCC	I_{CC}	Supply current at VCC
V_{PP}	Programming voltage at VPP	I_{PP}	Programming current at VPP
V_{OH}	High level output voltage	I_{OH}	High level output current
V_{OL}	Low level output voltage	I_{OL}	Low level output current
t_R	Rise time between 10 % and 90 % of signal amplitude	C_{IN}	Input capacitance
t_F	Fall time between 90 % and 10 % of signal amplitude	C_{OUT}	Output capacitance

4.2.3 I/O

This contact is used as input (reception mode) or output (transmission mode) for data exchange. Two possible states exist for I/O :

- mark or high state (state Z), if the card and the interface device are in reception mode or if this state is imposed by the transmitter ;
- space or low state (state A), if this state is imposed by the transmitter.

When the two ends of the line are in reception mode, the line shall be maintained in state Z. When the two ends are in non-matched transmit mode, the logic state of the line may be indeterminate. During operation, the interface device and the card shall not both be in transmit mode.

Table 1 — Electrical characteristics of I/O under normal operation conditions

Symbol	Conditions		Minimum	Maximum	Unit
V_{IH}	Either or ¹⁾	$I_{IH \max} = \pm 500 \mu A$	2	V_{CC}	V
		$I_{IH \max} = \pm 20 \mu A$	$0,7 \times V_{CC}$	$V_{CC}^{3)}$	V
V_{IL}		$I_{IL \max} = -1 \text{ mA}$	0 ³⁾	0,8	V
$V_{OH}^{2)}$	Either or	$I_{OH \max} = -100 \mu A$	2,4	V_{CC}	V
		$I_{OH \max} = -20 \mu A$	3,8	V_{CC}	V
V_{OL}		$I_{OL \max} = 1 \text{ mA}$	0	0,4	V
t_R t_F	$C_{IN} = 30 \text{ pF}; C_{OUT} = 30 \text{ pF}$			1	μs

1) For the interface device, take into account both conditions.
 2) It is assumed that a pull-up resistor is used in the interface device (recommended value : 20 k Ω).
 3) The voltage on I/O shall remain between -0,3 V and $V_{CC}+0,3 \text{ V}$.

4.2.4 VPP

This contact may be used to supply the voltage required to program or to erase the internal non-volatile memory. Two possible states exist for VPP : idle state and active state, as defined in table 2. The idle state shall be maintained by the interface device unless the active state is required.

Table 2 — Electrical characteristics of VPP under normal operation conditions

Symbol	Conditions	Minimum	Maximum	Unit
V_{PP} I_{PP}	Idle State (programming non active)	$0,95 \times V_{CC}$	$1,05 \times V_{CC}$ 20	V mA
V_{PP} I_{PP}	Active State (programming the card)	$0,975 \times P$	$1,025 \times P$ I	V mA

The card provides the interface device with the values of P and I (default values : P = 5 and I = 50). See 6.1.4.4.

Rise or fall time : 200 μ s maximum. The rate of change of V_{PP} shall not exceed 2 V/ μ s.

The maximum power $V_{PP} \times I_{PP}$ shall not exceed 1,5 W when averaged over any period of 1 s.

4.2.5 CLK

The actual frequency, delivered by the interface device on CLK, is designated either by f_i the initial frequency during the answer to reset, or by f_s the subsequent frequency during subsequent transmission. For frequency values, see 6.1.4.4.

Duty cycle for asynchronous operation shall be between 45 % and 55 % of the period during stable operation. Care shall be taken when switching frequencies (from f_i to f_s) to ensure that no pulse is shorter than 45 % of the shorter period.

Table 3 — Electrical characteristics of CLK under normal operation conditions

Symbol	Conditions	Minimum	Maximum	Unit	
V_{IH}	Either or 1) or 1)	$I_{IH \max} = \pm 200 \mu A$	2,4	V_{CC} 2)	V
		$I_{IH \max} = \pm 20 \mu A$	$0,7 \times V_{CC}$	V_{CC} 2)	V
		$I_{IH \max} = \pm 10 \mu A$	$V_{CC} - 0,7$	V_{CC} 2)	V
V_{IL}	$I_{IL \max} = \pm 200 \mu A$	0 2)	0,5	V	
t_R t_F	$C_{IN} = 30 \text{ pF}$		9 % of period with a maximum of 0,5 μ s		

1) For the interface device, take into account the three conditions.
2) The voltage on CLK shall remain between -0,3 V and $V_{CC} + 0,3$ V.

4.2.6 RST

The reset signal at RST is delivered according to subclause 5.2.

Table 4 — Electrical characteristics of RST under normal operation conditions

Symbol	Conditions		Minimum	Maximum	Unit
V_{IH}	Either or 1)	$I_{IH\ max} = \pm 200\ \mu A$	4	$V_{CC}^{2)}$	V
		$I_{IH\ max} = \pm 10\ \mu A$	$V_{CC} - 0,7$	$V_{CC}^{2)}$	V
V_{IL}	$I_{IL\ max} = \pm 200\ \mu A$		0 2)	0,6	V

1) For the interface device, take into account both conditions.
2) The voltage on RST shall remain between -0,3 V and $V_{CC}+0,3$ V.

4.2.7 VCC

This contact is used to supply the power voltage V_{CC} .

Table 5 — Electrical characteristics of VCC under normal operation conditions

Symbol	Minimum	Maximum	Unit
V_{CC}	4,75	5,25	V
I_{CC}		200	mA

5 Operating procedure for integrated circuit(s) cards

This operating procedure applies to every integrated circuit(s) card with contacts.

The dialogue between the interface device and the card shall be conducted through the consecutive operations :

- connection and activation of the contacts by the interface device ;
- reset of the card ;
- answer to reset by the card ;
- subsequent information exchange between the card and the interface device ;
- deactivation of the contacts by the interface device.

These operations are specified in the following subclauses.

NOTE — An active state on VPP should only be provided and maintained when requested by the card.

5.1 Connection and activation of the contacts

The electrical circuits shall not be activated until the contacts are connected to the interface device so as to avoid possible damage to any card meeting these standards.

The activation of the contacts by the interface device shall consist of the consecutive operations :

- RST is in state L ;
- VCC shall be powered ;
- I/O in the interface device shall be put in reception mode ;
- VPP shall be raised to idle state ;
- CLK shall be provided with a suitable and stable clock. See 4.2.5.




Figure 1 — Reset of the card

NOTE — The hatched area indicates a period when the state of I/O is undefined.

5.2 Reset of the card

A card reset is initiated by the interface device, whereupon the card shall respond with an Answer-to-Reset as described in clause 6.

By the end of the activation of the contacts (RST in state L, VCC powered and stable, I/O in reception mode in the interface device, VPP stable at idle state, CLK provided with a suitable and stable clock), the card **answering asynchronously** is ready for reset. See figure 1.

The clock signal is applied to CLK at time T_0 . The I/O line shall be set to state Z within 200 clock cycles of the clock signal (t_2) being applied to CLK (time t_2 after T_0).

An internally reset card is reset after a few cycles of the clock signal. The Answer-to-Reset on I/O shall begin between 400 and 40 000 clock cycles (t_1) after the clock signal is applied to CLK (time t_1 after T_0).

A card with an active low reset is reset by maintaining RST in state L for at least 40 000 clock cycles (t_3) after the clock signal is applied to CLK (time t_3 after T_0). Thus, if no

Answer-to-Reset begins within 40 000 clock cycles (t_3) with RST in state L, RST is put to state H (at time T_1). The Answer-to-Reset on I/O shall begin between 400 and 40 000 clock cycles (t_1) after the rising edge of the signal on RST (time t_1 after T_1).

If the Answer-to-Reset does not begin within 40 000 clock cycles (t_3) with RST in state H (t_3 after T_1), the signal on RST shall be returned to state L (at time T_2) and the contacts shall be deactivated by the interface device. See subclause 5.4.

With a **card answering synchronously**, the interface device sets all lines to state L. See figure 2. VCC is then powered, VPP is set to idle state, CLK and RST remain in state L, I/O is put in reception mode in the interface device. RST shall be maintained in state H for at least 50 μ s (t_{12}), before returning to state L again.

The clock pulse is applied after an interval (t_{10}) from the rising edge of the reset signal. The duration for the state H of the clock pulse can be any value between 10 μ s and 50 μ s; no more than one clock pulse during reset high is allowed. The time interval between the falling edges on CLK and RST is t_{11} .




Figure 2 — Reset of a card when a synchronous answer is expected

The first data bit is obtained as an answer on I/O while CLK is in state L and is valid after an interval t_{13} from the falling edge on RST.

NOTES

- 1 The internal state of the card is assumed not to be defined before reset. Therefore the design of the card has to avoid improper operation.
- 2 In order to continue the dialogue with the card, RST shall be maintained in the state where an answer occurs on I/O.
- 3 Reset of a card can be initiated by the interface device at its discretion at any time.
- 4 Interface devices may support one or more of these types of reset behaviour. The priority of testing for asynchronous or synchronous cards is not defined in this standard.

5.3 Answer-to-Reset and subsequent information exchange

The card answers after reset with a sequence defined in clause 6.

All data exchanged over the I/O circuit correspond to the execution of commands (via RST for reset and via I/O for any other command).

As for Answer-to-Reset, the operating procedure of commands (except those commands to be specified in

the next part of ISO/IEC 7816) depends on the type of transmission (asynchronous or synchronous) and on the protocol type.

NOTES

- 1 The asynchronous half duplex character transmission protocol, with the interface device as the master, is specified in clause 8, the asynchronous half duplex block transmission protocol in clause 9. Further protocol types between the card and the interface device are for further study.
- 2 The interindustry commands for interchange are to be specified in the next part of ISO/IEC 7816. Application specific commands are specified either in existing standards or in additional standards to be defined.

5.4 Deactivation of the contacts

When information exchange is terminated or aborted (unresponsive card or detection of card removal), the electrical contacts shall be deactivated.

The deactivation by the interface device shall consist of the consecutive operations :

- State L on RST ;
- State L on CLK ;
- VPP inactive ;
- State A on I/O ;
- VCC inactive.

6 Answer-to-Reset

Two types of transmission are considered :

Asynchronous transmission

In this type of transmission, characters are transmitted on the I/O line in an asynchronous half duplex mode. Each character includes an 8-bit byte. See 6.1.2.

Synchronous transmission

In this type of transmission, a series of bits is transmitted on the I/O line in half duplex mode in synchronisation with the clock signal on CLK.

6.1 Answer-to-Reset in asynchronous transmission

6.1.1 Bit duration

The nominal bit duration used on I/O is defined as one Elementary Time Unit (etu).

For cards having internal clock, the initial etu is $\frac{1}{9\,600}$ s.

For cards using the external clock, there is a linear relationship between the Elementary Time Unit used on I/O and the period provided by the interface device on CLK.

The initial etu is $\frac{372}{f_i}$ s where f_i is in hertz.

See also 6.1.4.1.

The initial frequency f_i is provided by the interface device on CLK during the answer to reset, as defined in 4.2.5.

In order to read the initial character (TS), all cards shall initially be operated with f_i in the range of 1 MHz to 5 MHz.

6.1.2 Character frame during answer to reset

Prior to the transmission of a character, I/O shall be in state Z.

A character consists of ten consecutive bits : a start bit in state A, eight bits of information, designated ba to bh and conveying a data byte, and a tenth bit bi used for even parity checking.

A data byte consists of 8 bits designated b1 to b8, from the least significant bit (lsb, b1) to the most significant bit (msb, b8).

Conventions (level coding, connecting levels Z/A to digits 1 or 0 ; and bit significance, connecting ba—bh to b1—b8) are specified in the initial character, called TS, which is transmitted by the card in response to reset.

Parity is correct when the number of ONES is even in the sequence from ba to bi.

Within a character, the time from the leading edge of the start bit to the trailing edge of the nth bit shall equal $(n \pm 0,2)$ etu.

When searching for a start, the receiver samples I/O periodically. The time origin being the mean between last observation of level Z and first observation of level A, the start shall be verified before $0,7$ etu, and then ba is received at $(1,5 \pm 0,2)$ etu, bb at $(2,5 \pm 0,2)$ etu, ... bi at $(9,5 \pm 0,2)$ etu. Parity is checked on the fly.

NOTE — When searching for a start, the sampling time shall be less than $0,2$ etu so that all the test zones are distinct from the transition zones.

The delay between two consecutive characters (between start leading edges) is at least 12 etu, including a character duration $(10 \pm 0,2)$ etu plus a guardtime. While in guardtime, the interface device and the card remain both in reception, so that I/O is in state Z. See figure 3.




Figure 3 — Character frame

During the answer to reset, the delay between the start leading edges of two consecutive characters from the card shall not exceed $9\,600$ etu. This maximum value is named initial waiting time.

6.1.3 Error detection and character repetition

During the answer to reset, the following character repetition procedure depends on the protocol type. See 6.1.4.3. This procedure is mandatory for cards using the protocol type T=0 ; it is optional for the interface device and for other cards.

The transmitter tests I/O, $(11 \pm 0,2)$ etu after the start leading edge :

- If I/O is in state Z, the correct reception is assumed.
- If I/O is in state A, the transmission is assumed to have been incorrect. The disputed character shall be repeated after a delay of at least 2 etu after detection of the error signal.

When parity is incorrect, from $(10,5 \pm 0,2)$ etu, the receiver transmits an error signal as state A for 1 etu minimum and 2 etu maximum. The receiver then shall expect a repetition of the disputed character. See figure 8.

If no character repetition is provided by the card,

- the card ignores and shall not suffer damage from the error signal coming from the interface device ;
- the interface device shall be able to initiate the repetition of the whole Answer-to-Reset sequence.

6.1.4 Structure and content

A reset operation results in an answer from the card consisting of the initial character TS, followed by at most 32 characters in the following order :

- T0 Format character Mandatory
- TA_i TB_i TC_i TD_i Interface characters Optional
- T1 T2 ...TK Historical characters Optional
- TCK Check character Conditional

See 6.1.4.1 to 6.1.4.4 and figure 4.

The interface characters specify physical parameters of the integrated circuit in the card and logical characteristics of the subsequent exchange protocol.

The historical characters designate general information, for example, the card manufacturer, the chip inserted in the card, the masked ROM in the chip, the state of the life of the card. The specification of the historical characters falls outside the scope of this part of ISO/IEC 7816.

For notational simplicity, T0 TA_i... T1... TCK will designate the bytes as well as the characters in which they are contained.

6.1.4.1 Structure of TS, the initial character

The initial character TS provides a bit synchronisation sequence and defines the conventions to code data bytes in all subsequent characters. These conventions refer to ISO 1177.

I/O is initially in state Z. A bit synchronization sequence (Z)AZZA is defined for the start bit and bits ba bb bc. See figure 5.

The 3 bits bd be bf specify inverse or direct convention, with values of AAA or ZZZ, respectively.

The last 3 bits bg bh bi shall be AAZ for checking parity.

NOTE — This allows the interface device to determine the etu initially used by the card. An alternate measurement of etu is a third of the delay between the first two falling edges in TS. Transmission and reception mechanisms in the card (including the tolerances described in 6.1.2 and 6.1.3) shall be consistent with this alternate definition of etu.

The two possible values of TS (ten consecutive bits from start to bi and corresponding hexadecimal value) are

- Inverse convention : (Z)AZZAAAAAZ
where logic level ONE is A, ba is b8 (msb is first), equal to '3F' when decoded by inverse convention.
- Direct convention : (Z)AZZAZZZAAZ
where logic level ONE is Z, ba is b1 (lsb is first), equal to '3B' when decoded by direct convention.




Figure 4 — General configuration of the Answer-to-Reset




Figure 5 — Initial character TS

6.1.4.2 Structure of the subsequent characters in the Answer-to-Reset

The initial character TS is followed by a variable number of subsequent characters in the following order : the format character T0 and, optionally, the interface characters TA_i TB_i TC_i TD_i and the historical characters T1 T2 ... TK and, conditionally, the check character TCK.

The presence of the interface characters is indicated by a bit map technique explained below.

The presence of the historical characters is indicated by the number of bytes as specified in the format character defined below.


The presence of the check character TCK depends on the protocol type(s) as defined below.

Format character T0

The T0 character contains two parts :

— The most significant half byte (b5 b6 b7 b8) is named Y₁ and indicates with a logic level ONE the presence of subsequent interface characters TA₁ TB₁ TC₁ TD₁ respectively.

— The least significant half byte (b4 to b1) is named K and indicates the number (0 to 15) of historical characters. See figure 6.



Y₁ Indicator for the presence of interface characters
 TA₁ is transmitted when b5=1.
 TB₁ is transmitted when b6=1.
 TC₁ is transmitted when b7=1.
 TD₁ is transmitted when b8=1.

K Number (0 to 15) of historical characters

Figure 6 — Information provided by T0


Interface characters TA_i TB_i TC_i TD_i

TA_i TB_i TC_i (i = 1, 2, 3 ...) indicate the protocol parameters. TD_i indicates the protocol type T, as defined in 6.1.4.3, and the presence of subsequent interface characters.

Bits b5 b6 b7 b8 of the byte containing Y₁ (T0 contains Y₁ ; TD_i contains Y_{i+1}) state whether character TA_i for b5, character TB_i for b6, character TC_i for b7, character TD_i for b8 are or are not (depending on whether the relevant bit is 1 or 0) transmitted subsequently in this order after the character containing Y_i.

When needed, the interface device shall attribute a default value to information corresponding to a non transmitted interface character.

When TD_i is not transmitted, the default value of Y_{i+1} is null, indicating that no further interface characters TA_{i+1} TB_{i+1} TC_{i+1} TD_{i+1} will be transmitted. See figure 7.



Y_{i+1} ... Indicator for the presence of interface characters
 TA_{i+1} is transmitted when b5=1.
 TB_{i+1} is transmitted when b6=1.
 TC_{i+1} is transmitted when b7=1.
 TD_{i+1} is transmitted when b8=1.
 T Protocol type for subsequent transmission
 See 6.1.4.3.

Figure 7 — Information provided by TD_i

Historical characters T1 T2 ... TK

When K is not null, the Answer-to-Reset is continued by transmitting K historical characters T1 T2 ... TK.

Check character TCK

The value of TCK shall be such that the exclusive-oring of all bytes from T0 to TCK included is null.

The Answer-to-Reset is complete 12 etu after the leading edge of the last character.

6.1.4.3 Protocol type T

The four least significant bits of any interface byte TD_i indicate a protocol type T, specifying rules to be used to process transmission protocols. When TD₁ is not transmitted, T=0 is used.

T = 0 is the asynchronous half duplex character transmission protocol specified in clause 8.

T = 1 is the asynchronous half duplex block transmission protocol specified in clause 9.

T = 2 and T = 3 are reserved for future full duplex operations.

T = 4 is reserved for an enhanced asynchronous half duplex character transmission protocol.

T = 5 to T = 13 are reserved for future use.

T = 14 is reserved for protocols not standardized by ISO.

T = 15 is reserved for future extension.

TA₁ TB₁ TC₁ and TB₂ are the global interface bytes specified in 6.1.4.4. These global interface bytes shall be interpreted in order to process any transmission protocol correctly.

The other interface bytes TA_i TB_i TC_i are the specific interface bytes. Their interpretation depends on the protocol type indicated by T in TD_{i-1}.

If more than three interface bytes TA_i TB_i TC_i are defined for a specific protocol type and are to be sent in the Answer-to-Reset sequence, they shall be sent subsequently by using TD-bytes which all indicate the same protocol type.

If more than one protocol type is indicated and T=0 is one of them, T=0 shall be indicated first.

If only T=0 is indicated, TCK shall not be sent. In all other cases, TCK shall be sent.

6.1.4.4 Specifications of the global interface bytes

Among the interface bytes possibly transmitted by the card in Answer-to-Reset, this subclause defines only the global interface bytes TA₁ TB₁ TC₁ TB₂.

These global interface bytes convey information to determine parameters which the interface device shall take into account.

Parameters F, D, I, P, N

The initial etu used during Answer-to-Reset is replaced by the work etu during subsequent transmissions. F is the clock rate conversion factor and D is the bit rate adjustment factor to determine the work etu in subsequent transmissions.

For internal clock cards :

$$\text{Initial etu} = \frac{1}{9\,600} \text{ s} \quad \text{Work etu} = \frac{1}{D} \times \frac{1}{9\,600} \text{ s}$$

For external clock cards :

$$\text{Initial etu} = \frac{372}{f_i} \text{ s} \quad \text{Work etu} = \frac{1}{D} \times \frac{F}{f_s} \text{ s}$$

where f_i and f_s in hertz are defined in 4.2.5.

The minimum value of f_s shall be 1 MHz.
The maximum value of f_s is given by table 6.

I and P define the active state at VPP.

- Maximum programming current : I_{pp} = 1 mA.
- Programming voltage : V_{pp} = P V.

N is an extra guardtime requested by the card. Before receiving the next character, the card requires a delay of at least (12+N) etu from the start leading edge of the previous character. No extra guardtime is used to send characters from the card to the interface device.

The default values of these parameters are

$$F = 372 ; D = 1 ; I = 50 ; P = 5 ; N = 0.$$

These parameters are described in greater detail at the end of this subclause under Integer Values to Parameters Correspondence.

Integer values in the global interface bytes

The global interface bytes TA₁ TB₁ TC₁ TB₂ code integer values FI, DI, II, PI1, N, PI2 which are either equal to or used to compute the values of the parameters F, D, I, P, N presented above.

TA₁ codes FI over the most significant half byte (b8 to b5), and DI over the least significant half byte (b4 to b1). See tables 6 and 7.

TB₁ codes II over the bits b7 and b6, and PI1 over the 5 least significant bits b5 to b1. See table 8. The most significant bit b8 equals 0.

NOTE — The interface device may ignore the bit b8 of TB₁.

TC₁ codes N over the eight bits (b8 to b1).

TB₂ codes PI2 over the eight bits (b8 to b1).

All undefined values of the following parameters are reserved for future use by ISO/IEC JTC1/SC17.

Integer values to parameters correspondence

The correspondence between the parameters F, D, I, P, N and the integer values FI, DI, II, PI1, N, PI2 is given below.

Table 6 — Clock rate conversion factor F

FI	0000	0001	0010	0011	0100	0101	0110	0111
F	Internal Clock	372	558	744	1116	1488	1860	RFU
f _s (max) MHz	—	5	6	8	12	16	20	—

RFU = Reserved for Future Use

FI	1000	1001	1010	1011	1100	1101	1110	1111
F	RFU	512	768	1024	1536	2048	RFU	RFU
f _s (max) MHz	—	5	7,5	10	15	20	—	—

Table 7 — Bit rate adjustment factor D

DI	0000	0001	0010	0011	0100	0101	0110	0111
D	RFU	1	2	4	8	16	RFU	RFU
DI	1000	1001	1010	1011	1100	1101	1110	1111
D	RFU	RFU	1/2	1/4	1/8	1/16	1/32	1/64

Programming voltage factor P

PI1 from 5 to 25 gives the value of P in volts. PI1=0 indicates that VPP is not connected in the card which generates an internal programming voltage from VCC. Other values of PI1 are reserved for future use.

When PI2 is present, the indication of PI1 should be ignored. PI2 from 50 to 250 gives the value of P in 0,1 V. Other values of PI2 are reserved for future use.

Table 8 — Maximum programming current factor I

II	00	01	10	11
I	25	50	100	RFU

Extra guardtime N

N codes directly the extra guardtime, from 0 to 254 etu. N=255 indicates that the minimum delay between the start leading edges of two consecutive characters is reduced to 11 etu.

6.2 Answer-to-Reset in synchronous transmission

6.2.1 Clock frequency and bit rate

There is a linear relationship between the bit rate on the I/O line and the clock frequency provided by the interface device on CLK.

Any clock frequency between 7 kHz and 50 kHz may be chosen for the reset sequence. A clock frequency of 7 kHz corresponds to 7 kbit/s, and values of the clock frequency up to 50 kHz cause corresponding bit rates to be transmitted.

6.2.2 Structure of the header of Answer-to-Reset

The reset operation results in an answer from the card containing a header transmitted from the card to the interface. The header has a fixed length of 32 bits and begins with two mandatory fields of 8 bits, H1 and H2.

The chronological order of transmission of the information bits shall correspond to bit identification b1 to b32 with the least significant bit transmitted first. The numerical meaning corresponding to each information bit considered in isolation is that of the digit

- 0 for a unit corresponding to state A (space) ;
- 1 for a unit corresponding to state Z (mark).

6.2.3 Timing of the header

After the reset procedure, see 5.2 and figure 2, the output information is controlled by clock pulses. The first clock pulse is applied between 10 µs and 100 µs (t₁₄) after the falling edge on RST to read the data bits from the card. State H of clock pulses can be varied between 10 µs and 50 µs (t₁₅) and state L between 10 µs and 100 µs (t₁₆).

The first data bit is obtained on I/O while the clock is low and is valid 10 µs (t₁₃) at least after the falling edge on RST. The following data bits are valid 10 µs (t₁₇) at least after the falling edge on CLK. Each data bit is valid until the next falling edge of the following clock pulse on CLK. The data bits can therefore be sampled at the rising edge of the following clock pulses.

6.2.4 Data content of the header

The header allows a quick determination of whether the card and the interface device are compatible. If there is no compatibility, the contacts shall be deactivated according to subclause 5.4.

The first field H1 codes the protocol type. The values of the codes and the corresponding protocol types are

Hexadecimal value	Protocol type
'00' and 'FF'	not to be used
'01' to 'FE'	each value is assigned by ISO/IEC JTC1/SC17 to one protocol type.

The second field H2 codes parameters for the protocol type coded in field H1. The values of H2 are to be assigned by ISO/IEC JTC1/SC17.

The specifications of the remaining fields fall outside the scope of this part of ISO/IEC 7816. The role of these remaining fields is similar to that of the historical characters mentioned in 6.1.4.

7 Protocol type selection (PTS)

If only one protocol type and $FI=D=1$ (default value of TA_1) and N smaller than 255 is indicated in the Answer-to-Reset, the transmission protocol associated to the protocol type may be started immediately after the transmission of the Answer-to-Reset.

If more than one protocol type and/or TA_1 parameter values other than the default values and/or N equal to 255 is/are indicated in the Answer-to-Reset, the card shall know unambiguously, after having sent the Answer-to-Reset, which protocol type and/or transmission parameter values (FI , D , N) will be used. Consequently a selection of the protocol type and/or the transmission parameter values shall be specified.

If the card is able to process more than one protocol type and if one of those protocol types is indicated as $T=0$, then the protocol type $T=0$ shall be indicated in TD_1 as the first offered protocol, and is assumed if no PTS is performed.

If a card offers more than one protocol and if the interface device supports only one of these protocols which is not $T=0$ and does not support PTS, the interface device should reject or reset the card.

7.1 PTS protocol

Only the interface device is permitted to start the PTS procedure :

- The interface device sends a PTS request to the card.
- If the card receives a correct PTS request, it answers by sending a PTS confirm, if implemented, or the initial waiting time will be exceeded.
- After the successful exchange of PTS request and PTS confirm, data shall be transmitted from the interface device to the card using the selected protocol type and/or transmission parameters.
- If the card receives an erroneous PTS request, it will not send a PTS confirm.
- If the initial waiting time is exceeded, the interface device should reset or reject the card.
- If the interface device receives an erroneous PTS confirm, it should reset or reject the card.

The parameters for the transmission of the PTS request and PTS confirm shall correspond to those used within the Answer-to-Reset regarding the bit rate and the convention detected by TS and possibly modified by TC_1 (extra guardtime).

7.2 Structure and content of PTS request and PTS confirm

The PTS request and PTS response each consist of one initial character $PTSS$, followed by a format character $PTS0$, three optional parameter characters $PTS1$ $PTS2$ $PTS3$, and a character check PCK as the last byte.

$PTSS$ identifies the PTS request or PTS confirm and is coded 'FF'.

$PTS0$ indicates by the bits $b5$, $b6$, $b7$ set to 1 the presence of the subsequently sent optional characters $PTS1$, $PTS2$, $PTS3$, respectively. It codes over the least significant bits $b4$ to $b1$ the selected protocol type T as coded in TD -bytes. The most significant bit $b8$ (default : $b8=0$) is reserved for future use.

$PTS1$ codes the parameter values FI and D as coded in TA_1 . The interface device may send $PTS1$ in order to indicate the selected FI and/or D values to the card. If $PTS1$ is not sent, $FI=1$ and $D=1$ are assumed as defaults. The card either acknowledges both the FI and D values by echoing $PTS1$ or does not send $PTS1$ indicating the use of the default values.

$PTS2$ indicates the support of $N=255$, when bit $b1$ is set to 1. Bit $b1$ set to 0 is the default and indicates that the 11-etu period is not used. If bit $b2$ is set to 1, the card shall use an extra guardtime of 12 etu for its transmission of characters to the interface device. Bit $b2$ set to 0 is the default and indicates that no extra guardtime is required. Bits $b3$ to $b8$ are reserved for future use.

If $PTS2$ is sent by the interface device and is not echoed by the card, the interface device should reject or reset the card.

The coding and use of $PTS3$ is to be defined.

The value of PCK shall be such that the exclusive-oring of all characters from $PTSS$ to PCK included is null.

8 Protocol type $T=0$, asynchronous half duplex character transmission protocol

This clause defines the structure and processing of commands initiated by an interface device for transmission control and for card specific control in an asynchronous half duplex character transmission protocol.

This protocol uses the parameters indicated by the Answer-to-Reset, unless modified by protocol type selection.

Interindustry commands for international interchange will be defined in the next part of ISO/IEC 7816.