

INTERNATIONAL
STANDARD

ISO/IEC
8859-10

First edition
1992-12-15

Corrected and reprinted
1993-03-01

**Information technology — 8-bit single-byte
coded graphic character sets —**

Part 10:
Latin alphabet No. 6

*Technologies de l'information — Jeux de caractères graphiques codés sur
un seul octet —*

Partie 10: Alphabet latin n° 6



Reference number
ISO/IEC 8859-10:1992(E)

Contents

	Page
1 Scope	1
2 Conformance	1
3 Normative references	1
4 Definitions	1
4.1 Bit combination	2
4.2 Character	2
4.3 Coded character set	2
4.4 Code table	2
4.5 Graphic character	2
4.6 Graphic symbol	2
4.7 Position	2
5 Notation, code table and names	2
5.1 Notation	2
5.2 Layout of the code table	3
5.3 Names and meanings	3
5.3.1 SPACE (SP)	3
5.3.2 NO-BREAK SPACE (NBSP)	3
5.3.3 SOFT HYPHEN (SHY)	3
6 Specification of the coded character set	3
6.1 Characters of the set and their coded representation	4
6.2 Code table	9
7 Designation of the character set	9
Annex A - Sami (Lappish) supplementary set	11
Annex B - Bibliography	15

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

International Standard ISO/IEC 8859-10 was prepared by the European Computer Manufacturers Association (ECMA) (as Standard ECMA-144) and was adopted, under a special "fast-track procedure", by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

ISO/IEC 8859 consists of the following parts, under the general title *Information technology — 8-bit single-byte coded graphic character sets*:

- Part 1: Latin alphabet No. 1
- Part 2: Latin alphabet No. 2
- Part 3: Latin alphabet No. 3
- Part 4: Latin alphabet No. 4
- Part 5: Latin/Cyrillic alphabet
- Part 6: Latin/Arabic alphabet
- Part 7: Latin/Greek alphabet
- Part 8: Latin/Hebrew alphabet
- Part 9: Latin alphabet No. 5
- Part 10: Latin alphabet No. 6

Annexes A and B of this part of ISO/IEC 8859 are for information only.

IECNORM.COM : Click to view the full PDF of ISO/IEC 8859-10:1992

Information technology – 8-bit single-byte coded graphic character sets –

Part 10:

Latin alphabet No. 6

1 Scope

This part of ISO/IEC 8859 specifies a set of 191 graphic characters identified as Latin Alphabet No. 6, and specifies the coded representation of each of these characters by means of a single 8-bit byte. None of these characters are "non-spacing".

The use of control functions, such as BACKSPACE or CARRIAGE RETURN for the coded representation of composite characters is prohibited by this Standard.

This set of graphic characters, the Latin Alphabet No. 6, is intended for use in data and text processing applications and may also be used for information interchange.

This set is suited for multiple-language applications involving Danish, English, Estonian, Finnish, German, Greenlandic, Icelandic, Sami (Lappish), Latvian, Lithuanian, Norwegian, Faroese, and Swedish.

This set of graphic characters is suitable for use in a version of an 8-bit code in accordance with ISO 2022 or ISO/IEC 4873.

2 Conformance

A set of graphic characters is in conformance with this part of ISO/IEC 8859 if it comprises all graphic characters specified herein to the exclusion of any other and if their coded representations are those specified by this part of ISO/IEC 8859.

3 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this part of ISO/IEC 8859. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO/IEC 8859 are encouraged to investigate the possibility of applying the most recent editions of the standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 2022: 1986, *Information processing - ISO 7-bit and 8-bit coded character sets - Code extension techniques*.

ISO/IEC 4873: 1991, *Information technology - ISO 8-bit code for information interchange - Structure and rule for implementation*.

ISO/IEC 6429: 1992, *Information technology - Control functions for 7-bit and 8-bit coded character sets*.

4 Definitions

For the purposes of this part of ISO/IEC 8859 the following definitions apply.

4.1 bit combination; byte: An ordered set of bits that represents a character or is used as a part of the representation of a character.

4.2 character: A member of a set of elements used for the organization, control or representation of data.

4.3 coded character set; code: A set of unambiguous rules that establishes a character set and the one-to-one relationship between each character of the set and its coded representation.

4.4 code table: A table showing the character allocated to each bit combination in a code.

4.5 graphic character: A character, other than a control function, that has a visual representation normally handwritten, printed or displayed, and that has a coded representation consisting of one or more bit combinations.

NOTE 1 - In this part of ISO/IEC 8859 a single bit combination is used to represent each character.

4.6 graphic symbol: A visual representation of a graphic character.

4.7 position: That part of a code table identified by its column and row co-ordinates.

5 Notation, code table and names

5.1 Notation

The bits of the bit combinations of the 8-bit code are identified by $b_8, b_7, b_6, b_5, b_4, b_3, b_2$ and b_1 , where b_8 is the highest-order, or most-significant bit and b_1 is the lowest-order, or least-significant bit.

The bit combinations may be interpreted to represent numbers in binary notation by attributing the following weights to the individual bits:

Bit	b_8	b_7	b_6	b_5	b_4	b_3	b_2	b_1
Weight	128	64	32	16	8	4	2	1

Using these weights, the bit combinations of the 8-bit code represent numbers in the range 0 to 255.

In this part of ISO/IEC 8859, the bit combinations are identified by notations of the form xx/yy , where xx and yy are numbers in the range 00 to 15. The correspondence between the notations of the form xx/yy and the bit combinations consisting of the bits b_8 to b_1 , is as follows:

- xx is the number represented by b_8, b_7, b_6 and b_5 where these bits are given the weights 8, 4, 2 and 1 respectively;

- yy is the number represented by b_4 , b_3 , b_2 and b_1 where these bits are given the weights 8, 4, 2 and 1 respectively.

5.2 Layout of the code table

An 8-bit code table consists of 256 positions arranged in 16 columns and 16 rows. The columns and the rows are numbered 00 to 15.

The code table positions are identified by notations of the form xx/yy , where xx is the column number and yy is the row number.

The positions of the code table are in one-to-one correspondence with the bit combinations of the code. The notation of a code table position, of the form xx/yy , is the same as that of the corresponding bit combination.

5.3 Names and meanings

This part of ISO/IEC 8859 assigns a unique name to each character. In addition, it specifies a graphic symbol for each graphic character. By convention only Latin capital letters A to Z, space and hyphen are used for writing the names of the characters.

The names chosen to denote graphic characters are intended to reflect their customary meaning. However, except for SPACE (SP), NO-BREAK SPACE (NBSP) and SOFT HYPHEN (SHY), this part of ISO/IEC 8859 does not define and does not restrict the meanings of graphic characters. Neither does it specify a particular style or font design for imaging graphic characters.

NOTE 2 - The names of the characters in this part of ISO/IEC 8859 are those internationally agreed in ISO/IEC/JTC1/SC2, thus, they may differ from the names for the same characters listed in previous parts of ISO/IEC 8859.

5.3.1 SPACE (SP)

This character is a graphic character, it has a visual representation consisting of the absence of a graphic symbol.

5.3.2 NO-BREAK SPACE (NBSP)

A graphic character the visual representation of which consists of the absence of a graphic symbol, for use when a line break is to be prevented in the text as presented.

5.3.3 SOFT HYPHEN (SHY)

A graphic character that is imaged by a graphic symbol identical with, or similar to, that representing HYPHEN, for use when a line break is permitted in the text as presented.

6 Specification of the coded character set

This part of ISO/IEC 8859 specifies 191 characters allocated to the bit combinations of the code table.

6.1 Characters of the set and their coded representation

Table 1 – Character set – Coded representation

Bit Combination	Name
02/00	SPACE
02/01	EXCLAMATION MARK
02/02	QUOTATION MARK
02/03	NUMBER SIGN
02/04	DOLLAR SIGN
02/05	PERCENT SIGN
02/06	AMPERSAND
02/07	APOSTROPHE
02/08	LEFT PARENTHESIS
02/09	RIGHT PARENTHESIS
02/10	ASTERISK
02/11	PLUS SIGN
02/12	COMMA
02/13	HYPHEN - MINUS SIGN
02/14	FULL STOP
02/15	SOLIDUS
03/00	DIGIT ZERO
03/01	DIGIT ONE
03/02	DIGIT TWO
03/03	DIGIT THREE
03/04	DIGIT FOUR
03/05	DIGIT FIVE
03/06	DIGIT SIX
03/07	DIGIT SEVEN
03/08	DIGIT EIGHT
03/09	DIGIT NINE
03/10	COLON
03/11	SEMICOLON
03/12	LESS-THAN SIGN
03/13	EQUALS SIGN
03/14	GREATER-THAN SIGN
03/15	QUESTION MARK
04/00	COMMERCIAL AT
04/01	LATIN CAPITAL LETTER A
04/02	LATIN CAPITAL LETTER B
04/03	LATIN CAPITAL LETTER C

Table 1 – (continued)

Bit Combination	Name
04/04	LATIN CAPITAL LETTER D
04/05	LATIN CAPITAL LETTER E
04/06	LATIN CAPITAL LETTER F
04/07	LATIN CAPITAL LETTER G
04/08	LATIN CAPITAL LETTER H
04/09	LATIN CAPITAL LETTER I
04/10	LATIN CAPITAL LETTER J
04/11	LATIN CAPITAL LETTER K
04/12	LATIN CAPITAL LETTER L
04/13	LATIN CAPITAL LETTER M
04/14	LATIN CAPITAL LETTER N
04/15	LATIN CAPITAL LETTER O
05/00	LATIN CAPITAL LETTER P
05/01	LATIN CAPITAL LETTER Q
05/02	LATIN CAPITAL LETTER R
05/03	LATIN CAPITAL LETTER S
05/04	LATIN CAPITAL LETTER T
05/05	LATIN CAPITAL LETTER U
05/06	LATIN CAPITAL LETTER V
05/07	LATIN CAPITAL LETTER W
05/08	LATIN CAPITAL LETTER X
05/09	LATIN CAPITAL LETTER Y
05/10	LATIN CAPITAL LETTER Z
05/11	LEFT SQUARE BRACKET
05/12	REVERSE SOLIDUS
05/13	RIGHT SQUARE BRACKET
05/14	CIRCUMFLEX ACCENT
05/15	LOW LINE
06/00	GRAVE ACCENT
06/01	LATIN SMALL LETTER A
06/02	LATIN SMALL LETTER B
06/03	LATIN SMALL LETTER C
06/04	LATIN SMALL LETTER D
06/05	LATIN SMALL LETTER E
06/06	LATIN SMALL LETTER F
06/07	LATIN SMALL LETTER G
06/08	LATIN SMALL LETTER H

Table 1 – (continued)

Bit Combination	Name
06/09	LATIN SMALL LETTER I
06/10	LATIN SMALL LETTER J
06/11	LATIN SMALL LETTER K
06/12	LATIN SMALL LETTER L
06/13	LATIN SMALL LETTER M
06/14	LATIN SMALL LETTER N
06/15	LATIN SMALL LETTER O
07/00	LATIN SMALL LETTER P
07/01	LATIN SMALL LETTER Q
07/02	LATIN SMALL LETTER R
07/03	LATIN SMALL LETTER S
07/04	LATIN SMALL LETTER T
07/05	LATIN SMALL LETTER U
07/06	LATIN SMALL LETTER V
07/07	LATIN SMALL LETTER W
07/08	LATIN SMALL LETTER X
07/09	LATIN SMALL LETTER Y
07/10	LATIN SMALL LETTER Z
07/11	LEFT CURLY BRACKET
07/12	VERTICAL LINE
07/13	RIGHT CURLY BRACKET
07/14	TILDE
10/00	NO-BREAK SPACE
10/01	LATIN CAPITAL LETTER A WITH OGONEK
10/02	LATIN CAPITAL LETTER E WITH MACRON
10/03	LATIN CAPITAL LETTER G WITH CEDILLA
10/04	LATIN CAPITAL LETTER I WITH MACRON
10/05	LATIN CAPITAL LETTER I WITH TILDE
10/06	LATIN CAPITAL LETTER K WITH CEDILLA (see Note 3)
10/07	SECTION SIGN
10/08	LATIN CAPITAL LETTER L WITH CEDILLA
10/09	LATIN CAPITAL LETTER D WITH STROKE
10/10	LATIN CAPITAL LETTER S WITH CARON
10/11	LATIN CAPITAL LETTER T WITH STROKE
10/12	LATIN CAPITAL LETTER Z WITH CARON

NOTE 3 -In Lithuanian, the characters with bit combinations 10/06 and 11/06 are letters K and k respectively, with a comma under them, instead of a cedilla.

Table 1 – (continued)

Bit Combination	Name
10/13	SOFT HYPHEN
10/14	LATIN CAPITAL LETTER U WITH MACRON
10/15	LATIN CAPITAL LETTER ENG (Sami)
11/00	DEGREE SIGN
11/01	LATIN SMALL LETTER A WITH OGONEK
11/02	LATIN SMALL LETTER E WITH MACRON
11/03	LATIN SMALL LETTER G WITH CEDILLA
11/04	LATIN SMALL LETTER I WITH MACRON
11/05	LATIN SMALL LETTER I WITH TILDE
11/06	LATIN SMALL LETTER K WITH CEDILLA (see Note 3)
11/07	MIDDLE DOT
11/08	LATIN SMALL LETTER L WITH CEDILLA
11/09	LATIN SMALL LETTER D WITH STROKE
11/10	LATIN SMALL LETTER S WITH CARON
11/11	LATIN SMALL LETTER T WITH STROKE
11/12	LATIN SMALL LETTER Z WITH CARON
11/13	EM-DASH
11/14	LATIN SMALL LETTER U WITH MACRON
11/15	LATIN SMALL LETTER ENG (Sami)
12/00	LATIN CAPITAL LETTER A WITH MACRON
12/01	LATIN CAPITAL LETTER A WITH ACUTE
12/02	LATIN CAPITAL LETTER A WITH CIRCUMFLEX
12/03	LATIN CAPITAL LETTER A WITH TILDE
12/04	LATIN CAPITAL LETTER A WITH DIAERESIS
12/05	LATIN CAPITAL LETTER A WITH RING ABOVE
12/06	LATIN CAPITAL LIGATURE AE
12/07	LATIN CAPITAL LETTER I WITH OGONEK
12/08	LATIN CAPITAL LETTER C WITH CARON
12/09	LATIN CAPITAL LETTER E WITH ACUTE
12/10	LATIN CAPITAL LETTER E WITH OGONEK
12/11	LATIN CAPITAL LETTER E WITH DIAERESIS
12/12	LATIN CAPITAL LETTER E WITH DOT ABOVE
12/13	LATIN CAPITAL LETTER I WITH ACUTE
12/14	LATIN CAPITAL LETTER I WITH CIRCUMFLEX
12/15	LATIN CAPITAL LETTER I WITH DIAERESIS
13/00	LATIN CAPITAL LETTER ETH (Icelandic)
13/01	LATIN CAPITAL LETTER N WITH CEDILLA
13/02	LATIN CAPITAL LETTER O WITH MACRON

Table 1 – (continued)

Bit Combination	Name
13/03	LATIN CAPITAL LETTER O WITH ACUTE
13/04	LATIN CAPITAL LETTER O WITH CIRCUMFLEX
13/05	LATIN CAPITAL LETTER O WITH TILDE
13/06	LATIN CAPITAL LETTER O WITH DIAERESIS
13/07	LATIN CAPITAL LETTER U WITH TILDE
13/08	LATIN CAPITAL LETTER O WITH STROKE
13/09	LATIN CAPITAL LETTER U WITH OGONEK
13/10	LATIN CAPITAL LETTER U WITH ACUTE
13/11	LATIN CAPITAL LETTER U WITH CIRCUMFLEX
13/12	LATIN CAPITAL LETTER U WITH DIAERESIS
13/13	LATIN CAPITAL LETTER Y WITH ACUTE
13/14	LATIN CAPITAL LETTER THORN (Icelandic)
13/15	LATIN SMALL LETTER SHARP S (German)
14/00	LATIN SMALL LETTER A WITH MACRON
14/01	LATIN SMALL LETTER A WITH ACUTE
14/02	LATIN SMALL LETTER A WITH CIRCUMFLEX
14/03	LATIN SMALL LETTER A WITH TILDE
14/04	LATIN SMALL LETTER A WITH DIAERESIS
14/05	LATIN SMALL LETTER A WITH RING ABOVE
14/06	LATIN SMALL LIGATURE AE
14/07	LATIN SMALL LETTER I WITH OGONEK
14/08	LATIN SMALL LETTER C WITH CARON
14/09	LATIN SMALL LETTER E WITH ACUTE
14/10	LATIN SMALL LETTER E WITH OGONEK
14/11	LATIN SMALL LETTER E WITH DIAERESIS
14/12	LATIN SMALL LETTER E WITH DOT ABOVE
14/13	LATIN SMALL LETTER I WITH ACUTE
14/14	LATIN SMALL LETTER I WITH CIRCUMFLEX
14/15	LATIN SMALL LETTER I WITH DIAERESIS
15/00	LATIN SMALL LETTER ETH (Icelandic)
15/01	LATIN SMALL LETTER N WITH CEDILLA
15/02	LATIN SMALL LETTER O WITH MACRON
15/03	LATIN SMALL LETTER O WITH ACUTE
15/04	LATIN SMALL LETTER O WITH CIRCUMFLEX
15/05	LATIN SMALL LETTER O WITH TILDE
15/06	LATIN SMALL LETTER O WITH DIAERESIS

Table 1 – (concluded)

Bit Combination	Name
15/07	LATIN SMALL LETTER U WITH TILDE
15/08	LATIN SMALL LETTER O WITH STROKE
15/09	LATIN SMALL LETTER U WITH OGONEK
15/10	LATIN SMALL LETTER U WITH ACUTE
15/11	LATIN SMALL LETTER U WITH CIRCUMFLEX
15/12	LATIN SMALL LETTER U WITH DIAERESIS
15/13	LATIN SMALL LETTER Y WITH ACUTE
15/14	LATIN SMALL LETTER THORN (Icelandic)
15/15	LATIN SMALL LETTER KRA (Greenlandic)

6.2 Code table

The code table shows the characters listed at the position in the code table corresponding to the specified bit combination.

The shaded positions correspond to bit combinations that do not represent graphic characters. Their use is outside the scope of this part of ISO/IEC 8859, it is specified in other standards, e.g. ISO 2022 and ISO/IEC 6429.

7 Designation of the character set

The graphic characters of this part of ISO/IEC 8859 constitute a single coded character set. However, when this character set is implemented together with other coding standards such as ISO 2022 or ISO/IEC 4873, the code table of this part of ISO/IEC 8859 shall be considered to consist of the following components:

- The character SPACE represented by bit combination 02/00.
- A 94-character G0 graphic character set represented by bit combinations 02/01 to 07/14.
- A 96-character G1 graphic character set represented by bit combinations 10/00 to 15/15.

When required by other coding standards, e.g. ISO 2022 or ISO/IEC 4873 the following pair of escape sequences shall be used:

ESC 02/08 04/02

ESC 02/13 05/06

to designate the G0 and the G1 sets, respectively. In accordance to ISO 2022 the character SPACE does not require designation.

Table 2 – Code table of Latin alphabet No. 6

b.	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1					
b.	0	0	0	0	1	1	1	1	0	0	0	0	1	1	1					
b.	0	0	1	1	0	0	1	1	0	0	1	1	0	0	1					
b.	0	1	0	1	0	1	0	1	0	1	0	1	0	1	0					
	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15				
b.	b.	b.	b.																	
0	0	0	0	00			SP	0	@	P	`	p			NBSP	°	Ā	Đ	ā	ð
0	0	0	1	01			!	1	A	Q	a	q			Ą	ą	Á	Ǻ	á	ǻ
0	0	1	0	02			"	2	B	R	b	r			Ē	ē	Â	Ȯ	â	ō
0	0	1	1	03			#	3	C	S	c	s			Ĝ	ğ	Ă	Ó	ã	ó
0	1	0	0	04			\$	4	D	T	d	t			Ī	ī	Ä	Ô	ä	ô
0	1	0	1	05			%	5	E	U	e	u			Ĭ	î	Å	Õ	å	õ
0	1	1	0	06			&	6	F	V	f	v			Ƙ	ƙ	Æ	Ö	æ	ö
0	1	1	1	07			'	7	G	W	g	w			Š	š	Į	Ū	į	ū
1	0	0	0	08			(8	H	X	h	x			Ł	ł	Č	Ø	č	ø
1	0	0	1	09)	9	I	Y	i	y			Đ	đ	É	Ȳ	é	ȳ
1	0	1	0	10			*	:	J	Z	j	z			Š	š	Ę	Ú	ę	ú
1	0	1	1	11			+	;	K	[k	{			Ʀ	Ɩ	Ě	Ů	ě	ů
1	1	0	0	12			,	<	L	\	l				Ž	ž	Ě	Ü	ě	ü
1	1	0	1	13			=	>	M]	m	}			SHY	-	Í	Ý	í	ý
1	1	1	0	14			.	>	N	^	n	~			Ū	ū	Î	Ɔ	î	Ɔ
1	1	1	1	15			/	?	0	-	o				Ń	ń	İ	Ɔ	ï	κ

Annex A
(informative)

Sami (Lappish) supplementary set

The coded character set specified by this part of ISO/IEC 8859 comprises the characters needed for the Southern, Lule, Northern and Enare dialects of the Sami language in modern orthography. The Skolt Sami dialect used in parts of Finland requires certain additional characters that are not specified in this part of ISO/IEC 8859. Those additional characters, as well as certain characters used in other historic Sami documents, have been registered according to ISO 2375 as Registration No. 158. For text in the Skolt Sami dialect, as well as texts using older Sami orthography, it is recommended to use the character set specified in this part of ISO/IEC 8859 as the G0 and G1 set together with the character set of this Registration No. 158 as the G2 or G3 set according to level 2 of Standard ISO/IEC 4873.

The character set according to Registration No. 158 is designated with the following escape sequence:

G2: ESC 02/14 05/08

G3: ESC 02/15 05/08

For convenience, the code table and the list of character names of Registration No. 158 are reproduced in this annex.

				b.	0	0	0	0	1	1	1	1
				b.	0	0	1	1	0	0	1	1
				b.	0	1	0	1	0	1	0	1
					0	1	2	3	4	5	6	7
b.	b.	b.	b.	0					Ä		ä	
0	0	0	0	0					À		à	
0	0	0	1	1					Ā		ā	
0	0	1	0	2					Ā		ā	
0	0	1	1	3					Ā		ā	
0	1	0	0	4					Ē		ē	
0	1	0	1	5					Ĕ		ĕ	
0	1	1	0	6					È		è	
0	1	1	1	7					G		g	
1	0	0	0	8					Ĝ		ĝ	
1	0	0	1	9					Ķ		ķ	
1	0	1	0	10					Ö		ö	
1	0	1	1	11					Ò		ò	
1	1	0	0	12					Q		q	
1	1	0	1	13					Q̄		q̄	
1	1	1	0	14					Ʒ		Ʒ	
1	1	1	1	15					Ž		ž	

Pos.	Name	Note
2/0	ACUTE ACCENT	
2/1	(This position shall not be used)	
2/2	(This position shall not be used)	
2/3	(This position shall not be used)	
2/4	(This position shall not be used)	
2/5	(This position shall not be used)	
2/6	(This position shall not be used)	
2/7	(This position shall not be used)	
2/8	(This position shall not be used)	
2/9	(This position shall not be used)	
2/10	(This position shall not be used)	
2/11	(This position shall not be used)	
2/12	(This position shall not be used)	
2/13	(This position shall not be used)	
2/14	(This position shall not be used)	
2/15	(This position shall not be used)	
3/0	HIGH OGONEK	
3/1	(This position shall not be used)	
3/2	(This position shall not be used)	
3/3	(This position shall not be used)	
3/4	(This position shall not be used)	
3/5	(This position shall not be used)	
3/6	(This position shall not be used)	
3/7	(This position shall not be used)	
3/8	(This position shall not be used)	
3/9	(This position shall not be used)	
3/10	(This position shall not be used)	
3/11	(This position shall not be used)	
3/12	(This position shall not be used)	
3/13	(This position shall not be used)	
3/14	(This position shall not be used)	
3/15	(This position shall not be used)	