

INTERNATIONAL
STANDARD

ISO/IEC
9834-1

First edition
1993-04-15

AMENDMENT 1
1997-05-01

**Information technology — Open Systems
Interconnection — Procedures for the
operation of OSI Registration Authorities:
General procedures**

AMENDMENT 1: Incorporation of object
identifiers components

*Technologies de l'information — Interconnexion de systèmes ouverts
(OSI) — Procédures pour l'opération des autorités d'enregistrement OSI:
Procédures générales*

AMENDEMENT 1: Incorporation des identificateurs d'objets



Reference number
ISO/IEC 9834-1:1993/Amd.1:1997(E)

Contents

	<i>Page</i>
1) Annex A	1
2) Subclause A.3.....	1
3) Subclause A.4.....	1
4) Subclause A.5.....	1
6) Annex C	3
7) New Annex	3

IECNORM.COM: Click to view the full PDF of ISO/IEC 9834-1:1993/Amd.1:1997

Withdrawn

© ISO/IEC 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Amendment 1 to International Standard ISO/IEC 9834-1:1993 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 21, *Open systems interconnection, data management and open distributed processing*, in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.660/Amd.1.

IECNORM.COM: Click to view the full text of ISO/IEC 9834-1:1993/Amd.1:1997(E)

This page intentionally left blank

IECNORM.COM: Click to view the full PDF of ISO/IEC 9894-1:1993/AMD1:1997
Without a watermark

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

**INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION –
PROCEDURES FOR THE OPERATION OF OSI REGISTRATION AUTHORITIES:
GENERAL PROCEDURES**

**AMENDMENT 1
Incorporation of object identifiers components**

1) Annex A

Make the following changes to Table A.1:

Change “ccitt(0) recommendation(0)” to “itu-t(0) recommendation(0)”.

Change “ccitt(0) question(1) n” to “itu-t(0) question(1) n”.

Change “ccitt(0) administration(2) n” to “itu-t(0) administration(2) n”.

Change “ccitt(0) network operator(3) n” to “itu-t(0) network operator(3) n”.

Change “joint-iso-ccitt(2) n” to “joint-iso-itu-t(2) n”.

Change “joint-iso-ccitt(2) country(16) country-name(n)” to “joint-iso-itu-t(2) country(16) country-name(n)”.

Change “joint-iso-ccitt(2) registration-procedures(17) specific-procedures(n)” to “joint-iso-ccitt(2) registration-procedures(17) specific-procedures(n)”.

2) Subclause A.3

Change “{joint-iso-ccitt(2) n}” to “{joint-iso-itu-t(2) n}”.

3) Subclause A.4

Make the following changes:

In line 1, change “CCITT” to “ITU-T”.

In line 2, change “{joint-iso-ccitt(2) registration-procedures(17)}” to “{joint-iso-itu-t(2) registration-procedures(17)}”.

In line 10, change “{joint-iso-ccitt(2) registration-procedures(17) document-types(2) binary(3)}” to “{joint-iso-itu-t(2) registration-procedures(17) document-types(2) binary(3)}”.

4) Subclause A.5

Make the following changes:

In line 2, change “{joint-iso-ccitt(2) country(16)}” to “{joint-iso-ccitt(2) country(16)}”.

In line 6, change “CCITT” to “ITU-T”.

5) Annex B

In B.3, change “CCITT” to “ITU-T”.

Add the following text, immediately after B.4:

“B.5 There are some circumstances in which it is appropriate for object identifiers to be transformed into Directory names and used for Directory access. This annex defines three attribute types, an object class and a name form for this purpose.

B.6 The attribute types are:

- a) An attribute type for the first component of an object identifier:

```
oidC1  ATTRIBUTE ::= {
        WITH SYNTAX INTEGER
        EQUALITY MATCHING RULE integerMatch
        ID {id-oidC1}}
```

Integer match is defined in ITU-T Rec. X.520 | ISO/IEC 9594-6.

- b) An attribute type for the second component of an object identifier:

```
oidC2  ATTRIBUTE ::= {
        WITH SYNTAX INTEGER
        EQUALITY MATCHING RULE integerMatch
        ID {id-oidC2}}
```

Integer match is defined in ITU-T Rec. X.520 | ISO/IEC 9594-6.

- c) An attribute type for the remaining components of an object identifier:

```
oidC    ATTRIBUTE ::= {
        WITH SYNTAX INTEGER
        EQUALITY MATCHING RULE integerMatch
        ID {id-oidC}}
```

Integer match is defined in ITU-T Rec. X.520 | ISO/IEC 9594-6

B.7 The object class definition provides an alias object class for a “country level” alias entry:

```
oidRoot OBJECT-CLASS ::= {
        SUBCLASS OF alias
        MUST CONTAIN {oidC1 | oidC2 | oidC }
        ID {id-oidRoot}}
```

B.8 The name form definition provides a Name Form to permit “country level” entry directly subordinate to the root:

```
oidRootNf NAME-FORM ::= {
        NAMES oidRoot
        WITH ATTRIBUTES {oidC1 | oidC2 | oidC }
        ID {id-oidRootNf}}
```

B.9 The use of the attribute types is illustrated in Annex D.

B.10 The following ASN.1 module **OidDirectoryNameDef** includes all of the ASN.1 type and value definitions contained in this annex.

```
OidDirectoryNameDef {joint-iso-itu-t registration-procedures(17) module(1) oidDirectoryNameDef(1) }
DEFINITIONS ::=
BEGIN

-- EXPORTS All --

IMPORTS
    ATTRIBUTE, MATCHING-RULE, OBJECT-CLASS, NAME-FORM, alias
    FROM InformationFramework {joint-iso-itu-t ds(5) module(1)
        informationFramework(1) 2}

    integerMatch
    From SelectedAttributeTypes {joint-iso-itu-t ds(5) module(1)
        selectedAttributeTypes(5) 2}
```

-- Attribute types --

```
oidC1 ATTRIBUTE ::= {
    WITH SYNTAX                INTEGER
    EQUALITY MATCHING RULE    integerMatch
    ID                          id-oidC1}
```

```
oidC2 ATTRIBUTE ::= {
    WITH SYNTAX                INTEGER
    EQUALITY MATCHING RULE    integerMatch
    ID                          id-oidC2}
```

```
oidC ATTRIBUTE ::= {
    WITH SYNTAX                INTEGER
    EQUALITY MATCHING RULE    integerMatch
    ID                          id-oidC}
```

-- Object class definition --

```
oidRoot OBJECT-CLASS ::= {
    SUBCLASS OF { alias }
    MUST CONTAIN { oidC1 | oidC2 | oidC }
    ID            id-oidRoot }
```

-- Name form --

```
oidRootNf NAME-FORM ::= {
    NAMES                oidRoot
    WITH ATTRIBUTES {oidC1 | oidC2 | oidC}
    ID                    id-oidRootNf }
```

-- Object identifier assignments --

```
id OBJECT IDENTIFIER ::= {joint-iso-itu-t registration-procedures(17) }directory-defs (2) }
id-oidC1 OBJECT IDENTIFIER ::= {id 0 }
id-oidC2 OBJECT IDENTIFIER ::= {id 1 }
id-oidC OBJECT IDENTIFIER ::= {id 2 }
id-oidRoot OBJECT IDENTIFIER ::= {id 3 }
id-oidRootNf OBJECT IDENTIFIER ::= {id 4 }
```

END”

6) Annex C

In C.1, make the following changes:

In line 4, item b, change “{joint-iso-ccitt country country-name}” to “{joint-iso-itu-t country country-name}”.

In line 16, change “joint-iso-ccitt” to “joint-iso-itu-t”.

7) New Annex

Add new Annex D and renumber existing Annex D as Annex E.

Annex D

Object identifier based Directory names

(This annex does not form an integral part of this Recommendation | International Standard)

D.1 Transformation of object identifiers into Directory names

D.1.1 The transformation of an object identifier into a Directory name involves the creation of the Directory name as a sequence of OIDComponents. All three attribute types defined in Annex B are used for the formation of an RDN for the first level of the DIT (identifying a country) from the first three components of an object identifier; subsequent RDNs are formed from single components of the object identifier taken in sequence. Thus an object identifier such as:

{iso(1) member-body(2) france(250) type-org(1) abc(6325) marketing-department(316)}

would be transformed into the following Directory name:

{{OIDC1=1, OIDC2=2, OIDC=250}}, {OIDC=1}, {OIDC=6325}, {OIDC=316}

D.1.2 It should be noted that it is the responsibility of the user of the Directory to carry out the transformation into a Directory name of an object identifier that is to be used for Directory lookup and for the presentation of the Directory name to a DSA via a DUA. Similarly, it is the responsibility of the user of the Directory to derive an object identifier from an OIDComponent based name retrieved from the Directory. The only requirement on DSAs is that they are configured to support the attribute types for OIDComponent.

D.2 The use of object identifier based Directory names

D.2.1 The object identifier based Directory name can be used as the distinguished name for an object. Alternatively, where an object has a conventional distinguished name as well as an object identifier (e.g. an application-process), it can be assigned both forms of Directory name through the use of Directory alias naming. This is illustrated in Figure D.1.

D.2.2 In principle, each entry below the root of the DIT may have an alias name. Such an alias name establishes an OIDComponent based RDN that can be used in Directory access. Thus, Figure D.1 shows an alias name for a country entry (FR) that is an RDN composed of three OIDComponents.

D.2.3 It is thus possible to create entries for objects that have:

- only a conventional distinguished name, e.g. *Albert Durand* in Figure D.1;
- only an OIDComponent based name form, e.g. (*application context definition*) in Figure D.1;
- dual name forms, e.g. in Figure D.1 *organization ABC* has the distinguished name:

{C=FR, O=ABC}

with the corresponding alias name:

{{OIDC1=1, OIDC2=2, OIDC=250}}, {OIDC=1}, {OIDC=6325}.

NOTE – The construction of distinguished names consisting of RDNs of IOD form followed by conventional RDNs may be considered by some organizations as not retaining the user friendly nature of conventional distinguished names.

D.2.4 It should be noted that it is not necessary to generate aliases for all intermediate nodes in a path traversing the tree (e.g. see OU = XY in Figure D.1). Conversely, it is not necessary for all object entries in the alias environment to be actual alias entries (e.g. see node below OIDC = 1 in Figure D.1).




Figure D.1 – The use of Alias Names