

INTERNATIONAL  
STANDARDIZED  
PROFILE

ISO/IEC  
ISP  
10611-4

Third edition  
2003-06-15

---

---

**Information technology — International  
Standardized Profiles AMH1n — Message  
Handling Systems — Common  
Messaging —**

Part 4:

**AMH12 and AMH14 — MTS Access (P3)  
and MTS 94 Access (P3)**

*Technologies de l'information — Profils normalisés internationaux  
AMH1n — Systèmes de messagerie — Messagerie commune —*

*Partie 4: AMH12 et AMH14 — Accès à MTS (P3) et accès à  
MTS 94 (P3)*

IECNORM.COM : Click to view the full PDF of ISO/IEC 10611-4:2003

---

---

Reference number  
ISO/IEC ISP 10611-4:2003(E)



© ISO/IEC 2003

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

IECNORM.COM : Click to view the full PDF of ISO/IEC ISP 10611-4:2003

© ISO/IEC 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

	Page
Foreword .....	iv
Introduction.....	v
1 Scope .....	1
2 Normative references.....	2
3 Terms and definitions .....	3
4 Abbreviations.....	4
5 Conformance.....	5
<b>Annexes</b>	
A ISPICS Proforma for ISO/IEC ISP 10611-4 (AMH12 and AMH14).....	7
B Amendments and corrigenda.....	65
C Bibliography.....	66

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

In addition to developing International Standards, ISO/IEC JTC 1 also develops International Standardized Profiles. An International Standardized Profile is an internationally agreed, harmonized document which identifies a standard or group of standards, together with options and parameters, necessary to accomplish a function or a set of functions. Draft International Standardized Profiles adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standardized Profile requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC ISP 10611-4 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems*.

This third edition cancels and replaces the second edition (ISO/IEC ISP 10611-4:1997), which has been technically revised.

ISO/IEC ISP 10611 consists of the following parts, under the general title *Information technology — International Standardized Profiles AMH1n — Message Handling Systems — Common Messaging*:

- *Part 1: MHS Service Support*
- *Part 2: Specification of ROSE, RTSE, ACSE, Presentation and Session Protocols for use by MHS*
- *Part 3: AMH11 — Message Transfer (P1)*
- *Part 4: AMH12 and AMH14 — MTS Access (P3) and MTS 94 Access (P3)*
- *Part 5: AMH13 — MS Access (P7)*
- *Part 6: AMH15 — MS 94 Access (P7)*

## Introduction

This part of ISO/IEC ISP 10611 is defined within the context of Functional Standardization, in accordance with the principles specified by ISO/IEC TR 10000, "Framework and Taxonomy of International Standardized Profiles". The context of Functional Standardization is one part of the overall field of Information Technology (IT) standardization activities, covering base standards, profiles, and registration mechanisms. A profile defines a combination of base standards that collectively perform a specific well-defined IT function. Profiles standardize the use of options and other variations in the base standards, and provide a basis for the development of uniform, internationally recognized system tests.

One of the rôles for an ISP is to serve as the basis for the development (by organizations other than ISO and IEC) of internationally recognized tests. ISPs are produced not simply to 'legitimize' a particular choice of base standards and options, but to promote real system interoperability. The development and widespread acceptance of tests based on this and other ISPs is crucial to the successful realization of this goal.

The text for this part of ISO/IEC ISP 10611 was originally developed in close cooperation between the MHS Expert Groups of the three Regional Workshops: the North American OSE Implementors' Workshop (OIW), the European Workshop for Open Systems (EWOS) (jointly with the corresponding expert group of the European Telecommunications Standards Institute - ETSI) and the OSI Asia-Oceania Workshop (AOW). The first and second editions of this part of ISO/IEC ISP 10611 were harmonized between these three Workshops and ratified by the plenary assemblies of all three Workshops.

Responsibility for maintenance and further development of MHS ISPs has been transferred to ISO/IEC JTC1/SC33/WG1, who have produced this edition to encompass additions and corrections to ISO/IEC 10021. Because new core requirements have been added for support of Universal Characters in addresses which will take time to be implemented within MHS systems, it is expected that the second edition of this part of ISO/IEC ISP 10611 will remain available for an overlap period.



# Information technology — International Standardized Profiles AMH1n — Message Handling Systems — Common Messaging —

Part 4:

## AMH12 and AMH14 — MTS Access (P3) and MTS 94 Access (P3)

### 1 Scope

#### 1.1 General

This part of ISO/IEC ISP 10611 covers access to a Message Transfer System (MTS) using the P3 MTS Access Protocol (see also figure 1). These specifications form part of the Common Messaging application functions, as defined in the parts of ISO/IEC ISP 10611, which form a common basis for content type-dependent International Standardized Profiles for MHS that will be developed.

An MTA or a MTS-user which conforms to profile AMH12 as specified in this part of ISO/IEC ISP 10611 shall support a 'mts-access' application context and for the MTA also 'mts-forced-access' application context. The MTA or the MTS-user may additionally conform to profile AMH14 as specified in this part of ISO/IEC ISP 10611 shall support the 'mts-access-94' and 'mts-forced-access-94' application contexts.

#### 1.2 Position within the taxonomy

This part of ISO/IEC ISP 10611 is the fourth part of a multipart ISP identified in ISO/IEC TR 10000-2 as "AMH1, Message Handling Systems - Common Messaging".

This part of ISO/IEC ISP 10611 specifies the following profiles:

AMH12 - MTS Access (P3)

AMH14 - MTS 94 Access (P3)

The AMH12 and AMH14 profiles may be combined with any T-Profiles (see ISO/IEC TR 10000) specifying the OSI connection-mode Transport service.

#### 1.3 Scenario

The model used is one of access to an MTS by an MTS-user - specifically, the intercommunication between a message transfer agent (MTA) and an MTS-user using the P3 protocol, as shown in figure 1.




Figure 1 - AMH12 and AMH14 scenario

The AMH12 and AMH14 profiles covers all aspects of the MTS Abstract Service, as defined in clause 8 of ISO/IEC 10021-4, when realized using the P3 protocol.

The OSI upper layer services and protocols to support the Message Handling Systems functions covered by the AMH12 profile are specified in the set of standards identified in table 1.

**Table 1 - AMH12 profile model**

Application Layer	MHS	ISO/IEC 10021-6
	ROSE	see ISO/IEC ISP 10611-2
	RTSE	see ISO/IEC ISP 10611-2
	ACSE	see ISO/IEC ISP 10611-2
Presentation Layer		see ISO/IEC ISP 10611-2
Session Layer		see ISO/IEC ISP 10611-2

**2 Normative references**

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Amendments and corrigenda to the base standards referenced are listed in annex B.

NOTES

1 - References in the body of this part of ISO/IEC ISP 10611 to specific clauses of ISO/IEC documents shall be considered to refer also to the corresponding clauses of the equivalent ITU-T Recommendations (as noted below) unless otherwise stated.

2 - Informative references are found in annex E.

ISO/IEC TR 10000-1:1998, *Information technology - Framework and taxonomy of International Standardized Profiles - Part 1: General principles and documentation framework*

ISO/IEC TR 10000-2:1998, *Information technology - Framework and taxonomy of International Standardized Profiles - Part 2: Principles and Taxonomy for OSI Profiles*

ITU-T Recommendation F.400/X.400 (1999), *Message Handling Systems - System and service overview*

ISO/IEC 10021-1:2003, *Information technology - Message Handling Systems (MHS) - Part 1: System and Service Overview [see also ITU-T Recommendation F.400/X.400]*

ITU-T Recommendation X.402 (1999) | ISO/IEC 10021-2:—<sup>1)</sup>, *Information technology - Message Handling Systems (MHS): Overall architecture*

ITU-T Recommendation X.411 (1999) | ISO/IEC 10021-4:—<sup>2)</sup>, *Information technology - Message Handling Systems (MHS) - Message Transfer System: Abstract service definition and procedures*

ITU-T Recommendation X.419 (1999), *Message Handling Systems - Protocol Object Identifiers*

1) To be published. (Revision of ISO/IEC 10021-2:1996)

2) To be published. (Revision of ISO/IEC 10021-4:1997)

ISO/IEC ISP 10611-1:2003, *Information technology - International Standardized Profiles AMH1n - Message Handling Systems - Common Messaging - Part 1: MHS Service Support*

ISO/IEC ISP 10611-2:1997, *Information technology - International Standardized Profiles AMH1n - Message Handling Systems - Common Messaging - Part 2: Specification of ROSE, RTSE, ACSE, Presentation and Session Protocols for use by MHS*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

Terms used in this part of ISO/IEC ISP 10611 are defined in the referenced base standards; in addition, the following terms are defined.

#### 3.1 General

**Basic requirement** : an Element of Service, protocol element, procedural element or other identifiable feature specified in the base standards which is required to be supported by all MHS implementations.

**Functional group** : a specification of one or more related Elements of Service, protocol elements, procedural elements or other identifiable features specified in the base standards which together support a significant optional area of MHS functionality.

NOTE - A functional group can cover any combination of MHS features specified in the base standards for which the effect of implementation can be determined at a standardized external interface - i.e. via a standard OSI communications protocol (other forms of exposed interface, such as a standardized programmatic interface, are outside the scope of this version of ISO/IEC ISP 10611).

#### 3.2 Support classification

To specify the support level of operations, arguments, results and other protocol features for this part of ISO/IEC ISP 10611, the following terminology is defined.

The following classifications are used in this part of ISO/IEC ISP 10611 to specify static conformance requirements - i.e. capability.

In the case of arguments and results (protocol elements), the classification is relative to that of the containing element, if any. Where the constituent elements of a non-primitive element are not individually specified, then each shall be considered to have the classification of that element. Where the range of values to be supported for an element is not specified, then all values defined in the MHS base standards shall be supported.

**mandatory full support (m)** : the element or feature shall be fully supported. An implementation shall be able to generate the element, and/or receive the element and perform all associated procedures (i.e. implying the ability to handle both the syntax and the semantics of the element) as relevant, as specified in the MHS base standards. Where support for origination (generation) and reception are not distinguished, then both capabilities shall be assumed.

**mandatory minimal support (m-)** : the element shall be supported. However, an implementation is only required to be able to copy the syntax of the element to the corresponding element of a message, probe or report for onward transfer or delivery, as appropriate, according to the procedures as specified in the MHS base standards, unless further qualified for the output envelope in question elsewhere in this multipart ISP (i.e. the classification of the output envelope takes precedence). An implementation is not required to be able to take any explicit action based on the semantics of such an element other than to treat the element as supported for criticality purposes. An implementation is not required to be able to originate such an element.

NOTE - The m- classification is designed to distinguish those cases where the MHS base standards define more than one level of functionality and the minimum required level of support in this profile is the minimum functionality defined in the base standards. Where the only functionality defined in the base standards is copying the element as described above, then the m classification is used in preference to m-.

**optional support (o)** : an implementation is not required to support the element or feature. If support is claimed, the element shall be treated as if it were specified as mandatory support. If support for origination is not claimed, then the element is not generated and, in the case of non-support of a critical extension by an MTA implementation on delivery, shall cause a non-delivery notification to be returned. If support for reception is not claimed, and the element is an argument, then an implementation may ignore a non-critical extension on delivery but shall otherwise generate an appropriate error indication. If support for reception is not claimed, and the element is a result, then the element may be ignored. If support of an operation as a responder is not claimed, then an appropriate error indication shall be generated (as a minimum, a ROSE reject shall be generated).

**conditional support (c)** : the element shall be supported under the conditions specified in this part of ISO/IEC ISP 10611. If these conditions are met, the element shall be treated as if it were specified as mandatory support. If these conditions are not met, the element shall be treated as if it were specified as optional support (unless otherwise stated).

**out of scope (i)** : the element is outside the scope of this part of ISO/IEC ISP 10611 - i.e. it will not be the subject of an ISP conformance test.

**not applicable (–)** : the element is not applicable in the particular context in which this classification is used.

#### 4 Abbreviations

AMH	Application Message Handling
ASN.1	Abstract Syntax Notation One
CV	Conversion
DC	Delivery Constraints
DIR	Use of Directory
DL	Distribution List
EoS	Element of Service
FG	Functional group
ISP	International Standardized Profile
LD	Latest Delivery
MHS	Message Handling Systems
MS	Message store
MTA	Message transfer agent
OSI	Open Systems Interconnection
PD	Physical Delivery
RD	Restricted Delivery
RED	Redirection
RED2	Redirection Instructions
RoC	Return of Content
SEC	Security
SPP	Simple Protected Password
UA	User agent

Support level for protocol elements and features (see 3.2):

m	mandatory full support
m-	mandatory minimal support
o	optional support
c	conditional support
i	out of scope
–	not applicable
r	required
x	excluded

## 5 Conformance

This part of ISO/IEC ISP 10611 states requirements upon implementations to achieve interworking. A claim of conformance to this part of ISO/IEC ISP 10611 is a claim that all requirements in the relevant base standards are satisfied, and that all requirements in the following clauses and in annex A of this part of ISO/IEC ISP 10611 are satisfied. Annex A states the relationship between these requirements and those of the base standards.

### 5.1 Conformance statement

For each implementation claiming conformance to profile AMH12 as specified in this part of ISO/IEC ISP 10611, a PICS shall be made available stating support or non-support of each option identified in this part of ISO/IEC ISP 10611.

The scope of conformance to profiles AMH12 and AMH14 covers both MTAs and MTS-users. A claim of conformance to profiles AMH12 and/or AMH14 shall state whether the implementation claims conformance as an MTA, as a UA, or as an MS which is not co-located with an MTA. The claim shall also state if the implementation conform to profiles AMH12 and/or AMH14.

### 5.2 MHS conformance

This part of ISO/IEC ISP 10611 specifies implementation options or selections such that conformant implementations will satisfy the conformance requirements of ISO/IEC 10021 and the ITU-T X.400 Recommendations.

Implementations conforming to profile AMH12 as specified in this part of ISO/IEC ISP 10611 shall implement all the mandatory support (m or m-) features identified as basic requirements in annex A except those features that are components of an unimplemented optional feature. It shall be stated which optional support (o) features are implemented.

For implementations conforming to profiles AMH12 and/or AMH14 as specified in this part of ISO/IEC ISP 10611, it shall be stated whether or not they support any of the optional functional groups as specified in ISO/IEC ISP 10611-1 which are applicable to the scope of this profile and to the role (i.e. MTA or MTS-user) for which conformance is claimed. For each functional group for which support is claimed, an implementation shall implement all the mandatory support (m or m-) features identified for that functional group in annex A except those features that are components of an unimplemented optional feature. It shall be stated which optional support (o) features are implemented.

Implementations shall support the procedures associated with supported protocol elements as specified in the base standards and as further specified in ISO/IEC ISP 10611-1. The MHS Elements of Service corresponding to such procedures are indicated in annex A of ISO/IEC ISP 10611-1.

For implementations conforming to profiles AMH12 and/or AMH14 as specified in this part of ISO/IEC ISP 10611, the P3 application context(s) for which conformance is claimed shall be stated.

### 5.3 Underlying layers conformance

Implementations conforming to profiles AMH12 and/or AMH14 as specified in this part of ISO/IEC ISP 10611 shall also conform to ISO/IEC ISP 10611-2 in accordance with the P3 application context(s) for which conformance is claimed.

(Blank page)

IECNORM.COM : Click to view the full PDF of ISO/IEC ISP 10611-4:2003

## Annex A<sup>3</sup>

(normative)

### ISPICS Proforma for ISO/IEC ISP 10611-4 (AMH12 and AMH14)

In the event of a discrepancy becoming apparent in the body of this part of ISO/IEC ISP 10611 and the tables in this annex, this annex is to take precedence.

Clause A.1 specifies the basic requirements for conformance to profiles AMH12 and AMH14. Clause A.2 specifies additional requirements to those specified in A.1 for each of the optional functional groups if conformance to such a functional group is claimed. Clause A.3 allows additional information to be provided for certain aspects of an implementation where no specific requirements are included in ISO/IEC ISP 10611. All three clauses shall be completed as appropriate.

In each table, the "Base" column reflects the level of support required for conformance to the base standard and the "Profile" column specifies the level of support required by this ISP (using the classification and notation defined in 3.2).

The generic term "MTS-user" is used in the tables in this annex where the distinction between different types of MTS-user is not significant. Where a column is headed "UA", then an MS is only required to be able to pass through such elements transparently between a UA and the MTA.

The "Ref" column is provided for cross-referencing purposes. The notation employed for references also indicates composite elements which contain sub-elements (a sub-element reference is prefixed by the reference of the composite element).

The "Support" column is provided for completion by the supplier of the implementation as follows:

Y	the element or feature is fully supported (i.e. satisfying the requirements of the m profile support classification)
Y-	the element or feature is minimally supported (i.e. satisfying the requirements of the m-profile support classification)
N	the element or feature is not supported, further qualified to indicate the action taken on receipt of such an element as follows: ND - the element is discarded/ignored NR - the PDU is rejected (with an appropriate error indication where applicable)
– or blank	the element or feature is not applicable (i.e. a major feature or composite protocol element which includes this element or feature is not supported or is minimally supported)

#### <sup>3</sup>Copyright release for ISPICS proformas

Users of this International Standardized Profile may freely reproduce the ISPICS proforma in this annex so that it can be used for its intended purpose and may further publish the completed ISPICS.

**A.0 Identification of the implementation**

**A.0.1 Identification of PICS**

Ref	Question	Response
1	Date of statement (YYYY-MM-DD)	
2	PICS serial number	
3	System conformance statement cross reference	

**A.0.2 Identification of IUT**

Ref	Question	Response
1	Implementation name	
2	Implementation version	
3	Hardware name	
4	Hardware version	
5	Operating system name	
6	Operating system version	
7	Special configuration	
8	Other information	

**A.0.3 Identification of supplier**

Ref	Question	Response
1	Organization name	
2	Contact name(s)	
3	Address	
4	Telephone number	
5	Telex number	
6	Fax number	
7	E-mail address	
8	Other information	

**A.0.4 Identification of protocol**

Ref	Question	Response
1	Title, reference number and date of publication of the protocol standard	
2	Protocol version(s)	not applicable
3	Addenda/amendments/corrigenda implemented	
4	Defect reports implemented	not applicable

**A.0.5 Type of implementation**

Ref	Implementation Type	Response
1	MTS-user (UA or MS)	
2	MTA	

NOTE - A separate PICS shall be completed for each implementation type for which conformance is claimed.

**A.0.6 Global statement of conformance**

Ref	Question	Response
1	Are all mandatory base standards requirements implemented?	

**A.0.7 Statement of profile conformance**

Ref	Question	Response	Comments
1	profiles implemented		
1.1	Are all mandatory requirements of profile AMH12 implemented?		
1.2	Are all mandatory requirements of profile AMH14 implemented?		
2	Are all mandatory requirements of any of the following optional functional groups implemented?		
2.1	Conversion (CV)		only applicable in the case of an MTA
2.2	Distribution List (DL)		only applicable in the case of an MTA class(es):
2.3	Physical Delivery (PD)		not applicable in the case of an MS
2.4	Redirection (RED)		only applicable in the case of an MTA
2.5	Latest Delivery (LD)		not applicable in the case of an MS
2.6	Return of Content (RoC)		
2.7	Security (SEC)		class(es):
2.8	Use of Directory (DIR)		class(es):
2.9	Simple Protected Password (SPP)		
2.10	Redirection Instructions (RED2)		not applicable in the case of an MS
2.11	Delivery Constraints (DC)		not applicable in the case of an MS
2.12	Restricted Delivery (RD)		not applicable in the case of an MS

## A.1 Basic requirements

### A.1.1 Supported application contexts

Ref	Application Context	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	mts-access-88	o	c <sup>1</sup>	o <sup>4</sup>	c <sup>1,4</sup>		
2	mts-forced-access-88	o	c <sup>1</sup>	o <sup>4</sup>	c <sup>1,4</sup>		
3	mts-reliable-access-88	o	o	o <sup>5</sup>	o <sup>5</sup>		
4	mts-forced-reliable-access-88	o	o	o <sup>5</sup>	o <sup>5</sup>		
5	mts-access-94	o	c <sup>2</sup>	o <sup>4</sup>	c <sup>2,4</sup>		
6	mts-forced-access-94	o	c <sup>2</sup>	o <sup>4</sup>	c <sup>2,4</sup>		
7	mts-reliable-access-94	o	c <sup>3</sup>	o <sup>5</sup>	c <sup>3,4</sup>		
8	mts-forced-reliable-access-94	o	c <sup>3</sup>	o <sup>5</sup>	c <sup>3,4</sup>		
1	if conformance to AMH12 is claimed then m else o.						
2	if conformance to AMH14 is claimed then m else n/a.						
3	if conformance to AMH14 is claimed then o else n/a.						
4	If either of mts-access or mts-forced-access application contexts is supported, then both of them for that "year" shall be supported.						
5	If either of mts-reliable-access or mts-forced-reliable-access application contexts is supported, then all four contexts for that "year" shall be supported.						

### A.1.2 Supported operations

#### A.1.2.1 Bind and Unbind

Ref	Operation	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	MTSBind access	m	m	m	m		see A.1.3.1
2	MTSUnbind access	m	m	m	m		
3	MTSBind forced access	m	m	m	m		see A.1.3.1
4	MTSUnbind forced access	m	m	m	m		

**A.1.2.2 Message Submission Service Element (MSSE)**

Ref	Operation	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	MessageSubmission	m	m	m	m		see A.1.3.2
2	ProbeSubmission	o	o	m	m		see A.1.3.3
3	CancelDeferredDelivery	o	o	m	m		see A.1.3.4
4	SubmissionControl	o	o	o	o		see A.1.3.5

NOTE - If the MTS-user is an MS, then the requirement is only to be able to pass through these operations (i.e. between the MTA and a local or remote UA) unaltered.

**A.1.2.3 Message Delivery Service Element (MDSE)**

Ref	Operation	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	MessageDelivery	m	m	m	m		see A.1.3.6
2	ReportDelivery	m	m	m	m		see A.1.3.7
3	DeliveryControl	o	o	m	m		see A.1.3.8

**A.1.2.4 Message Administration Service Element (MASE)**

Ref	Operation	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	Register	o	o	o	o		see A.1.3.9
2	ChangeCredentials (MTA to UA)	o	o	o	o		see A.1.3.10
3	ChangeCredentials (UA to MTA)	o	o	o	o		see A.1.3.10

NOTE - For a UA or MTA, some or all of the services and functionality supported by these operations may be implemented by other means as a local matter.

## A.1.3 Operation arguments/results

## A.1.3.1 MTSBind

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ARGUMENT						
1.1	initiator-name	m	m	m	m		
1.1.1	user-agent	c <sup>3</sup>	c <sup>3</sup>	c <sup>3</sup>	c <sup>3</sup>		see A.1.10.2
1.1.2	mTA	c <sup>4</sup>	c <sup>4</sup>	c <sup>4</sup>	c <sup>4</sup>		
1.1.3	message-store	c <sup>5</sup>	c <sup>5</sup>	c <sup>3</sup>	c <sup>3</sup>		see A.1.10.2
1.2	messages-waiting	o	c <sup>1</sup>	o	c <sup>1</sup>		
1.3	initiator-credentials	m	m	m	m		
1.3.1	simple	m	m	m	m		
1.3.1.1	octet-string	o	m	o	m		
1.3.1.2	ia5-string	o	o	o	o		
1.3.2	strong	o	o	o	o		
1.3.2.1	bind-token	m	m	m	m		see A.1.8/7
1.3.2.2	certificate	o	o	o	o		see A.1.8/8
1.3.2.3	certificate-selector	o	o	o	o		see A.1.8/10
1.3.3	protected	c <sup>8</sup>	c <sup>7</sup>	c <sup>8</sup>	c <sup>7</sup>		
1.3.3.1	signature	m	m	m	m		
1.3.3.1.1	password	o	m	o	m		
1.3.3.1.2	time1	o	o	o	o		
1.3.3.1.3	time2	o	m	o	m		
1.3.3.1.4	random1	o	m	o	m		
1.3.3.1.5	random2	o	o	o	o		
1.3.3.2	time1	o	o	o	o		
1.3.3.3	time2	o	m	o	m		
1.3.3.4	random1	o	o	o	o		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1.3.3.5	random2	o	o	o	o		
1.4	security-context	o	o	o	o		see A.1.9/3
1.5	extensions	c <sup>8</sup>	c <sup>7</sup>	c <sup>8</sup>	c <sup>7</sup>		
2	RESULT						
2.1	responder-name	m	m	m	m		
2.1.1	user-agent	c <sup>4</sup>	c <sup>4</sup>	c <sup>4</sup>	c <sup>4</sup>		see A.1.10.2
2.1.2	mTA	c <sup>3</sup>	c <sup>3</sup>	c <sup>3</sup>	c <sup>3</sup>		
2.1.3	message-store	c <sup>6</sup>	c <sup>6</sup>	c <sup>4</sup>	c <sup>4</sup>		see A.1.10.2
2.2	messages-waiting	o	c <sup>2</sup>	o	c <sup>2</sup>		
2.3	responder-credentials	m	m	m	m		
2.3.1	simple	m	m	m	m		
2.3.1.1	octet-string	o	m	o	m		
2.3.1.2	ia5-string	o	o	o	o		
2.3.2	strong	o	o	o	o		
2.3.2.1	bind-token	m	m	m	m		
2.3.2.1.1	signature-algorithm-identifier	m	m	m	m		
2.3.2.1.2	name	m	m	m	m		
2.3.2.1.3	time	m	m	m	m		
2.3.2.1.4	signed-data	o	o	o	o		
2.3.2.1.5	encryption-algorithm-identifier	o	o	o	o		
2.3.2.1.6	encrypted-data	o	o	o	o		
2.3.2.2	certificate	o	o	o	o		see A.1.8/8
2.3.2.3	certificate-selector	o	o	o	o		see A.1.8/10
2.3.3	protected	c <sup>8</sup>	c <sup>7</sup>	c <sup>8</sup>	c <sup>7</sup>		
2.3.3.1	signature	m	m	m	m		
2.3.3.1.1	password	o	m	o	m		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
2.3.3.1.2	time1	o	o	o	o		
2.3.3.1.3	time2	o	m	o	m		
2.3.3.1.4	random1	o	m	o	m		
2.3.3.1.5	random2	o	o	o	o		
2.3.3.2	time1	o	o	o	o		
2.3.3.3	time2	o	m	o	m		
2.3.3.4	random1	o	o	o	o		
2.3.3.5	random2	o	o	o	o		
2.4	extensions	c <sup>8</sup>	c <sup>7</sup>	c <sup>8</sup>	c <sup>7</sup>		
1	- if the MTA is the initiator then o else –						
2	- if the MTS-user is the initiator then o else –						
3	- if the MTS-user is the initiator then m else –						
4	- if the MTA is the initiator then m else –						
5	- if the MTS-user is a MS and is the initiator then m else –						
6	- if the MTS-user is a MS and the MTA is the initiator then m else –						
7	- if conformance to AMH14 is claimed then o else –						
8	if any access-94 application context is supported (A.1.1 items 5, 6, 7 or 8) then o else –						

**A.1.3.2 MessageSubmission**

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ARGUMENT						
1.1	envelope	m	m	m	m		see A.1.4
1.2	content	m	m	m	m		
2	RESULT						
2.1	message-submission-identifier	m	m	m	m		see A.1.8/1
2.2	message-submission-time	m	m	m	m		
2.3	content-identifier	o	c <sup>1</sup>	m	m		
2.4	extensions	m	m	m	m		see A.1.9/1

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
2.4.1	originating-MTA-certificate	o	i	o	i		see A.1.8/8
2.4.2	proof-of-submission	o	i	o	i		see A.1.9/7
2.4.3	originating-MTA-certificate-selector	o	i	o	i		see A.1.8/10
2.4.4	extensions	c <sup>3</sup>	c <sup>2</sup>	c <sup>3</sup>	c <sup>2</sup>		
1 if supported in message submission envelope then m else – 2 if conformance to AMH14 is claimed then o else – 3 if any access-94 application context is supported (A.1.1 items 5, 6, 7 or 8) then o else –							

**A.1.3.3 ProbeSubmission**

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ARGUMENT						
1.1	envelope	m	m	m	m		see A.1.5
2	RESULT						
2.1	probe-submission-identifier	m	m	m	m		see A.1.8/1
2.2	probe-submission-time	m	m	m	m		
2.3	content-identifier	o	c <sup>1</sup>	m	m		
2.4	PrivateExtensions	c <sup>3</sup>	c <sup>2</sup>	c <sup>3</sup>	c <sup>2</sup>		
1 if supported in probe submission envelope then m else – 2 if conformance to AMH14 is claimed then o else – 3 if any access-94 application context is supported (A.1.1 items 5, 6, 7 or 8) then o else –							

**A.1.3.4 CancelDeferredDelivery**

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ARGUMENT						
1.1	message-submission-identifier	m	m	m	m		see A.1.8/1
2	RESULT						

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
2.1	NULL	m	m	m	m		

### A.1.3.5 SubmissionControl

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ARGUMENT						
1.1	controls	m	m	m	m		
1.1.1	restrict	m	m	o	m		
1.1.2	permissible-operations	m	m	o	o		
1.1.3	permissible-maximum-content-length	m	m	o	o		
1.1.4	permissible-lowest-priority	m	m	o	o		
1.1.5	permissible-security-context	o	o	o	o		see A.1.9/3
2	RESULT						
2.1	waiting	m	m	m	m		
2.1.1	waiting-operations	o	o	m	m		
2.1.2	waiting-messages	o	o	m	m		
2.1.3	waiting-content-types	o	o	m	m		
2.1.4	waiting-encoded-information-types	o	o	m	m		see A.1.8/3

### A.1.3.6 MessageDelivery

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ARGUMENT						
1.1	(envelope)	m	m	m	m		see A.1.6
1.2	content	m	m	m	m		
2	RESULT						

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
2.1	recipient-certificate	o	o	o	o		see A.1.8/8
2.2	proof-of-delivery	o	o	o	o		see A.1.9/6
2.3	recipient-certificate-selector	o	o	o	o		see A.1.8/10
2.4	extensions	c <sup>1</sup>	c <sup>2</sup>	c <sup>1</sup>	c <sup>2</sup>		
1 if any access-94 application context is supported (A.1.1 items 5, 6, 7 or 8) then o else – 2 if conformance to AMH14 is claimed then o else –							

**A.1.3.7 ReportDelivery**

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ARGUMENT						
1.1	(envelope)	m	m	m	m		see A.1.7
1.2	returned-content	o	c <sup>1</sup>	o	c <sup>1</sup>		
2	RESULT						
2.1	NULL	c <sup>2</sup>	c <sup>4</sup>	c <sup>2</sup>	c <sup>4</sup>		
2.2	extensions	c <sup>3</sup>	c <sup>5</sup>	c <sup>3</sup>	c <sup>5</sup>		
1 if supported in message submission envelope then m else – 2 if any access-88 application context is supported (A.1.1 items 1, 2, 3 or 4) then m else o 3 if any access-94 application context is supported (A.1.1 items 5, 6, 7 or 8) then o else – 4 if conformance to AMH12 is claimed then m else – 5 if conformance to AMH14 is claimed then o else –							

**A.1.3.8 DeliveryControl**

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ARGUMENT						
1.1	controls	m	m	m	m		
1.1.1	restrict	m	m	m	m		
1.1.2	permissible-operations	o	o	m	m		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1.1.3	permissible-maximum-content-length	o	o	m	m		
1.1.4	permissible-lowest-priority	o	o	m	m		
1.1.5	permissible-content-types	o	o	m	m		
1.1.6	permissible-encoded-information-types	o	o	m	m		if conformance to AMH12 is claimed see A.1.8/3
1.1.6.1	unacceptable-eits	c <sup>1</sup>	c <sup>3</sup>	c <sup>1</sup>	c <sup>3</sup>		
1.1.6.2	acceptable-eits	c <sup>1</sup>	c <sup>3</sup>	c <sup>1</sup>	c <sup>3</sup>		
1.1.6.3	exclusively-acceptable-eits	c <sup>1</sup>	c <sup>2</sup>	c <sup>1</sup>	c <sup>2</sup>		
1.1.7	permissible-security-context	o	o	o	o		see A.1.9/3
1.2	extensions	c <sup>1</sup>	c <sup>2</sup>	c <sup>1</sup>	c <sup>2</sup>		
2	RESULT						
2.1	waiting	m	m	m	m		
2.1.1	waiting-operations	m	m	o	o		
2.1.2	waiting-messages	m	m	o	o		
2.1.3	waiting-content-types	m	m	o	o		
2.1.4	waiting-encoded-information-types	m	m	o	o		see A.1.8/3
2.2	extensions	c <sup>1</sup>	c <sup>2</sup>	c <sup>1</sup>	c <sup>2</sup>		
1	if any access-94 application context is supported (A.1.1 items 5, 6, 7 or 8) then o else –						
2	if conformance to AMH14 is claimed then o else –						
3	if conformance to AMH14 is claimed then m else –						

### A.1.3.9 AMH12 Register

This classification applies only to the AMH12 context. (The AMH14 register operation is specified in A.1.3.11)

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ARGUMENT						
1.1	user-name	o	o	o	o		see A.1.10.2

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1.2	user-address	o	o	o	o		
1.3	deliverable-encoded-information-types	o	o	o	m		see A.1.8/3
1.4	deliverable-maximum-content-length	o	o	o	m		
1.5	default-delivery-controls	o	o	o	o		
1.5.1	restrict	o	o	o	m		
1.5.2	permissible-operations	o	o	o	m		
1.5.3	permissible-maximum-content-length	o	o	o	m		
1.5.4	permissible-lowest-priority	o	o	o	m		
1.5.5	permissible-content-types	o	o	o	m		
1.5.6	permissible-encoded-information-types	o	o	o	m		see A.1.8/3
1.6	deliverable-content-types	o	o	o	m		
1.7	labels-and-redirections	o	o	o	o		
1.7.1	user-security-label	o	o	o	o		see A.1.9/3
1.7.2	recipient-assigned-alternate-recipient	o	o	o	o		
2	RESULT						
2.1	NULL	m	m	m	m		

**A.1.3.10 Change Credentials**

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ARGUMENT						
1.1	old-credentials	m	m	m	m		
1.1.1	simple	m	m	m	m		
1.1.1.1	octet-string	o	m	o	m		

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1.1.1.2	ia5-string	o	o	o	o		
1.2	new-credentials	m	m	m	m		
1.2.1	simple	m	m	m	m		
1.2.1.1	octet-string	o	m	o	m		
1.2.1.2	ia5-string	o	o	o	o		
2	RESULT						
2.1	NULL	m	m	m	m		

### A.1.3.11 AMH14 Register

This classification applies only to the AMH14 context. (The AMH12 register operation is specified in A.1.3.9)

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ARGUMENT						
1.1	user-name	o	o	o	o		see A.1.10.2
1.2	user-address	o	o	o	o		
1.3	deliverable-class	o	o	o	o		
1.3.1	content-types	o	o	o	o		
1.3.2	maximum-content-length	o	o	o	o		
1.3.3	acceptable-encoded-information-types-constraints	o	o	o	o		

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1.3.3.1	unacceptable-eits	o	m	m	m		
1.3.3.2	acceptable-eits	o	m	m	m		
1.3.3.3	exclusively-acceptable-eits	o	m	m	m		
1.3.4	security-labels	o	o	o	o		
1.3.5	extensions	o	o	o	o		
1.4	default-delivery-controls	o	o	o	o		
1.4.1	permissible-operations	o	o	o	m		
1.4.2	permissible-maximum-content-length	o	o	o	m		
1.4.3	permissible-lowest-priority	o	o	o	m		
1.4.4	permissible-content-types	o	o	o	m		
1.4.5	permissible-encoded-information-types	o	o	o	m		
1.4.5.1	unacceptable-eits	o	m	o	m		
1.4.5.2	acceptable-eits	o	m	o	m		
1.4.5.3	exclusively-acceptable-eits	o	o	o	o		
1.5	redirections	o	o	o	o		
1.5.1	redirections-classes	o	o	o	o		
1.5.1.1	content-types	o	o	o	o		
1.5.1.2	maximum-content-length	o	o	o	o		
1.5.1.3	acceptable-encoded-information-types-constraints	o	o	o	o		
1.5.1.3.1	unacceptable-eits	o	m	o	m		
1.5.1.3.2	acceptable-eits	o	m	o	m		
1.5.1.3.3	exclusively-acceptable-eits	o	m	o	m		
1.5.1.4	security-labels	o	o	o	o		see A.1.9/3
1.5.1.5	priority	o	o	o	o		
1.5.1.6	objects	o	o	o	m		

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1.5.1.6.1	messages	o	o	o	o		
1.5.1.6.2	reports	o	o	o	o		
1.5.1.6.3	both	o	o	o	m		
1.5.1.7	applies-only-to	o	o	o	o		
1.5.1.8	extensions	o	o	o	o		
1.5.2	recipient-assigned-alternate-recipient	o	m	o	m		
1.6	redirected-delivery	o	o	o	o		see A.1.8/6
1.7	retrieve-registrations	o	o	o	o		
1.7.1	standard-parameters	o	m	o	m		
1.7.1.1	user-name	o	c <sup>1</sup>	o	c <sup>1</sup>		
1.7.1.2	user-address	o	c <sup>1</sup>	o	c <sup>1</sup>		
1.7.1.3	deliverable-class	o	c <sup>1</sup>	o	c <sup>1</sup>		
1.7.1.4	default-delivery-controls	o	c <sup>1</sup>	o	c <sup>1</sup>		
1.7.1.5	redirections	o	c <sup>1</sup>	o	c <sup>1</sup>		
1.7.1.6	restricted-delivery	o	c <sup>1</sup>	o	c <sup>1</sup>		
1.7.2	extensions	o	c <sup>1</sup>	o	c <sup>1</sup>		
1.8	extensions	o	o	o	o		
2	RESULT						
2.1	empty-result	o	m	o	m		
2.2	non-empty-result	o	c <sup>2</sup>	o	c <sup>2</sup>		
2.2.1	registered information	o	m	o	m		
2.2.1.1	user-name	o	o	o	o		see A.1.10.2
2.2.1.2	user-address	o	o	o	o		
2.2.1.3	deliverable-class	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.3.1	content-types	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.3.2	maximum-content-length	o	c <sup>3</sup>	o	c <sup>3</sup>		

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
2.2.1.3.3	acceptable-encoded-information-types-constraints	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.3.3.1	unacceptable-eits	o	m	o	m		
2.2.1.3.3.2	acceptable-eits	o	m	o	m		
2.2.1.3.3.3	exclusively-acceptable-eits	o	m	o	m		
2.2.1.3.4	security-labels	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.3.5	extensions	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.4	default-delivery-controls	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.4.1	restrict	o	-	o	-		
2.2.1.4.2	permissible-operations	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.4.3	permissible-maximum-content-length	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.4.4	permissible-lowest-priority	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.4.4	permissible-content-types	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.4.6	permissible-encoded-information-types	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.4.6.1	unacceptable-eits	o	m	o	m		
2.2.1.4.6.2	acceptable-eits	o	m	o	m		
2.2.1.4.6.3	exclusively-acceptable-eits	o	o	o	o		
2.2.1.5	redirections	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.5.1	redirections-classes	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.5.1.1	content-types	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.5.1.2	maximum-content-length	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.5.1.3	acceptable-encoded-information-types-constraints	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.5.1.3.1	unacceptable-eits	o	m	o	m		
2.2.1.5.1.3.2	acceptable-eits	o	m	o	m		

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
2.2.1.5.1.3.3	exclusively-acceptable-eits	o	m	o	m		
2.2.1.5.1.4	security-labels	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.5.1.5	priority	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.5.1.6	objects	o	m	o	m		
2.2.1.5.1.6.1	messages	o	o	o	o		
2.2.1.5.1.6.2	reports	o	o	o	o		
2.2.1.5.1.6.3	both	o	m	o	m		
2.2.1.5.1.7	applies-only-to	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.5.1.8	extensions	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.1.5.2	recipient-assigned-alternate-recipient	o	m	o	m		
2.2.1.6	redirected-delivery	o	c <sup>3</sup>	o	c <sup>3</sup>		see A.1.8/6
2.2.1.7	extensions	o	c <sup>3</sup>	o	c <sup>3</sup>		
2.2.2	extensions	o	o	o	o		
1	if the corresponding attribute is supported as an argument then o else not applicable.						
2	If item 1.7 is supported then m else o.						
3	if the corresponding attribute is supported as an argument then m else not applicable.						

**A.1.4 MessageSubmissionEnvelope**

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	originator-name	m	m	m	m		see A.1.10.2
2	original-encoded-information-types	m	m	m	m-		see A.1.8/3
3	content-type	m	m	m	m-		
4	content-identifier	o	o	m	m		
5	priority	m	m	m	m		
6	per-message-indicators	m	m	m	m		see A.1.8/5

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
7	deferred-delivery-time	o	o	m	m		
8	extensions	m	m	m	m		see A.1.9/1
8.1	recipient-reassignment-prohibited	o	m <sup>1</sup>	o	m		
8.2	dl-expansion-prohibited	o	m <sup>1</sup>	o	m		
8.3	conversion-with-loss-prohibited	o	o	o	m		
8.4	latest-delivery-time	o	o	o	o		
8.5	originator-return-address	o	o	o	o		see A.1.10.1
8.6	originator-certificate	o	o	o	o		see A.1.8/8
8.7	content-confidentiality-algorithm-identifier	o	o	o	o		
8.8	message-origin-authentication-check	o	o	o	o		see A.1.9/2
8.9	message-security-label	o	o	o	o		see A.1.9/3
8.10	proof-of-submission-request	o	i	o	i		
8.11	content-correlator	o	o	m	m		
8.12	certificate-selectors	o	o	o	o		see A.1.9/9
8.13	multiple-originator-certificates	o	o	o	o		see A.1.9/11
8.14	dl-exempted-recipients	o	o	o	o		see A.1.10.1
8.15	PrivateExtensions	c <sup>2</sup>	c <sup>3</sup>	c <sup>2</sup>	c <sup>3</sup>		
9	per-recipient-fields	m	m	m	m		
9.1	recipient-name	m	m	m	m		see A.1.10.1
9.2	originator-report-request	m	m	m	m		
9.3	explicit-conversion	o	o	o	m-		
9.4	extensions	m	m	m	m		see A.1.9/1
9.4.1	originator-requested-alternate-recipient	o	o	o	o		see A.1.10.1
9.4.2	requested-delivery-method	o	o	o	o		
9.4.3	physical-forwarding-prohibited	o	o	o	o		

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
9.4.4	physical-forwarding-address-request	o	o	o	o		
9.4.5	physical-delivery-modes	o	o	o	o		
9.4.6	registered-mail-type	o	o	o	o		
9.4.7	recipient-number-for-advice	o	o	o	o		
9.4.8	physical-rendition-attributes	o	o	o	o		
9.4.9	physical-delivery-report-request	o	o	o	o		
9.4.10	message-token	o	o	o	o		see A.1.9/4
9.4.11	content-integrity-check	o	o	o	o		
9.4.12	proof-of-delivery-request	o	o	o	o		
9.4.13	certificate-selectors-override	o	o	o	o		see A.1.9/10
9.4.14	recipient-certificate	o	o	o	o		see A.1.8/8
9.4.15	IPMPerRecipientEnvelopeExtensions	o	o	o	o		
9.4.16	PrivateExtensions	c <sup>2</sup>	c <sup>3</sup>	c <sup>2</sup>	c <sup>3</sup>		
1	only the capability to generate the "prohibited" value is required						
2	f any access-94 application context is supported (A.1.1 items 5, 6, 7 or 8) then o else –						
3	f conformance to AMH14 is claimed then o else –						

**A.1.5 ProbeSubmissionEnvelope**

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	originator-name	m	m	m	m		see A.1.10.2
2	original-encoded-information-types	m	m	m	m-		see A.1.8/3
3	content-type	m	m	m	m-		
4	content-identifier	o	o	m	m		
5	content-length	o	m	m	m		
6	per-message-indicators	m	m	m	m		see A.1.8/5

Ref	Element	UA		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
7	extensions	m	m	m	m		see A.1.9/1
7.1	recipient-reassignment-prohibited	o	m <sup>1</sup>	o	m		
7.2	dl-expansion-prohibited	o	m <sup>1</sup>	o	m		
7.3	conversion-with-loss-prohibited	o	o	o	m		
7.4	originator-certificate	o	o	o	o		see A.1.8/8
7.5	message-security-label	o	o	o	o		see A.1.9/3
7.6	content-correlator	o	o	m	m		
7.7	probe-origin-authentication-check	o	o	o	o		see A.1.9/5
7.8	certificate-selectors	o	o	o	o		see A.1.9/9
7.9	PrivateExtensions	c <sup>2</sup>	c <sup>3</sup>	c <sup>2</sup>	c <sup>3</sup>		
8	per-recipient-fields	m	m	m	m		
8.1	recipient-name	m	m	m	m		see A.1.10.1
8.2	originator-report-request	m	m	m	m		
8.3	explicit-conversion	o	o	o	m-		
8.4	extensions	m	m	m	m		see A.1.9/1
8.4.1	originator-requested-alternate-recipient	o	o	o	o		see A.1.10.1
8.4.2	requested-delivery-method	o	o	o	o		
8.4.3	physical-rendition-attributes	o	o	o	o		
8.4.4	PrivateExtensions	c <sup>2</sup>	c <sup>3</sup>	c <sup>2</sup>	c <sup>3</sup>		
1	only the capability to generate the "prohibited" value is required						
2	if any access-94 application context is supported (A.1.1 items 5, 6, 7 or 8) then o else –						
3	if conformance to AMH14 is claimed then o else –						

## A.1.6 MessageDeliveryEnvelope

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	message-delivery-identifier	m	m	m	m		see A.1.8/1
2	message-delivery-time	m	m	m	m		
3	other-fields	m	m	m	m		
3.1	content-type	m	m	m	m		
3.2	originator-name	m	m	m	m		see A.1.10.1
3.3	original-encoded-information-types	m	m	m	m		see A.1.8/3
3.4	priority	m	m	m	m		
3.5	delivery-flags	m	m	m	m		
3.5.1	implicit-conversion-prohibited	m	m	m	m		
3.6	other-recipient-names	m	m	m	m		see A.1.10.1
3.7	this-recipient-name	m	m	m	m		see A.1.10.1
3.8	originally-intended-recipient-name	m	m	m	m		see A.1.10.1
3.9	converted-encoded-information-types	m	m	m	m		see A.1.8/3
3.10	message-submission-time	m	m	m	m		
3.11	content-identifier	o	m	m	m		
3.12	extensions	m	m	m	m		see A.1.9/1
3.12.1	conversion-with-loss-prohibited	o	o	o	m		
3.12.2	requested-delivery-method	o	o	o	o		
3.12.3	physical-forwarding-prohibited	o	o	o	o		
3.12.4	physical-forwarding-address-request	o	o	o	o		
3.12.5	physical-delivery-modes	o	o	o	o		
3.12.6	registered-mail-type	o	o	o	o		
3.12.7	recipient-number-for-advice	o	o	o	o		
3.12.8	physical-rendition-attributes	o	o	o	o		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
3.12.9	originator-return-address	o	o	o	o		
3.12.10	physical-delivery-report-request	o	o	o	o		
3.12.11	originator-certificate	o	o	o	o		see A.1.8/8
3.12.12	message-token	o	o	o	o		see A.1.9/4
3.12.13	content-confidentiality-algorithm-identifier	o	o	o	o		
3.12.14	content-integrity-check	o	o	o	o		
3.12.15	message-origin-authentication-check	o	o	o	o		see A.1.9/2
3.12.16	message-security-label	o	o	o	o		see A.1.9/3
3.12.17	proof-of-delivery-request	o	o	o	o		
3.12.18	redirection-history	o	o	m	m		
3.12.19	dl-expansion-history	o	o	m	m		
3.12.20	trace-information	c <sup>1</sup>	c <sup>2</sup>	c <sup>1</sup>	c <sup>2</sup>		
3.12.21	internal-trace-information	c <sup>1</sup>	c <sup>2</sup>	c <sup>1</sup>	c <sup>2</sup>		
3.12.22	certificate-selectors	o	o	o	o		see A.1.9/9
3.12.23	certificate-selectors-override	o	o	o	o		see A.1.9/10
3.12.24	multiple-originator-certificates	o	o	o	o		see A.1.9/11
3.12.25	recipient-certificate	o	o	o	o		see A.1.8/8
3.12.26	dl-exempted-recipients	o	o	o	o		see A.1.10.1
3.12.27	IPMPerRecipientEnvelopeExtensions	o	o	o	o		
3.12.28	PrivateExtensions	c <sup>1</sup>	c <sup>2</sup>	c <sup>1</sup>	c <sup>2</sup>		
1	if any access-94 application context is supported (A.1.1 items 5, 6, 7 or 8) then o else –						
2	if conformance to AMH14 is claimed then o else –						

## A.1.7 ReportDeliveryEnvelope

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	subject-submission-identifier	m	m	m	m		see A.1.8/1
2	content-identifier	o	c <sup>1</sup>	m	m		
3	content-type	m	m	m	m		
4	original-encoded-information-types	m	m	m	m		see A.1.8/3
5	extensions	m	m	m	m		see A.1.9/1
5.1	message-security-label	o	c <sup>1</sup>	o	o		see A.1.9/3
5.2	content-correlator	o	c <sup>1</sup>	m	m		
5.3	redirection-history	c <sup>2</sup>	c <sup>4</sup>	c <sup>3</sup>	c <sup>5</sup>		
5.4	originator-and-DL-expansion-history	m	m	m	m		
5.5	reporting-DL-name	o	m	o	m		see A.1.10.1
5.6	reporting-MTA-certificate	o	o	o	o		see A.1.8/8
5.7	report-origin-authentication-check	o	o	o	o		see A.1.9/8
5.8	trace-information	c <sup>2</sup>	c <sup>4</sup>	c <sup>2</sup>	c <sup>4</sup>		
5.9	internal-trace-information	c <sup>2</sup>	c <sup>4</sup>	c <sup>2</sup>	c <sup>4</sup>		
5.10	reporting-MTA-certificate-selector	o	o	o	o		see A.1.8/10
5.11	reporting-MTA-name	c <sup>2</sup>	c <sup>4</sup>	c <sup>3</sup>	c <sup>5</sup>		see A.1.9/12
5.12	PrivateExtensions	c <sup>2</sup>	c <sup>4</sup>	c <sup>2</sup>	c <sup>4</sup>		
6	per-recipient-fields	m	m	m	m		
6.1	actual-recipient-name	m	m	m	m		see A.1.10.1
6.2	delivery	m	m	m	m		
6.2.1	message-delivery-time	m	m	m	m		
6.2.2	type-of-MTS-user	m	m	m	m		
6.3	non-delivery	m	m	m	m		
6.3.1	non-delivery-reason-code	m	m	m	m		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
6.3.2	non-delivery-diagnostic-code	o	m	m	m		
6.4	converted-encoded-information-types	m	m	m	m		see A.1.8/3
6.5	originally-intended-recipient-name	m	m	m	m		see A.1.10.1
6.6	supplementary-information	o	o	o	m		
6.7	extensions	m	m	m	m		see A.1.9/1
6.7.1	redirection-history	o	o	m	m		
6.7.2	physical-forwarding-address	o	c <sup>1</sup>	o	o		
6.7.3	recipient-certificate	o	o	o	o		see A.1.8/8
6.7.4	proof-of-delivery	o	c <sup>1</sup>	o	o		see A.1.9/6
6.7.5	recipient-certificate-selector	o	o	o	o		see A.1.8/10
6.7.6	PrivateExtensions	c <sup>2</sup>	c <sup>4</sup>	c <sup>2</sup>	c <sup>4</sup>		
<p>1 if supported in message submission envelope then m else i</p> <p>2 if any access-94 application context is supported (A.1.1 items 5, 6, 7 or 8) then o else –</p> <p>3 if any access-94 application context is supported (A.1.1 items 5, 6, 7 or 8) then m else o</p> <p>4 if conformance to AMH14 is claimed then o else –</p> <p>5 if conformance to AMH14 is claimed then m else –</p>							

**A.1.8 Common data types**

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	MTSIdentifier						
1.1	global-domain-identifier	m	m	m	m		see A.1.8/2
1.2	local-identifier	m	m	m	m		
2	GlobalDomainIdentifier						
2.1	country-name	m	m	m	m		
2.2	administration-domain-name	m	m	m	m		
2.3	private-domain-identifier	m	m	m	m		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
3	EncodedInformationTypes						
3.1	built-in-encoded-information-types	m	m	m	m		
3.2	(non-basic parameters)	o	o	o	o		
3.3	extended-encoded-information-types	m	m	m	m		
4	ContentType						
4.1	built-in	o	o	o	m		
4.2	extended	o	o	o	m		
5	PerMessageIndicators						
5.1	disclosure-of-other-recipients	o	o	m	m		
5.2	implicit-conversion-prohibited	m	m	m	m		
5.3	alternate-recipient-allowed	o	o	m	m		
5.4	content-return-request	o	o	o	o		
5.5	reserved	o	o	o	m-		
5.6	bit-5	o	o	o	m-		
5.7	bit-6	o	o	o	m-		
5.8	service-message	o	o	o	m-		
6	Restricted						
6.1	permitted	o	m	o	m		
6.2	source-type	o	m	o	m		
6.2.1	originated-by	o	m	o	m		
6.2.2	redirected-by	o	m	o	m		
6.2.3	dl-expanded-by	o	m	o	m		
6.3	source-name	o	m	o	m		
6.3.1	exact-match	o	m	o	m		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
6.3.2	pattern-match	o	m	o	m		
7	BindToken	m	m	m	m		
7.1	signature-algorithm-identifier	m	m	m	m		
7.2	name	m	m	m	m		
7.3	time	m	m	m	m		
7.4	signed-data	m	m	m	m		
7.5	encryption-algorithm-identifier	o	o	o	o		
7.6	encrypted-data	o	o	o	o		
8	Certificates						
8.1	userCertificate	m	m	m	m		see A.1.8/9
8.2	certificationPath	o	m	o	m		see A.1.8/9
9	Certificate						
9.1	version	o	m	o	m		
9.2	serialNumber	m	m	m	m		
9.3	signature	m	m	m	m		
9.4	issuer	m	m	m	m		
9.5	validity	m	m	m	m		
9.6	subject	m	m	m	m		
9.7	subjectPublicKeyInfo	m	m	m	m		
9.8	issuerUniqueIdIdentifier	o	o	o	o		
9.9	subjectUniqueIdIdentifier	o	o	o	o		
9.10	extensions	m	m	m	m		
9.10.1	authorityKeyIdentifier	o	o	o	o		
9.10.2	subjectKeyIdentifier	o	o	o	o		
9.10.3	keyUsage	o	m	o	m		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
9.10.4	extKeyUsage	o	o	o	o		
9.10.5	privateKeyUsagePeriod	o	m	o	m		
9.10.6	certificatePolicies	o	m	o	m		
9.10.7	policyMappings	o	o	o	o		
9.10.8	subjectAltName	o	m	o	m		
9.10.8.1	otherName	o	m-	o	m-		
9.10.8.1.1	mta-name	o	m-	o	m-		
9.10.8.2	rfc822Name	-	-	-	-		
9.10.8.3	dNSName	-	-	-	-		
9.10.8.4	x400Address	o	m-	o	m-		
9.10.8.5	directoryName	o	m-	o	m-		
9.10.8.6	ediPartyName	-	-	-	-		
9.10.8.7	uniformResourceIdentifier	-	-	-	-		
9.10.8.8	iPAddress	-	-	-	-		
9.10.8.9	registeredID	-	-	-	-		
9.10.9	issuerAltName	o	o	o	o		
9.10.10	subjectDirectoryAttributes	o	o	o	o		
9.10.11	basicConstraints	o	m	o	m		
9.10.12	nameConstraints	o	o	o	o		
9.10.13	policyConstraints	o	o	o	o		
9.10.14	cRLDistributionPoints	o	o	o	o		
10	CertificateAssertion						
10.1	serialNumber	o	m	o	m		
10.2	issuer	o	m	o	m		
10.3	subjectKeyIdentifier	o	m	o	m		
10.4	authorityKeyIdentifier	o	m	o	m		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
10.5	certificateValid	o	m	o	m		
10.6	privateKeyValid	o	m	o	m		
10.7	subjectPublicKeyAlgID	o	m	o	m		
10.8	keyUsage	o	m	o	m		
10.9	subjectAltName	o	m	o	m		
10.10	policy	o	m	o	m		
10.11	pathToName	-	-	-	-		

**A.1.9 Extension data types**

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	ExtensionField						
1.1	type	o	m	m	m		
1.1.1	standard-extension	m	m	m	m		
1.1.2	private-extension	o	o	o	m-		see A.3.6
1.2	criticality	m	m	m	m		
1.3	value	m	m	m	m		
2	MessageOriginAuthenticationCheck						
2.1	algorithm-identifier	m	m	m	m		
2.2	content	m	m	m	m		
2.3	content-identifier	o	m	o	m		
2.4	message-security-label	o	m	o	m		see A.1.9/3
3	SecurityLabel						also named message security label
3.1	security-policy-identifier	o	o	o	m-		
3.2	security-classification	o	o	o	m-		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
3.3	privacy-mark	o	o	o	m-		
3.4	security-categories	o	o	o	m-		
4	MessageToken						
4.1	token-type-identifier	m	m	m	m		
4.2	asymmetric-token	m	m	m	m		
4.2.1	signature-algorithm-identifier	m	m	m	m		
4.2.2	name	m	m	m	m		
4.2.3	time	m	m	m	m		
4.2.4	signed-data	o	o	o	m-		
4.2.4.1	content-confidentiality- algorithm-identifier	o	o	o	m-		
4.2.4.2	content-integrity-check	o	o	o	m-		
4.2.4.3	message-security-label	o	o	o	m-		see A.1.9/3
4.2.4.4	proof-of-delivery-request	o	o	o	m-		
4.2.4.5	message-sequence-number	o	o	o	m-		
4.2.5	encryption-algorithm-identifier	o	o	o	m-		
4.2.6	encrypted-data	o	o	o	m-		
4.2.6.1	content-confidentiality-key	o	o	o	m-		
4.2.6.2	content-integrity-check	o	o	o	m-		
4.2.6.3	message-security-label	o	o	o	m-		see A.1.9/3
4.2.6.4	content-integrity-key	o	o	o	m-		
4.2.6.5	message-sequence-number	o	o	o	m-		
5	ProbeOriginAuthenticationCheck						
5.1	algorithm-identifier	m	m	m	m		
5.2	content-identifier	o	m	o	m		
5.3	message-security-label	o	m	o	m		see A.1.9/3

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
6	ProofOfDelivery						
6.1	algorithm-identifier	m	m	m	m		
6.2	delivery-time	m	m	m	m		
6.3	this-recipient-name	m	m	m	m		see A.1.10.1
6.4	originally-intended-recipient-name	o	o	o	m		see A.1.10.1
6.5	content	m	m	m	m		
6.6	content-identifier	o	m	o	m		
6.7	message-security-label	o	m	o	m		see A.1.9/3
7	ProofOfSubmission						
7.1	algorithm-identifier	m	m	m	m		
7.2	message-submission-envelope	m	m	m	m		
7.3	content	m	m	m	m		
7.4	message-submission-identifier	m	m	m	m		
7.5	message-submission-time	m	m	m	m		
8	ReportOriginAuthenticationCheck						
8.1	algorithm-identifier	m	m	m	m		
8.2	content-identifier	o	m	o	m		
8.3	message-security-label	o	m	o	m		see A.1.9/3
8.4	per-recipient	m	m	m	m		
8.4.1	actual-recipient-name	m	m	m	m		see A.1.10.1
8.4.2	originally-intended-recipient-name	o	m	o	m		see A.1.10.1
8.4.3	delivery	o	m	o	m		
8.4.3.1	message-delivery-time	m	m	m	m		
8.4.3.2	type-of-MTS-user	m	m	m	m		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
8.4.3.3	recipient-certificate	o	m	o	m		see A.1.8/8
8.4.3.4	proof-of-delivery	o	m	o	m		see A.1.9/6
8.4.3.5	recipient-certificate-selector	o	m	o	m		see A.1.8/10
8.4.4	non-delivery	o	m	o	m		
8.4.4.1	non-delivery-reason-code	m	m	m	m		
8.4.4.2	non-delivery-diagnostic-code	o	m	o	m		
9	CertificateSelectors						
9.1	encryption-recipient	o	m-	o	m-		see A.1.8/10
9.2	encryption-originator	o	m-	o	m-		see A.1.8/10
9.3	content-integrity-check	o	m-	o	m-		see A.1.8/10
9.4	token-signature	o	m-	o	m-		see A.1.8/10
9.5	message-origin-authentication	o	m-	o	m-		see A.1.8/10
10	CertificateSelectorsOverride						
10.1	encryption-recipient	o	m-	o	m-		see A.1.8/10
10.2	encryption-originator	o	m-	o	m-		see A.1.8/10
10.3	content-integrity-check	o	m-	o	m-		see A.1.8/10
10.4	token-signature	o	m-	o	m-		see A.1.8/10
11	ExtendedCertificate						
11.1	directory-entry	o	m-	o	m-		
11.2	certificate	o	m	o	m		see A.1.8/8
12	ReportingMTAName						
12.1	domain	m	m	m	m		see A.1.8/2
12.2	mta-name	m	m	m	m		
12.3	mta-directory-name	o	m-	o	m-		

**A.1.10 OR-names**

**A.1.10.1 OR-name forms for identification of remote MTS-users**

Ref	OR-Name Form	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	mnemonic OR-address	m	m	m	m-		see A.1.10.3
2	numeric OR-address	o	o	m	m-		see A.1.10.4
3	terminal OR-address	o	o	m	m-		see A.1.10.5
4	formatted postal OR-address	o	o	o	m-		see A.1.10.6
5	unformatted postal OR-address	o	o	o	m-		see A.1.10.7
6	directory-name	o	o	o	c <sup>1</sup>		
1 if the Designation of Recipient by Directory Name EoS is supported then m else if the OR-address is also present then m- else o							

**A.1.10.2 OR-name forms for local MTS-user authentication**

Ref	OR-Name Form	MTS-user				Support	Notes/References
		Base	Profile				
1	mnemonic OR-address	o	m				see A.1.10.3
2	numeric OR-address	o	o				see A.1.10.4
3	terminal OR-address	o	o				see A.1.10.5
4	formatted postal OR-address	—	—				
5	unformatted postal OR-address	—	—				
6	directory-name	o	o				
NOTE For the MTA the registration capabilities are stated in table A.3.4.							

The following tables shall be completed according to the OR-address forms for which support is claimed above.

## A.1.10.3 Mnemonic OR-address

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	built-in-standard-attributes	m	m	m	m		
1.1	country-name	m	m	m	m		
1.2	administration-domain-name	m	m	m	m		
1.3	private-domain-name	o	m	o	m-		
1.4	organization-name	o	m	o	m-		
1.5	personal-name	o	m	o	m-		
1.5.1	surname	m	m	m	m		
1.5.2	given-name	o	m	o	m-		
1.5.3	initials	o	m	o	m-		
1.5.4	generation-qualifier	o	m	o	m-		
1.6	organizational-unit-names	o	m	o	m-		
2	built-in-domain-defined-attributes	o	m	o	m-		
3	extension-attributes	o	m	o	m-		
3.1	common-name	o	m	o	m-		
3.2	teletex-common-name	o	m	o	m-		
3.3	universal-common-name	o	m	o	m-		see A.1.10.8
3.4	teletex-organization-name	o	m	o	m-		
3.5	universal-organization-name	o	m	o	m-		see A.1.10.8
3.6	teletex-personal-name	o	m	o	m-		
3.6.1	surname	m	m	m	m		
3.6.2	given-name	o	m	o	m-		
3.6.3	initials	o	m	o	m-		
3.6.4	generation-qualifier	o	m	o	m-		
3.7	universal-personal-name	o	m	o	m-		
3.7.1	surname	m	m	m	m		see A.1.10.8

3.7.2	given-name	o	m	o	m-		see A.1.10.8
3.7.3	initials	o	m	o	m-		see A.1.10.8
3.7.4	generation-qualifier	o	m	o	m-		see A.1.10.8
3.8	teletex-organizational-unit-names	o	m	o	m-		
3.9	universal-organizational-unit-names	o	m	o	m-		see A.1.10.8
3.10	teletex-domain-defined-attributes	o	m	o	m-		
3.11	universal-domain-defined-attributes	o	m	o	m-		see A.1.10.8

**A.1.10.4 Numeric OR-address**

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	built-in-standard-attributes	m	m	m	m		
1.1	country-name	m	m	m	m		
1.2	administration-domain-name	m	m	m	m		
1.3	private-domain-name	o	m	o	m-		
1.4	numeric-user-identifier	m	m	m	m		
2	built-in-domain-defined-attributes	o	m	o	m-		
3	extension-attributes	o	m	o	m-		
3.1	teletex-domain-defined-attributes	o	m	o	m-		
3.2	universal-domain-defined-attributes	o	m	o	m		see A.1.10.8

**A.1.10.5 Terminal OR-address**

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	built-in-standard-attributes	m	m	m	m		
1.1	country-name	o	m	o	m-		
1.2	administration-domain-name	o	m	o	m-		
1.3	network-address	m	m	m	m		

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1.4	terminal-identifier	o	m	o	m-		
1.5	private-domain-name	o	m	o	m-		
1.6	organization-name	o	o	o	o		
1.7	personal-name	o	o	o	o		
1.8	organizational-unit-names	o	o	o	o		
2	built-in-domain-defined-attributes	o	m	o	m-		
3	extension-attributes	o	m	o	m-		
3.1	extended-network-address	m	m	m	m		
3.1.1	e163-4-address	c <sup>1</sup>	c <sup>1</sup>	o	m-		
3.1.2	psap-address	c <sup>1</sup>	c <sup>1</sup>	o	m-		
3.2	terminal-type	o	m	o	m-		
3.3	common-name	o	o	o	o		
3.4	teletex-common-name	o	o	o	o		
3.5	universal-common-name	o	o	o	o		see A.1.10.8
3.6	teletex-organization-name	o	o	o	o		
3.7	universal-organization-name	o	o	o	o		see A.1.10.8
3.8	teletex-personal-name	o	o	o	o		
3.9	universal-personal-name	o	o	o	o		see A.1.10.8
3.10	teletex-organizational-unit-names	o	o	o	o		
3.11	universal-organizational-unit-names	o	o	o	o		see A.1.10.8
3.12	unformatted-postal-address	o	o	o	o		
3.13	universal-unformatted-postal-address	o	o	o	o		see A.1.10.8
3.14	teletex-domain-defined-attributes	o	m	m	m		
3.15	universal-domain-defined-attributes	o	m	m	m		see A.1.10.8
1	At least one of the elements 'e163-4-address' and 'psap-address' shall be supported.						

A.1.10.6 Formatted postal OR-address

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	built-in-standard-attributes	m	m	m	m		
1.1	country-name	m	m	m	m		
1.2	administration-domain-name	m	m	m	m		
1.3	private-domain-name	o	m	o	m-		
2	extension-attributes	m	m	m	m		
2.1	physical-delivery-country-name	m	m	m	m		
2.2	physical-delivery-office-name	o	m	o	m-		
2.3	universal-physical-delivery-office-name	o	m	o	m-		see A.1.10.8
2.4	physical-delivery-office-number	o	m	o	m-		
2.5	universal-physical-delivery-office-number	o	m	o	m-		see A.1.10.8
2.6	physical-delivery-organization-name	o	m	o	m-		
2.7	universal-physical-delivery-organization-name	o	m	o	m-		see A.1.10.8
2.8	physical-delivery-personal-name	o	m	o	m-		
2.9	universal-physical-delivery-personal-name	o	m	o	m-		see A.1.10.8
2.10	postal-code	m	m	m	m		
2.11	poste-restante-address	o	m	o	m-		
2.12	universal-poste-restante-address	o	m	o	m-		see A.1.10.8
2.13	post-office-box-address	o	m	o	m-		
2.14	universal-post-office-box-address	o	m	o	m-		see A.1.10.8
2.15	pds-name	o	m	o	m-		
2.16	street-address	o	m	o	m-		
2.17	universal-street-address	o	m	o	m-		see A.1.10.8

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
2.18	unique-postal-name	o	m	o	m-		
2.19	universal-unique-postal-name	o	m	o	m-		see A.1.10.8
2.20	extension-OR-address-components	o	m	o	m-		
2.21	universal-extension-OR-address-components	o	m	o	m-		see A.1.10.8
2.22	extension-physical-delivery-address-components	o	m	o	m-		
2.23	universal-extension-physical-delivery-address-components	o	m	o	m-		see A.1.10.8
2.24	local-postal-attributes	o	m	o	m-		
2.25	universal-local-postal-attributes	o	m	o	m-		see A.1.10.8

#### A.1.10.7 Unformatted postal OR-address

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	built-in-standard-attributes	m	m	m	m		
1.1	country-name	m	m	m	m		
1.2	administration-domain-name	m	m	m	m		
1.3	private-domain-name	o	m	o	m-		
2	extension-attributes	m	m	m	m		
2.1	unformatted-postal-address	m	m	m	m		
2.2	universal-unformatted-postal-address	m	m	m	m		see A.1.10.8
2.3	physical-delivery-country-name	m	m	m	m		
2.4	postal-code	m	m	m	m		
2.5	pds-name	o	m	o	m-		

**A.1.10.8 UniversalOrBMPString**

Ref	Element	MTS-user		MTA		Support	Notes/References
		Base	Profile	Base	Profile		
1	UniversalOrBMPString						
1.1	character-encoding						
1.1.1	two-octets	m	m <sup>1</sup>	m	m		
1.1.2	four-octets	m	m <sup>1</sup>	m	m		
1.2	iso-639-language-code	o	o	o	o		
1	this mandatory requirement is to support either alternative character-encoding on origination, and both alternatives on reception.						

**A.2 Optional functional groups**

The following requirements are additional to those specified in A.1 if support of the functional group is claimed (references are to the corresponding table entries in A.1).

**A.2.1 Conversion (CV)**

**A.2.1.1 MessageSubmissionEnvelope**

Ref	Element	Profile	
		UA	MTA
A.1.4/9.3	explicit-conversion		c <sup>1</sup>
1	if implicit conversion is not supported (see A.3.3/2) then m else m-		

**A.2.1.2 ProbeSubmissionEnvelope**

Ref	Element	Profile	
		UA	MTA
A.1.5/8.3	explicit-conversion		c <sup>1</sup>
1	if implicit conversion is not supported (see A.3.3/2) then m else m-		

**A.2.2 Distribution List (DL)**

There are no additional requirements for support of protocol elements for support of the DL FG, unless one of the supplementary classes is claimed. However, MTAs shall meet the requirements specified in subclause 7.2 of ISO/IEC ISP 10611-1.

**A.2.2.1 Secure DL classes (DL+SEC and DL+DIR+SEC)****A.2.2.1.1 MessageSubmissionEnvelope**

Ref	Element	Profile	
		UA	MTA
A.1.4/8.6	originator-certificate		m
A.1.4/8.12	certificate-selectors		m
A.1.4/8.13	multiple-originator-certificates		m
A.1.4/9.4.10	message-token		m
A.1.4/9.4.13	certificate-selectors-override		m
A.1.4/9.4.14	recipient-certificate		c <sup>1</sup>
1 m for reception only, otherwise o.			

**A.2.2.2 DL Exempted Recipients class (DL+ER)****A.2.2.2.1 MessageSubmissionEnvelope**

Ref	Element	Profile	
		UA	MTA
A.1.4/8.14	dl-exempted-recipients	m	m

**A.2.2.2.2 MessageDeliveryEnvelope**

Ref	Element	Profile	
		MTS-user	MTA
A.1.6/3.12.26	dl-exempted-recipients	m	m

**A.2.3 Physical Delivery (PD)**

The support requirements specified below are for a UA and for an MTA on submission, and for an MTA with a co-located PDAU on delivery, as appropriate.

**A.2.3.1 MessageSubmissionEnvelope**

Ref	Element	Profile	
		UA	MTA
A.1.4/8.5	originator-return-address		m
A.1.4/9.4.3	physical-forwarding-prohibited	m	m

Ref	Element	Profile	
		UA	MTA
A.1.4/9.4.4	physical-forwarding-address-request		m
A.1.4/9.4.5	physical-delivery-modes	m	m
A.1.4/9.4.6	registered-mail-type		m
A.1.4/9.4.7	recipient-number-for-advice		m
A.1.4/9.4.8	physical-rendition-attributes		m
A.1.4/9.4.9	physical-delivery-report-request		m

### A.2.3.2 ProbeSubmissionEnvelope

Ref	Element	Profile	
		UA	MTA
A.1.5/8.4.3	physical-rendition-attributes		m

### A.2.3.3 MessageDeliveryEnvelope

Ref	Element	Profile	
		PDAU	MTA
A.1.6/3.12.3	physical-forwarding-prohibited	m	m
A.1.6/3.12.5	physical-delivery-modes		m
A.1.6/3.12.8	physical-rendition-attributes		m
A.1.6/3.12.10	physical-delivery-report-request		m

### A.2.3.4 ReportDeliveryEnvelope

Ref	Element	Profile	
		MTS-user	MTA
A.1.7/6.7.2	physical-forwarding-address		m

**A.2.3.5 OR-names**

Ref	OR-Address Form	Profile	
		MTS-user	MTA
A.1.10.1/4	formatted postal OR-address	m	m
A.1.10.1/5	unformatted postal OR-address	m	m

**A.2.3.5.1 Formatted postal OR-address**

Ref	OR-Address Form	Profile	
		MTS-user	MTA
A.1.10.6/2.2	physical-delivery-office-name		m
A.1.10.6/2.3	universal-physical-delivery-office-name		m
A.1.10.6/2.4	physical-delivery-office-number		m
A.1.10.6/2.5	universal-physical-delivery-office-number		m
A.1.10.6/2.6	physical-delivery-organization-name		m
A.1.10.6/2.7	universal-physical-delivery-organization-name		m
A.1.10.6/2.8	physical-delivery-personal-name		m
A.1.10.6/2.9	universal-physical-delivery-personal-name		m
A.1.10.6/2.11	poste-restante-address		m
A.1.10.6/2.12	universal-poste-restante-address		m
A.1.10.6/2.13	post-office-box-address		m
A.1.10.6/2.14	universal-post-office-box-address		m
A.1.10.6/2.15	pds-name		m
A.1.10.6/2.16	street-address		m
A.1.10.6/2.17	universal-street-address		m
A.1.10.6/2.18	unique-postal-name		m
A.1.10.6/2.19	universal-unique-postal-name		m

Ref	OR-Address Form	Profile	
		MTS-user	MTA
A.1.10.6/2.20	extension-OR-address-components		m
A.1.10.6/2.21	universal-extension-OR-address-components		m
A.1.10.6/2.22	extension-physical-delivery-address-components		m
A.1.10.6/2.23	universal-extension-physical-delivery-address-components		m
A.1.10.6/2.24	local-postal-attributes		m
A.1.10.6/2.25	universal-local-postal-attributes		m

**A.2.3.5.2 Unformatted postal OR-address**

Ref	OR-Address Form	Profile	
		MTS-user	MTA
A.1.10.7/2.5	pds-name		m

**A.2.4 Redirection (RED)**

**A.2.4.1 MessageSubmissionEnvelope**

Ref	Element	Profile	
		UA	MTA
A.1.4/9.4.1	originator-requested-alternate-recipient		m

**A.2.4.2 ProbeSubmissionEnvelope**

Ref	Element	Profile	
		UA	MTA
A.1.5/8.4.1	originator-requested-alternate-recipient		m

**A.2.5 Latest Delivery (LD)**

**A.2.5.1 MessageSubmissionEnvelope**

Ref	Element	Profile	
		UA	MTA
A.1.4/8.4	latest-delivery-time	m	m

**A.2.6 Return of Content (RoC)**

**A.2.6.1 Operation arguments/results**

**A.2.6.1.1 Report Delivery**

Ref	Element	Profile	
		MTS-user	MTA
A.1.3.7/1.2	returned-content	m	m

**A.2.6.2 Common data types**

Ref	Element	Profile	
		MTS-user	MTA
A.1.8/5	PerMessageIndicators		
A.1.8/5.4	content-return-request	m	m

**A.2.7 Security (SEC)**

The support requirements for all SEC classes are as specified in A.1 unless otherwise specified below. Elements classified as cC shall be treated as m if support of a confidential security class variant (SnC) is claimed, else as o.

**A.2.7.1 Supported operations**

**A.2.7.1.1 Message Submission Service Element (MSSE)**

Ref	Element	MTS-user			MTA		
		S0	S1	S2	S0	S1	S2
A.1.2.2/4	SubmissionControl				m	m	m

**A.2.7.1.2 Message Delivery Service Element (MDSE)**

Ref	Element	MTS-user			MTA		
		S0	S1	S2	S0	S1	S2
A.1.2.3/3	DeliveryControl		m	m			

**A.2.7.1.3 Message Administration Service Element (MASE)**

Ref	Element	MTS-user			MTA		
		S0	S1	S2	S0	S1	S2
A.1.2.4/2	ChangeCredentials (MTA to UA)		i	i		i	i
A.1.2.4/3	ChangeCredentials (UA to MTA)		i	i		i	i

**A.2.7.2 Operation arguments/results**

**A.2.7.2.1 MTSBind**

Ref	Element	MTS-user			MTA		
		S0	S1	S2	S0	S1	S2
A.1.3.1/1.3	initiator-credentials	m	m	m	m	m	m
A.1.3.1/1.3.1	simple		i	i		i	i
A.1.3.1/1.3.2	strong		m	m		m	m
A.1.3.1/1.3.2.2	certificate		m	m		m	m
A.1.3.1/1.3.2.3	certificate-selector		m	m		m	m
A.1.3.1/1.4	security-context		m	m		m	m
A.1.3.1/2.3	responder-credentials	m	m	m	m	m	m
A.1.3.1/2.3.1	simple		i	i		i	i
A.1.3.1/2.3.2	strong		m	m		m	m
A.1.3.1/2.3.2.2	certificate		m	m		m	m
A.1.3.1/2.3.2.3	certificate-selector		m	m		m	m

**A.2.7.2.2 MessageSubmission**

Ref	Element	UA			MTA		
		S0	S1	S2	S0	S1	S2
A.1.3.2/2.4.1	originating-MTA-certificate	i	i	o	i	i	o
A.1.3.2/2.4.2	proof-of-submission	i	i	m	i	i	m
A.1.3.2/2.4.3	originating-MTA-certificate-selector	i	i	o	i	i	o

**A.2.7.2.3 SubmissionControl**

Ref	Element	UA			MTA		
		S0	S1	S2	S0	S1	S2
A.1.3.5/1.1.2	permissible-operations				m	m	m
A.1.3.5/1.1.3	permissible-maximum-content-length				m	m	m
A.1.3.5/1.1.4	permissible-lowest-priority				m	m	m
A.1.3.5/1.1.5	permissible-security-context		m	m		m	m

**A.2.7.2.5 MessageDelivery**

Ref	Element	MTS-user			MTA		
		S0	S1	S2	S0	S1	S2
A.1.3.6/2.1	recipient-certificate		m	m		m	m
A.1.3.6/2.2	proof-of-delivery		m	m		m	m
A.1.3.6/2.3	recipient-certificate-selector		m	m		m	m

**A.2.7.2.6 DeliveryControl**

Ref	Element	MTS-user			MTA		
		S0	S1	S2	S0	S1	S2
A.1.3.8/1.1.5	permissible-security-context		m	m		m	m