



INTERNATIONAL STANDARD ISO 10303-46:1994
TECHNICAL CORRIGENDUM 2

Published 2002-05-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

**Industrial automation systems and integration — Product data
representation and exchange —**

Part 46:

Integrated generic resources: Visual presentation

TECHNICAL CORRIGENDUM 2

*Systèmes d'automatisation industrielle et intégration — Représentation et échange de données de produits —
Partie 46: Ressources génériques intégrées: Présentation visuelle*

RECTIFICATIF TECHNIQUE 2

Technical Corrigendum 2 to International Standard ISO 10303-46:1994 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee SC 4, *Industrial data*.

Introduction

This corrigendum applies to ISO 10303-46:1994 as corrected by ISO 10303-46:1994/Cor.1:1999. For the convenience of the user, this corrigendum also includes the content of corrigendum 1.

The purpose of the modifications to the text of ISO 10303-46:1994 is to correct errors in the EXPRESS, to clarify a definition, to correct errors in Informal propositions and Formal propositions, to correct errors identified in the ballot for ISO 10303-518, and to replace the object identifier for the document and the schemas.

ICS 25.040.40

Ref. No. ISO 10303-46:1994/Cor.2:2002(E)

© ISO 2002 – All rights reserved

Printed in Switzerland

Modifications to the text of ISO 10303-46:1994

Clause 2, p. 2

The Normative references require an additional normative reference for the correction identified in clause 7.3.21. Add the following to the list of Normative references:

ISO 3098-0:1977, *Technical product documentation — Lettering — Part 0: General requirements*

Clause 4, p. 5

The EXPRESS specification of **camera_image_3d_with_scale** and **aspect_ratio**, defined below, requires additional EXPRESS external references. Remove the following:

```
REFERENCE FROM presentation_resource_schema
  (colour,
   planar_box,
   presentation_scaled_placement);
```

```
REFERENCE FROM measure_schema
  (length_measure,
   positive_plane_angle_measure);
```

Replace with the following:

```
REFERENCE FROM presentation_resource_schema
  (colour,
   planar_box,
   planar_extent,
   presentation_scaled_placement);
```

```
REFERENCE FROM measure_schema
  (length_measure,
   positive_ratio_measure,
   positive_plane_angle_measure);
```

The EXPRESS specification for the **presentation_organization_schema** did not include a reference to required data type. The first required data type is an entity data type, the **annotation_occurrence** for the Formal propositions in **area_dependent_annotation_representation** and **view_dependent_annotation_representation**. The second required data type is an entity data type, the **symbol_representation** for the Formal propositions in **symbol_representation_rule**. The third required data type is an entity data type, the **symbol_representation_relationship** for the Formal propositions in **symbol_representation_rule**. The fourth required data type is an entity data type, the **styled_item** for the Formal propositions in **camera_model** and **light_source**. The fifth required data type is an entity data type, the **founded_item**. It is required to be referenced since it is now a supertype of **view_volume**. Add the following to the EXPRESS specification between the 'SCHEMA presentation_organization_schema;' and the 'REFERENCE FROM presentation_resource_schema':

```
REFERENCE FROM presentation_definition_schema
  (annotation_occurrence,
   symbol_representation,
   symbol_representation_relationship);
```

```
REFERENCE FROM presentation_appearance_schema
  (styled_item);
```

Delete the following EXPRESS specification:

```
REFERENCE FROM representation_schema
  (item_defined_transformation,
   item_in_context,
   mapped_item,
   representation,
   representation_item,
   representation_map,
   representation_relationship,
   representation_relationship_with_transformation);
```

Replace with the following EXPRESS specification:

```
REFERENCE FROM representation_schema
  (founded_item,
   item_defined_transformation,
   item_in_context,
   mapped_item,
   representation,
   representation_item,
   representation_map,
   representation_relationship,
   representation_relationship_with_transformation);
```

*With the addition of the **annotation_occurrence**, **symbol_representation**, **symbol_representation_relationship** and **styled_item** to the **presentation_organization_schema**, *NOTE 1* changed. Delete *NOTE 1* and replace with the following:*

NOTE 1 The schemas referenced above can be found in the following parts of ISO 10303:

Presentation_definition_schema	Clause 5 of this part of ISO 10303
Presentation_appearance_schema	Clause 6 of this part of ISO 10303
Presentation_resource_schema	Clause 7 of this part of ISO 10303
Geometry_schema	ISO 10303-42
Representation_schema	ISO 10303-43
Measure_schema	ISO 10303-41
Support_resource_schema	ISO 10303-41

Clause 4.3.45, p. 13

The Informal proposition of **layered_item** contradicts to the intended use of **presentation_layer_assignment**. The type of **representation_items** assigned to a layer shall not be restricted. Remove Informal proposition IP1.

Clause 4.5.5, p. 26

The EXPRESS specification of **view_volume** is revised to make it a subtype of **founded_item** in order to provide a representation context for the **projection_point** and **planar_box** attributes. Remove the EXPRESS specification and replace with the following:

EXPRESS specification:

```

*)
ENTITY view_volume
  SUBTYPE OF (founded_item);
  projection_type           : central_or_parallel;
  projection_point          : cartesian_point;
  view_plane_distance      : length_measure;
  front_plane_distance     : length_measure;
  front_plane_clipping     : BOOLEAN;
  back_plane_distance      : length_measure;
  back_plane_clipping      : BOOLEAN;
  view_volume_sides_clipping : BOOLEAN;
  view_window              : planar_box;
END_ENTITY;
( *

```

Add the following note at the end of the entity description:

NOTE Since **view_volume** is not a subtype of **geometric_representation_item** the instances of **cartesian_point** which is the **projection_point** attribute and **planar_box** which is the **view_window** attribute are not associated in the usual way with the **geometric_representation_context** of each **representation** using a **camera_model_d3** containing this **view_volume**. The **geometric_representation_context** is associated via the **founded_item** supertype.

Clause 4.5.9, p. 31

The EXPRESS specification of **light_source** contained logical errors in the WHERE rule. WR1 requires a role name qualified by attribute name 'ITEM' for argument 2 of built-in function USEDIN. Delete the current WR1 and replace WR1 with the following:

```

WR1: SIZEOF(USEDIN(SELF, 'PRESENTATION_APPEARANCE_SCHEMA.' +
  'STYLED_ITEM.ITEM')) = 0;

```

Clause 4.5.14, p. 35

The description of the Formal propositions does not give a correct explanation of WR2. Remove the description of WR2 and replace with the following:

WR2: The target of the mapping shall be a **planar_box**.

Clause 4.5.16, p. 35

The EXPRESS specification for **camera_image_3d_with_scale** defined below are required for reference from other parts of ISO 10303. Add the following as clause 4.5.16 after clause 4.5.15

4.5.16 camera_image_3d_with_scale

A **camera_image_3d_with_scale** is a **camera_image** that projects three-dimensional geometry and has a derived scale. The scale is the ratio between the size of the viewport and the size of the **view_window** of the **view_volume**.

EXPRESS specification:

```

*)
ENTITY camera_image_3d_with_scale
  SUBTYPE OF (camera_image);
DERIVE
  scale: positive_ratio_measure := ((SELF\mapped_item.mapping_target\
    planar_extent.size_in_x) / (SELF\mapped_item.mapping_source.
    mapping_origin\camera_model_d3.perspective_of_volume.view_window.
    size_in_x));
WHERE
  WR1: ('PRESENTATION_ORGANIZATION_SCHEMA\CAMERA_MODEL_D3'
    IN TYPEOF (SELF\mapped_item.mapping_source.mapping_origin));
  WR2: aspect_ratio(SELF\mapped_item.mapping_target) =
    aspect_ratio(SELF\mapped_item.mapping_source.mapping_origin\
    camera_model_d3.perspective_of_volume.view_window);
  WR3: SELF\mapped_item.mapping_source.mapping_origin\camera_model_d3.
    perspective_of_volume.front_plane_clipping
    AND
    SELF\mapped_item.mapping_source.mapping_origin\camera_model_d3.
    perspective_of_volume.view_volume_sides_clipping;
  WR4: (SELF\mapped_item.mapping_target\planar_extent.size_in_x > 0)
    AND
    (SELF\mapped_item.mapping_target\planar_extent.size_in_y > 0);
  WR5: (SELF\mapped_item.mapping_source.mapping_origin\camera_model_d3.
    perspective_of_volume.view_window.size_in_x > 0)
    AND
    (SELF\mapped_item.mapping_source.mapping_origin\camera_model_d3.
    perspective_of_volume.view_window.size_in_y > 0);
  WR6: ('GEOMETRY_SCHEMA.' +
    'AXIS2_PLACEMENT_2D' IN TYPEOF (SELF\mapped_item.
    mapping_target\planar_box.placement))
    AND NOT ('GEOMETRY_SCHEMA.' +
    'AXIS2_PLACEMENT_3D' IN TYPEOF (SELF\mapped_item.
    mapping_target\planar_box.placement));
END_ENTITY;
( *

```

Attribute definitions:

scale: the **positive_ratio_measure** derived from the rectangular size of the viewport and the rectangular size of the **view_volume** of the **camera_model**.

Formal propositions:

WR1: The source of the projection shall be a **camera_model_d3**.

WR2: The aspect ratio of the viewport shall equal the aspect ratio of the **view_window** of the **view_volume**.

WR3: The geometry of the projected representation shall be clipped against the plane represented by the **front_plane_distance** and the planes which are the sides of the volume defined by the **view_volume**.

WR4: The rectangular size of the viewport shall be specified by positive values.

WR5: The rectangular size of the **view_window** shall be specified by positive values.

WR6: The drawing space of a **camera_image_3d_with_scale** shall be specified in a 2D coordinate system.

Informal propositions:

IP1: The horizontal and vertical components of the viewport shall be parallel to the corresponding components of the **view_window** of the **view_volume**.

Clause 4.9.1, p. 39

*The EXPRESS specification for the FUNCTION **acyclic_presentation_representation_relationship** contained logical errors in the function body. The assignment to variable 'x' requires a 'SET' and not a 'BAG'. Remove the EXPRESS specification and replace with the following:*

EXPRESS specification:

```

*)
FUNCTION acyclic_presentation_representation_relationship
  ( relation : presentation_representation_relationship;
    children : SET OF presentation_representation ) : BOOLEAN;

LOCAL
  x : SET OF presentation_representation_relationship;
  local_children : SET OF presentation_representation;
END_LOCAL;

REPEAT i:=1 TO HIINDEX(children);
  IF relation\presentation_relationship.rep_1 ::= children[i] THEN
    RETURN(FALSE);
  END_IF;
END_REPEAT;

x := bag_to_set (USEDIN ( relation\presentation_relationship.rep_1,
  'REPRESENTATION_SCHEMA.' +
  'REPRESENTATION_RELATIONSHIP.REP_2' ));
local_children := children + relation\presentation_relationship.rep_1;

```

```

IF SIZEOF (x) > 0 THEN
  REPEAT i:=1 TO HIINDEX (x);
    IF NOT acyclic_presentation_representation_relationship
      (x[i] , local_children) THEN
      RETURN (FALSE);
    END_IF;
  END_REPEAT;
END_IF;

RETURN (TRUE);

END_FUNCTION;
(*)

```

Clause 4.9.2, p.39

The EXPRESS specification for **aspect_ratio** defined below are required for reference from other parts of ISO 10303. This entity was incorrectly defined in ISO 10303-517. Add the following as clause 4.9.2 after clause 4.9.1 and before the END_SCHEMA EXPRESS specification:

4.9.2 aspect ratio

The **aspect_ratio** function checks that both the attributes, **size_in_x** and **size_in_y**, have positive values and returns a **positive_ratio_measure** that is the ratio of length to height for a given **planar_box**. In other cases, an indeterminate value is returned.

EXPRESS specification:

```

*)
FUNCTION aspect_ratio (p : planar_box) : positive_ratio_measure;
(* if the dimensions of the planar_box are greater than zero,
  compute the aspect ratio and return the resulting value. *)
  IF (p.size_in_x > 0.) AND (p.size_in_y > 0.) THEN
    RETURN (p.size_in_x / p.size_in_y);
  ELSE
    RETURN (?);
  END_IF;
END_FUNCTION;
(*)

```

Argument definitions:

p: The input **planar_box** to be checked.

Clause 5, p. 40

The EXPRESS specification for the **presentation_definition_schema** did not include a reference to a required data type. The required reference is a function, the **bag_to_set** for the EXPRESS specifications changed in **acyclic_presentation_representation_relationship**, **acyclic_symbol_representation_relationship** and **field_in_table**. Delete the following EXPRESS specification:

```

REFERENCE FROM support_resource_schema
  (label,
   text);

```

Replace with the following EXPRESS specification:

```
REFERENCE FROM support_resource_schema
  (label,
   text,
   bag_to_set);
```

Clause 5.4.13, p.53

The EXPRESS specification for **table_record_representation** was incorrect. The local rules of **table_record_representation** are incorrect since the variable **map_item** is of type **REPRESENTATION**, but it is used as argument to the function **using_representations**, which accepts only variables of type **FOUNDED_ITEM_SELECT**. Remove the EXPRESS specification and replace with the following:

EXPRESS specification:

```
*)
ENTITY table_record_representation
  SUBTYPE OF (symbol_representation);
WHERE
  WR1: (SIZEOF(USEDIN(SELF, 'REPRESENTATION_SCHEMA.'+
                    'REPRESENTATION_RELATIONSHIP.REP_2')) > 0)
        OR
  (SIZEOF(QUERY( map_item <* USEDIN(SELF, 'REPRESENTATION_SCHEMA.'+
                                    'REPRESENTATION_MAP.'+
                                    'MAPPED_REPRESENTATION') |
                SIZEOF(QUERY( mi <* USEDIN(map_item, 'REPRESENTATION_SCHEMA.'+
                                                'MAPPED_ITEM.'+
                                                'MAPPING_SOURCE') |
                              'PRESENTATION_DEFINITION_SCHEMA.'+
                              'TABLE_REPRESENTATION' IN
                              TYPEOF (using_representations (mi)) )) > 0))
        > 0);
END_ENTITY;
(*
```

Clause 5.4.14, p.54

The EXPRESS specification for **table_record_field_representation** was incorrect. The local rules of **table_record_field_representation** are incorrect since the variable **map_item** is of type **REPRESENTATION**, but it is used as argument to the function **using_representations**, which accepts only variables of type **FOUNDED_ITEM_SELECT**. Remove the EXPRESS specification and replace with the following:

EXPRESS specification:

```
*)
ENTITY table_record_field_representation
  SUBTYPE OF (symbol_representation);
WHERE
  WR1: (SIZEOF(USEDIN(SELF, 'REPRESENTATION_SCHEMA.'+
                    'REPRESENTATION_RELATIONSHIP.REP_2')) > 0)
        OR
  (SIZEOF(QUERY( map_item <* USEDIN(SELF, 'REPRESENTATION_SCHEMA.'+
                                    'REPRESENTATION_MAP.'+
                                    'MAPPED_REPRESENTATION') |
                SIZEOF(QUERY( mi <* USEDIN(map_item, 'REPRESENTATION_SCHEMA.'+
                                                'MAPPED_ITEM.'+
                                                'MAPPING_SOURCE') |
                              'PRESENTATION_DEFINITION_SCHEMA.'+
                              'TABLE_REPRESENTATION' IN
                              TYPEOF (using_representations (mi)) )) > 0))
        > 0);
END_ENTITY;
(*
```

```

                                'MAPPING_SOURCE') |
                                'PRESENTATION_DEFINITION_SCHEMA.'+
                                'TABLE RECORD REPRESENTATION' IN
TYPEOF (using_representations (mi)) > 0)) > 0))
                                > 0);
END_ENTITY;
(*

```

Clause 5.6.2, p. 72

The EXPRESS specification for the FUNCTION `acyclic_symbol_representation_relationship` contained logical errors in the function body. The assignment to variable 'x' requires a 'SET' and not a 'BAG'. Remove the EXPRESS specification and replace with the following:

EXPRESS specification:

```

*)
FUNCTION acyclic_symbol_representation_relationship
  (relation : symbol_representation_relationship;
   children : SET OF symbol_representation ) : BOOLEAN;
LOCAL
  x : SET OF symbol_representation_relationship;
  local_children : SET OF symbol_representation;
END_LOCAL;

REPEAT i:=1 TO HIINDEX(children);
  IF relation\representation_relationship.rep_1 ::= children[i] THEN
    RETURN(FALSE);
  END_IF;
END_REPEAT;

x := bag_to_set (USEDIN ( relation\representation_relationship.rep_1,
  'REPRESENTATION_SCHEMA.'+
  'REPRESENTATION_RELATIONSHIP.'+ 'REP_2'));
local_children := children + relation\representation_relationship.rep_1;

IF SIZEOF (x) > 0 THEN
  REPEAT i:=1 TO HIINDEX (x);
    IF NOT acyclic_symbol_representation_relationship(x[i] ,
      local_children) THEN
      RETURN (FALSE);
    END_IF;
  END_REPEAT;
END_IF;

RETURN (TRUE);

END_FUNCTION;
(*

```

Clause 5.6.3, p. 73

The EXPRESS specification for the FUNCTION **field_in_table** contained spelling and logical errors. The expression in the first QUERY requires a string 'PRESENTATION_DEFINITION_SCHEMA.TABLE_RECORD_REPRESENTATION' and not a string 'PRESENTATION_DEFINITIONS_SCHEMA.TABLE_RECORD_REPRESENTATION'. The declaration of variable 'symbol_rep_rel_set' requires a 'SET' and not a 'SET[1:?]'. The declaration of variable mapped_item_set' requires a 'SET' and not a 'SET[1:?]'. The declaration of variable 'table_record_rep_set' requires a 'SET' and not a 'SET[1:?]'. The assignment to variable 'symbol_rep_rel_set' requires a 'SET' and not a 'BAG'. The built-in function USEDIN in the second QUERY requires a role name qualified by an attribute name as argument 2. Remove the EXPRESS specification and replace with the following:

EXPRESS specification:

```

*)
FUNCTION field_in_table (field : table_record_field_representation;
                        table : annotation_table_occurrence): BOOLEAN;

LOCAL
  table_rep : table_representation;
  symbol_rep_rel_set : SET OF symbol_representation_relationship;
  mapped_item_set : SET OF mapped_item;
  table_record_rep_set : SET OF table_record_representation := [];
END_LOCAL;

table_rep := table\styled_item.item\mapped_item.mapping_source.
mapped_representation;
mapped_item_set := QUERY(item <* table_rep.items |
  ('REPRESENTATION_SCHEMA.MAPPED_ITEM' IN
  TYPEOF(item))
  AND
  ('PRESENTATION_DEFINITION_SCHEMA.' +
  'TABLE_RECORD_REPRESENTATION' IN
  TYPEOF(item\mapped_item.mapping_source.
  mapped_representation ))
);

REPEAT i := 1 TO HIINDEX(mapped_item_set);
  table_record_rep_set := table_record_rep_set +
  mapped_item_set[i].mapping_source.mapped_representation;
END_REPEAT;

symbol_rep_rel_set := bag_to_set (USEDIN(table_rep,
  'REPRESENTATION_SCHEMA.' +
  'REPRESENTATION_RELATIONSHIP.REP_1'));

REPEAT i := 1 TO HIINDEX(symbol_rep_rel_set);
  table_record_rep_set := table_record_rep_set +
  symbol_rep_rel_set[i]\representation_relationship.rep_2;
END_REPEAT;

```

```

IF SIZEOF(QUERY( table_record_rep <* table_record_rep_set |
    (SIZEOF(QUERY( rep_rel <* USEDIN(table_record_rep,
        'REPRESENTATION_SCHEMA.' +
        'REPRESENTATION_RELATIONSHIP.REP_1' ) |
        ('PRESENTATION_DEFINITION_SCHEMA.' +
        'SYMBOL_REPRESENTATION_RELATIONSHIP' IN
        TYPEOF(rep_rel))
        AND
        (rep_rel.rep_2 ::= field)
        )) > 0)
    OR
    (SIZEOF(QUERY(item <* table_record_rep.items
        ('REPRESENTATION_SCHEMA.MAPPED_ITEM' IN
        TYPEOF(item))
        AND
        (field ::= item\mapped_item.mapping_source.
        mapped_representation )
        )) > 0)
    )) = 0 THEN
    RETURN(FALSE);
END_IF;

RETURN(TRUE);

END_FUNCTION;
(*

```

Clause 6, p. 74

The EXPRESS specification for the **presentation_appearance_schema** did not include a reference to required data type. The first required data type is an entity data type, the group for the amended SELECT type **style_context_select**. The second required reference is a function, the **bag_to_set** for the EXPRESS specifications changed in **acyclic_occlusion_precedence**. Add the following EXPRESS specification before the 'REFERENCE FROM MEASURE_SCHEMA':

```
REFERENCE FROM group_schema
    (group);
```

Delete the following EXPRESS specification:

```
REFERENCE FROM support_resource_schema
    (label);
```

Replace with the following EXPRESS specification:

```
REFERENCE FROM support_resource_schema
    (label,
    bag_to_set);
```

Clause 6.3.1, p. 80

The possibility to control the presentation style by a layer is a fundamental concept of ISO 10303-46. However the EXPRESS specification for the type **style_context_select** did not include the necessary entities. Remove the EXPRESS specification and replace with the following:

EXPRESS specification:

```
*)
TYPE style_context_select = SELECT
  (group,
   presentation_layer_assignment,
   representation,
   representation_item,
   presentation_set);
END_TYPE;
(*
```

Clause 6.3.43, p. 96

The restriction of invisibility to **presentation_representation** does not satisfy the requirement to define a complete model as invisible. Include the entity representation instead of **presentation_representation** in the SELECT type **invisible_item**. Remove the EXPRESS specification and replace with the following:

EXPRESS specification:

```
*)
TYPE invisible_item = SELECT
  (styled_item,
   presentation_layer_assignment,
   representation);
END_TYPE;
(*
```

Clause 6.6.12, p.106

The EXPRESS specification for **draughting_pre_defined_curve_font** defined below are required for reference from other parts of ISO 10303. Add the following as clause 6.6.12 after clause 6.6.11.

6.6.12 draughting_pre_defined_curve_font

A **draughting_pre_defined_curve_font** is a **pre_defined_curve_font** that is identified by name.

EXPRESS specification:

```
*)
ENTITY draughting_pre_defined_curve_font
  SUBTYPE OF (pre_defined_curve_font);
WHERE
  WR1: SELF.name IN
```

```

        ['continuous',
        'chain',
        'chain double dash',
        'dashed',
        'dotted'];
END_ENTITY;
(*)

```

Formal propositions:

WR1: The name of the **draughting_pre_defined_curve_font** shall be 'continuous', 'chain', 'chain double dash', 'dashed', or 'dotted'.

Attribute value definitions:

Table 2 states the lengths of each line segment and space, in millimetres, corresponding to each of the predefined curve fonts that are specified in this part of ISO 10303. If the **pre_defined_curve_font** is used as part of the definition of a **curve_style_font_and_scaling**, then the given lengths are those when the **curve_font_scaling** attribute has the value 1.0.

NOTE 1 - The **curve_style_font_and_scaling** entity is defined in the **presentation_appearance_schema** in ISO 10303-46.

NOTE 2 - Illustrations of curve fonts are given in Figure 1.

Table 2 – Line segment and space lengths for predefined curve fonts

Curve pattern name	Segment (mm)	Space (mm)	Segment (mm)	Space (mm)	Segment (mm)	Space (mm)	Number of segments
continuous							0
dashed	4.0	1.5					2
Chain	7.0	1.0	1.0	1.0			4
Chain double dash	7.0	1.0	1.0	1.0	1.0	1.0	6
dotted	1.0	1.0					2




Figure 1 – Illustration of predefined curve fonts

Clause 6.9.10, p.124

The EXPRESS specification for **text_style_with_mirror** does not specify in the definition or in the EXPRESS specification that the **axis_2_placement** has to be founded in the appropriate context. Add the following paragraph after Attribute definitions: and before clause 6.9.11.

Informal propositions:

IP1: Text_style_with_mirror.mirror_placement shall have the axis2_placement founded in the same context as the text that is being mirrored.

Clause 6.13.1, p. 130

The EXPRESS specification for the FUNCTION **acyclic_occlusion_precedence** contained logical errors in the function body. The assignment to variable 'x' requires a 'SET' and not a 'BAG'. Remove the EXPRESS specification and replace with the following:

EXPRESS specification:

```

*)
FUNCTION acyclic_occlusion_precedence
  ( relation : occlusion_precedence;
    set_of_lower : SET OF hiding_or_blanking_select ) : BOOLEAN;
LOCAL
  x : SET OF occlusion_precedence;
  local_set_of_lower : SET OF hiding_or_blanking_select;
END_LOCAL;
REPEAT i:=1 TO HIINDEX(set_of_lower);
  IF relation.higher_precedence ::= set_of_lower[i] THEN
    RETURN(FALSE);
  END_IF;
END_REPEAT;
x := bag_to_set (USEDIN ( relation.higher_precedence,
  'PRESENTATION_APPEARANCE_SCHEMA.' +
  'OCCLUSION_PRECEDENCE.LOWER_PRECEDENCE' ));
local_set_of_lower := set_of_lower + relation.higher_precedence;
IF SIZEOF (x) > 0 THEN
  REPEAT i:=1 TO HIINDEX (x);
    If NOT acyclic_occlusion_precedence(x[i] ,
      local_set_of_lower) THEN
      RETURN (FALSE);
    END_IF;
  END_REPEAT;
END_IF;
RETURN (TRUE);
END_FUNCTION;
(*

```

Clause 7.3.13, p.139

The EXPRESS specification of **colour_associated** contained logical errors in the attribute declaration. Attribute 'name' requires a type 'label' and not 'colour'. Remove the EXPRESS specification and replace with the following: