
**Hydraulic fluid power — Electrically
modulated hydraulic control valves —**

Part 1:

**Test methods for four-way directional flow
control valves**

*Transmissions hydrauliques — Distributeurs hydrauliques à modulation
électrique —*

Partie 1: Méthodes d'essai pour distributeurs à quatre voies



Contents	Page
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Symbols and units	2
5 Standard test conditions	3
6 Test installation	3
7 Electrical tests	4
8 Performance tests	6
9 Endurance test	22
10 Pressure impulse test	22
11 Environmental tests	23
12 Presentation of results	24
13 Identification statement	26

Tables

1 Symbols and units	2
2 Standard test conditions	3
3 Sinusoidal signal function	20
4 Input step functions	21
A.1 Permissible systematic errors of measuring instruments as determined during calibration	41

Figures

1 Typical steady-state test circuit	27
2 Typical dynamic test circuit.....	28
3 Valve coil inductance	29
a) Inductance test	29
b) Voltage vector diagram	29

© ISO 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
 Case postale 56 • CH-1211 Genève 20 • Switzerland
 Internet central@iso.ch
 X.400 c=ch; a=400net; p=iso; o=isocs; s=central

Printed in Switzerland

4	Valve coil step response	30
5	Internal leakage versus input signal	30
6	Output flow versus input signal at constant valve pressure drop	31
7	Threshold characteristics	31
8	Metering test	32
9	Output flow without integral pressure compensation	33
	a) Output flow versus load pressure difference	33
	b) Output flow versus valve pressure drop	33
10	Output flow with integral pressure compensation	34
	a) Output flow versus load pressure difference	34
	b) Output flow versus valve pressure drop	34
11	Limiting power curve	35
12	Output flow and pressure difference versus fluid temperature	36
	a) Output flow	36
	b) Load pressure difference	36
13	Blocked port load pressure versus input signal	37
14	Load pressure difference versus input signal	38
15	Frequency response	39
16	Step response	40
	a) Transient response to step input signal	40
	b) Transient response to load pressure step with flow compensation	40
 Annexes		
A	(normative) Errors and classes of measurement	41
B	(informative) Guidance on conducting the tests	42
C	(informative) Bibliography	43

Foreword

ISO (the International Organisation for Standardisation) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organisations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardisation.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 10770-1 was prepared by Technical Committee ISO/TC 131, *Fluid power systems*, Subcommittee SC 8, *Product testing*.

This first edition of ISO 10770-1 together with ISO 10770-2 cancel and replace ISO 6404:1985, of which they constitute a technical revision. In particular, ISO 10770 is wider-ranging and more comprehensive, covering both servovalves and proportional valves.

ISO 10770 consists of the following parts, under the general title *Hydraulic fluid power — Electrically modulated hydraulic control valves*:

- *Part 1: Test methods for four-way directional flow control valves*
- *Part 2: Test methods for three-way directional flow control valves*
- *Part 3: Test methods for pressure control valves*

Annex A forms an integral part of this part of ISO 10770. Annexes B and C are for information only.

Introduction

In hydraulic fluid power systems, power is transmitted by a fluid under pressure from a hydraulic power source to one or several loads through electrically modulated hydraulic control valves.

These control valves are components which receive control signals in the form of an electrical signal, receive hydraulic power from a power source, and then, control the direction and amount of hydraulic flow to the load, depending upon the electrical input signal. There are a number of performance characteristics that must be known in order to successfully apply electrically modulated hydraulic control valves.

STANDARDSISO.COM : Click to view the full PDF of ISO 10770-1:1998

[STANDARDSISO.COM](https://standardsiso.com) : Click to view the full PDF of ISO 10770-1:1998

Hydraulic fluid power — Electrically modulated hydraulic control valves —

Part 1:

Test methods for four-way directional flow control valves

1 Scope

This part of ISO 10770 describes methods for production acceptance and type (or qualification) testing of electrically modulated hydraulic four-way directional flow control valves.

2 Normative references

The following standards contain provisions, which, through reference in this text, constitute provisions of this part of ISO 10770. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this part of ISO 10770 are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 1219-1:1991, *Fluid power systems and components — Graphic symbols and circuit diagrams — Part 1: Graphic symbols.*

ISO 3448:1992, *Industrial liquid lubricants — ISO viscosity classification.*

ISO 4406:1987, *Hydraulic fluid power — Fluids — Method for coding level of contamination by solid particles.*

ISO 5598:1985, *Fluid power systems and components — Vocabulary.*

ISO 6743-4:1982, *Lubricants, industrial oils and related products (class L) — Classification — Part 4: Family H (Hydraulic systems).*

IEC 617, *Graphical symbols and diagrams.*

3 Definitions

For the purposes of this part of ISO 10770, the definitions given in ISO 5598 and the following definition apply.

3.1 electrically modulated hydraulic flow control valve: Valve that provides a degree of proportional flow control in response to a continuously variable electrical input signal.

4 Symbols and units

The symbols and units for the parameters referred to in this part of ISO 10770 are listed in table 1.

Table 1 — Symbols and units

Parameter	Symbol	Unit
Coil impedance	Z	Ω
Coil inductance	L	H
Coil resistance	R	Ω
Insulation resistance	R_i	Ω
Dither amplitude	—	% of max. input signal
Dither frequency	f_d	Hz
Input signal	I or U	A or V
Rated signal	I_N or U_N	A or V
Output flow	q	l/min
Rated flow	q_N	l/min
Flow gain	$K_v = (\delta q / \delta I \text{ or } \delta q / \delta U)$	l/min/input signal unit
Hysteresis	—	% of max. input signal
Internal leakage	q_l	l/min
Supply pressure	p_P	MPa (bar)
Return pressure	p_T	MPa (bar)
Load pressure	p_A or p_B	MPa (bar)
Load pressure difference	$p_L = p_A - p_B$ or $p_B - p_A$	MPa (bar)
Valve pressure drop	$p_v = p_P - p_T - p_L$	MPa (bar)
Rated valve pressure drop	p_N	MPa (bar)
Pressure gain	$S_v = (\delta p_L / \delta I \text{ or } \delta p_L / \delta U)$	MPa (bar)/input signal
Threshold	—	% of max. input signal
Amplitude	—	dB
Phase lag	—	degree
Temperature	—	°C
Frequency	f	Hz
Time	t	s

NOTE — 1 bar = 10^5 N/m² = 0,1 MPa

5 Standard test conditions

Unless otherwise specified, the standard test conditions given in table 2 shall apply to all tests described in this part of ISO 10770.

Table 2 — Standard test conditions

Ambient temperature	(20 ± 5) °C
Filtration	Solid contaminant code number to be stated in accordance with ISO 4406
Fluid type	Commercially available mineral based hydraulic fluid, i.e. L-HL in accordance with ISO 6743-4 or other fluid with which the valve is capable of operating
Fluid temperature	(40 ± 6) °C at valve inlet
Viscosity grade	Grade VG 32 in accordance with ISO 3448
Supply pressure	In accordance with relevant test requirement ± 2,5 %
Return pressure	In accordance with manufacturer's recommendations
NOTE — Where an alternative hydraulic fluid is used, the fluid type and viscosity grade shall be specified.	

6 Test installation

6.1 General

A test installation shall be provided which complies with 6.2 and 6.3 and which is capable of meeting the permissible limits of error stated in annex A. General guidance on conducting the tests is given in annex B.

NOTES

- Figures 1, 2 and 3 are typical circuits that do not incorporate all the safety devices necessary to protect against damage in the event of component failure. Other circuits which achieve the same purpose may be used. It is important that those responsible for conducting the tests give consideration to safeguarding personnel and equipment.
- The graphical symbols used in figures 1, 2 and 3 are in accordance with ISO 1219-1 and IEC 617.

6.2 Steady state tests

A typical test circuit is shown in figure 1. This installation allows either point-to-point or continuous plotting methods for

- a) recording flow as a function of input signal;
- b) recording pressure as a function of input signal;
- c) recording flow as a function of valve pressure drop;
- d) recording flow as a function of load pressure difference;
- e) recording flow as a function of temperature.

6.3 Dynamic tests

A typical test circuit is shown in figure 2. This installation utilizes much of the circuit shown in figure 1. This installation allows

- a) frequency response tests;
- b) step response tests.

7 Electrical tests

7.1 General

The tests described in 7.2 to 7.4, as appropriate, shall be carried out on all valves without integrated electronics before proceeding to subsequent tests.

7.2 Coil resistance

The test shall be performed with the coil at the specified ambient temperature. Using an electrical test instrument with an accuracy better than $\pm 2\%$ of the measured value, measure the resistance between the two leads of each coil in the valve.

NOTE — The valve under test need not be supplied with pressurized fluid during the measurement of coil resistance.

7.3 Coil inductance

7.3.1 Measure the total coil inductance (corresponding to the series coil connection for a four-lead, two-coil configuration) with the valve operating under the standard test conditions laid down in clause 5.

NOTE — This test measures the apparent inductance, which varies with signal frequency and amplitude due to the back emf (electro-motive force) generated by the moving armature. The result may be used to select the appropriate design of drive amplifier.

7.3.1.1 Connect a suitable oscillator to drive the total valve coil which is in series with a precision non-inductive resistor, as shown in figure 3 a).

7.3.1.2 Set the oscillator frequency, f , at either 50 Hz or 60 Hz, so that it is different from the frequency of the electrical power supply to the test equipment.

7.3.1.3 Adjust the valve input current to a peak amplitude equal to the valve rated current.

7.3.1.4 Use an oscillator which is capable of supplying undistorted current to the valve.

7.3.1.5 Using an oscilloscope, monitor the voltage waveform across the resistor R to check that the waveform is sinusoidal.

7.3.1.6 Measure the peak a.c. voltages U_R , U_T and U_V .

7.3.1.7 Construct the diagram shown in figure 3 b) to show the vectorial relationship of the voltages.

7.3.1.8 Determine the coil impedance characteristics from the following expressions:

— coil impedance, expressed in ohms

$$Z = R \frac{U_V}{U_R} \quad \dots (1)$$

— apparent inductance, expressed in henry

$$L = \frac{R}{2\pi f} \times \frac{U_L}{U_R} \quad \dots (2)$$

7.3.2 Alternative test method: use step response to full current to give time constant t_c of coil and calculate inductance using:

$$L = R_c \times t_c \quad (\text{as indicated at figure 4}) \quad \dots (3)$$

7.4 Insulation resistance

Connect together the coil terminations and apply between them and the valve body a d.c. voltage of 500 V. Maintain this for 15 s. With this voltage still applied, use a suitable commercially available insulation tester to measure the insulation resistance. On those testers with a current readout, as opposed to a resistance readout, calculate the resistance, in ohms, from the following equation:

$$R_i = \frac{500 \text{ V}}{I} \quad \dots (4)$$

where the current measured, I , is expressed in amperes.

This resistance normally exceeds 100 M Ω . In addition, with a four-lead two-coil configuration, similarly determine the resistance between the coils. If internal electrical components are in contact with the fluid (i.e. wet coil), fill the valve with hydraulic fluid before carrying out this test.

8 Performance tests

Conduct all the following tests such that the amplifier specified by the valve manufacturer is included in the test system (when specified).

If an external pulse width modulating amplifier is used, record the modulation frequency, the dither frequency, and the amplitude.

In all cases record the amplifier supply voltage.

NOTE — All performance tests should be conducted on a combination of valve and amplifier. Input signals are applied to the amplifier and not directly to the valve.

8.1 Steady state tests

8.1.1 General

When conducting these tests, care should be taken to exclude dynamic effects.

Test a) shall be performed prior to carrying out any other tests.

- a) Proof pressure tests, in accordance with 8.1.2.
- b) Internal leakage test, in accordance with 8.1.3.
- c) Test for output flow versus input signal at constant valve pressure drop, in accordance with 8.1.4 and 8.1.5 to determine
 - 1) rated flow;
 - 2) flow gain;

- 3) flow linearity;
 - 4) flow hysteresis;
 - 5) flow symmetry;
 - 6) flow polarity;
 - 7) spool lap condition;
 - 8) threshold.
- d) Flows across lands versus input signal in accordance with 8.1.6.
 - e) Output flow versus load pressure difference in accordance with 8.1.7.
 - f) Output flow versus valve pressure drop in accordance with 8.1.8.
 - g) Limiting output flow versus valve pressure drop in accordance with 8.1.9.
 - h) Output flow versus fluid temperature in accordance with 8.1.10.
 - i) Pressure difference versus fluid temperature in accordance with 8.1.11.
 - j) Pressure gain versus input signal in accordance with 8.1.12.
 - k) Pressure null shift in accordance with 8.1.13
 - l) Fail-safe function test in accordance with 8.1.14

8.1.2 Proof pressure tests

8.1.2.1 General

Proof pressure tests shall be carried out to examine the integrity of the valve before conducting any further tests.

A simplified high pressure test rig may be used for these tests in place of that shown in figure 1.

8.1.2.2 Supply proof pressure

In the test, a proof pressure is supplied to the pressure and control ports of the valve with the return port open. The test shall be carried out as follows.

8.1.2.2.1 Test circuit

Set up the hydraulic test circuit shown in figure 1, with valves g and j open and all other valves closed.

8.1.2.2.2 Set up

Adjust the valve supply pressure to achieve 1,3 times the maximum rated supply pressure or 35 MPa (350 bar), whichever is the lower.

8.1.2.2.3 Procedure

Maintain the supply pressure for a minimum of 30 s.

For approximately half of this period apply the maximum positive input signal and for the remainder of the test apply the maximum negative input signal.

Examine the valve for evidence of external leakage or permanent deformation during the test.

8.1.2.3 Return port proof pressure

In the test, a proof pressure is supplied to the pressure port, control ports and the return port of the valve. The test shall be carried out as follows.

8.1.2.3.1 Test circuit

Set up the hydraulic test circuit shown in figure 1, with valves c, e and h open and all other valves closed.

8.1.2.3.2 Set up

Adjust the valve supply pressure to achieve 1,3 times the maximum return port pressure.

8.1.2.3.3 Procedure

Maintain this pressure for a minimum of 30 s.

For approximately half of this period apply the maximum positive input signal and for the remainder of the test apply the maximum negative input signal.

There shall be no external leakage or permanent deformation during the test.

8.1.3 Internal leakage test (control ports blocked)

8.1.3.1 General

Before commencing the test, any mechanical/electrical adjustments necessary shall be made, such as nulling the valve, and then the test shall be carried out to determine the total internal leakage, including any pilot control flow, in the following manner.

8.1.3.2 Test circuit

Set up the hydraulic test circuit shown in figure 1, with valve g open and all other valves closed.

8.1.3.3 Set up

Adjust the valve supply pressure to 10 MPa (100 bar) above return pressure, and pilot pressure where applicable.

8.1.3.4 Procedure

Proceed as follows:

- a) Immediately before the leakage measurements are to be taken, operate the valve over its full input signal range several times.
- b) Record the leakage flow from the T and y ports over a range from maximum positive to maximum negative input signal (see figure 5).

These tests may, if required, be repeated at additional pressures up to the maximum supply pressure of the valve under test.

NOTE — For spools with special features, it may be necessary to determine the pilot flow independently and to determine the rate of leakage between the ports. See 8.1.6.

8.1.4 Output flow versus input signal characteristics at constant valve pressure drop (open control ports)

8.1.4.1 General

The test shall be carried out to obtain the flow versus input signal curve and to deduce the steady-state valve characteristics.

8.1.4.2 Test circuit

8.1.4.2.1 For multi-stage valves with integral pilot supply, use an appropriate modified circuit configuration, incorporating, for example, either:

- a) a pressure compensator inserted between the valve and the test manifold, or
- b) using a loading valve as shown in figure 1, to load the valve under test, which operates under open or closed loop conditions, to maintain constant valve pressure drop.

8.1.4.2.2 Set up the hydraulic test circuit shown in figure 1, with valves a, b, c, d, g, j open and all other valves closed.

8.1.4.3 Set up

8.1.4.3.1 Set the total valve pressure drop to 1 MPa (10 bar), 7 MPa (70 bar) or 1/3 of the maximum supply pressure, as appropriate.

8.1.4.3.2 For multi-stage valves with separate pilot supply, adjust the pilot supply pressure to 10 MPa (100 bar).

8.1.4.3.3 For multi-stage valves with integral pilot supply, adjust the supply pressure to 10 MPa (100 bar), unless otherwise specified by the manufacturer.

8.1.4.4 Procedure

Proceed as follows:

- a) Cycle the input signal several times.
- b) Using a continuous plotting/recording method, establish a suitable range using the X-axis to record the input signal and the Y-axis to record the output flow (see figure 6).
- c) Set the automatic signal generator to produce a triangular wave form with an amplitude to reach plus and minus the maximum input signal.
- d) Allow the input signal to be continuously cycled, ensuring that the pen motion is unrestricted and that it is moving at such speed that the dynamic effects of the flow transducer and its output signal and recorder are negligible. When an X-Y plotter or recorder is used, automatic control of valve pressure drop will be necessary. Also ensure that the valve pressure drop remains constant within 5 % during the complete signal cycle.
- e) With the continuously varying signal still applied, continuously record the characteristics over one complete signal cycle.

Use procedure 8.1.4.4 a) to e) to determine the following characteristics:

- 1) output flow at rated signal;
- 2) flow gain;
- 3) linearity;
- 4) hysteresis;
- 5) null zone characteristics (i.e. spool lap condition);
- 6) symmetry;
- 7) polarity;
- 8) limiting power (see 8.1.9).

The above tests may, if required, be repeated at additional pressures up to the maximum supply pressure of the valve under test.

For cases where it is impracticable to monitor output flow, spool position can be monitored as an alternative to flow in order to establish

- 1) spool position at rated signal;
- 2) hysteresis;
- 3) polarity.

8.1.5 Threshold

8.1.5.1 General

The test shall be carried out to obtain the response of the valve versus a reverse input signal.

8.1.5.2 Test circuit

Set up the hydraulic test circuit shown in figure 1, with valves a, b, c, d, g, j open and all other valves closed.

8.1.5.3 Set up

Repeat the set up described in 8.1.4.3.1, 8.1.4.3.2 and 8.1.4.3.3.

8.1.5.4 Procedure

Repeat the procedure 8.1.4.4 a) and b) and then proceed as follows:

- a) apply a signal causing 25 % of the rated flow and then reduce the applied signal to cause a reduction of flow. Reduce the signal slowly to eliminate dynamic effects;
- b) record the input signal at which the flow starts to decrease;
- c) measure the threshold by computing the incremental signal change from the algebraic difference of the two signal values recorded;
- d) repeat steps a) to c) at 75 % of the rated flow;
- e) repeat steps a) to d) with the opposite signal applied;
- f) repeat a similar test about null when testing zero and under-lapped valves.

NOTE — When conducting these tests, the sensitivity of the recorder may require adjusting. See figure 7 for a representative recording plot, an alternative signal level may be used for a production acceptance test.

8.1.6 Metering tests

8.1.6.1 General

The objective of this test is to determine the characteristics of each land of the main spool in order to establish the valve capacity to cope with various loading conditions. Record flow, using flow transducer 11, across one land versus input signal (see figure 8).

NOTE — Low flow measurements may be influenced by build-up of contaminants at the metering edges.

8.1.6.2 Flow from supply port P to control port A

8.1.6.2.1 Test circuit

Set up the hydraulic test circuit shown in figure 1, with valves a, b, e, g, j open and all other valves closed.

8.1.6.2.2 Set up

Repeat the set up in 8.1.4.3.1, 8.1.4.3.2 and 8.1.4.3.3.

8.1.6.2.3 Procedure

Lower the plotter pen and slowly increase the input signal from null to rated positive signal to obtain a plot of flow from the supply port P to control port A (see figure 8).

8.1.6.3 Flow from control port A to return port T

8.1.6.3.1 Test circuit

Set up the hydraulic test circuit shown in figure 1 with valves a, e, f, i, j open and all other valves closed.

8.1.6.3.2 Set up

Repeat the set up in 8.1.4.3.1, 8.1.4.3.2 and 8.1.4.3.3.

8.1.6.3.3 Procedure

Lower the plotter pen and slowly increase the input signal from null to rated negative signal to obtain a plot (see figure 8).

8.1.6.4 Flow from supply port P to control port B

8.1.6.4.1 Test circuit

Set up the hydraulic test circuit shown in figure 1, with valves c, d, f, g, j open and all other valves closed.

8.1.6.4.2 Set up

Repeat the set up in 8.1.4.3.1, 8.1.4.3.2 and 8.1.4.3.3.

8.1.6.4.3 Procedure

Lower the plotter pen and slowly increase the input signal from null to rated negative signal to obtain a plot (see figure 8).

8.1.6.5 Flow from control port B to return port T

8.1.6.5.1 Test circuit

Set up the hydraulic test circuit shown in figure 1, with valves d, e, f, h, j open and all other valves closed.

8.1.6.5.2 Set up

Repeat the set up in 8.1.4.3.1, 8.1.4.3.2 and 8.1.4.3.3.

8.1.6.5.3 Procedure

Lower the plotter pen and slowly increase the input signal from null to rated positive signal to obtain a plot (see figure 8).

NOTE — For closed centre valves, tests 8.1.6.2 to 8.1.6.5 may be repeated using a high sensitivity flow transducer to record the leakage pattern around the null condition.

8.1.7 Output flow versus load pressure difference test (open control ports)

8.1.7.1 General

Carry out the following steps to determine the nature of the variation of output flow versus load pressure difference.

8.1.7.2 Test circuit

Set up the hydraulic test circuit shown in figure 1, with valves a, b, c, d, g, j and loading valve 13 open, and all other valves closed.

8.1.7.3 Set up

Adjust the valve supply pressure to achieve maximum supply pressure, compensating for any return pressure, if necessary. Ensure that the set supply pressure remains constant throughout the test. A drop of supply pressure indicates insufficient flow capacity of the hydraulic power source.

8.1.7.4 Procedure

Proceed as follows:

- a) Cycle the input signal gradually several times over the range maximum negative to maximum positive.
- b) Establish an X-Y plotter configuration to record output flow on the Y-axis and load pressure difference on the X-axis [see figure 9 a)].
- c) Set the input signal to 25 % of the rated positive value.
- d) Lower the plotter pen and slowly close loading valve 13 (see figure 1) to obtain a continuous plot of output flow versus load pressure difference (valve pressure drop) for a rated positive input signal.
- e) Repeat c) and d) over the range of 100 %, 75 %, and 50 % of the rated input signal [see figure 9 a)].
- f) Repeat the steps outlined in c) to e) for negative input signal [see figure 9 a)].
- g) For valves with integral pressure compensation, carry out the above tests to determine the effectiveness of the load compensating device and record the results in the manner shown in figure 10 a).

8.1.8 Output flow versus valve pressure drop tests (open control ports)

8.1.8.1 General

Carry out the following steps to determine the nature of the variation of output flow versus valve pressure drop.

8.1.8.2 Test circuit

Set up the hydraulic test circuit shown in figure 1, with valves a, b, c, d, g, j and loading valve 13 open and all other valves closed.

8.1.8.3 Set up

Adjust the valve supply pressure to achieve maximum supply pressure, compensating for any return pressure, if necessary. Ensure that the set supply pressure remains constant throughout the test. A drop of supply pressure indicates insufficient flow capacity of the hydraulic power source.

8.1.8.4 Procedure

Proceed as follows:

- a) Cycle the input signal gradually several times over the range maximum negative to maximum positive.
- b) Establish an X-Y plotter configuration to record output flow on the Y-axis and valve pressure drop on the X-axis [see figure 9 b)].
- c) Set the input signal to the rated positive value (100 %).
- d) Close the loading valve 13, lower the plotter pen and slowly open the loading valve 13 (see figure 1) to obtain a continuous plot of output flow versus valve pressure drop for a rated positive input signal.
- e) Repeat c) and d) over the range of 75 %, 50 %, and 25 % of the rated input signal [see figure 9 b)].
- f) Repeat the steps outlined in c) to e) for negative input signal [see figure 9 b)].
- g) For valves with integral pressure compensation, carry out the above tests to determine the effectiveness of the load compensating device and record the results in the manner shown in figure 10 b).

8.1.9 Limiting power test (open control ports)

8.1.9.1 General

At high valve pressure drops the flow forces on the spool may limit the flow through the valve. This is especially the case for single stage valves. To determine this effect, the following test should be carried out.

8.1.9.2 Test circuit

Set up the hydraulic test circuit shown in figure 1 with valves a, b, c, d, g, j open and valves, e, f, h, i closed.

8.1.9.3 Set up

Adjust the supply pressure to give a valve pressure drop of 10 % of the rated pressure.

8.1.9.4 Procedure

Establish an X-Y plotter configuration to record output flow on the Y-axis and valve pressure drop on the X-axis to get a continuous plot of output flow versus valve pressure drop. For valves with spool position feedback, establish a second X-Y plotter configuration to record input signal versus spool position.

- a) Set the input signal to its positive 95 % value plus a superimposed small (± 5 %) sinusoidal signal at a low frequency, typically 0,2 Hz to 0,4 Hz.
- b) Lower the plotter pen.
- c) Slowly increase the valve supply pressure to obtain a continuous plot of output flow versus valve pressure drop. Stop increasing the supply pressure when the sinusoidal motion ceases, or the flow decreases suddenly, and mark the point.
- d) Repeat this procedure for other positive input signal amplitudes, e.g. 75 %, 50 % and 25 % of the rated flow.
- e) Connect together the marked points to give the limiting power curve (see figure 11).
- f) Repeat steps a) to e) for negative input signals.

8.1.10 Output flow or spool position versus fluid temperature test (open control ports)

8.1.10.1 General

The following test shall be carried out to determine the nature of the variation of output flow versus fluid temperature. The valve and amplifier should be exposed to a constant ambient temperature of 20 °C.

8.1.10.2 Test circuit

Set up the hydraulic test circuit shown in figure 1, with valves a, b, c, d, g, j open and all other valves closed.

8.1.10.3 Set up

Repeat the set up described in 8.1.4.3.

8.1.10.4 Procedure

Proceed as follows:

- a) Using a continuous plotting/recording method, establish a suitable range using the X-axis to record the oil temperature and the Y-axis to record the output flow and/or spool position [see figure 12 a)].

- b) Apply an input signal corresponding to 10 % of the rated output flow.
- c) Record output flow or spool position versus fluid temperature [see figure 12 a)].
- d) The above tests may, if required, be repeated for different input signals and valve pressure drops.
- e) Compile a family of curves for various input signals and valve pressure drops over the selected temperature range.

8.1.11 Pressure difference versus temperature test (blocked control ports)

8.1.11.1 General

The following test shall be carried out to determine the variation of differential pressure versus temperature. The valve and amplifier should be exposed to a constant ambient temperature of 20 °C.

8.1.11.2 Test circuit

Set up the hydraulic test circuit shown in figure 1 with valves g and j open and all other valves closed.

8.1.11.3 Set up

Adjust the supply pressure to the maximum supply pressure for the valve under test.

8.1.11.4 Procedure

Proceed as follows:

- a) Using a continuous plotting/recording method, establish a suitable range using the X-axis to record the oil temperature and the Y-axis to record pressure difference [see figure 12 b)].
- b) Adjust input signal to give zero pressure difference.
- c) Record pressure difference versus fluid temperature [see figure 12 b)].
- d) Repeat at different input signals and supply pressures as required.

8.1.12 Pressure gain versus input signal test (blocked control ports)

8.1.12.1 General

The objective of this test is to determine the pressure gain of the control ports A and B versus the input signal. This test is not relevant to valves with overlapped spools.

8.1.12.2 Test circuit

Set up the hydraulic test circuit shown in figure 1 with valves g and j open and all other valves closed.

8.1.12.3 Set up

Adjust the supply pressure to the maximum supply pressure for the valve under test.

8.1.12.4 Procedure

Proceed as follows:

- a) Select the input signal so that the spool passes through the valve centre with sufficient travel to effectively reach supply pressure amplitude at both control ports.
- b) Using a continuous plotting/recording method establish suitable ranges and deflections.
- c) Slowly vary the input signal over the range established in a) while recording the blocked port pressures at ports A and B.

NOTE — Since this test is affected by the valve leakage characteristics and the volume of fluid under pressure, it may require several minutes to make one sweep.

- d) Produce graphs of the pressures at ports A and B versus input signal (see figure 13) on one pair of axes. Clearly label each trace as to its associated port.
- e) Produce a plot of load pressure difference versus input signal (see figure 14).

8.1.13 Pressure null shift

8.1.13.1 Procedure

Proceed as follows:

- a) With the system pressure at 10 MPa (100 bar), adjust input signal such that pressures at ports A and B are equal. Record value of the input signal.
- b) Repeat a) above with supply pressure set at 5 MPa (50 bar).
- c) Repeat a) above with supply pressure set at 20 MPa (200 bar).

8.1.13.2 Conclusion

The variation in input signal, expressed as a percentage of the maximum input signal, constitutes the pressure null shift applicable to the change in supply pressure.

8.1.14 Fail-safe function test

Proceed as follows:

- a) Check the inherent fail-safe characteristics of the valve, e.g. at loss of input signal, loss or reduction of electric power, loss or reduction of hydraulic power, loss of feedback signal.
- b) Check the performance of any special fail-safe functions incorporated in the valve by monitoring spool position.
- c) Repeat, if necessary, for various selected input signal conditions.

8.2 Dynamic tests (open control ports)

8.2.1 Test circuit and set up

8.2.1.1 Set up the test circuit similar to that shown in figure 2.

8.2.1.2 Keep line lengths from ports A and B to the actuator as short as possible.

8.2.1.3 Keep the accumulator as close to the valve P port as possible.

8.2.1.4 Provide constant hydraulic pressure at 10 MPa (100 bar), or the rated pressure whichever is the lower and measure the maximum output flow.

8.2.1.5 Use a frequency response analyzer, oscilloscope or other suitable electronic equipment that will measure the amplitude of the return signal as well as its phase shift relative to the input signal.

8.2.1.6 Obtain the return signal by one of the following methods:

- a) Use the output from a velocity transducer driven by a low friction [having a pressure drop not exceeding 0,3 MPa (3 bar)] low inertia actuator (having a band width which is at least 3 times greater than the maximum test frequency including the effects of trapped fluid volume) as the return signal. When this method is not practicable use method b) or c).
- b) In valves which are equipped with integral spool position transducers, and, which are not equipped with integral pressure compensated flow controllers, use the spool position signal as the return signal.
- c) In valves which are not equipped with spool position transducers, and which are not equipped with integral pressure compensated flow controllers, it will be necessary for them to be fitted with an external spool position transducer and appropriate signal conditioning electronics. Use that signal as the return signal, provided the addition of the transducer does not alter the frequency response of the valve.

Methods a), b) and c) will not yield equivalent results. The data as reported shall therefore identify the test method used.

8.2.2 Frequency response — Test procedure

8.2.2.1 Apply the input signal at a frequency of 5 Hz or 5 % of the frequency at which the phase lag is 90°, whichever is the lower, and then plot amplitude and phase lag over a range of frequencies wide enough to cover 15 dB attenuation (see figure 15). Include frequencies corresponding to 45°, 90° and higher phase lags, as required.

8.2.2.2 Test the valve under all of the following sinusoidal input conditions:

- a) Use a centred input signal, such that the output flow alternates about zero through ports A and B, of amplitude sufficient to cause a peak output flow of approximately ±5 % of the maximum steady state output. For overlapped valves, conduct this test with the dead-band eliminator activated.
- b) For overlapped valves repeat a), but with the dead-band eliminator de-activated.
- c) For overlapped valves without dead-band eliminator, use a biased input signal, in which the d.c. bias and input signal are adjusted so that the flow output is always in one direction only, i.e. the spool cycles totally on one side of centre. Replace the linear actuator with a flow sensor of adequate bandwidth. Use a small signal, i.e. an input signal amplitude which, at or sufficiently near 0 Hz, causes a change in output signal from approximately 5 % to 15 % of maximum steady output signal at that supply pressure. Repeat in the opposite direction.
- d) Repeat the tests in a) and b) or c) as appropriate under the conditions shown in table 3.

Table 3 — Sinusoidal signal function

Test procedure	d.c. bias signal % of flow	Superimposed sinusoidal input % of rated flow or maximum spool displacement
8.2.2.2 a)	0	± 5
	0	± 10
	0	± 25
	0	± 50
	0	± 75
8.2.2.2 b)	+ 50	± 5 ± 10 ± 25
	- 50	± 5 ± 10 ± 25

Maintain the amplitude of the sinusoidal input signal constant throughout each complete sweep.

8.2.3 Step response — Test procedures

8.2.3.1 Response to step input signal demand

Test the valve in response to a step input signal demand under the following conditions:

Trigger the step function generator and the recording instrument to provide dynamic traces of the input and monitored valve output signal for each of the step conditions selected from table 4. See figure 16 a). Clearly identify each trace with the appropriate data.

Table 4 — Input step functions

Starting condition % of rated flow	Ending condition % of rated flow
0	+ 10
0	– 10
0	+ 25
0	– 25
0	+ 50
0	– 50
0	+ 75
0	– 75
0	+ 90
0	– 90
+ 10	0
– 10	0
+ 25	0
– 25	0
+ 50	0
– 50	0
+ 75	0
– 75	0
+ 90	0
– 90	0
– 10	+ 10
– 25	+ 25
– 50	+ 50
– 90	+ 90
+ 25	+ 75
+ 75	+ 25

8.2.3.2 Response to load changes (valves with load pressure compensation)

Record the flow response for step changes of load pressure of 0 % to 50 % and 50 % to 100 % of the specified maximum load pressure at a signal amplitude of 50 % rated input [and other signal amplitudes if required; see figure 16 b)].

9 Endurance test

9.1 General

Endurance tests shall be carried out at a supply pressure equal to the maximum supply pressure of the valve under test and with ports A and B blocked.

9.2 Set-up

Cycle the electrical input signal sinusoidally from one polarity maximum to the reverse polarity maximum. Select the frequency of the electrical input signal such that the pressure in the blocked ports rises to at least 90 % of the supply pressure at the crest of each cycle.

9.3 Test procedure

Operate the valve for not less than 10×10^6 cycles at the frequency selected at 9.2.

9.4 After completion of the endurance tests, subject the valve to a production acceptance test to ascertain the degree of performance degradation.

9.5 Record the total number of cycles and the degree of performance degradation.

10 Pressure impulse test

10.1 For a minimum duration of 10×10^6 cycles, apply pressure impulses to each port according to its intended fatigue pressure rating. Tests on each port may be conducted concurrently and/or sequentially in order to test integrity of all parts of the body.

- a) Range the amplitude of the pressure impulse between the return pressure [but not more than 0,35 MPa (3,5 bar)] and (100 ± 5) % of the maximum pressure for the port under test, taking care to limit the rate of pressure rise to avoid overshoots and cavitation. Maintain the supply pressure for at least 50 % of each cycle time.
- b) Apply the rated input at the positive polarity required for half of the test duration and at a negative polarity for the remainder of the test.

10.2 After completion of the pressure impulse test, subject the valve to the steady state test (see 8.1) to ascertain the degree of performance degradation.

10.3 Record the number of cycles and the degree of performance degradation.

11 Environmental tests

This part of ISO 10770 specifies that testing shall be carried out under the standard test conditions specified in clause 5. However, due to the increasing use of hydraulic equipment in applications operating under several environmental conditions, it may be necessary to conduct other tests to establish behaviour under various environmental conditions. In such cases the requirements for environmental testing should be agreed on between the supplier and the purchaser.

Environmental testing may take account of

- a) the range of ambient temperature;
- b) the range of fluid temperature;
- c) vibration;
- d) shock;
- e) acceleration;
- f) explosion resistance;
- g) fire resistance;
- h) corrosion resistance;
- i) vacuum;
- j) environmental pressure;
- k) tropical exposure;
- l) water immersion;
- m) humidity;
- n) electrical susceptibility;
- o) airborne dust and dirt;
- p) EMC (electromagnetic compatibility);
- q) contamination sensitivity.

12 Presentation of results

12.1 General

The results obtained from testing a valve shall be presented either

- a) in tabular form, or
- b) for convenience in graphical form, where applicable.

NOTE — Since the scope of testing, particularly with regard to different system pressures and input signal levels, will depend on whether the testing is for development work, production or specific customer information, not all of the parameters which describe valve performance will necessarily be provided with each valve.

12.2 Test reports

12.2.1 All test reports

All test reports shall contain the following data:

- a) the manufacturer;
- b) the valve type and serial number, where applicable;
- c) the amplifier type and serial number, where applicable (if an external amplifier is used);
- d) the rated flow at rated valve pressure drop;
- e) the valve pressure drop;
- f) the supply pressure;
- g) the return pressure;
- h) the fluid type;
- i) the fluid temperature;
- j) the fluid viscosity according to ISO 3448;
- k) the rated input signal;
- l) the coil connection, where applicable (i.e. series, parallel, etc.);
- m) the dither waveform, amplitude and frequency, if used;
- n) the relevant polarity;
- o) the allowable test limits for each test parameter;
- p) the date of test;
- q) the name of test operator.

12.2.2 Test reports for production acceptance tests

These reports shall include the following information:

- a) the insulation test (see 7.4);
- b) the supply proof pressure (see 8.1.2.2);
- c) the return proof pressure (see 8.1.2.3);
- d) the maximum internal leakage (see 8.1.3);
- e) the output flow versus input signal (see 8.1.4);
- f) the polarity from the output flow versus input signal curve (see 8.1.4.4);
- g) the hysteresis from the output flow versus input signal curve (see 8.1.4.4);
- h) the flow gain K_V and the pressure used in determining the gain (see 8.1.4.4);
- i) the flow linearity (see 8.1.4.4);
- j) the null zone characteristics (see 8.1.4.4);
- k) the pressure gain (see 8.1.12.4);
- l) the threshold (see 8.1.5);
- m) fail-safe function test, where applicable (see 8.1.14).

NOTE — Additional tests may include: null shift with supply pressure (two or more datum points), and symmetry (see 8.1.13).

12.2.3 Test reports for type test

These reports shall include the following information:


- a) the production acceptance test data (see 12.2.2);
- b) the coil resistance (see 7.2);
- c) the coil inductance (see 7.3);
- d) the output flow versus fluid temperature (see 8.1.10);
- e) pressure difference versus temperature (see 8.1.11);
- f) the limiting power test data (see 8.1.9);

- g) the metering test data (see 8.1.6);
- h) the output flow versus load pressure difference (see 8.1.7);
- i) output flow versus valve pressure drop (see 8.1.8);
- j) the dynamic characteristics (see 8.2);
- k) the endurance test results (see clause 9);
- l) the pressure impulse test results (see clause 10);
- m) the environmental test results (see clause 11);
- n) the details of any physical degradation following disassembly and visual inspection of piece parts.

13 Identification statement (Reference to this part of ISO 10770)

It is strongly recommended that manufacturers use the following statement in test reports, catalogues and sales literature when electing to comply with this part of ISO 10770.


“Tested in accordance with the methods described in ISO 10770-1:1998, *Hydraulic fluid power — Electrically modulated hydraulic control valves — Part 1: Test methods for four-way directional flow control valves.*”



Key

- | | | | |
|---|---|----|--------------------------------|
| 1 | Hydraulic power source | 9 | Leakage flow transducer |
| 2 | Filter | 10 | Temperature indicator |
| 3 | Pressure relief valve | 11 | Flow transducer |
| 4 | Accumulator | 12 | Optional by pass |
| 5 | Temperature sensor | 13 | Loading valve |
| 6 | Pressure gauge | 14 | Non-return valve |
| 7 | Pressure transducer or differential pressure transducer | 15 | Hydraulic pilot power source |
| 8 | Valve under test | 16 | Electrical pressure transducer |
- P: Supply port
 T: Return port
 A and B: Control ports
 x and y: Pilot ports
- a to k: Positive shut-off valves


Figure 1 — Typical steady-state test circuit




NOTES

- 1 Shutt-off valves are not shown on this circuit diagram.
- 2 It may be necessary to incorporate a low gain position feedback loop to correct for drift of the metering cylinder.

Figure 2 — Typical dynamic test circuit



a) Inductance test



Where
 U_L is the voltage drop due to valve apparent coil inductance;
 U_{DC} is the voltage drop due to coil resistance;
 U_{AC} is the additional in phase voltage drop associated with back e.m.f. effects.

b) Voltage vector diagram

Figure 3 — Valve coil inductance




Figure 4 — Valve coil step response




Figure 5 — Internal leakage versus input signal




Figure 6 — Output flow versus input signal at constant valve pressure drop




Figure 7 — Threshold characteristics




Figure 8 — Metering test







Figure 9 — Output flow without integral pressure compensation



a) Output flow versus load pressure difference



b) Output flow versus valve pressure drop

Figure 10 — Output flow with integral pressure compensation