

---

---

**Tea — Classification of grades by particle  
size analysis**

*Thé — Classification par catégories par analyse granulométrique*

STANDARDSISO.COM : Click to view the full PDF of ISO 11286:2004



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO 11286:2004

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 11286 was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 8, *Tea*.

This second edition cancels and replaces the first edition (ISO 11286:1997), of which it constitutes a minor revision. The Scope has been modified to exclude large leafy grades of tea.

## Introduction

For many years the tea trade has used various systems for the grading nomenclature of teas according to the sieves used for sorting the teas. However, a designation given in one country does not always have the same meaning in another and it was considered by some countries, in particular tea-producing countries, that a single, international method of classifying tea grades according to their particle size distributions would facilitate international trade.

The method given in this International Standard provides such a system to supplement the existing traditional systems.

STANDARDSISO.COM : Click to view the full PDF of ISO 11286:2004

# Tea — Classification of grades by particle size analysis

## 1 Scope

This International Standard specifies a method for the classification of grades of tea according to an analysis of their particle size. It is not applicable to large, leafy grades of tea.

This method may not be suitable for blends of tea.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3310-1:1990, *Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth*

## 3 Principle

The tea is separated into different size fractions using a series of sieves on a shaker. The tea particles retained on each sieve are weighed and the percentage by mass retained on each sieve is calculated.

## 4 Apparatus

Usual laboratory apparatus and, in particular, the following.

**4.1 Sieve shaker**, capable of a vibration rate of 3 000 per minute, a vibration stroke of up to 3 mm and a vibration angle of 30°, with automatic timer<sup>1)</sup>.

**4.2 Test sieves**, conforming to ISO 3310-1, of nominal diameter 200 mm and of nominal apertures sizes 2 mm, 1,4 mm, 1 mm, 710 µm, 355 µm, 250 µm, 150 µm and 75 µm, together with a base pan (less than 75 µm) and a clamp.

## 5 Sampling

Sampling is not part of the method specified in this International Standard. A recommended sampling method is given in ISO 1839<sup>2)</sup>.

1) Endecotts Octagon 200 and Endecotts EFC Mark 1 are examples of suitable shakers available commercially. This information is given for the convenience of users of this International Standard and does not constitute an endorsement by ISO of these products.

2) ISO 1839:1980, *Tea — Sampling*.

It is important that the laboratory receive a sample which is truly representative and has not been damaged or changed during transport or storage.

## 6 Procedure

- 6.1 If sufficient of the sample is available, it is recommended that the analysis be carried out in duplicate.
- 6.2 Arrange the test sieves (4.2) in descending order of mesh size and fit them together.
- 6.3 Weigh  $100\text{ g} \pm 1\text{ g}$  of the laboratory sample into a 400 ml beaker. Transfer the tea quantitatively to the top sieve and fit the cover.
- 6.4 Place the sieves onto the sieve shaker (4.1) and secure them using the clamp provided.
- Set an automatic timer to 10 min and start the shaker.
- 6.5 When the shaker stops, remove the test sieves and carefully separate them.
- 6.6 Transfer quantitatively the tea that has been retained on each sieve into a series of beakers, previously weighed to the nearest 0,01 g, and weigh to the nearest 0,01 g.
- 6.7 It is recommended that an appropriate brush be used to aid the transfer of the tea from the test sieves to the beakers.

## 7 Calculation

Determine the percentage of tea retained on each test sieve and note the mesh sizes of the test sieves on which the largest amount (the peak) and the second largest amounts of tea were retained.

## 8 Classification

Classify the tea into one of the grades listed in Table 1 in accordance with the definitions given.

Each of the grades 1 to 6 in Table 1 may be divided into subgrades A, B and C, as follows:

- A: up to 2,0 % passing 355  $\mu\text{m}$ ;
- B: more than 2,0 % passing 355  $\mu\text{m}$ ;
- C: more than 5,0 % passing 355  $\mu\text{m}$ .

Each of the grades 7 to 10 in Table 1 may be divided into subgrades A, B and C, as follows:

- A: up to 2,0 % passing 250  $\mu\text{m}$ ;
- B: more than 2,0 % passing 250  $\mu\text{m}$ ;
- C: more than 5,0 % passing 250  $\mu\text{m}$ .

Each of the grades 11 to 15 in Table 1 may be divided into subgrades A, B and C, as follows:

- A: up to 2,0 % passing 150  $\mu\text{m}$ ;
- B: more than 2,0 % and up to 5,0 % passing 150  $\mu\text{m}$ ;
- C: more than 5,0 % passing 150  $\mu\text{m}$ .