



**INTERNATIONAL STANDARD ISO 11925-2:1997
TECHNICAL CORRIGENDUM 1**

Published 1998-07-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Reaction to fire tests — Ignitability of building products subjected to direct impingement of flame —

Part 2:

Single flame source test

TECHNICAL CORRIGENDUM 1

*Essais de réaction au feu — Allumabilité des produits du bâtiment soumis à l'incidence directe de la flamme —
Partie 2: Essai à l'aide d'une source à flamme unique*

RECTIFICATIF TECHNIQUE 1

Technical Corrigendum 1 to International Standard ISO 11925-2:1997 was prepared by Technical Committee ISO/TC 92, *Fire safety*, Subcommittee SC 1, *Reaction to fire*.

Page 2, subclause 3.2 b) ii)

In the second line, replace the full stop with a comma and replace “The” with “the”.

Page 3, subclause 6.2

In the first line, correct the length of specimen to (340 ± 1) mm.

Page 4, subclause 6.6

In the first line, replace “end mixtures” with “admixtures”.

ICS 13.220.50

Ref. No. ISO 11925-2:1997/Cor.1:1998(E)

Descriptors: buildings, fire protection, building elements, construction materials, tests, fire tests, flammability testing, determination, ignitability.

© ISO 1998

Printed in Switzerland