
**Space systems — Programme
management —**

**Part 2:
Product assurance**

*Systèmes spatiaux — Management de programme —
Partie 2: Assurance produit*

STANDARDSISO.COM : Click to view the full PDF of ISO 14300-2:2023



STANDARDSISO.COM : Click to view the full PDF of ISO 14300-2:2023



COPYRIGHT PROTECTED DOCUMENT

© ISO 2023

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Terms, definitions and abbreviated terms.....	2
3.1 Terms and definitions.....	2
3.2 Abbreviated terms.....	2
4 Objectives, policy and principles — General.....	2
4.1 Objectives.....	2
4.2 Policy and principles.....	2
5 Product assurance management.....	3
5.1 Objective.....	3
5.2 Policy and principles.....	3
5.3 Requirements.....	4
5.3.1 Responsibility and authority.....	4
5.3.2 Resources.....	4
5.3.3 Product assurance programme management.....	4
5.3.4 Contractual aspects.....	4
5.3.5 Risk assessment and control.....	5
6 Quality assurance.....	6
6.1 Objective.....	6
6.2 Policy and principles.....	6
7 Safety assurance.....	7
7.1 Objective.....	7
7.2 Policy and principles.....	7
7.2.1 Policy.....	7
7.2.2 Implementation principles.....	7
7.2.3 Safety programme.....	8
8 Dependability assurance.....	8
8.1 Objective.....	8
8.2 Policy and principles.....	8
8.2.1 General.....	8
8.2.2 Dependability programme.....	8
9 Parts, materials and processes.....	9
9.1 Objective.....	9
9.2 Policy and programme.....	9
9.2.1 Policy.....	9
9.2.2 Programme.....	9
Bibliography.....	10

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 14, *Space systems and operations*.

This third edition cancels and replaces the second edition (ISO 14300-2:2011), which has been technically revised.

The main changes are as follows:

- update of normative references, related references in the text and related terms and definitions;
- update of the Bibliography;

A list of all parts in the ISO 14300 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html

Introduction

This document is intended to be applied for the product assurance in space programmes/projects and applications.

Requirements in this document are defined in terms of what is intended to be accomplished, rather than in terms of how to organize and perform the necessary work. This allows existing organizational structures and methods to be applied where they are effective, and for the structures and methods to evolve as necessary without rewriting the standards.

The formulation of this document considers the existing ISO 9000 family of standards and the content of ISO 14300-1.

NOTE The term "programme" is understood as a group of several projects. Both "programme" and "project" can be used in the same context throughout this document. They are defined in ISO 14300-1.

STANDARDSISO.COM : Click to view the full PDF of ISO 14300-2:2023

STANDARDSISO.COM : Click to view the full PDF of ISO 14300-2:2023

Space systems — Programme management —

Part 2: Product assurance

1 Scope

This document defines the product assurance (PA) policy, objectives, principles, and requirements for the establishment and implementation of PA programmes for space programmes covering mission definition, design, development, production and operations of space products, including disposal.

The PA discipline covers: PA management, quality assurance, safety assurance, dependability (reliability, availability and maintainability), assurance of software and hardware products, as well as parts (including electrical, electromechanical and electronic components, and mechanical parts), materials and processes assurance.

This document defines their respective objectives, policies, and principles to achieve the stated overall PA objectives throughout the complete life cycle of the products.

This document applies to space products.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 9000, *Quality management systems — Fundamentals and vocabulary*

ISO 10794, *Space systems — Programme management — Material, mechanical parts and processes*

ISO 10795, *Space systems — Programme management and quality — Vocabulary*

ISO 14300-1, *Space systems — Programme management — Part 1: Structuring of a project*

ISO 14620-1, *Space systems — Safety requirements — Part 1: System safety*

ISO 14620-2, *Space systems — Safety requirements — Part 2: Launch site operations*

ISO 14620-3, *Space systems — Safety requirements — Part 3: Flight safety systems*

ISO 14621-1, *Space systems — Electrical, electronic and electromechanical (EEE) parts — Part 1: Parts management*

ISO 14621-2, *Space systems — Electrical, electronic and electromechanical (EEE) parts — Part 2: Control programme requirements*

ISO 17666, *Space systems — Risk management*

ISO 18238, *Space systems — Closed loop problem solving management*

ISO 22893, *Space systems — Software product assurance requirements*

ISO 23460, *Space projects — Programme management — Dependability assurance requirements*

ISO 23461, *Space systems — Programme management — Non-conformance control system*

3 Terms, definitions and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 9000, ISO 10795, ISO 14300-1 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1.1

product assurance

discipline devoted to the study, planning and implementation of activities intended to ensure that the design, controls, methods and techniques in a programme result in a satisfactory level of quality in a product

3.2 Abbreviated terms

EEE electrical, electronic, electromechanical

PA product assurance

4 Objectives, policy and principles — General

4.1 Objectives

The prime objective of PA is to ensure that the space products accomplish their defined mission objectives and, more specifically, that they are safe, available and reliable.

An additional objective is to achieve more cost-effective space programmes by coordinating the development and implementation of appropriate PA methods and standards.

In support of programme risk management, PA ensures an adequate identification, appraisal, prevention and control of technical and programmatic risks within programme constraints.

4.2 Policy and principles

In order to meet these objectives, a PA policy is defined in this document, which requires a PA programme derived from a system based on preventive approach and includes:

- a) protection of human life, space products, investment and environment;
- b) definition and maintenance of a programme PA function, with appropriate autonomy with respect to other lines and programme level organizations;
- c) integrated application of the PA disciplines and coordination with the associated functions of programme management and programme engineering;
- d) tailoring of the PA requirements to the specific programme needs;
- e) assignment of PA requirements and their control commensurate with the function criticality within the system;

- f) integrated PA participation to the overall risk management process;
- g) PA contribution to proper control of the technical risks and ensuring awareness by the appropriate levels of management until the end of the disposal phase;
- h) implementation of a preventive approach, i.e. early identification of potential problems and continuous influence on the development process;
- i) verification activities consistent with programme objectives;
- j) certification activities by the supplier on the end product for the customer's final acceptance.

5 Product assurance management

5.1 Objective

The objective of product assurance management is to ensure and achieve an adequate, effective and efficient coordination and implementation of the PA activities through a proper integration of the PA disciplines, as well as the integration of PA with all programme management and engineering activities.

The specific software product assurance requirements in terms of processes and products to be used for the development, maintenance and operation of software for space systems, shall be in accordance with ISO 22893.

5.2 Policy and principles

5.2.1 The PA management policy is that a PA programme is implemented throughout all programme phases and coordinated with all the actors, and is managed in such a way as to ensure that:

- a) the PA programme and organization, requirements, methods, tools and resources are well defined and implemented at each level from system down to piece part;
- b) the applicable standards are tailored appropriately;
- c) aspects are identified, which can affect programme requirements having major impacts on safety, mission success and the related cost and schedule consequences;
- d) adverse consequences of these aspects are prevented by the early detection, characterization, elimination, minimization and containment of problem contributors and initiators;
- e) risks are assessed and controlled, and acceptability of the residual risks is evaluated;
- f) the end product conforms to its specifications and observed non-conformities are properly disposed of.

Such a programme provides, at any time, the necessary visibility of the quality status of the product.

5.2.2 The basic implementation principles are to:

- a) define all PA activities consistent with the programme objectives, requirements, criticality and constraints;
- b) ensure the allocation and availability of adequate resources, personnel and facilities to carry out the required PA tasks;
- c) ensure that lower level contractors/suppliers perform proper PA implementation, monitoring and control;
- d) ensure proper progress monitoring, reporting and visibility of all PA matters, in particular those related to risk dispositions, alerts, critical items, non-conformities, changes, deviations, waivers,

actions and/or recommendations resulting from reviews, inspection and audits, qualification, verification and acceptance.

5.3 Requirements

5.3.1 Responsibility and authority

The following are the responsibility and authority requirements.

- a) The responsibility, the authority and the interrelation of PA shall be defined.
- b) The PA responsibilities and the interfaces of each organization, either external or internal, involved in a programme shall be defined and documented.
- c) The delegation of PA tasks by a supplier to another lower tier supplier shall be carried out in a documented and controlled way. The supplier retains the responsibility towards the customer.
- d) The parties involved shall perform risk management in accordance with ISO 17666.

5.3.2 Resources

The following are the resources requirements.

- a) The supplier shall provide adequate resources to perform the required PA tasks.
- b) Trained personnel shall be assigned to the various PA activities.
- c) The supplier shall assign a programme PA manager reporting to the programme manager and having unimpeded access to higher management through the company PA (or equivalent) executive as necessary to fulfil his/her duties.
- d) The supplier shall establish a documented training programme for all personnel whose performance determines or affects product quality.
- e) Reviews and audits of the PA programme, of processes and/or of product shall be carried out by personnel not directly involved in the work being performed.

5.3.3 Product assurance programme management

The following are the product assurance programme management requirements.

- a) The appointed programme PA manager, irrespective of other responsibilities, shall have sufficient organizational authority and independence to propose and maintain a PA programme in accordance with the programme PA requirements.
- b) The supplier shall prepare and implement a programme PA plan.
- c) The supplier's PA plan shall be maintained throughout the programme life cycle.
- d) The supplier shall report on a regular basis as specified in the business agreement on the status of the PA programme implementation.
- e) The supplier shall plan and perform quality audits of the PA programme, processes and/or products using established and maintained procedures.

5.3.4 Contractual aspects

At any contractual level, the applicable PA programme shall provide evidence that:

- a) all contracts include suitable PA provisions based upon the knowledge of the products and on the customer's requirements;

- b) the PA function is involved in the preparation and negotiations of the PA provisions;
- c) the PA function participates in the detailed review of the contract;
- d) the PA function is involved in the assessment and review of all changes to the contractual requirements.

5.3.5 Risk assessment and control

5.3.5.1 PA shall provide inputs to the overall programme risk management process defined in ISO 14300-1. In the implementation of the process, the following PA aspects shall be considered systematically:

- a) the likelihood and severity of risks or their uncertainties expected in demonstration of design performance, and with items having small design margins;
- b) the risk identified by dependability and safety analyses;
- c) the likelihood and severity of risks or their uncertainties expected in the development of new products, components, parts, materials, processes and critical technologies;
- d) the likelihood and severity of risks or their uncertainties expected in the procurement, manufacturing, assembly, inspection, testing, handling, storage and transportation, which may lead to unacceptable degradations in the quality of the product;
- e) the likelihood and severity of risks anticipated in product utilization or service implementation;
- f) the risk identified by suppliers at lower levels;
- g) the risk of product quality degradation as a result of cost and schedule constraints imposed on the programme;
- h) the effectiveness of risk reduction and control measures;
- i) the acceptability of residual risks.

5.3.5.2 Critical items shall be identified as a result of risk assessment. It is a programme responsibility to define the specific criteria for critical item identification, considering the capability for detection and control of risk occurrence.

5.3.5.3 In terms of dependability and safety, the following apply.

- a) The dependability and safety concept of technical risk identification, reduction and control is part of the “risk management process”, which shall be a continuous and iterative process throughout the programme life cycle. The dependability and safety-related technical risk reduction and control process are joint activities within engineering domains.
- b) The process of risk identification may be performed by applying two principles of approach simultaneously: the top-down approach and the bottom-up approach.
- c) The dependability and safety-related technical risk reduction and control process shall be applied to all identified hazards and failure modes, which have unacceptable consequences at any time in the programme.
- d) In the identification of failure modes and hazards, and associated technical risks, due consideration shall be given to past experience, studies, ground and flight tests, reviews, the industrial process, as well as the operational use.
- e) Risk-reduction measures as proposed for dependability and safety shall be assessed at system level in order to select the optimum solution to reduce the system-level risk.

5.3.5.4 The process of risk identification and assessment employs both qualitative and quantitative approaches.

- a) All identified technical risks shall be assessed primarily for the severity classification of their consequences and categorized according to the appropriate programme severity class. Corresponding controls shall be implemented.
- b) After qualitative risk reduction is applied, the residual risks, including probability, shall be evaluated. The acceptability of these residual risks shall be justified according to defined criteria.

6 Quality assurance

6.1 Objective

The objective of quality assurance is to provide adequate confidence to the customer that the end product or service satisfies the requirements.

The quality assurance (QA) requirements for the establishment and implementation of QA programmes for projects covering mission definition, design, development, production and operations of space systems, including disposal, are defined in ISO 27025.

6.2 Policy and principles

The quality assurance policy is to ensure, in conjunction with other integrated programme and PA functions, that the required quality is specified, designed-in and is incorporated, verified and maintained in the relevant hardware, software and associated documentation throughout all programme phases, by applying a programme where:

- a) assurance is provided that all requirements are adequately specified;
- b) design and development rules, methods and standards are consistent with the programme requirements;
- c) each applicable requirement is verified through a verification programme, which includes one or more of the following methods:
 - 1) analysis;
 - 2) inspection;
 - 3) testing;
 - 4) review of design;
 - 5) audits;
- d) design and performance requirements, including the specified margin and design traceability, are demonstrated through a qualification and acceptance process;
- e) inputs to the risk-management process are provided;
- f) assurance is provided that the design is producible and repeatable, and that the specification of the resulting product can be verified (including requirements verification control) and operated within the required operating limits;
- g) assurance that the operations, including post-flight and disposal, are carried out in a controlled way and in accordance with the relevant requirements;
- h) assurance is provided that suitable quality systems covering design, development, production, installation, servicing, final inspection and testing are in place and implemented by all participants in the programme;

- i) fabrication, integration, testing and maintenance are conducted in a controlled manner, such that the end item conforms to the applicable baseline;
- j) a non-conformity control system is established and maintained in order to track non-conformities systematically and to prevent reoccurrence shall be in accordance with ISO 23461; and supported by basic procedures and requirements of closed loop problem solving management which shall be in accordance with ISO 18238;
- k) quality records are maintained and analysed to report and detect trends in due time for preventive/corrective actions;
- l) inspection, measurement and testing equipment and tools in use on the contract are controlled to be accurate for their application;
- m) procedures and instructions are established, which provide for the identification, segregation, handling, packaging, preservation, storage and transportation of all items.

7 Safety assurance

7.1 Objective

The objective of safety assurance is to ensure that all safety risks associated with the design, development, production and operations of space products are identified, assessed, minimized, controlled and finally accepted.

Space systems shall follow the safety requirements defined in ISO 14620-1, ISO 14620-2 and ISO 14620-3.

7.2 Policy and principles

7.2.1 Policy

The safety policy shall ensure that space systems do not involve unacceptable hazards to (in order of priority):

- a) human life;
- b) the environment;
- c) public and private property;
- d) spacecraft and launcher;
- e) ground support equipment and facilities.

7.2.2 Implementation principles

The safety policy shall be implemented by applying a safety programme which shall ensure that:

- a) safety is integrated into the design of the system;
- b) safety control measures are adequately verified;
- c) safety requirements, including launch centre safety regulations, are met;
- d) hazards are identified and eliminated or, where this is not possible, minimized, ranked and controlled in accordance with programme objectives in a manner acceptable to the customer and to the safety organizations involved in the implementation of the mission.

Furthermore, the safety policy shall be fully compatible and associated with the dependability programme.

7.2.3 Safety programme

The safety programme shall comprise:

- a) the identification and control of all safety-related risks with respect to the design, development and operations of space products;
- b) the assessment of the risks based on qualitative and quantitative analysis, as appropriate;
- c) the application of a hazard-reduction precedence and of control measures of the residual risks;
- d) resolution of all accidents and incidents;
- e) cognizance of ISO 14620-1, ISO 14620-2 and ISO 14620-3.

8 Dependability assurance

8.1 Objective

The objective of the dependability assurance is to ensure that dependability risks associated with the design, development, production and operation of space products are adequately identified, assessed, minimized, controlled and finally accepted.

The dependability assurance requirements for space systems shall be in accordance with ISO 23460.

8.2 Policy and principles

8.2.1 General

The dependability policy is to ensure that space systems are available to achieve a successful mission at minimum life cycle costs.

8.2.2 Dependability programme

The dependability programme shall comprise:

- a) the identification of all technical risks with respect to functional needs which can lead to non-compliance with dependability requirements;
- b) the application of suitable analysis and design methods to ensure that dependability targets are met;
- c) the minimization of overall cost and schedule by making sure that:
 - 1) design rules, dependability analyses and risk reducing actions are tailored with respect to a suitable criticality categorization;
 - 2) risk-reducing actions are implemented continuously from the early phase of a programme and especially during the design phase;
- d) the provision of suitable inputs to the integrated logistics support activities.

The dependability policy shall be implemented by applying a dependability programme, fully compatible and coordinated with the safety programme.