

---

---

**Processes, data elements and documents in commerce, industry and administration — Long term signature profiles —**

Part 1:

**Long term signature profiles for CMS Advanced Electronic Signatures (CAAdES)**

*Processus, éléments d'informations et documents dans le commerce, l'industrie et l'administration — Profils de signature à long terme —*

*Partie 1: Profils de signature à long terme pour les signatures électroniques avancées CMS (CAAdES)*



STANDARDSISO.COM : Click to view the full PDF of ISO 14533-1:2014



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
Foreword .....	iv
Introduction .....	v
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Symbols</b> .....	<b>4</b>
<b>5 Requirements</b> .....	<b>4</b>
<b>6 Long term signature profiles</b> .....	<b>4</b>
6.1 Defined profiles .....	4
6.2 Representation of the required level .....	5
6.3 Standard for setting the required level .....	5
6.4 Action to take when an optional element is not implemented .....	6
6.5 CAdES-T profile .....	6
6.6 CAdES-A profile .....	8
6.7 Timestamp validation data .....	10
<b>Annex A (normative) Supplier's declaration of conformity and its attachment</b> .....	<b>12</b>
<b>Annex B (normative) Structure of timestamp token</b> .....	<b>17</b>
<b>Bibliography</b> .....	<b>19</b>

STANDARDSISO.COM : Click to view the full PDF of ISO 14533-1:2014

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14533-1 was prepared by Technical Committee ISO/TC 154, *Processes, data elements and documents in commerce, industry and administration*.

This second edition cancels and replaces the first edition (ISO 14533-1:2012), which has been technically revised. The main changes compared with the previous edition are that [Clause 6](#) and [Annexes A](#) and [B](#) have been technically revised with the addition of a new archive time-stamp format: archive-time-stamp-v3 (ATSv3) and an associated attribute ats-hash-index.

ISO 14533 consists of the following parts, under the general title *Processes, data elements and documents in commerce, industry and administration* — *Long term signature profiles*:

- *Part 1: Long term signature profiles for CMS Advanced Electronic Signatures (CADES)*
- *Part 2: Long term signature profiles for XML Advanced Electronic Signatures (XAdES)*

The following part is under preparation:

- *Part 3: Long term signature profiles for PDF Advanced Electronic Signatures (PAdES)*

## Introduction

The purpose of this part of ISO 14533 is to ensure the interoperability of implementations with respect to long term signatures that make electronic signatures verifiable for a long term. Long term signature specifications referenced by each implementation cover CMS Advanced Electronic Signatures (CADES) developed by the European Telecommunications Standards Institute (ETSI).

STANDARDSISO.COM : Click to view the full PDF of ISO 14533-1:2014

[STANDARDSISO.COM](https://standardsiso.com) : Click to view the full PDF of ISO 14533-1:2014

# Processes, data elements and documents in commerce, industry and administration — Long term signature profiles —

Part 1:

## Long term signature profiles for CMS Advanced Electronic Signatures (CAAdES)

### 1 Scope

This part of ISO 14533 specifies the elements, among those defined in CMS Advanced Electronic Signatures (CAAdES), that enable verification of a digital signature over a long period of time.

It does not give new technical specifications about the digital signature itself, nor new restrictions of usage of the technical specifications about the digital signatures which have already existed.

NOTE CMS Advanced Electronic Signatures (CAAdES) is the extended specification of Cryptographic message syntax (CMS), used widely.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ETSI/TS 101 733 v2.2.1 (2013-04), *Electronic Signatures and Infrastructures (ESI); CMS Advanced Electronic Signatures (CAAdES)*<sup>1)</sup>

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

##### **long term signature**

signature that is made verifiable for a long term by implementing measures to enable the detection of illegal alterations of signature information, including the identification of signing time, the subject of said signature, and validation data

#### 3.2

##### **profile**

rule used to ensure interoperability, related to the optional elements of referenced specifications, the range of values, etc.

#### 3.3

##### **required level**

level of requirement for implementing each element constituting a profile

1) Available from <http://pda.etsi.org/pda/queryform.asp>

**3.4**  
**cryptographic message syntax**  
**CMS**

syntax pertaining to the signature, digest, authentication, and encryption of a given message

Note 1 to entry: Cryptographic message syntax is defined in IETF RFC 5652.

**3.5**  
**CMS advanced electronic signature**  
**CAeS**

electronic signature defined in ETSI/TS 101 733 for which the signer can be identified and any illegal data alteration detected

**3.6**  
**CAeS with time**  
**CAeS-T**

CMS advanced electronic signature defined in ETSI/TS 101 733 with information to ascertain signing time

EXAMPLE      Signature timestamp.

**3.7**  
**archival CAeS**  
**CAeS-A**

CMS advanced electronic signature defined in ETSI/TS 101 733 with information that enables the detection of any illegal alterations of information pertaining to the signature, including the subject of the signature and validation data

EXAMPLE      Archive timestamp.

**3.8**  
**content information**

data structure that defines the content in CMS

**3.9**  
**signed data**

data structure that defines the signed data in CMS or related data

**3.10**  
**signerinfo**

data structure that defines the signature information for each signer or related data

**3.11**  
**signed attribute**

signature information that is the subject of a signature

**3.12**  
**unsigned attribute**

signature information that is not the subject of a signature

Note 1 to entry: The signature timestamp and archive timestamp are unsigned attributes.

**3.13**  
**validation data**

certificate and revocation information used to validate a signature and timestamp

**3.14**  
**timestamping authority**  
**TSA**

trusted third party commissioned to provide proof that certain data existed prior to a certain point in time

**3.15**  
**timestamp token**  
**TST**

data object that binds a representation of a datum to a particular time, thus establishing evidence that the datum existed before that time

**3.16**  
**signature timestamp**

timestamp affixed to a signature value in order to identify the time when the signature existed

**3.17**  
**archive timestamp**

timestamp affixed to information pertaining to a signature, including the subject of the signature and validation data, in order to enable the detection of any illegal alteration

**3.18**  
**trust anchor**

origin of trust provided in the form of a public key certificate or public key used by the validator to validate an electronic signature, and generally a public key certificate issued by a trusted root certification authority

**3.19**  
**trusted third party**  
**TTP**

security authority or its agent entrusted by another entity in connection with activities related to security

**3.20**  
**certification authority**  
**CA**

centre that is entrusted with the development and assignment of public key certificates

Note 1 to entry: Certification authorities can, at their discretion, develop and assign keys to entities.

**3.21**  
**certificate**

information on the publicly disclosed key as a part of an asymmetric key pair for an entity, signed by a certification authority to prevent forgery

**3.22**  
**attribute certificate**

certificate containing the job, qualification, position, and other attributes and attribute values

**3.23**  
**revocation information**

information issued by a certification authority with respect to a certificate revoked within the effective period

Note 1 to entry: This information can be collated to determine whether the certificate is still in force.

**3.24**  
**enhanced security service**  
**ESS**

optional enhanced service related to a signature including, but not limited to, information identifying SigningCertificate and information showing the type of signature

## 4 Symbols

The following symbols are used for the “required level”.

- C: Conditional
- M: Mandatory
- O: Optional
- P: Prohibited (creation or modification)

## 5 Requirements

**5.1** The generation or validation of CADES-T data conforms to this part of ISO 14533 provided that the following requirements are met:

- a) all processing of elements whose required level is “Mandatory” in the CADES-T profile, as specified in this part of ISO 14533, shall be included;
- b) detailed specifications pertaining to the processing of any element whose required level is “Conditional” in the CADES-T profile, as specified in this part of ISO 14533, shall be provided.

**5.2** The generation or validation of CADES-A data conforms to this part of ISO 14533 provided that the following requirements are met:

- a) all processing of elements whose required level is “Mandatory” in the CADES-A profile, as specified in this part of ISO 14533, shall be included;
- b) detailed specifications pertaining to the processing of any element whose required level is “Conditional” in the CADES-A profile, as specified in this part of ISO 14533, shall be provided.

**5.3** If first-party conformity assessment is used, the implementer shall make a declaration of conformity to this part of ISO 14533 by disclosing the supplier’s declaration of compliance and its attachment (see [Annex A](#)) containing a description of implementation status (and the specifications for any elements “Conditional”).

NOTE [Figure 1](#) shows the positioning of the generation and validation of CADES-T data and CADES-A data.

## 6 Long term signature profiles

### 6.1 Defined profiles

In order to make electronic signatures verifiable for a long term, signing time shall be identifiable, any illegal alterations of information pertaining to signatures, including the subject of information and validation data, shall be detectable, and interoperability ensured. To meet these requirements, this part of ISO 14533 defines the following two profiles with respect to CADES:

- a) CADES-T profile: a profile pertaining to the generation and validation of CADES-T data;
- b) CADES-A profile: a profile pertaining to the generation and validation of CADES-A data.

[Figure 1](#) shows the relation between CADES-T data and CADES-A data.




Figure 1 — Relation between CAAdES-T data and CAAdES-A data

## 6.2 Representation of the required level

This part of ISO 14533 defines the following representation methods for the required level (as a profile) of each element constituting CAAdES-T data and CAAdES-A data.

- Mandatory (M): Elements whose required level is “Mandatory” shall be implemented without fail. If such an element has optional subelements, at least one subelement shall be selected. Any element whose required level is “Mandatory” and is one of the subelements of an optional element shall be selected whenever the optional element is selected.
- Optional (O): Elements whose required level is “Optional” may be implemented at the discretion of the implementer.
- Conditional (C): Elements whose required level is “Conditional” may be implemented at the discretion of the implementer, provided that detailed specifications for the processing thereof are provided separately.
- Prohibited (P): Elements whose required level is ‘Prohibited’ shall not be created or modified, may be read.

## 6.3 Standard for setting the required level

The required level of each element constituting CAAdES-T data and CAAdES-A data shall be set in accordance with the following requirements.

- The required level shall be “Mandatory” for elements whose required level is “Mandatory” in the definition of CAAdES, and those necessary for the generation and validation of long term signatures. The elements whose required level is “Optional” in the definition of CAAdES are defined as “Mandatory”, “Optional” or “Conditional”.
- The required level shall be “Conditional” for externally defined elements.  
EXAMPLE 1 OtherCertificateFormat.
- The required level shall be “Conditional” for elements intended to interact with a certain application.  
EXAMPLE 2 ContentReference.
- The required level shall be “Conditional” for elements with an operation-dependent factor.  
EXAMPLE 3 Attribute certificate; time mark.

NOTE The archiving-type timestamp defined in ISO/IEC 18014-2 is included in “Time mark or other method.”

- e) The required level shall be “optional” for elements only containing reference information.

**6.4 Action to take when an optional element is not implemented**

The following action shall be taken when the CADES data used in a validation transaction contains an unimplemented element.

- a) When the required level of an upper-level element is mandatory and one or more subordinate optional elements shall be selected, or one or more relevant optional elements shall be selected, the validator shall be cautioned that validation requires implementation of said element(s); otherwise, validation cannot be performed.

EXAMPLE In a validation transaction, a BasicOCSPResponse element is detected where only the processing of CertificateList elements, among all other optional elements in RevocationValues, is implemented.

- b) When CounterSignature is an unimplemented element, the validator shall be cautioned that validation requires implementation of said element; otherwise, validation cannot be performed.
- c) Optional elements other than those specified above may be ignored for implementation.

**6.5 CADES-T profile**

**6.5.1 General**

The required levels of constituent elements of CADES-T data are specified in [6.5.2](#) to [6.5.4](#).

If a certification authority (CA) or other trusted service is trusted to maintain and keep certificates for the signature validation accessible for an appropriate period of time and parties relying on the signature validity know the location where the certificates are accessible, there is no need to hold them with the signature. Otherwise, for the interoperability reasons, the generator should include the signer certificate in CADES-T. The fields where the signer certificate or validation data may be included are determined according to strategies defined in ETSI/TS 101 733 v2.2.1, 6.4.3, where for the interoperability reasons and to prevent the signature to contain multiple values of the same large CRLs or certificates and OCSPs the elements defined in CMS ([Table 2](#)) CertificateSet or RevocationInfoChoices can be used. The OtherRevocationInfoFormat should be used for BasicOCSPResponse responses (see IETF RFC 6960, 4.2.1).

NOTE The signer certificate is the starting point where the public key for signature verification is stored and contains references where the validation data and issuer certificate are located (see “Authority Information Access” where id-ad-caIssuers and id-ad-ocsp are defined in IETF RFC 5280, 4.2.2.1; and “CRL Distribution Points” where id-ce-cRLDistributionPoints is defined in IETF RFC 5280, 4.2.1.13).

**6.5.2 Content information**

[Table 1](#) specifies the required level of each constituent element of Content information.

**Table 1 — Content information (CADES-T)**

Element	Required level	Value	ETSI/TS 101 733 v2.2.1 Reference
ContentType	M	Id-signedData	5.3
Content	M	SignedData	5.3

**6.5.3 Signed data and Signer Info**

[Tables 2](#) and [3](#) specify the required level of each constituent element of Signed data and Signer Info.

Table 2 — Signed Data (CADES-T)

Element	Required level	ETSI/TS 101 733 v2.2.1 Reference
CMSVersion	M	5.4
DigestAlgorithmIdentifiers	M	5.4
EncapsulatedContentInfo	M	5.4
eContentType	M	5.4
eContent	O	5.4
CertificateSet (Certificates)	O	5.4
Certificate	O	5.4
AttributeCertificateV2	O	5.4
OtherCertificateFormat	C	5.4
RevocationInfoChoices (crls)	O	5.4
CertificateList	O	5.4
OtherRevocationInfoFormat	C	5.4
SignerInfos	M	5.4
single	O	5.4
parallel	O	5.4

Table 3 — Signer Info (CADES-T)

Element	Required level	ETSI/TS 101 733 v2.2.1 Reference
CMSVersion	M	5.6
SignerIdentifier	M	5.6
IssuerAndSerialNumber	O	5.6
SubjectKeyIdentifier	O	5.6
DigestAlgorithmIdentifier	M	5.6
SignedAttributes	M	5.6
SignatureAlgorithmIdentifier	M	5.6
SignatureValue	M	5.6
UnsignedAttributes	M	5.6

#### 6.5.4 Signed attribute and unsigned attribute

Tables 4 and 5 specify the required levels of elements that constitute signed attributes and unsigned attributes. The required level shall be “Conditional” for any signed and unsigned attribute elements not listed in Tables 4 and 5.

Table 4 — Signed Attributes (CAAdES-T)

Attribute	Required level	ETSI/TS 101 733 v2.2.1 Reference
ContentType	M	5.7.1
MessageDigest	M	5.7.2
SigningCertificateReference	M	5.7.3
ESS SigningCertificate	O	5.7.3.1
ESS SigningCertificate v2	O	5.7.3.2
OtherSigningCertificate	C	5.7.3.3
SignaturePolicyIdentifier	C	5.8.1
SigningTime	O	5.9.1
ContentReference	C	5.10.1
ContentIdentifier	C	5.10.2
ContentHints	C	5.10.3
CommitmentTypeIndication	C	5.11.1
SignerLocation	C	5.11.2.
SignerAttribute	C	5.11.3
ContentTimestamp	C	5.11.4

Table 5 — Unsigned Attributes (CAAdES-T)

Attribute	Required level	ETSI/TS 101 733 v2.2.1 Reference
CounterSignature	O	5.9.2
Trusted time	M	4.4.1
SignatureTimeStamp	O	6.1.1
Time Mark or other method like archive time-stamp as its replacement	O	4.4.1

## 6.6 CAAdES-A profile

### 6.6.1 General

The required levels of constituent elements of CAAdES-A data are specified in [6.6.2](#) to [6.6.3](#).

The required levels of elements differ whether the signature applies the ArchiveTimeStampV3 form; or it applies one of the ArchiveTimeStampV1, ArchiveTimeStampV2 forms.

NOTE The ArchiveTimeStampV1, the ArchiveTimeStampV2, or the long-term-validation forms were defined with the following limitations:

- The hash calculation is invalidated after modification of the CertificateSet element, the RevocationInfoChoices element, the CertificateValues attribute, or the RevocationValues attribute of the time-stamped signature after applying those types of the time-stamp.
- The hash calculation is invalidated when any other unsigned attributes are included after applying those types of the time-stamp.
- The hash calculation can be invalidated according to usage of different incompatible implementations where BER or DER reordering (see ISO/IEC 8825-1:2008, 11.6) is used or where the tag and the length of unsigned attributes SET OF are included or not in the archive time-stamp hashing procedure.
- CMS implementations are not able to use certificates or revocation values stored in unsigned attributes CertificateValues or RevocationValues. A usage of such unsigned attributes causes a redundant presence of multiple values in parallel signatures or in any types of time-stamps.

Creation of the ArchiveTimeStampV1, ArchiveTimeStampV2, or long-term-validation forms were deprecated in ETSI/TS 101 733 v2.2.1. ArchiveTimeStampV3 should be used for a new archive time-stamp.

### 6.6.2 Structure of the CAdES-A profile

The CAdES-A profile is defined as an extended form of the CAdES-T profile to which the unsigned attributes specified in [Table 6](#) are added. The required level of each element of the portion corresponding to CAdES-T shall be as specified in [6.5](#).

### 6.6.3 Additional unsigned attributes

The required level of each element added to unsigned attributes shall be as stated in [Table 6](#). The required level shall be “Conditional” for any element not specified in [Table 6](#).

STANDARDSISO.COM : Click to view the full PDF of ISO 14533-1:2014

Table 6 — Unsigned Attributes (CADES-A)

Attribute	Required level		ETSI/TS 101 733 v2.2.1
	ArchiveTimeStampV3	ArchiveTimeStampV1/V2	Reference
CounterSignature	C	C <sup>e</sup>	5.9.2
Trusted time	M	M	4.4.1
SignatureTimeStamp	O	O	6.1.1
Time Mark or other method like archive time-stamp as its replacement	O	O	4.4.1
CompleteCertificateReferences	C	M <sup>e</sup>	6.2.1
CompleteRevocationReferences	C	M <sup>e</sup>	6.2.2
CompleteRevRefs CRL	O	O	6.2.2
CompleteRevRefs OCSP	O	O	6.2.2
OtherRevRefs	C	C	6.2.2
Attribute certificate references	C	C <sup>e</sup>	6.2.3
Attribute revocation references	C	C <sup>e</sup>	6.2.4
CertificateValues	C	M <sup>e</sup>	6.3.3
CertificateValues	O	O	6.3.3
Certificates maintained by trusted service	C	C	a
RevocationValues	C	M <sup>e</sup>	6.3.4
CertificateList	O	O	6.3.4
BasicOCSPResponse	O	O	6.3.4
OtherRevVals	C	C	6.3.4
RevocationValues maintained by trusted service	C	C	a
CADES-C-timestamp	C	C	6.3.5
Timestamped cert and crls reference	C	C	6.3.6
Archiving	M	M	6.4
ArchiveTimeStampV3 id-aa-ets-archiveTimeStampV3	O	O	6.4.3
ArchiveTimeStampV2 ArchiveTimeStamp id-aa-48	C <sup>f</sup>	O	6.4.1
ArchiveTimeStampV1 ArchiveTimeStamp id-aa-27	C <sup>f</sup>	O	b
Evidence Record	O	O	c
Other method	C	C	d

a If a certification authority (CA) or other trusted service is trusted to maintain and keep the signature validation data accessible for an appropriate period of time and parties relying on the signature validity know the location where the signature validation data are accessible, there is no need to hold them with the signature.

b Defined in ETSI/TS 101 733 v1.4.0 or earlier versions.

c Defined in IETF RFC 4998.

d If the other trusted service is trusted to maintain timestamping for the archiving period it can be applied.

e Attribute shall not be included after applying those types of the time-stamp.

f Not recommended attribute.

### 6.7 Timestamp validation data

The validation of past timestamps requires certificates and revocation information up to the trust anchor. Timestamp validation data requires certificates in the certificate chain from TSA certificates to trust anchor certificates, and the revocation information pertaining to each such certificate.

Validation data may be stored with CADES-A data as described below. When not stored with CADES-A data, validation data shall be stored by another secure means including, but not limited to, storage by CA as a TTP or by TSA.

In past timestamp validation, validation data stored as described below or by another secure means may also be used.

[Annex B](#) specifies the requirements relevant to the structure of a timestamp token.

Validation data for signature time-stamp shall be stored upon generation at one of the places specified in Table 7 or by CA, etc. The elements of storing validation data differ whether the signature applies the ArchiveTimeStampV3 form; or it applies one of the ArchiveTimeStampV1, ArchiveTimeStampV2 forms as shown in [Table 7](#).

**Table 7 — Elements of storing validation data for signature time-stamp**

Elements of storing validation data		ArchiveTimeStampV3		ArchiveTimeStampV1/V2	
		Required level	Preferred order	Required level	Preferred order
SignedData of time-stamped signature	CertificateSet	0	2	0	2
	RevocationInfoChoices	0	1	0	2
	CertificateValues attribute	C <sup>a</sup>		0	3
	RevocationValues attribute	C <sup>a</sup>		0	3
Timestamp token of the signature timestamp	CertificateSet	0	1	0	1
	RevocationInfoChoices	0	2	0	1
	CertificateValues attribute	C <sup>a</sup>		0	4
	RevocationValues attribute	C <sup>a</sup>		0	4

<sup>a</sup> Not recommended attribute.

Archive timestamp validation data shall be stored upon generation at one of the places specified in Table 8 or by CA, etc. The elements of storing validation data differ whether the signature applies the ArchiveTimeStampV3 form; or it applies one of the ArchiveTimeStampV1, ArchiveTimeStampV2 forms as shown in [Table 8](#).

**Table 8 — Elements of storing validation data for archive time-stamp**

Elements of storing validation data		ArchiveTimeStampV3		ArchiveTimeStampV1/V2	
		Required level	Preferred order	Required level	Preferred order
SignedData of archive time-stamped signature	CertificateSet	0	2	P	
	RevocationInfoChoices	0	1	P	
	CertificateValues attribute	P		P	
	RevocationValues attribute	P		P	
Timestamp token of the archive time-stamp	CertificateSet	0	1	0	1
	RevocationInfoChoices	0	2	0	1
	CertificateValues attribute	C <sup>a</sup>		0	2
	RevocationValues attribute	C <sup>a</sup>		0	2

<sup>a</sup> Not recommended attribute.

## Annex A (normative)

### Supplier's declaration of conformity and its attachment

#### A.1 General

This annex specifies the form of the supplier's declaration of conformity to the CADES long term signature profile.

#### A.2 Form of the supplier's declaration of conformity

Supplier's declaration of conformity to the long term signature profile
No. Issuer's name: Issuer's address: Object of declaration: The object of the declaration described above is in conformity with the requirement of the following long term signature profiles. <b>CADES-T profile and/or CADES-A profile</b> The implemented elements are as specified in <a href="#">Clause A.3</a> . Additional information: (The results of operation checks, etc. may be inserted here.) Signed for and on behalf of: (Place and date of issue) (Name, title)

#### A.3 Form of the attachment to the supplier's declaration of conformity

##### A.3.1 General

The attachment to the supplier's declaration of conformity shall contain the items specified in [A.3.2](#) to [A.3.7](#).

##### A.3.2 Version number of ETSI/TS 101 733 to be referenced

--

##### A.3.3 Scope of profile implementation

**Table A.1 — Profile Implementation**

Profile identifier	Generator	Verifier
CADES-T		
CADES-A		

##### A.3.4 Conformity to the CADES-T profile

Table A.2 — Signed Data (CAES-T)

Element	Required level	Generator	Verifier
CMSVersion	M		
DigestAlgorithmIdentifiers	M		
EncapsulatedContentInfo	M		
eContentType	M		
eContent	O		
CertificateSet (Certificates)	O		
Certificate	O		
AttributeCertificateV2	O		
OtherCertificateFormat	C		
RevocationInfoChoices (crls)	O		
CertificateList	O		
OtherRevocationInfoFormat	C		
SignerInfos	M		
Single	O		
Parallel	O		

Table A.3 — Signer Info (CAES-T)

Element	Required level	Generator	Verifier
CMSVersion	M		
SignerIdentifier	M		
IssuerAndSerialNumber	O		
SubjectKeyIdentifier	O		
DigestAlgorithmIdentifier	M		
SignedAttributes	M		
SignatureAlgorithmIdentifier	M		
SignatureValue	M		
UnsignedAttributes	M		

**Table A.4 — Signed Attributes (CADES-T)**

Attribute	Required level	Generator	Verifier
ContentType	M		
MessageDigest	M		
SigningCertificateReference	M		
ESS SigningCertificate	O		
ESS SigningCertificate v2	O		
OtherSigningCertificate	C		
SignaturePolicyIdentifier	C		
SigningTime	O		
ContentReference	C		
ContentIdentifier	C		
ContentHints	C		
CommitmentTypeIndication	C		
SignerLocation	C		
SignerAttribute	C		
ContentTimestamp	C		

**Table A.5 — Unsigned Attributes (CADES-T)**

Attribute	Required level	Generator	Verifier
CounterSignature	C		
Trusted signing time	M		
SignatureTimeStamp	O		
Time Mark or other method like archive time-stamp as its replacement	O		

**A.3.5 Conformity to the CADES-A profile**