

---

---

**Geotechnical investigation and testing —  
Identification and classification of soil —**

Part 2:  
**Principles for a classification**

*Reconnaissance et essais géotechniques — Dénomination, description  
et classification des sols —*

*Partie 2: Principes pour une classification*

STANDARDSISO.COM : Click to view the full PDF of ISO 14688-2:2004



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO 14688-2:2004

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Page

Foreword.....	iv
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms and definitions.....</b>	<b>2</b>
<b>4 Principles of soil classifications .....</b>	<b>3</b>
4.1 General.....	3
4.2 Fractions.....	4
4.3 Particle size distribution (grading).....	4
4.4 Plasticity.....	5
4.5 Organic content.....	5
<b>5 Other principles suitable for soil classification.....</b>	<b>5</b>
5.1 General.....	5
5.2 Correlations of density terms for sands and gravels.....	5
5.3 Undrained shear strength of fine soils .....	6
5.4 Consistency index .....	7
5.5 Other suitable parameters.....	7
<b>Annex A (informative) Principles of soil classifications.....</b>	<b>8</b>
<b>Annex B (informative) Example of a classification of soils, based on grading alone.....</b>	<b>10</b>
<b>Bibliography .....</b>	<b>13</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14688-2 was prepared by Technical Committee ISO/TC 182, *Geotechnics*, Subcommittee SC 1, *Geotechnical investigation and testing*.

ISO 14688 consists of the following parts, under the general title *Geotechnical investigation and testing — Identification and classification of soil*:

- *Part 1: Identification and description*
- *Part 2: Principles for a classification*
- *Part 3: Electronic exchange of data on identification and description of soil*

# Geotechnical investigation and testing — Identification and classification of soil —

## Part 2: Principles for a classification

### 1 Scope

This part of ISO 14688, together with ISO 14688-1, establishes the basic principles for the identification and classification of soils on the basis of those material and mass characteristics most commonly used for soils for engineering purposes. The relevant characteristics may vary and therefore, for particular projects or materials, more detailed subdivisions of the descriptive and classification terms may be appropriate.

Identification and description of soil are covered by ISO 14688-1.

The classification principles established in this part of ISO 14688 permit soils to be grouped into classes of similar composition and geotechnical properties and, with respect to their suitability for geotechnical engineering purposes, such as

- foundations,
- ground improvements,
- roads,
- embankments,
- dams, and
- drainage systems.

This part of ISO 14688 is applicable to natural soil and similar man-made material *in situ* and redeposited, but it is not a classification of soil by itself.

Identification and description of rock are covered by ISO 14689-1.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3310-1, *Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth*

ISO 3310-2, *Test sieves — Technical requirements and testing — Part 2: Test sieves of perforated metal plate*

ISO 14688-1, *Geotechnical investigation and testing — Identification and classification of soil — Part 1: Identification and description*

ISO 14689-1, *Geotechnical investigation and testing — Identification and classification of rock — Part 1: Identification and description*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions of ISO 14688-1 and the following apply.

#### 3.1

##### **soil classification**

assignment of soil into soil groups on the basis of certain characteristics, criteria and genesis

#### 3.2

##### **soil group**

a particular collection of soils of similar composition and geotechnical properties

#### 3.3

##### **uniformity coefficient**

$C_U$

measure of the shape of the grading curve within the range from  $d_{10}$  to  $d_{60}$

$$C_U = d_{60}/d_{10}$$

NOTE  $d_{10}$  and  $d_{60}$  are the particle sizes corresponding to the ordinates 10 % and 60 % by mass of the percentage passing.

#### 3.4

##### **coefficient of curvature**

$C_C$

measure of the shape of the grading curve within the range from  $d_{10}$ ,  $d_{30}$  to  $d_{60}$

$$C_C = (d_{30})^2/(d_{10} \cdot d_{60})$$

#### 3.5

##### **water content**

$w$

mass of water which can be removed from the soil, usually by drying, expressed as a percentage of the dry mass

#### 3.6

##### **liquid limit**

$w_L$

water content at which a fine soil passes from the liquid to the plastic condition, as determined by the liquid limit test

#### 3.7

##### **plastic limit**

$w_P$

water content at which a fine soil becomes too dry to be in a plastic condition, as determined by the plastic limit test

#### 3.8

##### **plasticity index**

$I_P$

numerical difference between the liquid limit and plastic limit of a fine soil

$$I_P = w_L - w_P$$

### 3.9 liquidity index

 $I_L$ 

numerical difference between the natural water content and the plastic limit expressed as a percentage ratio of the plasticity index

$$I_L = (w - w_p)/I_p$$

### 3.10 consistency index

 $I_C$ 

numerical difference between the liquid limit and the natural water content expressed as a percentage ratio of the plasticity index

$$I_C = (w_L - w)/I_p$$

### 3.11 density index

 $I_D$ 

(coarse soils (sands and gravels)) index dependent upon the void ratio ( $e$ ) and the void ratios corresponding to the minimum density ( $e_{\max}$ ) and the maximum density ( $e_{\min}$ ), as measured in the laboratory

$$I_D = (e_{\max} - e)/(e_{\max} - e_{\min})$$

### 3.12 undrained shear strength

 $c_u$ 

shear resistance of soil in the undrained condition

### 3.13 void ratio

ratio of the volume of voids to the volume of solids of a soil

### 3.14 compressibility index

 $C_c$ 

compressibility index is defined according to the relation

$$C_c = - \frac{\Delta e}{\lg[(\sigma' + \Delta\sigma')/\sigma']} = - \frac{\Delta e}{\Delta(\lg \sigma')}$$

NOTE  $\Delta e$  is the change in void ratio (negative value when  $\Delta e$  decreases) and  $\frac{\Delta e}{\Delta(\lg \sigma')}$  is the change in void ratio  $\Delta e$  for a relative increase of effective stress from  $\lg \sigma'$  to  $\lg(\sigma' + \Delta\sigma')$ .

## 4 Principles of soil classifications

### 4.1 General

Soils shall be classified into soil groups on the basis of their nature which is the composition only, irrespective of their water content or compactness, taking into account the following characteristics:

- particle size distribution (grading);
- plasticity;
- organic content;
- genesis.

NOTE Some principles for soil classification are given in Annex A.

**4.2 Fractions**

Soil is a mixture of materials of different particle size, which are grouped into fractions as specified in ISO 14688-1.

Classification of coarse and very coarse soils is to be based on the particle size distribution alone (see 4.3 and Table 1).

**Table 1 — Classification of very coarse soil**

Fraction	Percent by mass	Term
Boulders	< 5	low boulder content
	5 to 20	medium boulder content
	> 20	high boulder content
Cobbles	< 10	low cobble content
	10 to 20	medium cobble content
	> 20	high cobble content

NOTE The classification of very coarse soils requires a very large sample. It is not possible to recover representative samples from boreholes to use this classification.

In the case of soils composed of both fine and coarse material, classification is to be based on both plasticity and particle size distribution (see 4.3 and 4.4).

**4.3 Particle size distribution (grading)**

The particle sizes and their distribution in a soil are determined by mechanical analysis carried out as follows:

- the separation of the coarser fractions by sieving on a series of standard sieves according to ISO 3310-1 and ISO 3310-2;
- the determination of the finer fractions by an accepted process (e.g. sedimentation, optical methods).

NOTE An example of how this can be done is given in Annex B.

The results of the sieving and sedimentation process are plotted as a grading curve.

When designating the coarse fractions, a distinction may be drawn between well graded, poorly graded and gap-graded particle size distributions. In this connection the coefficient of curvature ( $C_C$ ) and the uniformity coefficient ( $C_U$ ) provide quantitative means for describing the shape of the grading curve. If certain grain sizes are absent, the term gap-graded is used. The median  $d_{50}$  of the grading curve, together with  $C_U$  and  $C_C$  may also be used to indicate the particle size grading (see Table 2).

**Table 2 — Shape of grading curve**

Shape of grading curve	$C_U$	$C_C$
Multi-graded	> 15	$1 < C_C < 3$
Medium-graded	6 to 15	< 1
Even-graded	< 6	< 1
Gap-graded	Usually high	Any (usually < 0,5)

#### 4.4 Plasticity

The fine fractions of soil, represented by clay and silt and containing clay minerals (see also ISO 14688-1), both alone or in mixtures with coarser material, are usually classified according to their plasticity characteristics. This is carried out on the basis of laboratory tests to determine the liquid limit  $w_L$  and plastic limit  $w_p$ .

The degree of plasticity of fine soils should be classified using the following terms:

- a) non-plastic;
- b) low plasticity;
- c) intermediate plasticity;
- d) high plasticity.

#### 4.5 Organic content

When soils with organic constituents are classified according to their organic content (see Table 3), a distinction is to be made between organic soils and mineral soils with an organic content.

**Table 3 — Classification of soils with organic constituents**

Soil	Organic content ( $\leq 2$ mm) % of dry mass
Low-organic	2 to 6
Medium-organic	6 to 20
High-organic	> 20

Classification of coarse and composite organic soils accumulated *in situ* is based on the type of organic matter and that of organic soils, on the genetic origin and the degree of decomposition of the organic constituents.

### 5 Other principles suitable for soil classification

#### 5.1 General

There is a variety of quantifying terms which can be used to describe soils which include density, undrained shear strength and consistency index.

#### 5.2 Correlations of density terms for sands and gravels

The terms used for the classification of density index  $I_D$  are very loose, loose, medium dense, dense and very dense (see Table 4). Density index can be related to the results of field tests (see, for example, EN 1997-2). Such field tests are, for example, Dynamic Probing (DP) according to ISO 22476-2, Standard Penetration Test (SPT) according to ISO 22476-3, cone penetration tests (CPT) according to ISO 22476-1 and pressuremeter tests (PMT) according to ISO 22476-4, ISO 22476-6 and ISO 22476-8. These documents are being prepared.

**Table 4 — Correlations to classify density terms**

Term	Density index
	$I_D$ %
Very loose	0 to 15
Loose	15 to 35
Medium dense	35 to 65
Dense	65 to 85
Very dense	85 to 100

**5.3 Undrained shear strength of fine soils**

The terms to be used for the designation of the undrained shear strength according to the results of laboratory and field tests are given in Table 5.

**Table 5 — Undrained shear strength of fine soils**

Undrained shear strength of clays	Undrained shear strength $c_u$ kPa
Extremely low	< 10
Very low	10 to 20
Low	20 to 40
Medium	40 to 75
High	75 to 150
Very high	150 to 300
Extremely high <sup>a</sup>	> 300

<sup>a</sup> Materials with shear strength greater than 300 kPa may behave as weak rocks and should be described as rocks according to ISO 14689-1.

NOTE When making an immediate (field) examination, the strength is estimated by manual tests or measured by a simple field test, e.g. pocket penetrometer or small vane apparatus.

Fine soils may also be classified according to their sensitivity, the ratio between the undisturbed and remoulded undrained shear strengths. The sensitivity is low (< 8), medium (8 – 30) or high (> 30); soils with sensitivities > 50 are described as quick clays.

## 5.4 Consistency index

Terms to be used for the designation of the consistency index ( $I_C$ ) of silts and clays where appropriate, are given in Table 6.

**Table 6 — Consistency index  $I_C$  of silts and clays**

Consistency of silts and clays	Consistency index $I_C$
Very soft	< 0,25
Soft	0,25 to 0,50
Firm	0,50 to 0,75
Stiff	0,75 to 1,00
Very stiff	> 1,00

These subdivisions may be approximate, particularly in materials of low plasticity. Also, the strength of a clay may not be constant at a given consistency index. The liquidity index may be used as an alternative.

## 5.5 Other suitable parameters

Some other parameters may be used for soil classification for specific purposes such as:

- dry density;
- clay activity;
- mineralogical nature,
- saturation index;
- permeability;
- compressibility index  $C_C$ ;
- swelling index;
- carbonate index.

## **Annex A** (informative)

### **Principles of soil classifications**

The most common approach to classification is to divide the soils on the basis of particle size grading and plasticity. The division is made on the relative size fractions present for the coarser soil fractions, determined on the whole sample, and on the plasticity of the finer fractions (e.g. Table A.1).

The principles for establishing classifications to suit particular geological conditions or engineering problems are given in this standard.

Extensions or amplification of these principles at national or project level are possible and an example is given in Table A.1.

Particular classifications would normally be expected to quantify the boundaries or rules for categorization.

STANDARDSISO.COM : Click to view the full PDF of ISO 14688-2:2004

Table A.1 — Principles of a classification of soils

Criterion	Soil group	Quantification	Denomination into groups of similar properties		Further subdivision as appropriate by	
Wet soil does not stick together	very coarse	most particles > 200 mm	Bo	xBo	Requires special consideration	
		most particles > 63 mm	Co	boCo, grCo sagrCo		
	coarse	most particles > 2 mm	Gr	coGr	cosaGr	Particle size (grading) Shape of grading curve Relative density Permeability
most particles > 0,063 mm		Sa	saGr, grSa orSa	sasiGr, grsiSa siSa, clSa, saclGr	(Mineralogy) (Particle shape)	
Wet soils sticks together	fine	low plasticity dilatant	Si	saSi	sagrSi sacSi	Plasticity Water content Strength, sensitivity Compressibility, stiffness (Clay mineralogy)
		plastic non-dilatant	Cl	clSi, siCl orSi, orCl	sagrCl	
Dark colour, low density	organic		Or	saOr, siOr	clOr	Requires special consideration
Not naturally	Made ground	deposited	Mg	xMg	Man-made material	Requires special consideration
					Relaid natural materials	As for natural soils
<b>Key to symbols</b>	<i>Principal</i> Bo Co Gr Sa Si Cl Or Mg	<i>Secondary or tertiary component</i> bo co gr sa si cl or — x any combination of components	Gr(gr) and Sa(sa) can be subdivided into fine F(f), medium M(m) or coarse C(c)		Cases requiring special consideration should be classified according to national or project requirements	

**Annex B**  
(informative)

**Example of a classification of soils, based on grading alone**

Figure B.1 and Table B.1 give an example of a possible soil classification, based on grading alone.

STANDARDSISO.COM : Click to view the full PDF of ISO 14688-2:2004