
**Sensory analysis — Assessment
(determination and verification) of
the shelf life of foodstuffs**

*Analyse sensorielle — Évaluation (détermination et vérification) de la
durée de conservation des produits alimentaires*

STANDARDSISO.COM : Click to view the full PDF of ISO 16779:2015



STANDARDSISO.COM : Click to view the full PDF of ISO 16779:2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Procedure	2
4.1 General.....	2
4.2 Selection of the test and reference samples.....	2
4.2.1 Test samples.....	2
4.2.2 Reference samples.....	3
4.2.3 Number and amount of the required test and reference samples.....	3
4.3 Storage conditions.....	3
4.3.1 Specified storage conditions.....	3
4.3.2 Not specified storage conditions.....	3
4.3.3 Storage conditions intended to accelerate product changes.....	3
4.3.4 Examples of application when the reaction/rate/temperature (RRT) is equal to 2.....	4
4.4 Preparation of a sampling plan.....	4
4.4.1 Specification of the starting point.....	4
4.4.2 Specification of the test period.....	4
4.4.3 Test steps.....	5
5 Test methods	5
5.1 General.....	5
5.2 Discrimination tests.....	5
5.3 Descriptive tests.....	5
5.4 Hedonic tests.....	5
5.5 Combination of test methods.....	6
6 Evaluation of results	6
7 Test report	6
Bibliography	7

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 34, *Food products*, Subcommittee SC 12, *Sensory analysis*.

Introduction

Measurements of product changes over time provide a basis for the determination and verification of the shelf life of foodstuffs (best before date and use by date).

STANDARDSISO.COM : Click to view the full PDF of ISO 16779:2015

[STANDARDSISO.COM](https://standardsiso.com) : Click to view the full PDF of ISO 16779:2015

Sensory analysis — Assessment (determination and verification) of the shelf life of foodstuffs

1 Scope

This International Standard specifies methods for the determination and verification of the shelf life of foodstuffs by means of sensory tests. Sensory characteristics to be evaluated are changes in appearance, odour, flavour, taste, trigeminal sensation, and texture during assumed preservation periods.

It is intended to support the development of individual approaches.

This International Standard does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user of this International Standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

NOTE For the purposes of calculating the shelf life, before microbiological, chemical and physical investigation results are used in addition to sensory testing.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable to its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 5492, *Sensory analysis — Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5492 and the following apply.

3.1

best before date

date of minimum durability (best before date) which signifies the end of the period under any stated storage conditions during which the product will remain marketable and will retain any specific quality for which claims have been made

Note 1 to entry: Date before the product may still be perfectly satisfactory.

3.2

use by date

date which signifies the end of the estimated period under any stated storage conditions, after which the product probably will not have the quality attributes normally expected by consumers

Note 1 to entry: After this date, the food should not be regarded as marketable.

3.3

specified storage condition

specified environmental parameter kept constant over a defined period of time

3.4

not specified storage condition

environmental parameter which arise depending on the environment and may change over time

3.5

storage condition intended to accelerate product changes

environmental parameter applied to accelerate changes of the specific characteristics of a product

3.6

sampling plan

specification of the starting point, the test period, the test intervals, the expected endpoint, the suitable test method, the number and amount of test samples and reference samples, and the storage conditions

3.7

starting point

first date of test, beginning of the test series

3.8

test period

period of time over which the product-specific characteristics are investigated

3.9

test interval

defined period of time between the individual sensory tests within the test period

3.10

endpoint

last date of test, end of the test series

3.11

test method

suitable method (sensory and, if relevant, physical, chemical and/or microbiological) for verification shelf life assessment

3.12

reference sample

product with which the product to be tested is compared

4 Procedure

4.1 General

A sampling plan comprising the specification of a starting point, the test period and the intended test intervals is prepared in accordance with 4.4. The test and reference samples are selected in accordance with 4.2. Then the test samples are subjected to a systematic storage (see 4.3). The sensory test is performed within the test intervals, up to the end point, applying the suitable test methods. Afterwards the results are evaluated.

4.2 Selection of the test and reference samples

4.2.1 Test samples

Test samples used for the determination and/or verification of the shelf life shall be representative for the respective product as far as recipe, manufacturing process and packaging technique are concerned.

The samples should be present in the packaging intended to be used for distribution. For the purposes of orienting preliminary tests, the test samples may also have been produced on test plants or on the laboratory scale. When examining the shelf life, the test samples may also be taken from among commercially available products.

If necessary, the test samples may be subjected to typical storage and distribution conditions (e.g. exposure to light, temperature and humidity variations, shaking or vibration, respectively).

4.2.2 Reference samples

The test samples should be compared with the respective reference sample.

A reference sample can be any of the following:

- a) the standard used so far and descriptive data obtained in previous sensory tests and available at the starting point, e.g. results of the investigation of profiles or of descriptive tests;
- b) a representative reference sample freshly produced for each test interval;
- c) a reference sample stored under conditions minimizing changes of the specific product characteristics during the assessment period, such as storage under colder conditions or under a modified atmosphere.

The reference samples can be complemented by data obtained in consumer surveys.

4.2.3 Number and amount of the required test and reference samples

Number and amount of the test and the reference samples required over the whole test period depend on the test intervals specified in the sampling plan, the sensory test method, the test set-up, the nature of foodstuff and the storage conditions.

4.3 Storage conditions

4.3.1 Specified storage conditions

The storage conditions shall be specified in order to, for example, reproduce the channel of distribution of a product and to include changes of temperature, humidity, light, atmospheric pressure and the simulation of seasonal changes of the weather (temperature variations), packaging-related behaviour (migration, permeability to oxygen, water vapour barrier, perforation, etc.).

Specified storage conditions shall be recorded.

4.3.2 Not specified storage conditions

Not specified conditions are conditions which can arise during proper storage, as a result of the environmental conditions. They shall meet the product-related requirements and correspond with the storage conditions encountered in practice.

The conditions of not specified storage or their changes, respectively, shall be recorded.

4.3.3 Storage conditions intended to accelerate product changes

Accelerating storage conditions is intended to promote faster changes in characteristic attributes for products of long shelf life and use by date.

In cases of products with a longer shelf life (such as frozen fully preserved food and dried foodstuffs) shortening of the test period by means of accelerating product changes may be advisable.

Accelerating storage conditions shall be adapted to the product.

Accelerating storage conditions can be both specified and not specified and shall be recorded.

In the absence of prior data that would suggest otherwise, an estimation of how to shorten the test period, the Arrhenius law may be useful when the shelf life of a product is linked to water activity.

An increase of the storage temperature can save time with regard to the determination or verification of the shelf life of certain products; however, the values thus obtained only approximately reflect the product's behaviour under normal storage conditions.

For certain products, higher temperatures may result in negative changes, e.g. appearance which would not arise under normal conditions and which are not necessarily directly associated with the shelf life.

4.3.4 Examples of application when the reaction/rate/temperature (RRT) is equal to 2

a) Storage temperature of 20 °C:

Predicted or expected shelf life of 20 months: equal to the full period.

b) Storage temperature of 30 °C:

Predicted or expected shelf life of 10 months equal to half of the full period.

That means: after half of the full period, a conditional conclusion is possible.

c) Storage temperature of 40 °C:

Predicted or expected shelf life of 5 months equal to a quarter of the full period.

That means: after a quarter of the full period, a conditional conclusion is possible.

4.4 Preparation of a sampling plan

4.4.1 Specification of the starting point

The first step in preparing a sampling plan consists in the specification of a starting point. The starting point can be any of the following:

- a) the time immediately following production;
- b) the dispatch time;
- c) the time when the product usually arrives to the consumer;
- d) the time when the product ingredients have reached equilibrium (e.g. unfolding of aroma following sterilization, etc.).

4.4.2 Specification of the test period

Once a starting point has been chosen, the shelf life to be expected is estimated. The basis for the estimated shelf life can be any of the following:

- a) a shelf life already documented on the basis of available data obtained with similar products which are already established;
- b) the declared shelf life for similar products manufactured by national or international competitors;
- c) the shelf life required for marketing schedules, distribution systems or other logistical activities;
- d) the shelf life to be expected when using novel packaging materials or packaging systems;
- e) the shelf life to be expected when testing and/or integrating novel, sensible or sensitive ingredients.

The test period may be longer than the estimated shelf life by 50 % or 100 % for products having a shelf life of less than 60 days and by about 25 %, for those with a shelf life of more than 60 days. The test period should be planned after the estimated shelf life to be sure to achieve the shelf life and to observe the sensory characteristics of a spoiled product.

4.4.3 Test steps

For testing, appropriate evaluation steps are specified within which assessment takes place. In the case of samples which are subject to accelerating storage conditions, the proposed test intervals refer to the assessment period shortened accordingly.

EXAMPLE 1: For a product of unknown shelf life or for a product for which there are no values available obtained with similar products, assessment should take place in the following intervals:

0 %; 25 %; 50 %; 75 %; 100 %; 125 % and/or 150 %

of the estimated shelf life.

EXAMPLE 2: For a product which changes mostly during the final phase of its shelf life, assessment should take place in the following intervals:

0 %; 50 %; 65 %; 80 %; 90 %; 100 %; 110 % and 125 % or 150 %

of the estimated shelf life.

EXAMPLE 3: For a product which changes mostly during the initial phase of its shelf life, assessment should take place in the following intervals:

0 %; 10%; 25%; 50 %; 75%; 100 and 125 %

of the estimated shelf life.

5 Test methods

5.1 General

The test methods shall be selected on the basis of specified criteria or criteria to be agreed upon.

Analytical or hedonic tests are suitable sensory test methods.

5.2 Discrimination tests

Discrimination tests shall be applied to determine from which time on there is a statistically verified difference between the test sample and the reference sample.

Examples of discrimination tests are as follows:

- Triangle test (see ISO 4120);
- Paired comparison test (see ISO 5495);
- Duo-trio test (see ISO 10399).

Discrimination tests are not suitable for very obviously visual heterogeneous products.

5.3 Descriptive tests

Descriptive tests shall be applied when changes of one or more of the product's characteristic attributes define the end of the shelf life and/or very heterogeneous products are to be assessed. (see ISO 13299).

Statistical significance by itself should not be used to define the end of shelf life. Instead a meaningful change in sensory properties (verified by statistical significance, when available) should be applied.

5.4 Hedonic tests

Hedonic tests require surveys among a sufficiently large group of consumers (see ISO 11136).