
**Statistical data and metadata
exchange (SDMX)**

Données statistiques et échange de métadonnées (SDMX)

STANDARDSISO.COM : Click to view the full PDF of ISO 17369:2013



STANDARDSISO.COM : Click to view the full PDF of ISO 17369:2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Terms, definitions and abbreviated terms	1
2.1 Terms and definitions	1
2.2 Abbreviated terms	3
3 Processes and business scope	3
3.1 Process patterns	3
3.2 SDMX and process automation	4
3.3 Statistical data and metadata	5
3.4 SDMX view of statistical exchange	6
3.5 SDMX registry services	10
3.6 Web services	11
4 SDMX information model	11
5 SDMX-EDI	11
6 SDMX-ML	12
7 Dependencies on SDMX content-oriented guidelines	13
7.1 General	13
7.2 Cross-domain concepts	13
7.3 Metadata common vocabulary	14
7.4 Statistical subject-matter domains	14
Bibliography	15

STANDARDSISO.COM : Click to view the full PDF of ISO 17369:2013

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 17369 was prepared by Technical Committee ISO/TC 154, *Processes, data elements and documents in commerce, industry and administration*.

This first edition of ISO 17369 cancels and replaces ISO/TS 17369:2005, which has been technically revised.

STANDARDSISO.COM : Click to view the full PDF of ISO 17369:2013

Introduction

The Statistical Data and Metadata Exchange (SDMX) initiative (<http://www.sdmx.org>) sets standards that can facilitate the exchange of statistical data and metadata using modern information technology, with an emphasis on aggregated data.

There are several sections to the SDMX technical specification.

- a) The SDMX Framework Document presents the scope and integrated functionality of the concepts and specifications that constitute the SDMX standard.
- b) The SDMX Information Model is the information model upon which syntax-specific implementations described in the other sections are based. This is intended for technicians wishing to understand the complete scope of the technical standards in a syntax-neutral form. It includes as an annex a tutorial on UML (Unified Modelling Language).
- c) SDMX-ML is the XML format for the exchange of SDMX-structured data and metadata. This document describes the use of the XML syntax in SDMX messages, and is accompanied by a set of XML schemas and sample XML document instances.
- d) SDMX-EDI is the UN/EDIFACT format for exchange of SDMX-structured data and metadata. This describes the use of the UN/EDIFACT syntax in SDMX messages.
- e) The SDMX Registry Specification provides for a central registry of information about available data and reference metadata, and for a repository containing structural metadata and provisioning information. This specification defines the basic services offered by the SDMX registry: registration of data and metadata; querying for data and metadata; and subscription/notification regarding updates to the registry.
- f) The SDMX Technical Notes constitute a guide to help those who wish to use the SDMX specifications. They include notes on the expressive differences of the various messages and syntaxes; versioning; maintenance agencies; the SDMX Registry.
- g) Web Services Guidelines constitute a guide for those who wish to implement SDMX using web-services technologies. They place an emphasis on those aspects of web-services technologies (including, but not requiring, an SDMX-conformant registry) which will work regardless of the development environment or platform used to create the web service.

SDMX version 2.0 represented a significant increase in scope, and also provided more complete support in those areas covered in SDMX version 1.0. SDMX version 2.0 is backward-compatible with SDMX version 1.0, so that existing implementations can be easily migrated to conformance with SDMX version 2.0.

SDMX version 2.1 represents a set of changes resulting from several years of implementation experience with SDMX version 2.0. The changes do not represent a major increase in scope or functionality, but do correct some bugs and add functionalities in some cases. Major changes in SDMX-ML include a much stronger alignment of the XML schemas with the information model, to emphasize inheritance and object-oriented features, and increased precision and flexibility in the attachment of metadata reports to specific objects in the SDMX information model.

The idea of backward-compatibility in the standards is based on the information model. In both releases, some non-backward-compatible changes have been made to the SDMX-ML formats. However, the same set of information required to use SDMX version 1.0 will permit the use of the same features in SDMX version 2.0. Thus, a data structure definition (DSD) is easily translated from SDMX version 1.0 to SDMX version 2.0, without requiring any new information regarding structures, etc. There have been no changes to the SDMX-EDI format.

The main changes from SDMX version 1.0 to SDMX version 2.0 can be briefly summarized as follows.

- Reference Metadata: In addition to describing and specifying data structures and formats (along with related structural metadata), SDMX version 2.0 also provides for the exchange of metadata which

is distinct from the structural metadata in SDMX version 1.0. This category includes “reference” metadata (regarding data quality, methodology and similar types: it can be configured by the user to include whatever concepts require reporting); metadata related to data provisioning (release calendar information, description of the data and metadata provided, etc.); and metadata relevant to the exchange of categorization schemes.

- SDMX Registry: Provision is made in SDMX version 2.0 for standard communication with registry services, to support a data-sharing model of statistical exchange. These services include registration of data and metadata, querying of registered data and metadata, and subscription/notification.
- Structural Metadata: The support for exchange of statistical data and related structural metadata has been expanded. Some support is provided for qualitative data; data cube structures are described; hierarchical code lists are supported; relationships between data structures can be expressed, providing support for extensibility of data structures; and the description of functional dependencies within cubes are supported.

The main changes from SDMX version 2.0 to SDMX version 2.1 can be briefly summarized as follows.

- Web-services-oriented changes: Several organizations have been implementing web services applications using SDMX, and these implementations have resulted in several changes to the specifications. Because the nature of SDMX web services could not be anticipated at the time of the original drafting of the specifications, the web services guidelines have been completely re-developed.
- Presentational changes: Much work has gone into using various technologies for the visualization of SDMX data and metadata, and some changes have been proposed as a result, to better leverage this graphical visualization.
- Consistency issues: There have been some areas where the draft specifications were inconsistent in minor ways, and these have been addressed.
- Clarifications in documentation: In some cases it has been identified that the documentation of specific fields within the standard needed clarification and elaboration, and these issues have been addressed.
- Optimization for XML technologies: Implementation has shown that it is possible to better organize the XML schemas for use within common technology development tools which work with XML. These changes are primarily focused on leveraging the object-oriented features of W3C XML Schema to allow for easier processing of SDMX data and metadata.
- Consistency between the SDMX-ML and the SDMX information model: Certain aspects of the XML schemas and UML model have been more closely aligned, to allow for easier comprehension of the SDMX model.
- Technical bugs: Some minor technical bugs have been identified. These bugs have been addressed.
- Support for non-time-series data in the generic format: One area which has been extended is the ability to express non-time-series data as part of the generic data message.
- Simplification of the data structure definition/specific message types: Both time series (SDMX version 2.0 Compact) and non-time series data sets (SDMX version 2.0 cross sectional) use the same underlying structure for a structure-specific formatted message, which is specific to the data structure definition of the data set.
- Simplification and better support for the metadata structure: New use cases have been reported and these are now supported by a re-modelled metadata structure definition.
- Support for partial item schemes such as a code list: The concept of a partial (sub-set) item scheme such as a partial code list for use in exchange scenarios has been introduced.

Statistical data and metadata exchange (SDMX)

1 Scope

This International Standard provides an integrated approach to facilitating Statistical Data and Metadata Exchange (SDMX), enabling interoperable implementations within and between systems concerned with the exchange, reporting and dissemination of statistical data and related metadata.

This International Standard is applicable to any organization that has a need to manage the reporting, exchange and dissemination of its statistical data and related metadata. The information model at the core of this International Standard has been developed to support statistics as collected and used by governmental and supra-national statistical organizations, and this model is also applicable to other organizational contexts involving statistical data and related metadata.

2 Terms, definitions and abbreviated terms

2.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

2.1.1

representational state transfer

REST

style of software architecture for distributed hypermedia systems, such as the worldwide web

2.1.2

RESTful web service

RESTful API

simple web service implemented using HTTP and the principles of REST

2.1.3

data set

organized collection of data and associated metadata according to an identified data structure definition

2.1.4

data structure definition

DSD

collection of metadata concepts, their structure and usage when used to collect or disseminate data

2.1.5

metadata set

organized collection of metadata structured according to an identified metadata structure definition

2.1.6

metadata structure definition

collection of metadata concepts, their structure and usage, when used to collect or disseminate reference metadata

2.1.7

reference metadata

metadata describing the contents and the quality of the statistical data

2.1.8

code list

predefined list from which some statistical coded concepts take their values

2.1.9

organization scheme

collection of organizations that play a role in the statistical process lifecycle

EXAMPLE Maintenance agency; data provider; data consumer.

2.1.10

organization

unique framework of authority within which a person or persons act, or are designated to act, towards some purpose

[SOURCE: ISO/IEC 6523-1:1998, 3.1, modified.]

2.1.11

category scheme

hierarchy of categories, which may include any type of useful classification for the organization of data and metadata

2.1.12

category

item at any level within a classification

EXAMPLE Tabulation categories; sections; subsections; divisions; subdivisions; groups; subgroups; classes; subclasses.

2.1.13

categorization

linking of a category to an object, such that sets of objects can be classified

2.1.14

concept scheme

list of concepts that are used in data structure definitions and metadata structure definitions

2.1.15

concept

unit of knowledge created by a unique combination of characteristics

[SOURCE: ISO 1087-1:2000, 3.2.1, modified.]

2.1.16

dataflow definition

descriptive information about the flow of data that providers provide for different reference periods, according to an identified data structure definition

2.1.17

metadataflow definition

descriptive information about the flow of metadata that providers provide for different reference periods, according to an identified metadata structure definition

2.1.18

data provider

organization which produces data or reference metadata

2.1.19

provision agreement

arrangement within which the provider supplies data or metadata

2.1.20

structure set

collection of structural maps that express the semantic equivalence between source and target components

2.1.21**reporting taxonomy**

scheme which defines the composition structure of a data report where each component can be described by an independent dataflow definition or metadataflow definition

2.1.22**process**

scheme which defines or documents the operations performed on data or metadata

2.1.23**hierarchical code list**

organized collection of codes arranged in levels of detail from the broadest to the most detailed level

Note 1 to entry: Each level of the hierarchy is defined in terms of the codes at the next lower level of the hierarchy.

2.2 Abbreviated terms

API	Application Program Interface
GESMES	Generic Statistical Message
HTTP	Hypertext Transfer Protocol
MCV	Metadata Common Vocabulary
OLAP	Online Analytical Processing
SDMX	Statistical Data and Metadata Exchange
SOAP	Simple Object Access Protocol
UML	Unified Modelling Language
UN/EDIFACT	United Nations/Electronic Data Interchange for Administration, Commerce and Transport
WADL	Web Application Description Language
WSDL	Web Service Definition Language

3 Processes and business scope**3.1 Process patterns**

SDMX identifies three basic process patterns relevant to the exchange of statistical data and metadata. These can be described as follows.

- a) **Bilateral exchange:** All aspects of the exchange process are agreed between two counterparties, including the mechanism for exchange of data and metadata, the formats, the frequency or schedule, and the mode used for communications regarding the exchange. This is perhaps the most common process pattern.
- b) **Gateway exchange:** Gateway exchanges are an organized set of bilateral exchanges, in which several data and metadata collecting organizations or individuals agree to exchange the collected information with each other in a common format, and according to a common process. This pattern obviates the need for managing multiple bilateral exchanges (in data and metadata collection) across the sharing organizations/individuals. This is also a very common process pattern in the statistical area, where communities of institutions agree on ways to gain efficiencies within the scope of their collective responsibilities.

- c) Data-sharing exchange: Data sharing is a mode of exchange where any party which is granted access to the data can obtain it in a known format, along with all relevant metadata, so as to be able to use the data without any prior arrangement with the data provider. Such use can be programmatic in nature, requiring a high degree of standardization both of data and metadata formats and content. It is also typical of a data-sharing scenario that the data be easy to locate, using an online catalogue or registry, although this is not an absolute requirement. In data-sharing mode, the differences between reporting data and disseminating data begin to disappear, i.e. a collector of data simply accesses it and downloads the needed data, much like any other user of the data.

The SDMX standards are designed to support any of the three exchange patterns mentioned. It is possible to use SDMX-EDI or SDMX-ML as a metadata-rich exchange format for bilateral reporting or gateway exchange; it is also possible to use the SDMX formats, web services guidelines and registry specification to fully support a data-sharing pattern. The design of SDMX is such that not all of the offered features need to be used: SDMX standards span the breadth between the use of the standard to provide a simple data and metadata format, through to a fully automated and standardized exchange of data in a data-sharing mode.

The standards specified here specifically support a data-sharing process pattern based on the use of central registry services. Registry services provide visibility into the data and metadata existing within the community, and support the access and use of this data and metadata by providing a set of triggers for automated data and metadata retrieval. The data or metadata itself is not stored in a central registry: these services merely provide a useful set of metadata about the data (and additional metadata) in a known location, so that users/applications can easily locate and obtain whatever data and/or metadata are registered. The use of standards for all data, metadata and the registry services themselves is ubiquitous, permitting a high level of automation within a data-sharing community.

These three process patterns are not mutually exclusive: a single system capable of expressing data and metadata in SDMX-conformant formats could support all three patterns.

In addition to looking at collection and reporting, it is also important to consider the dissemination of data. Data and metadata (no matter how they are exchanged between counterparties in the process of their development and creation) are all eventually supplied to an end user of some type. Often, this is through specific applications inside of institutions. However, more and more frequently, data and metadata are also published on websites in various formats. The dissemination of data and its accompanying metadata on the web is a focus of the SDMX standards. Standards for statistical data and metadata allow improvements in the publication of data: a standard format facilitates the linking of data to metadata, making the data more comprehensible to the end user and making further processing of the data easier.

In discussions of statistical data, there are many aspects of its dissemination which impact data quality: data discovery, ease of use and timeliness. SDMX standards provide support for all of these aspects of data dissemination. Standard data formats promote ease of use and provide links to relevant metadata. The concept of registry services means that data and metadata can more easily be discovered. Timeliness is improved throughout the data lifecycle by increases in efficiency, promoted through the availability of metadata and ease of use.

Even though SDMX is primarily focused on the exchange and dissemination of statistical data and metadata, the standard is also applicable in the context of internal processing of data that are not concerned with the exchange between organizations and users.

3.2 SDMX and process automation

Statistical data and metadata exchanges employ many different automated processes, but some are of more general interest than others. There are some common information technologies that are nearly ubiquitous within information systems today. SDMX aims to provide standards that are most useful for these automated processes and technologies.

Briefly, these can be described as follows.

- a) Batch exchange of data and metadata: The transmission of whole or partial databases between counterparties, including incremental updating.
- b) Provision of data and metadata on the internet: Internet technology (including its use in private or semi-private TCP/IP networks) is extremely common. This technology includes XML and web services as primary mechanisms for automating data and metadata provision, as well as the more traditional static HTML and database-driven publishing.
- c) Generic processes: While many applications and processes are specific to a known set of data and metadata, other types of automated services and processes are designed to handle any type of statistical data and metadata whatsoever. This is particularly true in cases where portal sites and data feeds are made available on the internet.
- d) Presentation and transformation of data: In order to make data and metadata useful to consumers, they need to support automated processes that transform them into application-specific processing formats, other standard formats and presentational formats. Although not strictly an aspect of exchange, this type of automated processing represents a set of requirements that needs to be supported if the information exchange between counterparties is itself to be supported.

The SDMX standards specified here are designed to support the requirements of all of these automation processes and technologies.

3.3 Statistical data and metadata

To avoid confusion about which “data” and “metadata” are the intended content of the SDMX formats specified here, a statement of scope is offered. Statistical “data” are sets of often numeric observations which typically have time associated with them. They are associated with a set of metadata values, representing specific concepts, which act as identifiers and descriptors of the data. These metadata values and concepts can be understood as the named dimensions of a multi-dimensional coordinate system, describing what is often called a “cube” of data.

SDMX identifies a standard technique for modelling, expressing and understanding the structure of this multi-dimensional “cube”, allowing automated processing of data from a variety of sources. This approach is widely applicable across types of data and attempts to provide the simplest and most easily comprehensible technique that will support the exchange of this broad set of data and related metadata.

The term “metadata” is very broad indeed. A distinction can be made between the following:

- “structural” metadata: those concepts used in the description and identification of statistical data and metadata, and
- “reference” metadata: the larger set of concepts that describe and qualify statistical data sets and processing more generally, and which are often associated not with specific observations or series of data, but with entire collections of data or even the institutions which provide that data.

The SDMX information model provides for the structuring not only of data, but also of “reference” metadata. While these reference metadata structures exist independent of the data and its structural metadata, they are often linked. The SDMX information model provides for the attachment of reference metadata to any part of the data or structural metadata, as well as for the reporting and exchange of the reference metadata and its structural descriptions. This function of the SDMX standards supports many aspects of data quality initiatives, allowing as it does for the exchange of metadata in its broadest sense, of which quality-related metadata are a major part.

Metadata are associated not only with data, but also with the process of providing and managing the flow of data. The SDMX information model provides for a set of metadata concerned with “data provisioning”, i.e. metadata which are useful to those who need to understand the content and form of the output of a data provider. Each data provider can describe in standard fashion the content of and dependencies within the data and metadata sets which they produce, and supply information about the scheduling

and mechanism by which their data and metadata are provided. This allows for automation of some validation and control functions, as well as supporting management of data reporting.

SDMX also recognizes the importance of category schemes in organizing and managing the exchange and dissemination of data and metadata. It is possible to classify SDMX artefacts in one or category schemes that facilitate both processing of the data and metadata and data and metadata discovery.

The SDMX standards offer a common model, a choice of syntax and, for XML, a choice of data formats which support the exchange of any type of statistical data meeting the definition above; several optimized formats are specified based on the specific requirements of each implementation, as described below in the SDMX-ML section.

The formal objects in the information model are presented briefly below, but are also discussed in more detail elsewhere in this International Standard.

Figure 1 provides a high level schematic of major artefacts in the SDMX information model.




Figure 1 — High level schematic of major artefacts in the SDMX information model

3.4 SDMX view of statistical exchange

3.4.1 General

SDMX version 1.0 (ISO/TS 17369:2005) covered statistical data sets and the metadata related to the structure of these data sets. This scope was useful in supporting the different patterns of statistical exchange (bilateral exchange, gateway exchange and data-sharing), but was not by itself sufficient to support them completely. SDMX version 2.0 and SDMX version 2.1 both provide a much more complete view of statistical exchange, so that the open data-sharing pattern can be fully supported and other patterns of exchange can be more completely automated. In order to produce technical standards that will support this increased scope, the SDMX information model provides a broader set of formal objects which describe the actors, processes and resources within statistical exchanges.

It is important to understand this set of formal objects not only in a technical sense, but also in terms of what these objects represent in the real-world exchange of statistical data and metadata.

SDMX version 1.0 provided for data sets (specific statistical data reported according to a specific structure, for a specific time range) and for data structure definitions (the metadata which describes the structure of statistical data sets). These are important objects in statistical exchanges, and they are retained and enhanced in SDMX version 2.0 and SDMX version 2.1 in a backward-compatible form. A related object in statistical exchanges is the “data flow”. This supports the concept of data reporting or dissemination on an ongoing basis: “data flows” can be understood as data sets which are not bounded by time.

SDMX version 2.0 and SDMX version 2.1 additionally provide for the standard the systematic representation of reference metadata. Reference metadata are reported not as an integral part of a data set, but independent of the statistical data. SDMX provides for reference “metadata sets”, “metadata structure definitions” and “metadata flows”. These objects are very similar to data sets, data structure definitions and data flows, but they concern reference metadata rather than statistical observations. In the same way that data providers may publish statistical data, they may also publish reference metadata. Metadata structural definitions are maintained by agencies in a fashion similar to the way that agencies maintain data structure definitions, the structural definitions of data sets.

The structural definitions of both data and reference metadata associate specific statistical concepts with their representations, whether textual, coded, etc. These concepts are taken from a “concept scheme”. A concept scheme groups a set of concepts, provides their definitions and names, and allows for semantic relationships to be expressed when some concepts are specializations of others. It is possible for a single concept scheme to be used both for data structures and for reference metadata structures. An SDMX concept scheme is a collection of concepts. SDMX purposefully does not offer structures for management of concepts and data element concepts such as those described in ISO/IEC 11179-1:2004 and ISO/IEC 11179-3:2003. However, an SDMX concept can be linked by reference to an equivalent construct managed by a concept management system.

Inherent in any statistical exchange (and in many dissemination activities) is the notion of “service level agreement”, even if this is not formalized or made explicit. SDMX incorporates this idea in an object termed “provision agreement”. Data providers may provide data to many different data flows. Data flows may incorporate data coming from more than one data provider. Provision agreements are the objects that inform which data providers are supplying what data to which data flows. The same is true for metadata flows.

A provision agreement allows for a variety of information to be made available:

- a) the schedule by which statistical data or metadata are reported or published,
- b) the specific topics about which data or metadata are reported within the theoretically possible set of data (as described by a data structure definition or reference metadata structure definition), and
- c) the time period covered by the statistical data and metadata.

This set of information is termed “constraint” in the SDMX information model.

A brief summary of the objects described in the information model includes the following.

- Data set: Data are organized into discrete sets, which include particular observations for a specific period of time. A data set can be understood as a collection of similar data, sharing a structure, which covers a fixed period of time.
- Data structure definition (DSD, also known as key family in SDMX version 2.0): Each data set has a set of structural metadata. These descriptions are referred to in SDMX as data structure definitions, which include information about how concepts are associated with the measures, dimensions and attributes of a data “cube,” along with information about the representation of data and related identifying and descriptive (structural) metadata. In SDMX version 2.1, the term “key family” is replaced by “data structure definition” (DSD) both in XML schemas and the information model.

- Code list: Code lists enumerate a set of values to be used in the representation of dimensions, attributes and other structural parts of SDMX. They can be supplemented by other structural metadata which indicates how codes are organized into hierarchies.
- Organization scheme: Organizations and organization structure can be defined in an organization scheme. Specific organization schemes exist for maintenance agency, data provider, data consumer and organization unit.
- Category scheme and categorization: Category schemes are made up of a hierarchy of categories, which in SDMX may include any type of useful classification for the organization of data and metadata. A categorization links a category to an identifiable object. In this way, sets of objects can be categorized. A statistical subject-matter domain scheme is implemented in SDMX as a category scheme.
- Concept scheme: A concept scheme is a maintained list of concepts that are used in data structure definitions and metadata structure definitions. There can be many such concept schemes. A “core” representation of the concept can be specified (e.g. a core code list or other representation, such as “date”). This core representation can be overridden in the data structure definition or metadata structure definition that uses the concept.
- Metadata set: A reference metadata set is a set of information pertaining to an object within the formal SDMX view of statistical exchange: it may describe the schedule on which data are released; it may describe the flow of a single type of data over time; it may describe the quality of data, etc. In SDMX, the creators of reference metadata may take whatever concepts they are concerned with, or obliged to report, and provide a reference metadata set containing that information.
- Metadata structure definition: A reference metadata set also has a set of structural metadata which describes how it is organized. This metadata set identifies what reference metadata concepts are being reported, how these concepts relate to each other (typically as hierarchies), how they may be represented (as free text, as coded values, etc.) and with which formal SDMX object types they are associated.
- Dataflow definition: In SDMX, data sets are reported or disseminated according to a data flow definition. The data flow definition identifies the data structure definition and may be associated with one or more subject matter domains via a categorization (this facilitates the search for data according to organized category schemes). Constraints, in terms of reporting periodicity or sub set of possible keys that are allowed in a data set, may be attached to the data flow definition.
- Metadataflow definition: A metadata flow definition is very similar to a data flow definition, but describes, categorizes and constrains metadata sets.
- Data provider: An organization which produces data or reference metadata is termed a data provider.
- Provision agreement: The set of information which describes the way in which data sets and metadata sets are provided by a data provider. A provision agreement can be constrained in much the same way as a data or metadata flow definition. Thus, a data provider can express the fact that it provides a particular data flow covering a specific set of countries and topics. Importantly, the actual source of registered data or metadata is attached to the provision agreement (in terms of a URL). The term “agreement” is used because this information can be understood as the basis of a “service-level agreement”. In SDMX, however, this is informational metadata to support the technical systems, as opposed to any sort of contractual information.
- Constraint: A constraint describes a subset of a data source or metadata source, and may also provide information about scheduled releases of data or metadata. They are associated with data providers, provision agreements, data flows, metadataflows, data structure definitions and metadata structure definitions.
- Structure set: A structure set provides a mechanism for grouping structural metadata together to form a complete description of the relationships between specific, related sets of data and metadata. They can be used to map dimensions and attributes to one another, to map concepts, to map code lists and to map category schemes. They can be used to describe “cubes” of data, even when the data within the cube does not share a common dimensionality.

- Reporting taxonomy: A reporting taxonomy allows an organization to link (possibly in a hierarchical way) a number of cube or data flow definitions, which together form a complete “report” of data or metadata. This supports primary reporting, which often comprises multiple cubes of heterogeneous data, but may also support other collection and reporting functions. It also supports the specification of publications such as a yearbook, in terms of the data or metadata contained in the publication.
- Process: A process provides a way to model statistical processes as a set of interconnected process steps. Although not central to the exchange and dissemination of statistical data and metadata, having a shared description of processing allows for the interoperable exchange and dissemination of reference metadata sets which describe processes-related concepts.
- Hierarchical code list: This supports the specification of code hierarchies. The codes themselves are referenced from the code lists in which they are maintained. The hierarchical code list thus specifies the organization of the codes in one or more hierarchies, but does not define the codes themselves.

3.4.2 Data structuring

SDMX recognizes that statistical data are structured: in SDMX a formal description of this structure is termed a data structure definition. “Data sets” are made up of one or more contained “series” or “sections” of data. Each series or section has a “key” (i.e. values for each of a cluster of concepts, also called “dimensions”), which identifies it, and one or more “observations”, which typically combine the time of the observation, and the value of the observation (e.g. measurement). Additionally, metadata may be attached at any level of this structure as descriptive “attributes”. Code lists (enumerations) and other patterns for representation of data and metadata are also modelled.

A “cube” is a rich, multi-dimensional construct, which can be viewed along any of its axes (or “dimensions”). In essence, a multi-dimensional matrix is created, with a data point associated with each possible combination of values within the matrix. This is a common technique in such technologies as OLAP and data warehousing.

The view of data in many SDMX formats is primarily as time series, i.e. as a set of observations which are organized around the time dimension, so that each observation occurs progressively through time. There are, however, many types of statistical data which are not typically organized for exchange as time series where data are organized around some other, non-time dimension of the cube (this is often called “cross-sectional” data). SDMX supports a unified format that represents in the data set an organization of the data along any single dimension. In this context, time series is a particular case of the unified format.

Another type of structure commonly found in statistical “cubes” of data is the hierarchical classification, used to describe the points along any of its dimensions (or axes). In SDMX version 1.0, SDMX standards did not provide full support for this functionality. These hierarchical classifications (the hierarchical code list) are supported in SDMX version 2.0 and SDMX version 2.1.

3.4.3 Reference metadata structuring

Metadata structures are based on the idea that concepts can be organized into semantic hierarchies and that these hierarchies can form the basis for the structuring of XML reporting formats.

In addition to the structures of data sets, there is additional information which is also important in managing data exchange and dissemination. Often thought of as “footnote metadata” or “quality metadata”, this class of additional information is generally less structured than the data itself. Further, it may be associated not just with a data set, but also with an organization or an exchange process.

To support the structures of this type of metadata, SDMX offers a type of configurable metadata report: “reference metadata”. To structure such a report, any statistical concepts needed are defined and then organized into a flat list or hierarchy. The use and representation of each concept is formally described as a metadata attribute: a field within the report structure. The report is then required to have a formally-specified subject, the “target” of the report. Any formally recognized object which exists within the SDMX information model (or any combination of objects) can be defined as the component objects for that class of metadata report. For example, a report structure might specify that a class of metadata

report is associated with a data provider, with a set of metadata attributes describing contact details for the data of that organization.

All information about the metadata attributes and their targets is expressed in SDMX as a metadata structure definition.

As with data structures, the generic format for metadata sets provides a known document structure, while the structure specific format is derived specifically from a metadata structure definition and can perform a higher degree of schema validation.

3.5 SDMX registry services

In order to provide visibility into the large amount of data and metadata which exists within the SDMX model of statistical exchange, a set of registry services is specified in the standard. A “registry” (as understood in web-services terminology) is an application which maintains and stores metadata for querying, and which can be used by any other application in the network with sufficient access privileges. For SDMX, the registry can be understood both as a structural metadata repository and as the index of a distributed database or metadata repository, which is made up of all the data sets and reference metadata sets of the data provider within a statistical community, located across the internet or similar network.

The SDMX registry services are not concerned with the storage of data sets or reference metadata sets. The assumption is that data and reference metadata lives on the sites of its data providers. The SDMX registry services concern themselves with providing visibility of the data and reference metadata, and information needed to access the data and reference metadata. Thus, a registered data set will have its URL available in the registry, but not the data itself. An application which wishes to access that data would query the registry, perhaps by drilling down via a category scheme and dataflow, for the URL of a registered data source, and then retrieve the data directly from the data provider using the query mechanism defined in the SDMX web services guidelines.

SDMX does not require a particular technology implementation of the registry: instead, it specifies the standard interfaces which may be supported by a registry. Thus, users may implement an SDMX-conformant registry in any fashion they choose, so long as the interfaces are supported as specified here. These interfaces are expressed as XML documents and, for query, also as a RESTful interface.

The registry services discussed here can be briefly summarized as follows.

- Maintenance of structural metadata: This registry service allows users with maintenance agency access privileges to submit and modify structural metadata. In this aspect, the registry is acting as a structural metadata repository. However, it is permissible in an SDMX structure to submit just the “stub” of the structural object, such as a code list, and for this stub to reference the actual location from where the metadata can be retrieved, either from a file or a structural metadata resource, such as another registry.
- Registration of data and metadata sources: This registry service allows users with maintenance agency access privileges to inform the registry of the existence and location (for retrieval) of data sources and reference metadata sources. The registry stores metadata about these sources and links it to the structural metadata that give sufficient structural information for an application to process it, or for an application to discover its existence.
- Querying: The registry services have interfaces for querying the metadata contained in a registry, so that applications and users can discover the existence of data sources and reference metadata sources, structural metadata, the providers/agencies associated with those objects and the provider agreements which describe how the data and metadata are made available, and how they are categorized.
- Subscription/notification: It is possible to “subscribe” to specific objects in a registry, so that a notification will be sent to these subscribers whenever the registry objects are updated.

The scope for such a registry and the services it provides has been influenced by the registry services and models in ISO/IEC 11179-3:2003 and ISO 15000-4:2004.

The syntax is specified in SDMX Standards Section 5.

3.6 Web services

Web services allow computer applications to exchange data directly over the internet, essentially allowing modular or distributed computing in a more flexible fashion than ever before. In order to allow web services to function, however, many standards are required:

- a) for requesting and supplying data;
- b) for expressing the enveloping data which is used to package exchanged data;
- c) for describing web services to one another, to allow for easy integration into applications that use other web services as data resources.

SDMX provides guidelines for using these standards in a fashion which will promote interoperability among SDMX web services and allow for the creation of generic client applications that will be able to communicate meaningfully with any SDMX web service which implements these guidelines.

More specifically, the SDMX web services guidelines offer the following.

- An interface (WSDL) for SOAP-based web services: This covers registry submission, and data, metadata and structural metadata query using the SDMX-ML query message.
- An interface (WADL) for RESTful web services: The RESTful API focuses on simplicity. The aim is not to replicate the full semantic richness of the SDMX-ML query message, but to make it simple to perform a limited set of standard queries for both data and structural metadata.
- A list of common error codes: When web services are used, it is necessary to have error codes which can help to explain the situation when problems are encountered. This is introduced in SDMX version 2.1.

The syntax is specified in SDMX Standards Section 7.

4 SDMX information model

The SDMX information model formally describes the objects and object relationships in the SDMX standard. The syntax formats for SDMX are derived directly from the information model and consequently it is possible to build many SDMX applications that are syntax agnostic, i.e. the application is built using an implementation of the information model constructs. The information model is a valuable tool for understanding and using the format specifications and for mapping at the logical level between SDMX and other logical models such as the model for core components in ISO/TS 15000-5:2005.

The SDMX information model is presented using UML, and is also described in prose.

The SDMX information model is specified in SDMX Standards Section 2.

5 SDMX-EDI

The SDMX-EDI format is the UN/EDIFACT GESMES message format conforming to the GESMES/TS version 3.0 implementation guide, as published as a standard of the SDMX initiative.

- a) Statistical definitions: An expression of the structural metadata covered by the SDMX information model in a UN/EDIFACT format.
- b) Statistical data: Optimized for the batch exchange of large amounts of time series data between counterparties, it allows for extremely compact expression of large whole or partial data sets. Non-