
**Traditional Chinese medicine —
Coding system for Chinese
medicines —**

**Part 3:
Codes for Chinese Materia Medica**

*Médecine traditionnelle chinoise — Système de codage des médecines
chinoises —*

Partie 3: Codes pour les matières médicales chinoises

STANDARDSISO.COM : Click to view the full PDF of ISO 18668-3:2017



STANDARDSISO.COM : Click to view the full PDF of ISO 18668-3:2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Coding principles	1
4.1 Uniqueness	1
4.2 Scientificity	1
4.3 Scalability	1
4.4 Compatibility	2
4.5 Stability	2
5 Coding structure	2
6 Codes for Chinese Materia Medica	2
Bibliography	54

STANDARDSISO.COM : Click to view the full PDF of ISO 18668-3:2017

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 249, *Traditional Chinese medicine*.

A list of all parts in the ISO 18668 series can be found on the ISO website.

Introduction

As the pharmaceutical materials extracted from natural and botanical products have become increasingly attractive, significant progress has been achieved in identifying new sources of natural products for traditional and alternative medicine. In particular, Chinese traditional medicine has been the focus of tremendous research, development and applications worldwide. Accordingly, Chinese medicinal materials are increasingly being used in countries around the world. Currently, there are more than 70 countries that have established administrative systems to regulate Chinese medicine. At present, the annual sale of Chinese medicines has reached more than USD 16 billion and is increasing at a rate of 10 % to 20 % per year with great future potential. At the same time, concerns of harm to the body associated with the long-term use of synthetic drugs have been recognized. Therefore, many countries are developing vigorous controls and regulations on using antibiotics and other synthetic drugs, while recognizing the importance of traditional and alternative medicines. Thus, this brings more opportunities for the development of the market of Chinese medicines.

Today, bar codes are widely used for managing almost all ordinary products that are put up for sale. For example, an eraser or a pencil has its individually identifiable bar code. Yet, so far, a bar coding system for products used in Chinese medicine has not been given sufficient attention, making it difficult to categorize individual items for international trade and research development. This brings challenges and concerns in government supervision and proper use by patients. As products for medicinal use, Chinese medicines could have bar codes that can be integrated into the current bar code system that is used for other commercial products. In this way, bar codes can be used to track sources and monitor the quality of the products. Therefore, there is an urgent need to develop a bar code system for Chinese medicine products that will enable to identify each specific Chinese medicine product.

The coding system for Chinese medicines is developed based on science and research rooted in plant taxonomy, Chinese medicine, Chinese medicinal processing, and other established regulatory handbooks and guidelines of GS1 General standard, central product classification (CPC) and ISO/IEC 15420, etc. The codes help to translate complicated names of a wide variety of decoction pieces, Chinese Materia Medica (raw materials), and granule forms of individual medicinals for prescriptions into transparent digits. In this way, each Chinese medicine corresponds to a unique code as its identification.

The coding system for Chinese medicines aims to promote standardization and digitalization for Chinese medicine, to ensure authenticity, equality, fairness and transparency in international markets and trade and to facilitate government supervision and regulation of Chinese medicine. It is hoped that it will help pharmaceutical enterprises to manage workflow and increase economic returns. It will help healthcare delivery organizations, such as hospitals and dispensaries, improve information management systems that can ensure the accuracy of dispensing, ensuring the safe and effective use of prescribed medicine.

Chinese medicines are substances or combinations of substances used under the guidance of traditional Chinese medicine (TCM) theory for medical care and the prevention and treatment of disease, including Chinese Materia Medica, decoction pieces, granule forms of individual medicinals for prescriptions (GFIMP), and Chinese patent medicines (CPM). As it has been previously acknowledged, Chinese decoction pieces are processed products of Chinese Materia Medica, which are also known as raw materials. Thus, when designing the coding system for Chinese medicines, it is feasible that one set of rules could incorporate all the features of each category of Chinese medicines, as they share the same medicinal source and medical part. To be specific, their divergence and commodity attributes can be clearly described in one of the layers (layer 8) in this set of coding rules. Granule forms of individual medicinals for prescriptions are innovative products made from decoction pieces. Based on the same considerations of feasibility and cost-control, the granular forms can be included within the same set of rules for decoction pieces.

However, although Chinese patent medicines (CPM) are made from decoction pieces, their coding rules are more complicated and differ from decoction pieces. Therefore, this coding system is not fit for CPM, and coding rules for CPM need to be formulated separately.

[STANDARDSISO.COM](https://standardsiso.com) : Click to view the full PDF of ISO 18668-3:2017

Traditional Chinese medicine — Coding system for Chinese medicines —

Part 3: Codes for Chinese Materia Medica

1 Scope

This document encodes 592 kinds of Chinese Materia Medica, according to the rules in ISO 18668-1.

This document is suitable for coding of Chinese Materia Medica, as well as Chinese Materia Medica in the fields of clinical medication, scientific research, teaching, statistics and management.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 18668-1, *Traditional Chinese medicine — Coding system for Chinese medicines — Part 1: Coding rules for Chinese medicines*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 18668-1 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp/>

4 Coding principles

4.1 Uniqueness

Each variety and processed form corresponds to a unique code.

4.2 Scientificity

By applying scientific research to decide the classification methods and principles, the most stable properties, attributes, and characteristics of each Chinese medicines are used as basis for classification and coding. Thus, the structure of 17 digits with 10 layers as coding rules for Chinese medicines covers information of medicinal source, medicinal part, specification, and processing method, which respectively represent the basic characteristics, commercial attributes and professional attributes of Chinese medicines.

4.3 Scalability

The coding rules allow sufficient space for expansion.

4.4 Compatibility

The coding rules are consistent with relevant existing International Standards.

4.5 Stability

The code for each Chinese medicine remains unchanged once assigned.

The code for each Chinese medicine remains unchanged once assigned, as long as the basic characteristic of the medicinal does not change. Even if some Chinese medicines are discontinued for production and use, their codes should still be kept.

5 Coding structure

Coding rules are represented by 10 layers with 17 digit Arabic numerals in order. The structure is encoded according to the rules in ISO 18668-1 as shown in [Figure 1](#). See ISO 18668-1 for technical requirements.




Figure 1 — Coding structure of Chinese medicines

6 Codes for Chinese Materia Medica

Codes for Chinese Materia Medica are given in [Table 1](#).

Table 1 — Codes for Chinese Materia Medica (592 kinds)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10001	<i>Lycopodium Herba</i>	Common Clubmoss Herb	伸筋草	Shen jin cao	<i>Lycopodium japonicum</i> Thunb.	Whole plant/herb	06130250100199001
10002	<i>Selaginellae Herba</i>	Spikemoss	卷柏	Juan bai	(1) <i>Selaginella tamariscina</i> (Beauv.) Spring; (2) <i>Selaginella pulvinata</i> (Hook. et Grev.) Maxim.	Whole plant/herb	06130350100199008
10003	<i>Equiseti Hiemalis Herba</i>	Common Scouring Rush Herb	木贼(贼)	Mu zei	<i>Equisetum hyemale</i> L.	Aerial part	06130550500199008
10004	<i>Osmundae Rhizoma</i>	Japanese Osmunda Rhizome	紫萁贯(贯众)(翠)	Zi qi guan zhong	<i>Osmunda japonica</i> Thunb.	Rhizome and frond bases	06131310500199007
10005	<i>Lygodii Spora</i>	Japanese Climbing Fern Spore	海金沙	Hai jin sha	<i>Lygodium japonicum</i> (Thunb.) Sw.	Ripe spores	06131790100199001
10006	<i>Cibotii Rhizoma</i>	Cibot Rhizome	狗脊	Gou ji	<i>Gibotium barometz</i> (L.) J. Sm.	Rhizome	06131910500199009
10007	<i>Dryopteridis Crassirhizomatis Rhizoma</i>	Male Fern Rhizome	绵马(马)贯(贯)众(翠)	Mian ma guan zhong	<i>Dryopteris crassirhizoma</i> Nakai	Rhizome and frond bases	06134510500199008
10008	<i>Drynariae Rhizoma</i>	Fortune's Drynaria Rhizome	骨碎补(补)	Gu sui bu	<i>Drynaria fortunei</i> (Kunze) J.Sm.	Rhizome	06135610500199004
10009	<i>Pyrrosiae Folium</i>	Shearer's Pyrrosia Leaf	石韦(韋)	Shi wei	(1) <i>Pyrrosia shearerii</i> (Bak.) Ching; (2) <i>Pyrrosia linguata</i> (Thunb.) Farwell; (3) <i>Pyrrosia petiolosa</i> (Christ) Ching	Leaf	06135620700199001
10010	<i>Ginkgo Folium</i>	Ginkgo Leaf	银(銀)杏叶(葉)	Yin xing ye	<i>Ginkgo biloba</i> L.	Leaf	06140220700199005
10011	<i>Ginkgo Semen</i>	Ginkgo Seed	白果	Bai guo	<i>Ginkgo biloba</i> L.	Ripe kernel	06140240500199005
10012	<i>Pini Lignum Nodi</i>	Tabularformed Pine Node	油松节(節)	You song jie	(1) <i>Pinus tabulae formis</i> Carr.; (2) <i>Pinus massoniana</i> Lamb.	Tuberculate or branched nodes	06140420400199002

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10013	<i>Pseudolaricis Cortex</i>	Golden Larch Bark	土荆皮	Tu jing pi	<i>Pseudolarix amabilis</i> (Nelson)Rehd.	Root bark or stem bark	06140420600199000
10014	<i>Pini Pollen</i>	Pine Pollen	松花粉	Song hua fen	(1) <i>Pinus massoniana</i> Lamb; (2) <i>Pinus tabulae formis</i> Carr.	Pollen	06140430500199000
10015	<i>Platycladi Cacumen</i>	Chinese Arborvitae Twig and Leaf	侧柏叶(葉)	Ce bai ye	<i>Platycladus orientalis</i> (L.) Franco	Twig and leaf	06140621200199005
10016	<i>Platycladi Semen</i>	Chinese Arborvitae kernel	柏子仁	Bai zi ren	<i>Platycladus orientalis</i> (L.) Franco	Ripe kernel	06140640500199003
10017	<i>Torreya Semen</i>	Grand Torreya Seed	榧子	Fei zi	<i>Torreya grandis</i> Fort.	Ripe seed	06140940600199003
10018	<i>Ephedrae Radix et Rhizoma</i>	Ephedra Root	麻黄根	Ma huang gen	(1) <i>Ephedra sinica</i> Stapf; (2) <i>Ephedra intermedia</i> Schrenk et C. A. Mey.	Root and rhizome	06141010300199005
10019	<i>Ephedrae Herba</i>	Ephedra	麻黄	Ma huang	(1) <i>Ephedra sinica</i> Stapf; (2) <i>Ephedra intermedia</i> Schrenk et C. A. Mey.; (3) <i>Ephedra equisetina</i> Bge.	Herbaceous stem	06141021000199004
10020	<i>Saururi Herba</i>	Chinese Lizardtail Herb	三白草	San bai cao	<i>Saururus chinensis</i> (Lour.)Baill.	Aerial part	06150250500199001
10021	<i>Houttuyniae Herba Recens</i>	Fresh Heartleaf Houttuynia Herb	鱼腥草	Yu xing cao	<i>Houttuynia cordata</i> Thunb.	Aerial part	06150250500299008
10022	<i>Piperis Kadsurae Caulis</i>	Kadsura Pepper Stem	海风(風)藤	Hai feng teng	<i>Piper kadsura</i> (Choisy) Ohwi	Lianoid stem	06150320100199005
10023	<i>Piperis Fructus</i>	Pepper Fruit	胡椒	Hu jiao	<i>Piper nigrum</i> L.	Ripe or nearly ripe fruit	06150340200199002
10024	<i>Piperis Longui Fructus</i>	Long Pepper	荜茇(葷撥)	Bi bo	<i>Piper longum</i> L.	Nearly ripe or ripe fruit-spike	06150340200299009
10025	<i>Sarcandrae Herba</i>	Glabrous Sarcandra Herb	肿节(節)风(風)	Zhong jie feng	<i>Sarcandra glabra</i> (Thunb.)Nakai	Whole plant/herb	06150450100199009

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10026	Juglandis Semen	English Walnut Seed	核桃仁	He tao ren	<i>Juglans regia</i> L.	Ripe seed	06150740600199006
10027	Mori Ramulus	Mulberry Twig	桑枝	Sang zhi	<i>Morus alba</i> L.	Young branch	06151220200199006
10028	Mori Cortex	White Mulberry Root-bark	桑白皮	Sang bai pi	<i>Morus alba</i> L.	Root bark	06151220600199002
10029	Mori Folium	Mulberry Leaf	桑叶(葉)	Sang ye	<i>Morus alba</i> L.	Leaf	06151220700199001
10030	Mori Fructus	Mulberry Fruit	桑椹	Sang shen	<i>Morus alba</i> L.	Fruit-spike	06151240200199004
10031	Broussonetiae Fructus	Papermulberry Fruit	楮实(實)子	Chu shi zi	<i>Broussonetia papyrifera</i> (L.) Vent.	Ripe fruit	06151240200299001
10032	Cannabis Fructus	Hemp Seed	火麻仁	Huo ma ren	<i>Cannabis sativa</i> L.	Ripe fruit	06151240200399008
10033	Santali Albi Lignum	Sandalwood	檀香	Tan xiang	<i>Santalum album</i> L.	Heart wood of trunk	06151820400199006
10034	Taxilli Herba	Chinese Taxillus Herb	桑寄生	Sang ji sheng	<i>Taxillus chinensis</i> (DC.) Danser	Branch with leaf	06151921200199002
10035	Visci Herba	Coloured Mistletoe Herb	槲寄生	Hu ji sheng	<i>Viscum colouratum</i> (Komar.) Nakai	Stem and branch with leaf	06151921200299009
10036	Asari Radix et Rhizoma	Manchurian Wildginger Root	细(細)辛	Xi xin	(1) <i>Asarum heterotropoides</i> Fr.Schmidt var. <i>mandshuricum</i> (Maxim.) Kitag. (2) <i>Asarum sieboldii</i> Miq. var. <i>seoulense</i> Nakai; (3) <i>Asarum sieboldii</i> Miq.	Root and rhizome	06152010300199001
10037	Aristolochiae Fructus	Dutchmanspipe Fruit	马(馬)兜鈴	Ma dou ling	(1) <i>Aristolochia contorta</i> Bge.; (2) <i>Aristolochia debilis</i> Sieb.et Zucc.	Ripe fruit	06152040200199009
10038	Aristolochiae Herba	Dutchmanspipe Vine	天仙藤	Tian xian teng	(1) <i>Aristolochia debilis</i> Sieb. et Zucc.; (2) <i>Aristolochia contorta</i> Bge.	Aerial part	06152050500199005

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10039	Rhei Radix et Rhizoma	Rhubarb	大黄	Da huang	(1) <i>Rheum palmatum</i> L.; (2) <i>Rheum tanguticum</i> Maxim. ex Balf.; (3) <i>Rheum officinale</i> Baill.	Root and rhizome	06152310300199002
10040	Polygoni Cuspidati Rhizoma et Radix	Giant Knotweed Rhizome	虎杖	Hu zhang	<i>Polygonum cuspidatum</i> . Sieb. et Zucc.	Root and rhizome	06152310300299009
10041	Polygoni Multiflori Radix	Fleeceflower Root	何首乌(烏)	He shou wu	<i>Polygonum multiflorum</i> Thunb.	Root tuber	06152310400199001
10042	Bistortae Rhizoma	Bistort Rhizome	拳参(參)	Quan shen	<i>Polygonum bistorta</i> L.	Rhizome	06152310500199000
10043	Fagopyri Dibotryis Rhizoma	Golden Buckwheat Rhizome	金荞麦(麥)	Jin qiao mai	<i>Fagopyrum dibotrys</i> (D. Don) Hara	Rhizome	06152310500299007
10044	Polygoni Multiflori Caulis	Tuber Fleeceflower Stem	首乌(烏)藤	Shou wu teng	<i>Polygonum multiflorum</i> Thunb.	Lianoid stem	06152320100199003
10045	Polygoni Tinctorii Folium	Indigoplant Leaf	蓼大青叶(葉)	Liao da qing ye	<i>Polygonum tinctorium</i> Ait.	Leaf	06152320700199007
10046	Polygoni Orientalis Fructus	Prince's-feather Fruit	水红(紅)花子	Shui hong hua zi	<i>Polygonum orientale</i> L.	Ripe fruit	06152340200199000
10047	Polygoni Avicularis Herba	Common Knotgrass Herb	篇蓄	Bian xu	<i>Polygonum aviculare</i> L.	Aerial part	06152350500199006
10048	Polygoni Perfoliati Herba	Polygonum Herb	杠板归(歸)	Kang ban gui	<i>Polygonum perfoliatum</i> L.	Aerial part	06152350500299003
10049	Kochiae Fructus	Belvedere Fruit	地肤(膚)子	Di fu zi	<i>Kochia scoparia</i> (L.) Schrad.	Ripe fruit	06152440200199007
10050	Cyathulae Radix	Medicinal Cyathula Root	川牛膝	Chuan niu xi	<i>Cyathula officinalis</i> Kuan	Root	06152510100199008
10051	Achyranthis Bidentatae Radix	Twotoothed Achyranthes Root	牛膝	Niu xi	<i>Achyranthes bidentata</i> Bl.	Root	06152510100299005

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10052	<i>Celosia Cristatae Flos</i>	Cockcomb Flower	鸡(雞)冠花	Ji guan hua	<i>Celosia cristata</i> L.	Capitulum	06152530100199006
10053	<i>Celosiae Semen</i>	Feather Cockscomb Seed	青葙子	Qing xiang zi	<i>Celosia argentea</i> L.	Ripe seed	06152540600199000
10054	<i>Phytolacca Radix</i>	Pokeberry Root	商陆(陸)	Shang lu	(1) <i>Phytolacca acinosa</i> Roxb.; (2) <i>Phytolacca americana</i> L.	Root	06152710100199002
10055	<i>Portulacae Herba</i>	Purslane Herb	马(馬)齿苋	Ma chi xian	<i>Portulaca oleracea</i> L.	Aerial part	06152950500199008
10056	<i>Stellariae Radix</i>	Starwort Root	银(銀)柴胡	Yin chai hu	<i>Stellaria dichotoma</i> L. var. <i>lanceolata</i> Bge.	Root	06153110100199009
10057	<i>Psammosilenes Radix</i>	Tuniclike Psammosilence Root	金铁(鐵)锁(鎖)	Jin tie suo	<i>Psammosilene tunicoides</i> W.C. Wu et C. Y. Wu	Root	06153110100299006
10058	<i>Pseudostellariae Radix</i>	Heterophylly Falsestarwort Root	太子参(參)	Tai zi shen	<i>Pseudostellaria heterophylla</i> (Miq.) Pax et Pax et Hoffm	Root tuber	06153110400199006
10059	<i>Vaccariae Semen</i>	Cowherb Seed	王不留行	Wang bu liu xing	<i>Vaccaria segetalis</i> (Neck.) Garcke	Ripe seed	06153140600199001
10060	<i>Dianthi Herba</i>	Lilac Pink Herb	瞿麦(麥)	Qu mai	(1) <i>Dianthus superbus</i> L.; (2) <i>Dianthus chinensis</i> L.	Aerial part	06153150500199001
10061	<i>Nelumbinis Rhizomatis Nodus</i>	Lotus Rhizome Node	藕节(節)	Ou jie	<i>Nelumbo nucifera</i> Gaertn.	Node	06153210500199002
10062	<i>Nelumbinis Folium</i>	Lotus Leaf	荷叶(葉)	He ye	<i>Nelumbo nucifera</i> Gaertn.	Leaf	06153220700199009
10063	<i>Nelumbinis Receptaculum</i>	Lotus Receptacle	莲(蓮)房	Lian fang	<i>Nelumbo nucifera</i> Gaertn.	Receptacle	06153230400199001
10064	<i>Nelumbinis Stamen</i>	Lotus Stamen	莲(蓮)须	Lian xu	<i>Nelumbo nucifera</i> Gaertn.	Stamen	06153230500199000
10065	<i>Euryales Semen</i>	Gordon Euryale Seed	芡实(實)	Qian shi	<i>Euryale ferox</i> Salisb.	Kernel of ripe seed	06153240500199009

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicinals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10066	Nelumbinis Semen	Lotus Seed	莲(蓮)子	Lian zi	<i>Nelumbo nucifera</i> Gaertn.	Ripe seed	06153240600299005
10067	Nelumbinis Plumula	Lotus Plumule	莲(蓮)子心	Lian zi xin	<i>Nelumbo nucifera</i> Gaertn.	Young cotyledon and radicle of the ripe seed	06153240900199005
10068	Pulsatillae Radix	Chinese Pulsatilla Root	白头(頭)翁	Bai tou weng	<i>Pulsatilla chinensis</i> (Bge.)Regel	Root	06153710100199001
10069	Paeoniae Radix Alba	White Peony Root	白芍	Bai shao	<i>Paeonia lactiflora</i> Pall.	Root	06153710100299008
10070	Paeoniae Radix Rubra	Red Peony Root	赤芍	Chi shao	(1) <i>Paeonia lactiflora</i> Pall.; (2) <i>Paeonia veitchii</i> Lynch	Root	06153710100399005
10071	Clematidis Radix et Rhizoma	Chinese Clematis Root	威灵仙	Wei ling xian	(1) <i>Clematis chinensis</i> Osbeck; (2) <i>Clematis hexapetala</i> Pall.; (3) <i>Clematis manshurica</i> Rupr.	Root and rhizome	06153710300199009
10072	Aconiti Radix	Common Monkshood Mother Root	川乌(烏)	Chuan wu	<i>Aconitum carmichaelii</i> Debx	Parent root tuber	06153710400199008
10073	Semiaquilegiae Radix	Muskroot-like Semiaquilegia Root	天葵子	Tian kui zi	<i>Semiaquilegia adoxoides</i> (DC.) Makino	Root tuber	06153710400299005
10074	Aconiti Lateralis Radix Praeparata	Sliced Common Monkshood Daughter Root	附子	Fu zi	<i>Aconitum carmichaelii</i> Debx	Daughter root tuber	06153710400399002
10075	Aconiti Kusnezoffii Radix	Kusnezoff Monkshood Root	草乌(烏)	Cao wu	<i>Aconitum kusnezoffii</i> Reichb.	Root tuber	06153710400499009
10076	Ranunculi Ternati Radix	Catclaw Buttercup Root	猫爪草	Mao zhao cao	<i>Ranunculus ternatus</i> Thunb.	Root tuber	06153710400699003
10077	Cimicifugae Rhizoma	Large trifolious Bugbane Rhizome	升麻	Sheng ma	<i>Cimicifuga heracleifolia</i> Kom.	Rhizome	06153710500199007
10078	Anemones Raddeanae Rhizoma	Radde Anemone Rhizome	两头(頭)尖	Liang tou jian	<i>Anemone raddeana</i> Regel	Rhizome	06153710500299004

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10079	<i>Coptidis Rhizoma</i>	Golden Thread	黄连(連)	Huang lian	(1) <i>Coptis chinensis</i> Franch.; (2) <i>Coptis deltoidea</i> C.Y.Cheng et Hsiao; (3) <i>Coptis teeta</i> Wall.	Rhizome	06153710500399001
10080	<i>Clematidis Armandii Caulis</i>	Armand Clematis Stem	川木通	Chuan mu tong	(1) <i>Clematis armandii</i> Franch.; (2) <i>Clematis montana</i> Buch.-Ham.	Lianoid stem	06153720100199000
10081	<i>Moutan Cortex</i>	Tree Peony Bark	牡丹皮	Mu dan pi	<i>Paeonia suffruticosa</i> Andr.	Root bark	06153720600199005
10082	<i>Aconiti Kusnezoffii Folium</i>	Kusnezoff Monkshood Leaf	草乌(烏)叶(葉)	Cao wu ye	<i>Aconitum kusnezoffii</i> Reichb.	Leaf	06153720700199004
10083	<i>Nigellae Semen</i>	Fennel flower seed	罌種(種)草子	Hei zhong cao zi	<i>Nigella glandulifera</i> Freyn et Sint.	Ripe seed	06153740600199003
10084	<i>Sargentodoxae Caulis</i>	Sargentgloryvine Stem	大血藤	Da xue teng	<i>Sargentodoxa cuneata</i> (Oliv.) Rehd. et Wils.	Lianoid stem	06153820100199007
10085	<i>Akebiae Caulis</i>	Akebia Stem	木通	Mu tong	(1) <i>Akebia quinata</i> (Thunb.) Decne.; (2) <i>Akebia trifoliata</i> (Thunb.) Koidz.; (3) <i>Akebia trifoliata</i> (Thunb.) Koidz.var. <i>australis</i> (Diels) Rehd.	Lianoid stem	06153820100299004
10086	<i>Stauntoniae Caulis et Folium</i>	Wild papaya	野木瓜	Ye mu gua	<i>Stauntonia chinensis</i> DC.	Young floriferous branch	06153821200199003
10087	<i>Akebiae Fructus</i>	Akebia Fruit	預(預)知子	Yu zhi zi	(1) <i>Akebia quinata</i> (Thunb.) Decne.; (2) <i>Akebia trifoliata</i> (Thunb.) Koidz.; (3) <i>Akebia trifoliata</i> (Thunb.) Koidz.var. <i>australis</i> (Diels)Rehd.	Nearly ripe fruit	06153840200199004

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10088	<i>Berberidis Radix</i>	Barberry Radix	三颗针(针)	San ke zhen	(1) <i>Berberis soulieana</i> Schneid.; (2) <i>Berberis wilsonae</i> Hemsl.; (3) <i>Berberis poiretii</i> Schneid.; (4) <i>Berberis vernae</i> Schneid.	Root	06153910100199005
10089	<i>Mahoniae Caulis</i>	Chinese Mahonia Stem	功劳木	Gong lao mu	(1) <i>Mahonia bealei</i> (Fort.) Carr.; (2) <i>Mahonia fortunei</i> (Lindl.) Fedde	Stem	06153920900199006
10090	<i>Epimedium Folium</i>	Epimedium Leaf	淫羊藿	Yin yang huo	(1) <i>Epimedium brevicornum</i> Maxim.; (2) <i>Epimedium sagittatum</i> (Sieb. et Zucc.) Maxim.; (3) <i>Epimedium pubescens</i> Maxim.; (4) <i>Epimedium koreanum</i> Nakai	Leaf	06153920700299005
10091	<i>Epimedium Wushanensis Folium</i>	Epimedium Wushanense Leaf	巫山淫羊藿	Wu shan yin yang huo	<i>Epimedium wushanense</i> T. S. Ying	Leaf	06153920700399002
10092	<i>Sinopodophylli Fructus</i>	Common Sinopodophyllum Fruit	小叶(葉)莲(莲)	Xiao ye lian	<i>Podophyllum hexandrum</i> (Royle) Ying	Ripe fruit	06153940200199001
10093	<i>Stephaniae Tetrandrae Radix</i>	Fourstamen Stephania Root	防己	Fang ji	<i>Stephania tetrandra</i> S. Moore	Root	06154010100199001
10094	<i>Tinosporae Radix</i>	Tinospora Root	金果榄(纒)	Jin guo lan	(1) <i>Tinospora sagittata</i> (Oliv.) Gagnep.; (2) <i>Tinospora capillipes</i> Gagnep.	Root tuber	06154010400299005
10095	<i>Menispermii Rhizoma</i>	Asiatic Moonseed Rhizome	北豆根	Bei dou gen	<i>Menispermum dauricum</i> DC.	Rhizome	06154010500199007

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10096	<i>Simomenii</i> Caulis	Orientvine Stem	青风(風)藤	Qing feng teng	(1) <i>Sinomenium acutum</i> (Thunb.) Rehd.et Wils.; (2) <i>Sinamenium acutum</i> (Thunb.) Rehd. et Wils. var. <i>cinereum</i> Rehd.et Wils.	Lianoid stem	06154020100199000
10097	<i>Fibraureae</i> Caulis	Common Fibraurea Stem	黄藤	Huang teng	<i>Fibraurea recisa</i> Pierre.	Lianoid stem	06154020100299007
10098	<i>Cissampelotis</i> Herba	Common Cissampelos Herb	亚乎奴(錫)生藤	ya hu nu	<i>Cissampelos pareira</i> L. var. <i>hirsute</i> (Buch. ex DC.) Forman	Whole plant/herb	06154050100199007
10099	<i>Kadsurae</i> Caulis	Kadsura Stem	滇鸡(雞)血藤	Dian ji xue teng	<i>Kadsura interior</i> A. C. Smith	Lianoid stem	06154120100299004
10100	<i>Illicii</i> Cortex	Difengpi Bark	地枫(楓)皮	Di feng pi	<i>Illicium difengpi</i> K. I. B. et K. I. M.	Stem bark	06154120500199003
10101	<i>Magnoliae</i> Officinalis Cortex	Officinal Magnolia Bark	厚朴	Hou po	(1) <i>Magnolia officinalis</i> Rehd.et Wils.; (2) <i>Magnolia officinalis</i> Rehd.et Wils.var. <i>biloba</i> Rehd.et Wils.	Stem bark, root bark or branch bark	06154120500299000
10102	<i>Magnoliae</i> Flos	Biond Magnolia Flower	辛夷	Xin yi	(1) <i>Magnolia biondii</i> Pamp.; (2) <i>Magnolia danudata</i> Desr.; (3) <i>Magnolia sprengeri</i> Pamp.	Flower bud	06154130300199004
10103	<i>Magnoliae</i> Officinalis Flos	Officinal Magnolia Flower	厚朴花	Hou po hua	(1) <i>Magnolia officinalis</i> Rehd.et Wils.; (2) <i>Magnolia officinalis</i> Rehd.et Wils.var. <i>biloba</i> Rehd.et Wils.	Flower bud	06154130300299001
10104	<i>Anisi Stellati</i> Fructus	Chinese Star Anise	八角茴香	Ba jiao hui xiang	<i>Illicium verum</i> Hook.f.	Ripe fruit	06154140200199004
10105	<i>Schisandrae</i> Chinensis Fructus	Chinese Magnoliavine Fruit	五味子	Wu wei zi	<i>Schisandra chinensis</i> (Turcz.) Barl.	Ripe fruit	06154140200299001

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10106	<i>Schisandrae Sphenantherae Fructus</i>	Southern Magnoliavine Fruit	南五味子	Nan wu wei zi	<i>Schisandra sphenanthera</i> Rehd. et Wils.	Ripe fruit	06154140200399008
10107	<i>Myristicaceae Semen</i>	Nutmeg	肉豆蔻	Rou dou kou	<i>Myristica fragrans</i> Houtt.	Kernel	06154440500199002
10108	<i>Linderae Radix</i>	Combined Spicebush Root	乌药(烏藥)	Wu yao	<i>Lindera aggregata</i> (Sims) Kosterm.	Root tuber	06154510400199003
10109	<i>Cinnamomi Ramulus</i>	Cassia Twig	桂枝	Gui zhi	<i>Cinnamomum cassia</i> Presl	Young branch	06154520200199004
10110	<i>Cinnamomi Cortex</i>	Cassia Bark	肉桂	Rou gui	<i>Cinnamomum cassia</i> Presl	Stem bark	06154520500199001
10111	<i>Litsea Fructus</i>	Mountain Spicy Fruit	荖(葦)燈茄	Bi cheng qie	<i>Litsea cubeba</i> (Lour.) Pers.	Ripe fruit	06154540200199002
10112	<i>Borneolum (d-Borneolum)</i>	Natural Borneol	天然冰片	Tian ran bing pian	<i>Cinnamomum camphora</i> (L.) Presl	Crystal produced from the fresh branches and leaves	06154590800199001
10113	<i>Corydalis Rhizoma</i>	Yanhusuo	延胡索(元胡)	Yan hu suo	<i>Corydalis yanhusuo</i> W.T. Wang	Tuber	06154710600199005
10114	<i>Corydalis Decumbentis Rhizoma</i>	Decumbent Corydalis Rhizome	夏天无(無)	Xia tian wu	<i>Corydalis decumbens</i> (Thunb.) Pers.	Tuber	06154710600299002
10115	<i>Papaveris Pericarpium</i>	Poppy Capsule	罌粟壳(殼)	Ying su qiao	<i>Papaver somniferum</i> L.	Pericarp of ripe fruit	06154740400199004
10116	<i>Corydalis Bungeanae Herba</i>	Bunge Corydalis Herb	苦地丁	Ku di ding	<i>Corydalis bungeana</i> Turcz.	Whole plant/herb	06154750100199006
10117	<i>Chelidonii Herba</i>	Greater Celandine Herb	白屈菜	Bai qu cai	<i>Chelidonium majus</i> L.	Whole plant/herb	06154750100299003
10118	<i>Isatidis Radix</i>	Isatis Root	板蓝(藍)根	Ban lan gen	<i>Isatis indigotica</i> Fort.	Root	06154910100199004
10119	<i>Pegaeophyti Radix et Rhizoma</i>	Acaulescent Pegaeophyton Root and Rhizome	高山辣根菜	Gao shan la gen cai	<i>Pegaeophyton scapiflorum</i> Marq. et Shaw	Root and rhizome	06154910300199002
10120	<i>Isatidis Folium</i>	Dyers Wood Leaf	大青叶(葉)	Da qing ye	<i>Isatis indigotica</i> Fort.	Leaf	06154920700199007

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicinals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10121	<i>Sinapis Semen</i>	Mustard Seed	芥子	Jie zi	(1) <i>Sinapis alba</i> L.; (2) <i>Brassica juncea</i> (L.) Czern. et Coss.	Ripe seed	06154940600199006
10122	<i>Raphani Semen</i>	Radish Seed	菜(莱)菔子	Lai fu zi	<i>Raphanus sativus</i> L.	Ripe seed	06154940600299003
10123	<i>Descurainiae Semen/Lepidii Semen</i>	Pepperweed Seed/ Tansymustard Seed	葶苈子	Ting li zi	(1) <i>Descurainia Sophia</i> (L.) Webb, ex Prantl.; (2) <i>Lepidium apetalum</i> Willd.	Ripe seed	06154940600399000
10124	<i>Thlaspi Herba</i>	Boor's Mustard Herb	葈蕒	Xi ming	<i>Thlaspi arvetse</i> L.	Aerial part	06154950500199006
10125	<i>Rhodiola Crenulatae Radix et Rhizoma</i>	Bigflower Rhodiola Root	红(红)景天	Hong jing tian	<i>Rhodiola crenulata</i> (Hook. f. et Thomas.) H. Ohba	Root and rhizome	06155510300199003
10126	<i>Sedi Herba</i>	Stringy Stonecrop Herb	垂盆草	Chui pen cao	<i>Sedum sarmentosum</i> Bunge	Whole plant/herb	06155550100199001
10127	<i>Orostachyis Fimbriati Herba</i>	Fimbriate Orostachys Herb	瓦松	Wa song	<i>Orostachys fimbriatus</i> (Turcz.) Berg.	Aerial part	06155550500199007
10128	<i>Dichroae Radix</i>	Antifeverile Dichroa Root	常山	Chang shan	<i>Dichroa febrifuga</i> Lour.	Root	06155610100199002
10129	<i>Bergeniae Rhizoma</i>	Purple Bergenia Herb	岩白菜	Yan bai cai	<i>Bergenia purpurascens</i> (Hook. f. et Thoms.) Engl.	Rhizome	06155610500199008
10130	<i>Liquidambaris Fructus</i>	Beautiful Sweetgum Fruit	路路通	Lu lu tong	<i>Liquidambar formosana</i> Hance	Ripe infructescences	06155840200199002
10131	<i>Styrax</i>	Storax	苏(蘇)合香	Su he xiang	<i>Liquidambar orientalis</i> Mill.	Balsam	06155890200199007
10132	<i>Liquidambaris Resina</i>	Beautiful Sweetgum Resin	枫(楓)香脂	Feng xiang zhi	<i>Liquidambar formosana</i> Hance	Resin	06155890200299004
10133	<i>Eucommiae Cortex</i>	Eucommia Bark	杜仲	Du zhong	<i>Eucommia ulmoides</i> Oliv.	Stem bark	06155920500199008
10134	<i>Eucommiae Folium</i>	Eucommia Leaf	杜仲叶(葉)	Du zhong ye	<i>Eucommia ulmoides</i> Oliv.	Leaf	06155920700199006

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10135	<i>Sanguisorbae Radix</i>	Garden Burnet Root	地榆	Di yu	(1) <i>Sanguisorba officinalis</i> L.; (2) <i>Sanguisorba officinalis</i> L. var. <i>longifolia</i> (Bert.) Yu et Li	Root	06156110100199006
10136	<i>Persicae Ramulus</i>	Peach Twig	桃枝	Tao zhi	<i>Prunus persica</i> (L.) Batsch	Twig	06156120200199004
10137	<i>Crataegi Folium</i>	Hawthorn Leaf	山楂叶(葉)	Shan zha ye	(1) <i>Crataegus pinnatifida</i> Bge. var. <i>major</i> N. E. Br.; (2) <i>Crataegus pinnatifida</i> Bge.	Leaf	06156120700199009
10138	<i>Eriobotryae Folium</i>	Loquat Leaf	枇杷叶(葉)	Pi pa ye	<i>Eriobotrya japonica</i> (Thunb.) Lindl.	Leaf	06156120700299006
10139	<i>Rosae Chinensis Flos</i>	Chinese Rose Flower	月季花	Yue ji hua	<i>Rosa chinensis</i> Jacq.	Flower	06156130200199003
10140	<i>Rosae Rugosae Flos</i>	Rose Flower	玫瑰花	Mei gui hua	<i>Rosa rugosa</i> Thunb.	Flower bud	06156130300199002
10141	<i>Mume Flos</i>	Plum Flower	梅花	Mei hua	<i>Prunus mume</i> (Sieb.) Sieb. et Zucc.	Flower bud	06156130300299009
10142	<i>Crataegi Fructus</i>	Hawthorn Fruit	山楂	Shan zha	(1) <i>Crataegus pinnatifida</i> Bge. var. <i>major</i> N. E. Br.; (2) <i>Crataegus pinnatifida</i> Bge.	Ripe fruit	06156140200199002
10143	<i>Mume Fructus</i>	Smoked Plum	乌(烏)梅	Wu mei	<i>Prunus mume</i> (Sieb.) Sieb. et Zucc.	Almost ripe fruit	06156140200299009
10144	<i>Chaenomeles Fructus</i>	Common Flowering quince Fruit	木瓜	Mu gua	<i>Chaenomeles speciosa</i> (Sweet) Nakai	Nearly ripe fruit	06156140200399006
10145	<i>Rosae Laevigatae Fructus</i>	Cherokee Rose Fruit	金櫻子	Jin ying zi	<i>Rosa laevigata</i> Michx	Ripe fruit	06156140200499003
10146	<i>Prinsepiae Nux</i>	Hedge Prinsepia Nut	蕤仁	Rui ren	(1) <i>Prinsepia uniflora</i> Batal.; (2) <i>Prinsepia uniflora</i> Batal. var. <i>serrata</i> Rehd.	Ripe kernel	06156140500199009

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10147	Rubi Fructus	Palmleaf Raspberry Fruit	覆盆子	Fu pen zi	<i>Rubus chingii</i> Hu	Fruit	06156140200899001
10148	Armeniacaee Semen Amarum	Bitter Apricot Seed	苦杏仁	Ku xing ren	(1) <i>Prunus armeniaca</i> L. var. <i>ansu</i> Maxim.; (2) <i>Prunus sibirica</i> L.; (3) <i>Prunus mandshurica</i> (Maxim.) Koehne	Ripe seed	06156140600199008
10149	Pruni Semen	Chinese Dwarf Cherry Seed	郁(鬱)李仁	Yu li ren	(1) <i>Prunus humilis</i> Bge.; (2) <i>Prunus japonica</i> Thunb.; (3) <i>Prunus pedunculata</i> Maxim.	Ripe seed	06156140600299005
10150	Persicae Semen	Peach Seed	桃仁	Tao ren	(1) <i>Prunus persica</i> (L.) Batsch; (2) <i>Prunus davidiana</i> (Carr.) Franch.	Ripe seed	06156140600399002
10151	Potentillae Chinensis Herba	Chinese Cinquefoil	委陵菜	Wei ling cai	<i>Potentilla chinensis</i> Ser.	Whole plant/herb	06156150100299009
10152	Gei Herba	Aleppo Arens Herb	藍(藍)布正	Lan bu zheng	(1) <i>Geum aleppicum</i> Jacq.; (2) <i>Geum japonicum</i> Thunb. var. <i>chinense</i> Bolle	Whole plant/herb	06156150100399006
10153	Potentillae Discoloris Herba	Discolour Cinquefoil Herb	翻白草	Fan bai cao	<i>Potentilla discolor</i> Bge.	Whole plant/herb	06156150100499003
10154	Agrimoniae Herba	Hairyvein Agrimonia Herb	仙鶴草	Xian he cao	<i>Agrimonia pilosa</i> Ledeb.	Aerial part	06156150500199008
10155	Hedysari Radix	Manyinflorescenced Sweetvetch Root	紅(紅)芪	Hong qi	<i>Hedysarum polybotrys</i> Hand. -Mazz.	Root	06156310100199000
10156	Sophorae Flavescentis Radix	Lightyellow Sophora Root	苦參(參)	Ku shen	<i>Sophora flavescens</i> Ait.	Root	06156310100399004

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10157	<i>Astragal Radix</i>	Milkvetch Root	黄芪(耆)	Huang qi	(1) <i>Astragalus membranaceus</i> (Fisch) Bge. var. <i>mongholicus</i> (Bge.) Hsiao; (2) <i>Astragalus membranaceus</i> (Fisch.) Bge.	Root	06156310100699005
10158	<i>Puerariae Thomsonii Radix</i>	Thomson Kudzuvine Root	粉葛	Fen ge	<i>Pueraria thomsonii</i> Benth.	Root	06156310100799002
10159	<i>Puerariae Lobatae Radix</i>	Kudzuvine Root	葛根	Ge gen	<i>Pueraria lobata</i> (Willd.) Ohwi	Root	06156310100899009
10160	<i>Sophorae Tonkinensis Radix et Rhizoma</i>	Vietnamese Sophora Root	山豆根	Shan dou gen	<i>Sophora tonkinensis</i> Gagnep.	Root and rhizome	06156310300199008
10161	<i>Glycyrrhizae Radix et Rhizoma</i>	Liquorice Root	甘草	Gan cao	(1) <i>Glycyrrhiza uralensis</i> Fisch.; (2) <i>Glycyrrhiza inflata</i> Bat.; (3) <i>Glycyrrhiza glabra</i> L.	Root and rhizome	06156310300299005
10162	<i>Spatholobi Caulis</i>	Suberect Spatholobus Stem	鸡(雞)血藤	Ji xue teng	<i>Spatholobus suberectus</i> Dunn	Lianoid stem	06156320100199009
10163	<i>Gleditsiae Spina</i>	Chinese Honeylocust Spine	皂角刺	Zao jiao ci	<i>Gleditsia sinensis</i> Lam.	Stem thorn/spine	06156320300199007
10164	<i>Sappan Lignum</i>	Sappan Wood	苏(蘇)木	Su mu	<i>Caesalpinia sappan</i> L.	Heart wood	06156320400199006
10165	<i>Dalbergiae Odoriferae Lignum</i>	Rosewood	降香	Jiang xiang	<i>Dalbergia odorifera</i> T.Chen	Heart wood of trunk and root	06156320400299003
10166	<i>Albiziae Cortex</i>	Silktree Albizia Bark	合欢(歡)皮	He huan pi	<i>Albizia julibrissin</i> Durazz.	Stem bark	06156320500199005
10167	<i>Sennae Folium</i>	Senna Leaf	番泻(瀉)叶(葉)	Fan xie ye	(1) <i>Cassia angustifolia</i> Vahl; (2) <i>Cassia acutifolia</i> Delile	Leaflet	06156320700199003
10168	<i>Sophorae Flos</i>	Pagodatrete Flower	槐花	Huai hua	<i>Sophora japonica</i> L.	Flower and flower bud	06156330200199007
10169	<i>Albiziae Flos</i>	Albizia Flower	合欢(歡)花	He huan hua	<i>Albizia julibrissin</i> Durazz.	Flower bud or inflorescence	06156330300199006

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10170	<i>Gleditsiae Fructus Abnormaliz</i>	Chinese Honeylocust Abnormal Fruit	猪牙皂	Zhu ya zao	<i>Gleditsia sinensis</i> Lam.	Abnormal fruit	06156340200199006
10171	<i>Psoraleae Fructus</i>	Malaytea Scurfpea Fruit	补(補)骨脂	Bu gu zhi	<i>Psoralea corylifolia</i> L.	Ripe fruit	06156340200299003
10172	<i>Sophorae Fructus</i>	Japanese Pagodatree Pod	槐角	Huai jiao	<i>Sophora japonica</i> L.	Ripe fruit	06156340200399000
10173	<i>Gleditsiae Sinensis Fructus</i>	Big <i>Gleditsia</i>	大皂角	Dayao jiao	<i>Gleditsia sinensis</i> Lam.	Ripe fruit	06156340200499007
10174	<i>Vignae Semen</i>	Rice Bean	赤小豆	Chi xiao dou	(1) <i>Vigna umbeuata</i> Ohwi et Ohashi; (2) <i>Vigna angutaris</i> Ohwi et Ohashi	Ripe seed	06156340600199002
10175	<i>Entadae Semen</i>	Entada Seed	楫藤子	Ke teng zi	<i>Entada phaseoloides</i> (Linn.) Merr.	Ripe seed	06156340600299009
10176	<i>Canavaliae Semen</i>	Jack Bean	刀豆	Dao dou	<i>Canavalia gladiata</i> (Jacq.) DC.	Ripe seed	06156340600399006
10177	<i>Lablab Semen Album</i>	White Hyacinth Bean	白扁豆	Bai bian dou	<i>Doilichos lablab</i> L.	Ripe seed	06156340600499003
10178	<i>Cassiae Semen</i>	Cassia Seed	决明子	Jue ming zi	(1) <i>Cassia obtusifolia</i> L.; (2) <i>Cassia tora</i> L.	Ripe seed	06156340600599000
10179	<i>Astragali Complanati Semen</i>	Flatstem Milkvetch Seed	沙苑子	Sha yuan zi	<i>Astragalus complanatus</i> R. Br.	Ripe seed	06156340600699007
10180	<i>Trigonellae Semen</i>	Common Fenugreek Seed	胡芦(蘆)巴	Hu lu ba	<i>Trigonella foenum-graecum</i> L.	Ripe seed	06156340600799004
10181	<i>Sojae Semen Nigrum</i>	Black Bean	黑豆	Hei dou	<i>Glycine max</i> (L.) Merr.	Ripe seed	06156340600899001
10182	<i>Abri Herba</i>	Canton Love-pea Vine	鸡(雞)骨草	Ji gu cao	<i>Abrus cantoniensis</i> Hance	Whole plant/herb	06156350100199006
10183	<i>Desmodii Styrcifolii Herba</i>	Snowbellleaf Tickclover Herb	广(廣)金錢(錢)草	Guang jin qian cao	<i>Desmodium styracifolium</i> (Osb.) Merr.	Aerial part	06156350500199002

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10184	Catechu	Cutch/Black Catechu	儿茶	Er cha	<i>Acacia catechu</i> (L.f.) Willd.	Concentrated decoction prepared from the peeled branch and stem	06156390800199005
10185	<i>Erodii Herba</i> / <i>Geranii Herba</i>	Common Heron's Bill Herb/Wilford Granesbill Herb	老鸛草	Lao guan cao	(1) <i>Erodium. Stephanianum</i> Willd.; (2) <i>Geranium wilfordii</i> Maxim.; (3) <i>Geranium carolinianum</i> L.	Aerial part	06156550500199006
10186	<i>Lini Semen</i>	Linseed	亞(亞)麻子	Ya ma zi	<i>Linum usitatissimum</i> L.	Ripe seed	06156740600199000
10187	<i>Tribuli Fructus</i>	Puncturevine Caltrop Fruit	蒺藜	Ji li	<i>Tribulus terrestris</i> L.	Ripe fruit	06156940200199008
10188	<i>Zanthoxyli Radix</i>	Shinyleaf Pricklyash Root	两面针	Liang mian zhen	<i>Zanthoxylum nitidum</i> (Roxb.) DC.	Root	06157010100199008
10189	<i>Phellodendri Amurensis Cortex</i>	Amur Cork-tree	关(關)黄柏	Guan huang bo	<i>Phellodendron amurense</i> Rupr.	Stem bark	06157020500199003
10190	<i>Phellodendri Chinensis Cortex</i>	Chinese Cork-tree	黄柏	Huang bo	<i>Phellodendron chinensis</i> Schneid.	Stem bark	06157020500299000
10191	<i>Dictamni Cortex</i>	Densefruit Pittany Root-Bark	白鲜皮	Bai xian pi	<i>Dictamnus dasycarpus</i> Turcz.	Root bark	06157020600199002
10192	<i>Murrayae Folium et Cacumen</i>	Murraya Jasminorage	九里香	Jiu li xiang	(1) <i>Murraya erotica</i> L.; (2) <i>Murraya paniculata</i> (L.) Jack	Leaf and young foliferous branch	06157021200299000
10193	<i>Aurantii Fructus Immaturus</i>	Immature Orange Fruit	枳实(實)	Zhi shi	(1) <i>Citrus aurantium</i> L.; (2) <i>Citrus sinensis</i> bat.	Immature fruit	06157040100199005
10194	<i>Aurantii Fructus</i>	Orange Fruit	枳壳(殼)	Zhi qiao	<i>Citrus aurantium</i> L.	Young fruit	06157040100299002
10195	<i>Citri Fructus</i>	Citron Fruit	香橼	Xiang yuan	(1) <i>Citrus medica</i> L.; (2) <i>Citrus wilsonii</i> Tanaka	Rope fruit	06157040200199004
10196	<i>Citri Sarcodactylis Fructus</i>	Finger Citron	佛手	Fo shou	<i>Citrus medica</i> L. var. <i>sarcodactylis</i> Swingle	Fruit	06157040200299001

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10197	<i>Euodiae Fructus</i>	Medicinal <i>Euodia</i> Fruit	臭菜萸	Wu zhu yu	(1) <i>Euodia rutaecarpa</i> (Juss.) Benth.; (2) <i>Euodia rutaecarpa</i> (Juss.) Benth. var. <i>officinalis</i> (Dode) Huang; (3) <i>Euodia rutaecarpa</i> (Juss.) Benth. var. <i>bodinieri</i> (Dode) Huang	Nearly ripe fruit	06157040200399008
10198	<i>Citri Grandis Exocarpium</i>	Pummelo Peel	化橘红(紅)	Hua ju hong	(1) <i>Citrus grandis</i> 'Tomentosa'; (2) <i>Citrus grandis</i> (L.) Osbeck	Exocarp of unripe or almost ripe fruit	06157040400199002
10199	<i>Zanthoxyli Pericarpium</i>	Pricklyash Peel	花椒	Hua jiao	(1) <i>Zanthoxylum schinifolium</i> Sieb. et Zucc.; (2) <i>Zanthoxylum bungeanum</i> Maxim.	Pericarp of ripe fruit	06157040400299009
10200	<i>Citri Reticulatae Pericarpium</i>	Dried Tangerine Peel	陈(陳)皮	Chen pi	<i>Citrus reticulata</i> Blanco	Pericarp of ripe fruit	06157040400399006
10201	<i>Citri Reticulatae Pericarpium Viride</i>	Green Tangerine Peel	青皮	Qing pi	<i>Citrus reticulata</i> Blanco	Exocarp of young or immature ripe fruit	06157040400499003
10202	<i>Citri Exocarpium Rubrum</i>	Red Tangerine Peel	橘红(紅)	Ju hong	<i>Citrus reticulata</i> Blanco	Exocarp	06157040400599000
10203	<i>Citri Reticulatae Semen</i>	Tangerine Seed	橘核	Ju he	<i>Citrus reticulata</i> Blanco	Ripe seed	06157040600199000
10204	<i>Picrasmae Ramulus et Folium</i>	Indian Quassia wood	苦木	Ku mu	<i>Picrasma quassioides</i> (D. Don) Benn.	Branch and leaf	06157121200199000
10205	<i>Ailanthi Cortex</i>	Tree-of-heaven Bark	椿皮	Chun pi	<i>Ailanthus altissima</i> (Mill.) Swingle	Root bark or stem bark	06157120600199009
10206	<i>Bruceae Fructus</i>	Java Brucea Fruit	鸦胆(膽)子	Ya dan zi	<i>Brucea javanica</i> (L.) Merr.	Ripe fruit	06157140200199001
10207	<i>Canarii Fructus</i>	Chinese White Olive	青果	Qing guo	<i>Canarium album</i> Raeusch.	Ripe fruit	06157240200199008

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10208	Myrrha	Myrrh	没药(藥)	Mo yao	(1) <i>Commiphora myrrha</i> Engl.; (2) <i>Commiphora molmol</i> Engl.	Resin collected from the trunk	06157290200199003
10209	Olibanum	Olibanum	乳香	Ru xiang	(1) <i>Boswellia carterii</i> Birdw.; (2) <i>Boswellia bhawdajiana</i> Birdw.	Resin exuding from the bark	06157290200299000
10210	Meliae Cortex	Szechwan Chinaberry Bark	苦楝皮	Ku lian pi	(1) <i>Melia toosendan</i> Sieb.et Zucc.; (2) <i>Melia azedarach</i> L.	Stem bark	06157320500199004
10211	Toosendan Fructus	Szechwan Chinaberry Fruit	川楝子	Chuan lian zi	<i>Melia toosendan</i> Sieb.et Zucc.	Ripe fruit	06157340200199005
10212	Polygalae Radix	Thinleaf Milkwort Root	远(遠)志	Yuan zhi	(1) <i>Polygala tenui oli</i> Willd.; (2) <i>Polygala sibirica</i> L.	Root	06157510100199003
10213	Polygalae Japonicae Herba	Japanese Milkwort Herb	瓜子金	Gua zi jin	<i>Polygala japonica</i> Houltt.	Whole plant/herb	06157550100199009
10214	Euphorbiae Pekinensis Radix	Peking Euphorbia Root	京大戟	Jing da ji	<i>Euphorbia pekinensis</i> Rupr.	Root	06157710100199007
10215	Euphorbiae Ebracteolatae Radix	Bracteole-lacked Euphorbia Root	狼毒	Lang du	(1) <i>Euphorbia ebracteolata</i> Hayata; (2) <i>Euphorbia fischeriana</i> Steud	Root	06157710100299004
10216	Kansui Radix	Gansui Root	甘遂	Gan sui	<i>Euphorbia kansui</i> T. N. Liou ex T. P. Wang	Root tuber	06157710400199004
10217	Sauropi Folium	Dragon's Tongue Leaf	龙(龍)脷叶(葉)	Long li ye	<i>Sauropus spatulifolius</i> Beille	Leaf	06157720700199000
10218	Crotonis Fructus	Croton Fruit	巴豆	Ba dou	<i>Croton tiglium</i> L.	Ripe fruit	06157740200199003
10219	Phyllanthi Fructus	Emblc Leafflower Fruit	余甘子	Yu gan zi	<i>Phyllanthus emblica</i> L.	Ripe fruit	06157740200299000
10220	Euphorbiae Semen	Caper Euphorbia Seed	千金子	Qian jin zi	<i>Euphorbia lathyris</i> L.	Ripe seed	06157740600199009

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10221	Ricini Semen	Castor Seed	蓖麻子	Bi ma zi	<i>Ricinus communis</i> L.	Ripe seed	06157740600299006
10222	Euphorbiae Humifusae Herba	Creeping Euphorbia	地锦(锦)草	Di jin cao	(1) <i>Euphorbia humi usa</i> Willd.; (2) <i>Euphorbia maculata</i> L.	Whole plant/herb	06157750100199003
10223	Euphorbiae Hirtae Herba	Garden Euphorbia Herb	飞(飛)扬(揚)草	Fei yang cao	<i>Euphorbia hirta</i> L.	Whole plant/herb	06157750100599001
10224	Choerospondiatis Fructus	Axillary Choerospondias Fruit	广(廣)枣	Guang zao	<i>Choerospondias axillaris</i> (Roxb.)Burt et Hill	Ripe fruit	06158340200199004
10225	Toxicodendri Resina	Dried Lacquer	干(幹)漆	Gan qi	<i>Toxicodendron vernicifluum</i> (Stokes) F. A. Barkl.	Resin	06158390200199009
10226	Galla Chinensis	Chinese Gall	五倍子	Wu bei zi	(1) <i>Rhus chinensis</i> Mill.; (2) <i>Rhus potaninii</i> Maxim.; (3) <i>Rhus punjabensis</i> Stew. var. <i>sinica</i> (Diels) Rehd. et Wils.	Gall produced mainly by parasitic aphids on the leaf	061583909000199002
10227	Ilicis Rotundae Cortex	Ovateleaf Holly Bark	救必应(應)	Jiu bi ying	<i>Ilex rotunda</i> Thumb.	Stem bark	06158520500199007
10228	Ilicis Chinensis Folium	Ilex Chinensis Leaf	四季青	Si ji qing	<i>Ilex chinensis</i> Sims.	Leaf	06158520700199005
10229	Ilicis Cornutae Folium	Chinese Holly Leaf	枸骨叶(葉)	Gou gu ye	<i>Ilex cornuta</i> Lindl. ex Paxt.	Leaf	06158520700299002
10230	Turpiniae Folium	Acute Turpinia Leaf	山香圆叶(葉)	Shan xiang yuan ye	<i>Turpinia arguta</i> Seem.	Leaf	06158920700199003
10231	Aesculi Semen	Buckeye Seed	娑罗(羅)子	Suo luo zi	(1) <i>Aesculus chinensis</i> Bge.; (2) <i>Aesculus chinensis</i> Bge. var. <i>chekiangensis</i> (Hu et Fang) Fang; (3) <i>Aesculus wilsonii</i> Rehd.	Ripe seed	06159240600199002
10232	Litchi Semen	Lychee Seed	荔枝核	Li zhi he	<i>Litchi chinensis</i> Sonn.	Ripe seed	06159340600199009
10233	Longan Arillus	Longan Aril	龙(龍)眼肉	Long yan rou	<i>Dimocarpus longan</i> Lour.	Aril	06159340800199007

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10234	<i>Impatiens Semen</i>	Garden Balsam Seed	急性子	ji xing zi	<i>Impatiens balsamina</i> L.	Ripe seed	06159540600199003
10235	<i>Jujubae Fructus</i>	Chinese Date	大枣	Da zao	<i>Ziziphus jujuba</i> Mill	Ripe fruit	06159640200199004
10236	<i>Ziziphi Spinosae Semen</i>	Spine Date Seed	酸枣仁	Suan zao ren	<i>Ziziphus jujuba</i> Mill. var. <i>spinosa</i> (Bunge) Hu ex H. F. Chou	Ripe seed	06159640600199000
10237	<i>Ampelopsis Radix</i>	Japanese Ampelopsis Root	白藜	Bai lian	<i>Ampelopsis japonica</i> (Thunb.) Makino	Root tuber	06159710400199002
10238	<i>Microctis Folium</i>	Paniculate Microcos Leaf	布渣叶(葉)	Bu zha ye	<i>Microcos paniculata</i> L.	Leaf	06159920700199002
10239	<i>Hibisci Mutabilis Folium</i>	Coffonrose Hibiscus Leaf	木芙蓉叶(葉)	Mu fu rong ye	<i>Hibiscus mutabilis</i> L.	Leaf	06160020700199005
10240	<i>Abelmoschi Corolla</i>	Sunset Abelmoschus Flower	黄蜀葵花	Huang shu kui hua	<i>Abelmoschus manihot</i> (L.)	Corolla	06160030100199000
10241	<i>Malvae Fructus</i>	Cluster Mallow Fruit	冬葵果	Dong kui guo	<i>Malva verticillata</i> L.	Ripe fruit	06160040200199008
10242	<i>Abutili Semen</i>	Chingma Abutilon Seed	苘麻子	Qing ma zi	<i>Abutilon theophrastii</i> Medic.	Ripe seed	06160040600199004
10243	<i>Gossampini Flos</i>	Malabarica Flower	木棉花	Mu mian hua	<i>Gossampinus malabarica</i> (DC.) Merr.	Flower	06160130200199006
10244	<i>Sterculiae Lychnophorae Semen</i>	Boat-fruited Sterculia Seed	胖大海	Pang da hai	<i>Sterculia lychnophora</i> Hance	Ripe seed	06160240600199008
10245	<i>Hyperici Perforati Herba</i>	Common St. John's Wort Herb	贯(貫)叶(葉)金丝(絲)桃	Guan ye jin si tao	<i>Hypericum perforatum</i> L.	Aerial part	06160750500199003
10246	<i>Borneolum Syntheticum</i>	Borneol	冰片	Bing pian	C ₁₀ H ₁₈ O	Processed goods	06160890800199003
10247	<i>Tamaricis Cacumen</i>	Chinese Tamarisk Twig	西河柳	Xi he liu	<i>Tamarix chinensis</i> Lour.	Young twig and leaf	06161121200199003
10248	<i>Violae Herba</i>	Tokyo Violet Herb	紫花地丁	Zi hua di ding	<i>Viola yedoensis</i> Makino	Whole plant/herb	06161450100199005

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicinals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10249	Stachyuri Medulla/ Helwingiae Medulla	Stachyurus/ Japanese Helwingia Pith	小通草	Xiao tong cao	(1) <i>Stachyurus himalaicus</i> Hook. f. et Thoms.; (2) <i>Stachyurus chinensis</i> Franch.; (3) <i>Helwingia japonica</i> (Thunb.) Diétr.	Stem pith	06161620300199000
10250	Aquilariae Lignum Resinatum	Chinese Eaglewood Wood	沉香	Chen xiang	<i>Aquilaria sinensis</i> (Lour.) Gilg	Resin containing wood	06162320400199007
10251	Genkwa Flos	Lilac Daphne Flower Bud	芫花	Yuan hua	<i>Daphne genkwa</i> Sieb. et Zucc.	Flower bud	06162330300199007
10252	Hippophae Fructus	Seabuckthorn Fruit	沙棘	Sha ji	<i>Hippophae rhamnoides</i> L.	Ripe fruit	06162440200199004
10253	Granati Pericarpium	Pomegranate Rind	石榴皮	Shi liu pi	<i>Punica granatum</i> L.	Pericarp	06162840400199000
10254	Chebulae Fructus Immaturus	Western Fruit	西青果	Xi qing guo	<i>Terminalia chebula</i> Retz.	Fruitlet	06163340100199007
10255	Terminaliae Bellericae Fructus	Belleric Terminalia Fruit	毛诃子	Mao he zi	<i>Terminalia bellirica</i> (Gaertn.) Roxb.	Ripe fruit	06163340200199006
10256	Chebulae Fructus	Medicine Terminalia Fruit	诃子	He zi	(1) <i>Terminalia chebula</i> Retz.; (2) <i>Terminalia chebula</i> Retz. var. <i>tomentella</i> Kurt.	Ripe fruit	06163340200299003
10257	Quisqualis Fructus	Rangoon creeper Fruit	使君子	Shi jun zi	<i>Quisqualis indica</i> L.	Ripe fruit	06163340200499007
10258	Caryophylli Flos	Clove	丁香	Ding xiang	<i>Eugenia caryophyllata</i> Thunb.	Flower bud	06163430300199003
10259	Caryophylli Fructus	Clove Fruit	母丁香	Mu ding xiang	<i>Eugenia caryophyllata</i> Thunb.	Fruit	06163440200199003
10260	Cynomorii Herba	Songaria Cynomorium Herb	锁阳(鎖陽)	Suo yang	<i>Cynomorium songaricum</i> Rupr.	Succulent stem/fleshy stem	06164121100199001

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10261	<i>Panax quinquefolii</i> Radix	American Ginseng	西洋参(参)	Xi yang shen	<i>Panax quinquefolium</i> L.	Root	06164210100199002
10262	<i>Ginseng Radix et Rhizoma</i>	Ginseng	人参(参)	Ren shen	<i>Panax ginseng</i> C. A. Mey.	Root and rhizome	06164210300199000
10263	<i>Notoginseng Radix et Rhizoma</i>	Sanchi Powder	三七	San qi	<i>Panax notoginseng</i> (Burk.) F. H. Chen	Root and rhizome	06164210300299007
10264	<i>Acanthopanax Senticosi Radix Et Rhizoma Seu Caulis</i>	Manyprickle Acanthopanax	刺五加	Ci wu jia	<i>Acanthopanax senticosus</i> (Rupr. et Maxim.) Harms	Root and rhizome or stem	06164210300399004
10265	<i>Panax Japonici Rhizoma</i>	Japanese Ginseng	竹节(节)参(参)	Zhu jie shen	<i>Panax japonicus</i> C. A. Mey.	Rhizome	06164210500199008
10266	<i>Panax Majoris Rhizoma</i>	Largeleaf Japanese Ginseng Rhizome	珠子参(参)	Zhu zi shen	(1) <i>Panax japonicus</i> C.A.Mey.var. <i>major</i> (Burk.) C.Y.Wu et K.M.Feng; (2) <i>Panax japonicus</i> C.A.Mey.var. <i>bipinnatifidus</i> (Seem.) C.Y. Wu et K.M.Feng	Rhizome	06164210500299005
10267	<i>Tetrapanax Medulla</i>	Ricepaperplant Pith	通草	Tong cao	<i>Tetrapanax papyriferus</i> (Hook.) K.Koch	Stem pith	06164220300199009
10268	<i>Acanthopanax Cortex</i>	Slenderstyle Acanthopanax Bark	五加皮	Wu jia pi	(1) <i>Acanthopanax gracilistylus</i> W. W. Smigh; (2) <i>Eleutherococcus henryi</i> Oliver	Root bark	06164220600199006
10269	<i>Ginseng Folium</i>	Ginseng Leaf	人参(参)叶(叶)	Ren shen ye	<i>Panax ginseng</i> C. A. Mey.	Leaf	06164220700199005
10270	<i>Glehnia Radix</i>	Coastal Glehnia Root	北沙参(参)	Bei sha shen	<i>Glehnia littoralis</i> Fr. Schmidt ex Miq.	Root	06164310100199009

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10271	Angelicae Dahuricae Radix	Dahurian Angelica Root	白芷	Bai zhi	(1) <i>Angelica dahurica</i> (Fisch. ex Hoffm.) Benth. et Hook. f.; (2) <i>Angelica dahurica</i> (Fisch. ex Hoffm.) Benth. et Hook. f. var. <i>formosana</i> (Boiss.) Shan et Yuan	Root	06164310100299006
10272	Angelicae Sinensis Radix	Chinese Angelica	当归(歸)	Dang gui	<i>Angelica sinensis</i> (Oliv.) Diels	Root	06164310100399003
10273	Saposhnikovia Radix	Divaricate Saposhnikovia Root	防风(風)	Fang feng	<i>Saposhnikovia divaricata</i> (Turcz.) Schischk.	Root	06164310100599007
10274	Changii Radix	Medicinal Changium Root	明党(黨)参(參)	Ming dang shen	<i>Changium smyrnioides</i> Wolff	Root	06164310100699004
10275	Peucedani Radix	Hogfennel Root	前胡	Qian hu	<i>Peucedanum praeruptorum</i> Dunn	Root	06164310100799001
10276	Angelicae Pubescentis Radix	Doubleteeth Pubescent Angelica Root	独(獨)活	Du huo	<i>Angelica pubescens</i> Maxim. f. <i>biserrata</i> Shan et Yuan	Root	06164310100899008
10277	Bupleuri Radix	Chinese Thorowax Root	柴胡	Chai hu	<i>Bupleurum chinense</i> DC.	Root	06164310101099001
10278	Peucedani Decursivi Radix	Decurrent Hogfennel Root	紫花前胡	Zi hua qian hu	<i>Peucedanum decursivum</i> (Miq.) Maxim.	Root	06164310101199008
10279	Notopterygii Rhizoma et Radix	Incised Notopterygium Rhizome or Root	羌活	Qiang huo	(1) <i>Notopterygium incisum</i> Ting ex H. T. Chang; (2) <i>Notopterygium franchetii</i> H. de Boiss.	Root and rhizome	06164310300199007
10280	Ligustici Rhizoma et Radix	Chinese Lovage	藁本	Gao ben	(1) <i>Ligusticum sinense</i> Oliv.; (2) <i>Ligusticum jeholense</i> Nakai et Kitag.	Root and rhizome	06164310300299004
10281	Chuanxiong Rhizoma	Szechwan Lovage Rhizome	川芎	Chuan xiong	<i>Ligusticum chuanxiong</i> Hort.	Rhizome	06164310500199005
10282	Foeniculi Fructus	Fennel	小茴香	Xiao hui xiang	<i>Foeniculum vulgare</i> Mill.	Ripe fruit	06164340200199005
10283	Carotae Fructus	Wild Carrot Fruit	南鹤虱	Nan he shi	<i>Daucus carota</i> L.	Ripe fruit	06164340200299002

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicinals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10284	Cnidii Fructus	Common Cnidium Fruit	蛇床子	She chuang zi	<i>Cnidium monnieri</i> (L.) Cuss.	Ripe fruit	06164340200399009
10285	Centellae Herba	Asiatic Pennywort Herb	积(積)雪草	Ji xue cao	<i>Centella asiatica</i> (L.) Urb.	Whole plant/herb	06164350100199005
10286	Ferulae Resina	Chinese Asafetida	阿魏	A wei	(1) <i>Ferula sinkiangensis</i> K. M. Shen; (2) <i>Ferula fukanensis</i> K. M. Shen	Resin	06164390200199000
10287	Corni Fructus	Asiatic Cornelian Cherry Fruit	山茱萸	Shan zhu yu	<i>Cornus officinalis</i> Sieb. Et Zucc.	Ripe sarcocarp	06164440400199000
10288	Pyrolae Herba	Pyrola Herb	鹿衔草	Lu-xian cao	(1) <i>Pyrola calliantha</i> H. Andres; (2) <i>Pyrola decorata</i> H. Andres	Whole plant/herb	06170350100199006
10289	Rhododendri Daurici Folium	Dahurian Rhododendron Leaf	满山红(紅)	Man shan hong	<i>Rhododendron dauricum</i> L.	Leaf	06170420700199000
10290	Rhododendri Mollis Flos	Yellow Azalea Flower	闹(鬧)羊花	Nao yang hua	<i>Rhododendron molle</i> G. Don	Flower	06170430200199004
10291	Ardisiae Crenatae Radix	Coral Ardisia Root	朱砂根	Zhu sha gen	<i>Ardisia crenata</i> Sims	Root	06170510200199003
10292	Ardisiae Japonicae Herba	Japanese Ardisia Herb	矮地茶	Ai di cha	<i>Ardisia japonica</i> (Thunb.) Blume	Whole plant/herb	06170550100199000
10293	Lysimachiae Herba	Christina Loosestrife	金钱(錢)草	Jin qian cao	<i>Lysimachia christinae</i> Hance	Whole plant/herb	06170650100199007
10294	Kaki Calyx	Persimmon Calyx	柿蒂	Shi di	<i>Diospyros kaki</i> Thunb.	Persistent calyx	06170930800199003
10295	Benzoinum	Benzoin	安息香	An xi xiang	<i>Styrax tonkinensis</i> (Pierre) Craib ex Hart.	Resin collected from the trunk	06171190200199006

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces, and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10296	Fraxini Cortex	Ash Bark	秦皮	Qin pi	(1) <i>Fraxinus rhynchophylla</i> Hance; (2) <i>Fraxinus chinensis</i> Roxb.; (3) <i>Fraxinus szaboana</i> Lingelsh.; (4) <i>Fraxinus stylosa</i> Lingelsh.	Banch bark or stem bark	06171220500199007
10297	Syringae Cortex	Manchurian Lilac Bark	暴马(馬)子皮	Bao ma zi pi	<i>Syringa reticulata</i> (Bl.) Hara var. <i>mandshutica</i> (Maxim.) Hara	Stem bark	06171220500299004
10298	Ligustri Lucidi Fructus	Glossy Privet Fruit	女贞(貞)子	Nü zhen zi	<i>Ligustrum lucidum</i> Ait.	Ripe fruit	06171240200199008
10299	Forsythiae Fructus	Weeping Forsythia Capsule	连翘	Lian qiao	<i>Forsythia suspensa</i> (Thunb.) Vahl	Fruit	06171240200299005
10300	Buddlejae Flos	Pale Butterflybush Flower	密蒙花	Mi meng hua	<i>Buddleja officinalis</i> Maxim.	Flower bud and inflorescence	06171330300199005
10301	Strychni Semen	Nux Vomica	马(馬)钱(錢)子	Ma qian zi	<i>Strychnos nux-vomica</i> L.	Ripe seed	06171340600199001
10302	Gentianae Macrophyllae Radix	Largeleaf Gentian Root	秦艽	Qin jiao	(1) <i>Gentiana macrophylla</i> Pall.; <i>Gentiana straminea</i> Maxim.; (2) <i>Gentiana crasicaulis</i> Duthie ex Burk.; (3) <i>Gentiana dahurica</i> Fisch. <i>Gentiana dahurica</i> Fisch.	Root	06171410100199006
10303	Gentianae Radix et Rhizoma	Chinese Gentian	龙胆(龍膽)	Long dan	(1) <i>Gentiana manshurica</i> Kitag.; (2) <i>Gentiana scabra</i> Bge.; (3) <i>Gentiana triflora</i> Pall.	Root and rhizome	06171410300199004
10304	Gentianae Radix et Rhizoma	Chinese Gentian	坚龙胆(堅龍膽)	Jian long dan	<i>Gentiana rigescens</i> Franch.	Root and rhizome	06171410300299001
10305	Swertiae Mileensis Herba	Mile Swertia Herb	青叶(葉)胆(膽)	Qing ye dan	<i>Swertia mileensis</i> T. N. Ho et W. L. Shih	Whole plant/herb	06171450100199002

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10306	<i>Swertiae Herba</i>	False Chinese Swertia Herb	当药(當藥)	Dang yao	<i>Swertia pseudochinensis</i> Hara	Whole plant/herb	06171450100299009
10307	<i>Entianae Rhodanthae Herba</i>	Red Gentian Herb	红(紅)花龙胆(龍膽)	Hong hua long dan	<i>Gentiana rhodantha</i> Franch.	Whole plant/herb	06171450100399006
10308	<i>Trachelospermi Caulis et Folium</i>	Chinese Starjasmine Stem	络石藤	Luo shi teng	<i>Trachelospernum jasminoides</i> (Lindl.) Lem.	Lianoid stem with leaf	06171521200199008
10309	<i>Apocyni Veneti Folium</i>	Dogbane Leaf	罗布麻叶(葉)	Luo bu ma ye	<i>Apocynum venetum</i> L.	Leaf	06171520700199006
10310	<i>Cynanchi Stauntonii Rhizoma et Radix</i>	Willowleaf Swallowwort Rhizome	白前	Bai qian	(1) <i>Cynanchum stauntonii</i> (Decne.) Schltr. ex Levl.; (2) <i>Cynanchum glaucescens</i> (Decne.) Hand. -Mazz.	Root and rhizome	06171610300199008
10311	<i>Cynanchi Atrati Radix et Rhizoma</i>	Blackend Swallowwort Root	白薇	Bai wei	(1) <i>Cynanchum atratum</i> Bge.; (2) <i>Cynanchum versicolor</i> Bge.	Root and rhizome	06171610300299005
10312	<i>Cynanchi Paniculati Radix et Rhizoma</i>	Paniculate Swallowwort Root	徐长(長)卿	Xu chang qing	<i>Cynanchum paniculatum</i> (Bge.) Kitag.	Root and rhizome	06171610300399002
10313	<i>Marsdeniae Tenacissimae Caulis</i>	Tenacious Condorvine Stem	通关(關)藤	Tong guan teng	<i>Marsdenia tenacissima</i> (Roxb.) Wight et Arn.	Lianoid stem	06171620100199009
10314	<i>Periplocae Cortex</i>	Chinese Silkvine Root-bark	香加皮	Xiang jia pi	<i>Periploca sepium</i> Bge.	Root bark	06171620600199004
10315	<i>Erycibes Caulis</i>	Obtuseleaf Erycibe Stem	丁公藤	Ding gong teng	(1) <i>Erycibe obtusifolia</i> Benth.; (2) <i>Erycibe schmidtii</i> Craib	Lianoid stem	06171720100199006
10316	<i>Pharbitidis Semen</i>	Pharbitis Seed	牵牛子	Qian niu zi	(1) <i>Pharbitis nil</i> (L.) Choisy; (2) <i>Pharbitis purpurea</i> (L.) Voigt	Ripe seed	06171740600199009
10317	<i>Cuscutae Semen</i>	Dodder Seed	菟丝(絲)子	Tu si zi	(1) <i>Cuscuta australis</i> R. Br.; (2) <i>Cuscuta chinensis</i> Lam.	Ripe seed	06171740600299006

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10318	<i>Arnebiae Radix</i>	Arnebia Root	紫草	Zi cao	(1) <i>Arnebia guttata</i> Bunge; (2) <i>Arnebia euchroma</i> (Royle) Johnston.	Root	06172010100199007
10319	<i>Callicarpae Macrophyllae Folium</i>	Callicarpae Macrophyllae	大叶(葉)紫珠	Da ye zi zhu	<i>Callicarpa macrophylla</i> Vahl	Leaf or young foliferous	06172121200199009
10320	<i>Callicarpae Caulis et Folium</i>	Kwangtung Beautyberry Stem and Leaf	广(廣)东(東)紫珠	Guang dong zi zhu	<i>Callicarpa kwangtungensis</i> Chun	Stem, branch and leaf	06172121200299006
10321	<i>Vitidis Negundo Folium</i>	Hempleaf Negundo Chastetree Leaf	牡荆叶(葉)	Mu jing ye	<i>Vitex negundo</i> L. var. <i>cannabifolia</i> (Sieb. et Zucc.) Hand.-Mazz.	Leaf	06172120700399001
10322	<i>Callicarpae Formosanae Folium</i>	Callicarpa Formosana Leaf	紫珠叶(葉)	Zi zhu ye	<i>Callicarpa formosana</i> Rolfe	Leaf	06172120700499008
10323	<i>Vitidis Fructus</i>	Shrub Chastetree Fruit	蔓荆子	Man jing zi	(1) <i>Vitex trifolia</i> L. var. <i>simplicifolia</i> Cham.; (2) <i>Vitex trifolia</i> L.	Ripe fruit	06172140200199000
10324	<i>Verbenae Herba</i>	European Verbena Herb	马(馬)鞭草	Ma bian cao	<i>Verbena officinalis</i> L.	Aerial part	06172150500199006
10325	<i>Salviae Miltiorrhizae Radix et Rhizoma</i>	Danshen Root	丹参(參)	Dan shen	<i>Salvia miltiorrhiza</i> Bge.	Root and rhizome	06172210300199009
10326	<i>Perillae Caulis</i>	Perilla Stem	紫苏(蘇)梗	Zi su geng	<i>Perilla frutescens</i> (L.) Britt.	Stem	06172220900199002
10327	<i>Perillae Folium</i>	Perilla Leaf	紫苏(蘇)叶(葉)	Zi su ye	<i>Perilla frutescens</i> (L.) Britt.	Leaf	06172220700199004
10328	<i>Schizonepetae Spica</i>	Fineleaf Schizonepeta Spike	荆芥穗	Jing jie sui	<i>Schizonepeta tenuifolia</i> Briq.	Spica	06172230700199003
10329	<i>Prunellae Spica</i>	Common Selfheal Fruit-Spike	夏枯草	Xia ku cao	<i>Prunella vulgaris</i> L.	Fruit-spike	06172240200399001
10330	<i>Leonuri Fructus</i>	Motherwort Fruit	茺蔚子	Chong wei zi	<i>Leonurus japonicus</i> Houtt.	Ripe fruit	06172240200199007
10331	<i>Perillae Fructus</i>	Perilla Fruit	紫苏(蘇)子	Zi su zi	<i>Perilla frutescens</i> (L.) Britt.	Ripe fruit	06172240200299004

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10332	Scutellariae Barbatae Herba	Barbated Skullcup Herb	半枝莲(蓮)	Ban zhi lian	<i>Scutellaria barbata</i> D. Don	Whole plant/herb	06172250100199007
10333	Ajugae Herba	Decumbent Bugle Herb	筋骨草	Jin gu cao	<i>Ajuga decumbens</i> Thunb.	Whole plant/herb	06172250100299004
10334	Pogostemonis Herba	Cablin Patchouli Herb	广(廣)藿香	Guang huo xiang	<i>Pogostemon cablin</i> (Blanco) Benth.	Aerial part	06172250500199003
10335	Glechomae Herba	Longtube Ground Ivy Herb	连钱(錢)草	Lian qian cao	<i>Glechoma longituba</i> (Nakai) Kupr.	Aerial part	06172250500299000
10336	Lycopi Herba	Hirsute Shiny Bugleweed Herb	泽兰(澤蘭)	Ze lan	<i>Lycopus lucidus</i> Turcz. var. <i>hirtus</i> Regel	Aerial part	06172250500399007
10337	Schizonepetae Herba	Fineleaf Schizonepeta Herb	荆芥	Jing jie	<i>Schizonepeta tenuifolia</i> Briq.	Aerial part	06172250500499004
10338	Moslae Herba	Chinese Mosla	香薷	Xiang ru	(1) <i>Mosla chinensis</i> Maxim.; (2) <i>Mosla chinensis</i> "jiangxiangru"	Aerial part	06172250500599001
10339	Leonuri Herba Recens	Fresh Motherwort Herb	益母草	Yi mu cao	<i>Leonurus japonicus</i> Houtt.	Aerial part	06172250500699008
10340	Menthae Haplocalycis Herba	Peppermint	薄荷	Bo he	<i>Mentha haplocalyx</i> Briq.	Aerial part	06172250500799005
10341	Rabdosiae Rubescentis Herba	Blushred Rabdosia Leaf	冬凌草	Dong ling cao	<i>Rabdosia rubescens</i> (Hemsl.) Hara	Aerial part	06172250500899002
10342	Lamiophlomis Herba	Common Lamiophlomis Herb	独(獨)一味	Du yi wei	<i>Lamiophlomis rotata</i> (Benth.) Kudo	Aerial part	06172250500999009
10343	Clinopodii Herba	Clinopodium Herb	断(斷)血流	Duan xue liu	(1) <i>Clinopodium polycephalum</i> (Vaniot) C.Y. Wu et Hsuan; (2) <i>Clinopodium chinensis</i> (Benth.) Q.Kuntze	Aerial part	06172250501099005
10344	Physochlainae Radix	Funnelled Physochlaina Root	华山参(參)	Hua shan shen	<i>Physochlaina infundibularis</i> Kuang	Root	06172310100199008

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10345	<i>Lycii Cortex</i>	Chinese Wolfberry Root-bark	地骨皮	Di gu pi	(1) <i>Lycium chinense</i> Mill.; (2) <i>Lycium barbarum</i> L.	Root bark	06172320600199002
10346	<i>Daturae Flos</i>	Datura Flower	洋金花	Yang jin hua	<i>Datura metel</i> L.	Flower	06172330200199005
10347	<i>Lycii Fructus</i>	Barbary Wolfberry Fruit	枸杞子	Gou qi zi	<i>Lycium barbarum</i> L.	Ripe fruit	06172340200299001
10348	<i>Capsici Fructus</i>	Hot Pepper	辣椒	La jiao	<i>Capsicum annuum</i> L.	Ripe fruit	06172340200399008
10349	<i>Physalis Calyx seu Fructus</i>	Franchet Groundcherry Fruit	锦(锦)灯笼	jin deng long	<i>Physalis alkekengi</i> L.var. <i>franchetii</i> (Mast.) Makino	Persistent calyx	06172330800199009
10350	<i>Hyoscyami Semen</i>	Henbane Seed	天仙子	Tian xian zi	<i>Hyoscyamus niger</i> L.	Ripe seed	06172340600199000
10351	<i>Belladonnae Herba</i>	Belladonna Herb	颠茄草	Dian jie cao	<i>Atropa belladonna</i> L.	Whole plant/herb	06172350100199004
10352	<i>Scrophulariae Radix</i>	Figwort Root	玄参(参)	Xuan shen	<i>Scrophularia ningpoensis</i> Hemsl.	Root	06172410100199005
10353	<i>Rehmanniae Radix</i>	Rehmannia Root	地黄	Di huang	<i>Rehmannia glutinosa</i> Libosch.	Root tuber	06172410400199002
10354	<i>Picrorhizae Rhizoma</i>	Figwortflower Picrorhiza Rhizome	胡黄连	Hu huang lian	<i>Picrorhiza scrophulariiflora</i> Pennell	Rhizome	06172410500199001
10355	<i>Picriae Herba</i>	Common Picria Herb	苦玄参(参)	Ku xuan shen	<i>Picria felteriae</i> Lour.	Whole plant/herb	06172450100199001
10356	<i>Lagotidis Herba</i>	Shorttube Lagotis Herb	洪连(连)	Hong lian	<i>Lagotis breviflora</i> Maxim.	Whole plant/herb	06172450100299008
10357	<i>Siphonostegiae Herba</i>	Chinensis Siphonostegia Herb	北刘(刘) 寄奴	Bei liu ji nu	<i>Siphonostegia chinensis</i> Benth.	Whole plant/herb	06172450100399005
10358	<i>Campsis Flos</i>	Trumpet creeper Flower	凌霄花	Ling xiao hua	(1) <i>Campsis grandiflora</i> (Thunb.) K.Schum.; (2) <i>Campsis radicans</i> (L.) Seem.	Flower	06172530200199009
10359	<i>Oroxyli Semen</i>	Indian Trumpetflower Seed	木蝴蝶	Mu hu die	<i>Oroxylum indicum</i> (L.) Vent.	Ripe seed	06172540600199004

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10360	Sesami Semen Nigrum	Black Sesame	黑芝麻	Hei zhi ma	<i>Sesamum indicum</i> L.	Ripe seed	06172640600299008
10361	Cistanches Herba	Desertliving Cistanche	肉苁(從)蓉	Rou cong rong	(1) <i>Cistanche deserticola</i> Y.C. Ma; (2) <i>Cistanche tubulosa</i> (Schrenk) Wight	Succulent stem/fleshy stem with scales	06172821100199009
10362	Lysionoti Herba	Fewflower Lysionotus Herb	石苧兰(蘭)	Shi diao lan	<i>Lysionotus pauciflorus</i> Maxim.	Aerial part	06172950500199002
10363	Baphicacanthis Cusiae Rhizoma et Radix	Baphicacanthus Root	南板蓝(藍)根	Nan ban lan gen	<i>Baphicacanthus cusia</i> (Nees) Bremek.	Root and rhizome	06173110300199001
10364	Andrographis Herba	Common Andrographis Herb	穿心莲(蓮)	Chuan xin lian	<i>Andrographis paniculata</i> (Burm. f.) Nees	Aerial part	06173150500199005
10365	Gendarussae Herba	Common Gendarussa Herb	小驳(駁)骨	Xiao bo gu	<i>Gendarussa vulgaris</i> Nees	Aerial part	06173150500299002
10366	Plantaginis Semen	Plantain Seed	车(車)前子	Che qian zi	(1) <i>Plantago asiatica</i> L.; (2) <i>Plantago depressa</i> Willd.	Ripe seed	06173440600199006
10367	Plantaginis Herba	Plantain Herb	车(車)前草	Che qian cao	(1) <i>Plantago asiatica</i> L.; (2) <i>Plantago depressa</i> Willd.	Whole plant/herb	06173450100199000
10368	Morindae Officinalis Radix	Morinda Root	巴戟天	Ba ji tian	<i>Morinda officinalis</i> How	Root	06173510100199001
10369	Rubiae Radix et Rhizoma	Indian Madder Root	茜草	Qian cao	<i>Rubia cordifolia</i> L.	Root and rhizome	06173510300199009
10370	Knoxiae Radix	Knoxia Root	红(紅)大戟	Hong da ji	<i>Knoxia valerianoides</i> Thorel et Pitard	Root tuber	06173510400199008

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10371	Uncariae Ramulus cum Uncis	Gambir Plant	钩(药)藤	Gou teng	(1) <i>Uncaria rhynchophylla</i> (Miq.) Jacks; (2) <i>Uncaria macrophylla</i> Wall.; (3) <i>Uncaria hirsuta</i> Havil.; (4) <i>Uncaria sinensis</i> (Oliv) Havil.; (5) <i>Uncaria sessilifructus</i> Roxb.	Hook-bearing branch	06173520200199009
10372	Gardeniae Fructus	Cape Jasmine Fruit	梔子	Zhi zi	<i>Gardenia jasminoides</i> Ellis	Ripe fruit	06173540200199007
10373	Lonicerae Japonicae Caulis	Honeysuckle Stem	忍冬藤	Ren dong teng	<i>Lonicera japonica</i> Thunb.	Stem and branch	06173620200299003
10374	Lonicerae Flos	Honeysuckle Flower	山银花	Shan yin hua	(1) <i>Lonicera macranthoides</i> Hand. Mazz.; (2) <i>Lonicera hypoglauca</i> Miq.; (3) <i>Lonicera confusa</i> DC.; (4) <i>Lonicera fulvotomentosa</i> Hsu et S. C. Cheng	Flower or flower bud	06173630200199005
10375	Lonicerae Japonicae Flos	Japanese Honeysuckle Flower	金银花	jin yin hua	<i>Lonicera japonica</i> Thunb.	Flower or flower bud	06173630200299002
10376	Nardostachyos Radix et Rhizoma	Nardostachys Root	甘松	Gan song	<i>Nardostachys jatamansi</i> DC.	Root and rhizome	06173810300199000
10377	Valerianae Jatamansi Rhizoma et Radix	Jatamans Valeriana Rhizome	蜘蛛香	Zhi zhu xiang	<i>Valeriana jatamansi</i> Jones	Root and rhizome	06173810300299007
10378	Dipsaci Radix	Himalayan Teasel Root	续(续)断 (断)	Xu duan	<i>Dipsacus asper</i> Wall.ex Henry	Root	06173910100199009
10379	Pteroccephali Herba	Hooker Winghead Root	翼首草	Yi shou cao	<i>Pteroccephalus hookeri</i> (C. B. Clarke) Hoeck	Whole plant/herb	06173950100199005

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10380	<i>Trichosanthis Radix</i>	Snakegourd Root	天花粉	Tian hua fen	(1) <i>Trichosanthes kirilowii</i> Maxim.; (2) <i>Trichosanthes rosthornii</i> Harms	Root	06174010100199005
10381	<i>Bolbostematis Rhizoma</i>	Paniculate Bolbostemma	土贝(貝)母	Tu bei mu	<i>Bolbostemma paniculatum</i> (Maxim.) Franquet	Tuber	06174010600199000
10382	<i>Trichosanthis Fructus</i>	Snakegourd Fruit	瓜蒌(瓠)	Gua lou	(1) <i>Trichosanthes kirilowii</i> Maxim.; (2) <i>Trichosanthes rosthornii</i> Harms	Ripe fruit	06174040200199001
10383	<i>Siraitiae Fructus</i>	Grosvenor Momordica Fruit	罗(羅)汉(漢)果	Luo han guo	<i>Siraita grosvenorii</i> (Swingle) C. Jeffrey ex A. M. Lu et Z. Y. Zhang	Fruit	06174040200299008
10384	<i>Luffae Fructus Retinervus</i>	Luffa Vegetable Sponge	丝(絲)瓜(瓜)络(絡)	Si gua luo	<i>Luffa cylindrica</i> (L.) Roem.	Vascular bundles	06174040400199009
10385	<i>Benincasae Exocarpium</i>	Chinese Waxgourd Peel	冬瓜皮	Dong gua pi	<i>Benincasa hispida</i> (Thumb.) Cogn.	Exocarp	06174040400299006
10386	<i>Trichosanthis Pericarpium</i>	Snakegourd Peel	瓜蒌(瓠)皮	Gua lou pi	(1) <i>Trichosanthes kirilowii</i> Maxim.; (2) <i>Trichosanthes rosthornii</i> Harms	Pericarp of ripe fruit	06174040400399003
10387	<i>Momordicae Semen</i>	Cochinchina Momordica Seed	木鳖(鳖)子	Mu bie zi	<i>Momordica cochinchinensis</i> (Lour.) Spreng.	Ripe seed	06174040600199007
10388	<i>Trichosanthis Semen</i>	Snakegourd Seed	瓜蒌(瓠)子	Gua lou zi	(1) <i>Trichosanthes kirilowii</i> Maxim.; (2) <i>Trichosanthes rosthornii</i> Harms	Ripe seed	06174040600299004
10389	<i>Melo Semen</i>	Muskmelon Seed	甜瓜子	Tian gua zi	<i>Cucumis melo</i> L.	Ripe seed	06174040600399001
10390	<i>Adenophorae Radix</i>	Fourleaf Ladybell Root	南沙参(参)	Nan sha shen	(1) <i>Adenophora tetraphylla</i> (Thumb.) Fisch; (2) <i>Adenophora stricta</i> Miq.; (3) <i>Adenophora stricta</i> Miq.	Root	06174110100199002

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10391	Codonopsis Radix	Tangshen	党(黨)参 (參)	Dang shen	(1) <i>Codonopsis pilosula</i> (Franch.) Nannf.; (2) <i>Codonopsis pilosula</i> Nannf. var. <i>modesta</i> (Nannf.) L. T. Shen; (3) <i>Codonopsis tangshen</i> Oliv.	Root	061744110100299009
10392	Platycodonis Radix	Platycodon Root	桔梗	jie geng	<i>Platycodon grandiflorum</i> (Jacq.) A. DC.	Root	061744110100399006
10393	Lobelia Chinensis Herba	Chinese Lobelia Herb	半边(邊)莲 (蓮)	Ban bian lian	<i>Lobelia chinensis</i> Lour.	Whole plant/herb	061744150100199008
10394	Inulae Radix	Inula Root	土木香	Tu mu xiang	<i>Inula helenium</i> L.	Root	061744410100199003
10395	Vladimiriae Radix	Common Vladimiria Root	川木香	Chuan mu xiang	(1) <i>Vladimiria souliei</i> (Franch.) Ling; (2) <i>Vladimiria souliei</i> (Franch.) Ling var. <i>cinerea</i> Ling	Root	061744410100299000
10396	Aucklandiae Radix	Common Aucklandia Root	木香	Mu xiang	<i>Aucklandia lappa</i> Decne.	Root	061744410100399007
10397	Echinopsis Radix	Globethistle Root	禹州漏芦 (蘆)	Yu zhou lou lu	(1) <i>Echinops latifolius</i> Tausch; (2) <i>Echinops grijisii</i> Hance	Root	061744410100499004
10398	Rhapontici Radix	Uniflower Swisscentaury Root	漏芦(蘆)	Lou lu	<i>Rhaponticum uniflorum</i> (L.) DC.	Root	061744410100599001
10399	Asteris Radix et Rhizoma	Tatarian Aster Root	紫菀	Zi wan	<i>Aster tataricus</i> L.f.	Root and rhizome	061744410300199001
10400	Atractylodis Macrocephalae Rhizoma	Largehead Atractylodes Rhizome	白朮	Bai zhu	<i>Atractylodes macrocephala</i> Koidz.	Rhizome	061744410500299006
10401	Atractylodis Rhizoma	Atractylodes Rhizome	苍(蒼)朮	Cang zhu	<i>Atractylodes lancea</i> (Thunb.) DC.	Rhizome	061744410500399003
10402	Artemisiae Argyi Folium	Argy Wormwood Leaf	艾叶(葉)	Ai ye	<i>Artemisia argyi</i> Levl. et Vant.	Leaf	06174420700199006

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10403	Inulae Flos	Inula Flower	旋覆花	Xuan fu hua	(1) <i>Inula japonica</i> Thunb.; (2) <i>Inula britannica</i> L.	Capitulum	06174430100199001
10404	Chrysanthemi Flos	Chrysanthemum Flower	菊花	Ju hua	<i>Chrysanthemum morifolium</i> Ramat.	Capitulum	06174430100299008
10405	Chrysanthemi Indici Flos	Wild Chrysanthemum Flower	野菊花	Ye ju hua	<i>Chrysanthemum indicum</i> L.	Capitulum	06174430100399005
10406	Carthami Flos	Safflower	红花	Hong hua	<i>Carthamus tinctorius</i> L.	Flower	06174430200199000
10407	Farfarae Flos	Common Coltsfoot Flower	款冬花	Kuan dong hua	<i>Tussilago farfara</i> L.	Flower bud	06174430300199009
10408	Silybi Fructus	Fruit Silybum Marianum	水飞(飛)蓟(薊)	Shui fei ji	<i>Silybum marianum</i> (L.) Gaertn.	Ripe fruit	06174440200199009
10409	Arctii Fructus	Great Burdock Achene	牛蒡子	Niu bang zi	<i>Arctium lappa</i> L.	Ripe fruit	06174440200299006
10410	Xanthii Fructus	Siberian Cocklebur Fruit	苍(蒼)耳子	Cang er zi	<i>Xanthium sibiricum</i> Patr.	Ripe fruit with involucre	06174440200399003
10411	Carpesii Fructus	Common Carpesium Fruit	鹤虱	He shi	<i>Carpesium abrotanoides</i> L.	Ripe fruit	06174440200499000
10412	Solidaginis Herba	Common Goldenrod Herb	一枝黄花	Yi zhi huang hua	<i>Solidago decurrens</i> Lour.	Whole plant/herb	06174450100199009
10413	Erigerontis Herba	Shortscape Fleabane Herb	灯(燈)盏细辛	Deng zhan xi xin	<i>Erigeron breviscapus</i> (Vant.) Hand. Mazz.	Whole plant/herb	06174450100299006
10414	Centipeda Herba	Small Centipeda Herb	鹅不食草	E bu shi cao	<i>Centipeda minima</i> (L.) A. Br. et Aschers.	Whole plant/herb	06174450100399003
10415	Taraxaci Herba	Dandelion	蒲公英	Pu gong ying	(1) <i>Taraxacum mongolicum</i> Hand.-Mazz.; (2) <i>Taraxacum sinicum</i> Kitag.	Whole plant/herb	06174450100499000
10416	Cirsii Japonici Herba	Japanese Thistle Herb	大薊(薊)	Da ji	<i>Cirsium japonicum</i> DC.	Aerial part	06174450500199005
10417	Cirsii Herba	Field Thistle Herb	小薊(薊)	Xiao ji	<i>Cirsium setosum</i> (Willd.) MB.	Aerial part	06174450500299002

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10418	Saussureae Involucratae Herba	Snow Lotus Herb	天山雪莲 (莲)	Tian shan xue lian	<i>Saussurea involucrate</i> (Kar. et Kir.) Sch. Bip.	Aerial part	06174450500399009
10419	Eupatorii Herba	Fortune Eupatorium Herb	佩兰 (兰)	Pei lan	<i>Eupatorium fortunei</i> Turcz.	Aerial part	06174450500499006
10420	Inulae Herba	Inula Herb	金沸草	Jin fei cao	(1) <i>Inula linariifolia</i> Turcz.; (2) <i>Inula japonica</i> Thunb.	Aerial part	06174450500599003
10421	Artemisiae Annuae Herba	Sweet Wormwood Herb	青蒿	Qing hao	<i>Artemisia annua</i> L.	Aerial part	06174450500699000
10422	Artemisiae Scopariae Herba	Virgate Wormwood Herb	茵陈 (陈)	Yin chen	(1) <i>Artemisia scoparza</i> Waldst. et Kit.; (2) <i>Artemisia capillaris</i> Thunb.	Aerial part	06174450500799007
10423	Cichorii Herba	Chicory Herb; Chicory Root	菊苣	Ju ju	(1) <i>Cichorium glandulosum</i> Boiss. et Hoet; (2) <i>Cichorium intybus</i> L.	Aerial part or root	06174450500899004
10424	Siegesbeckiae Herba	Siegesbeckia Herb	稀益 (益) 草	Xi xian cao	(1) <i>Siegesbeckia orientalis</i> L.; (2) <i>Siegesbeckia pubescens</i> Makino; (3) <i>Siegesbeckia glabrescens</i> Makino	Aerial part	06174450500999001
10425	Ecliptae Herba	Yerbadetajo Herb	墨 (墨) 早莲 (莲)	Mo han lian	<i>Eclipta prostrata</i> L.	Aerial part	06174450501099007
10426	Senecionis Scandentis Herba	Climbing Groundsel Herb	千里光	Qian li guang	<i>Senecio scandens</i> Buch. Ham.	Aerial part	06174450501199004
10427	Conyzae Herba	Conyza Herb	金龙 (龙) 胆 (胆) 草	Jin long dan cao	<i>Conyza blinii</i> Levl.	Aerial part	06174450501299001
10428	Laggerae Herba	Wingedtooth Laggera Leaf	臭灵 (灵) 丹草	Chou ling dan cao	<i>Laggera pterodonta</i> (DC.) Benth.	Aerial part	06174450501399008
10429	Eupatorii Lindleyani Herba	Lindley Eupatorium Herb	野马 (马) 追	Ye ma zhui	<i>Eupatorium lindleyanum</i> DC.	Aerial part	06174450501499005

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10430	Achilleae Herba	Alpine Yarrow Herb	蒼草	Shi cao	<i>Achillea alpina</i> L.	Aerial part	06174450501599002
10431	l-Borneolum	l-Borneol	艾片	Ai pian	<i>Blumea balsamifera</i> (L.) DC.	Crystal produced from the fresh leaves	06174490800199008
10432	Typhae Pollen	Cattail Pollen	蒲黃	Pu huang	(1) <i>Typha angustifolia</i> L.; (2) <i>Typha orientalis</i> Presl	Pollen	06190130500199004
10433	Sparganii Rhizoma	Common Burreed Rubber	三棱	San leng	<i>Sparganium stoloniferum</i> Buch.-Ham.	Tuber	06190310600199009
10434	Alismatis Rhizoma	Oriental Waterplantain Rhizome	澤瀉(澤瀉)	Ze xie	<i>Alisma orientale</i> (Sam.) Juzep.	Tuber	06190810600199004
10435	Imperatae Rhizoma	Lalang Grass Rhizome	白茅根	Bai mao gen	<i>Imperata cylindrica</i> Beauv. var. <i>major</i> (Nees) C. E. Hubb.	Rhizome	06191210500199002
10436	Phragmitis Rhizoma	Reed Rhizome	芦(蘆)根	Lu gen	<i>Phragmites communis</i> Trin.	Rhizome	06191210500299009
10437	Bambusae Caulis in Taenia	Bamboo Shavings	竹茹	Zhu ru	(1) <i>Bambusa tuldoidea</i> Munro; (2) <i>Sinocalamus becheyanus</i> (Munro) McClure var. <i>pubescens</i> P.F.Li; (3) <i>Phyllostachys nigra</i> (Lodd.) Munro var. <i>henonis</i> (Mittf.) Stapf ex Rendle	Middle shavings of stem	06191220900199007
10438	Lophatheri Herba	Lophatherum Herb	淡竹叶(葉)	Dan zhu ye	<i>Lophatherum gracile</i> Brongn.	Stem and leaf	06191221200199001
10439	Coicis Semen	Coix Seed	薏苡仁	Yi yi ren	<i>Coix lacrymajobi</i> L. var. <i>mayuen</i> (Roman.) Stapf	Ripe kernel	06191240500199009
10440	Setariae Fructus Germinatus	Millet Sprout	谷(穀)芽	Gu ya	<i>Setaria italica</i> (L.) Beauv.	Processed ripe fruit	06191290800199001
10441	Hordei Fructus Germinatus	Germinated Barley	麥(麥)芽	Mai ya	<i>Hordeum vulgare</i> L.	Processed product of the germinated ripe fruit	06191290800299008

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10442	<i>Oryzae Fructus Germinatus</i>	Rice-grain Sprout	稻芽	Dao ya	<i>Oryza sativa</i> L.	Germinated ripe fruit	06191290800399005
10443	<i>Bambusae Concretio Silicea</i>	Tabasheer	天竺黄	Tian zhu huang	(1) <i>Bambusa textilis</i> McClure; (2) <i>Schizostachyum chinense</i> Rendle	Masses of secretion in stem	06191290900199000
10444	<i>Cyperi Rhizoma</i>	Nutgrass Galingale Rhizome	香附	Xiang fu	<i>Cyperus rotundus</i> L.	Rhizome	06191310500199009
10445	<i>Trachycarpi Petiolus</i>	Fortune Windmillpalm Petiole	棕桐	Zong tu	<i>Trachycarpus fortunei</i> (Hook.f.) H. Wendl.	Petiole	06191420800199002
10446	<i>Arecae Pericarpium</i>	Areca Peel	大腹皮	Da fu pi	<i>Areca catechu</i> L.	Pericarp	06191440400299001
10447	<i>Arecae Semen</i>	Areca Seed	槟(檳)榔	Bing lang	<i>Areca catechu</i> L.	Ripe seed	06191440600199002
10448	<i>Draconis Sanguis</i>	Dragon's Blood	血竭	Xue jie	<i>Daemonorops draco</i> Bl.	Resin of the fruit	06191490200199001
10449	<i>Homalomenae Rhizoma</i>	Obscured Homalomena Rhizome	千年健	Qian nian jian	<i>Homalomena occulta</i> (Lour.) Schott	Rhizome	06191610500199000
10450	<i>Acori Tatarinowii Rhizoma</i>	Grassleaf Sweetflag Rhizome	石菖蒲	Shi chang pu	<i>Acorus tatarinowii</i> Schott	Rhizome	06191610500299007
10451	<i>Acori Calami Rhizoma</i>	Tibet Sweetflag Rhizome	藏菖蒲	Zang chang pu	<i>Acorus calamus</i> L.	Rhizome	06191610500399004
10452	<i>Arisaematis Rhizoma</i>	Jackintheulpit Tuber	天南星	Tian nan xing	(1) <i>Arisaema erubescens</i> (Wall.) Schott; (2) <i>Arisaema heterophyllum</i> Bl.; (3) <i>Arisaema amurense</i> Maxlm.	Tuber	06191610600199009
10453	<i>Pinelliae Rhizoma</i>	Pinellia Tuber	半夏	Ban xia	<i>Pinellia ternata</i> (Thunb.) Breit.	Tuber	06191610600299006
10454	<i>Typhonii Rhizoma</i>	Giant Typhonium Rhizome	白附子	Bai fu zi	<i>Typhonium giganteum</i> Engl.	Tuber	06191610600399003

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicinals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10455	<i>Spirodela</i> Herba	Common Duckweed Herb	浮萍	Fu ping	<i>Spirodela polyrrhiza</i> (L.) schleid.	Whole plant/herb	06191750100199007
10456	<i>Eriocauli</i> Flos	Pipewort Flower	谷精草	Gu jing cao	<i>Eriocaulon buergerianum</i> Koern.	Capitulum with peduncle	06192230100199003
10457	<i>Commelinae</i> Herba	Common Dayflower Herb	鸭跖草	Ya zhi cao	<i>Commelina communis</i> L.	Aerial part	06192450500199001
10458	<i>Junci</i> Medulla	Common Rush	灯心草	Deng xin cao	<i>Juncus effusus</i> L.	Stem pith	06192720300199007
10459	<i>Stemona</i> Radix	Stemona Root	百部	Bai bu	(1) <i>Stemona sessilifolia</i> (Miq.) Miq.; (2) <i>Stemona japonica</i> (Bl.) Miq.; (3) <i>Stemona tuberosa</i> Lour.	Root tuber	06192810400199004
10460	<i>Liriope</i> Radix	Liriope Root Tuber	山麦(麥)冬	Shan mai dong	(1) <i>Liriope spicata</i> (Thunb.) Lour. var. <i>prolifera</i> Y. T. Ma; (2) <i>Liriope muscari</i> (Decne.) Bailey	Root tuber	06192910400199001
10461	<i>Asparagi</i> Radix	Cochinchinese Asparagus Root	天冬	Tian dong	<i>Asparagus cochinchinensis</i> (Lour.) Merr.	Root tuber	06192910400299008
10462	<i>Ophiopogonis</i> Radix	Dwarf Lilyturf Tuber	麦(麥)冬	Mai dong	<i>Ophiopogon japonicus</i> (Thunb.) Ker-Gawl.	Root tuber	06192910400399005
10463	<i>Smilacis Glabrae</i> Rhizoma	Glabrous Greenbrier Rhizome	土茯苓	Tu fu ling	<i>Smilax glabra</i> Roxb.	Rhizome	06192910500199000
10464	<i>Polygonati Odorati</i> Rhizoma	Fragrant Solomonsal Rhizoma	玉竹	Yu zhu	<i>Polygonatum odoratum</i> (Mill.) Druce	Rhizome	06192910500299007
10465	<i>Anemarrhenae</i> Rhizoma	Common Anemarrhena Rhizome	知母	Zhi mu	<i>Anemarrhena asphodeloides</i> Ege.	Rhizome	06192910500399004

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10466	Paridis Rhizoma	Paris Root	重楼(樓)	Chong lou	(1) <i>Paris polyphylla</i> Smith var. <i>yunnanensis</i> (Franch.) Hand.-Mazz.; (2) <i>Paris polyphylla</i> Smith var. <i>chinensis</i> (Franch.) Hara	Rhizome	06192910500499001
10467	Smilacis Chinae Rhizoma	Chinaroot Greenbrier Rhizome	菝葜	Ba qia	<i>Smilax china</i> L.	Rhizome	06192910500599008
10468	Polygonati Rhizoma	Solomonseal Rhizoma	黄精	Huang jing	(1) <i>Polygonatum kingianum</i> Coll. et Hemsl.; (2) <i>Polygonatum sibiricum</i> Red.; (3) <i>Polygonatum cyrtoneura</i> Hua	Rhizome	06192910500699005
10469	Allii Sativi Bulbus	Garlic Bulb	大蒜	Da suan	<i>Allium sativum</i> L.	Bulb	06192910700199008
10470	Fritillariae Cirrhosae Bulbus	Tendrilleaf Fritillary Bulb	川贝(貝)母	Chuan bei mu	(1) <i>Fritillaria cirrhosa</i> D. Don; (2) <i>Fritillaria unibracteata</i> Hsiao et K. C. Hsia; (3) <i>Fritillaria przewalskii</i> Maxim.; (4) <i>Fritillaria delavayi</i> Franch. ; (5) <i>Fritillaria taipaiensis</i> P. Y. Li; (6) <i>Fritillaria unibracteata</i> Hsiao et K.C. Hsia var. <i>wabuensis</i> (S. Y. Tang et S.C.Yue) Z. D. Liu; (7) S. Wang et S. C. Chen	Bulb	06192910700299005
10471	Fritillariae Ussuriensis Bulbus	Ussuri Fritillary Bulb	平贝(貝)母	Ping bei mu	<i>Fritillaria ussuriensis</i> Maxim.	Bulb	06192910700399002

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicinals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10472	Fritillariae Pallidiflorae Bulbus	Sinkiang Fritillary Bulb	伊贝(貝)母	Yi bei mu	(1) <i>Fritillaria walujewii</i> Regel; (2) <i>Fritillaria pallidiflora</i> Schrenk	Bulb	06192910700499009
10473	Lilii Bulbus	Lily Bulb	百合	Bai he	(1) <i>Lilium lancifolium</i> Thunb.; (2) <i>Lilium brownii</i> F. E. Brown var. <i>viridulum</i> Baker; (3) <i>Lilium pumilum</i> DC.	Bulb/ fleshy scale leaf	06192910700599006
10474	Fritillariae Thunbergii Bulbus	Thunberg Fritillary Bulb	浙贝(貝)母	Zhe bei mu	<i>Fritillaria thunbergii</i> Miq.	Bulb	06192910700699003
10475	Fritillariae Hupehensis Bulbus	Hubei Fritillary Bulb	湖北贝(貝)母	Hu bei bei mu	<i>Fritillaria hupehensis</i> Hsiao et K. C. Hsia	Bulb	06192910700799000
10476	Allii Macrostemonis Bulbus	Longstamen Onion Bulb	薤白	Xie bai	(1) <i>Allium macrostemon</i> Bge.; (2) <i>Allium chinensis</i> G. Don	Bulb	06192910700899007
10477	Allii Tuberosi Semen	Tuber Onion Seed	韭菜子	Jiu cai zi	<i>Allium tuberosum</i> Rottl. ex Spreng.	Ripe seed	06192940600199006
10478	Aloe	Aloes	芦荟(蘆)荟	Lu hui	(1) <i>Aloe barbadensis</i> Miller; (2) <i>Aloe ferox</i> Miller	Concentrated matter obtained from the juice of the leaf	06192990800199009
10479	Curculiginis Rhizoma	Common Curculigo Rhizome	仙茅	Xian mao	<i>Curculigo orchoides</i> Gaertn.	Rhizome	06193010500199006
10480	Dioscoreae Rhizoma	Common Yam Rhizome	山药(藥)	Shan yao	<i>Dioscorea opposita</i> Thunb.	Rhizome	06193210500199000
10481	Dioscoreae Nipponicae Rhizoma	Nippon Yam Rhizome	穿山龙(龍)	Chuan shan long	<i>Dioscorea nipponica</i> Makino	Rhizome	06193210500299007

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.

Table 1 (continued)

No.	Latin name	English name	Chinese name	Chinese phonetic alphabet (Pin Yin)	Medicinal source	Medicinal parts	Codes
10482	Dioscoreae Hypoglaucaceae Rhizoma	Hypoglaucous Collett Yam Rhizome	粉萆薢	Fen bi xie	<i>Dioscorea hypoglauca</i> Palibin	Rhizome	06193210500399004
10483	Dioscoreae Spongiosae Rhizoma	Sevenlobed Yam Rhizome	绵萆薢	Mian bi xie	(1) <i>Dioscorea spongiosa</i> J.Q.Xi, M.Mizuno et W.L.Zhao; (2) <i>Dioscorea futschauensis</i> Uline ex R. Kunth	Rhizome	06193210500499001
10484	Dioscoreae Panthaicae Rhizoma	Panthaica Yam Rhizome	黄山药(藥)	Huang shan yao	<i>Dioscorea panthaica</i> Prain et Burk.	Rhizome	06193210500599008
10485	Iridis Tectori Rhizoma	Roof Iris Rhizome	川射干	Chuan she gan	<i>Iris tectorum</i> Maxim.	Rhizome	06193310500199007
10486	Belamcandae Rhizoma	Blackberrylily Rhizome	射干	She gan	<i>Belamcanda chinensis</i> (L.) DC.	Rhizome	06193310500299004
10487	Croci Stigma	Saffron	西紅(紅)花	Xi hong hua	<i>Crocus sativus</i> L.	Stigma	06193330600199004
10488	Curcumae Radix	Turmeric Root Tuber	郁(鬱)金	Yu jin	(1) <i>Curcuma wenyujin</i> Y. H. Chen et C. Ling; (2) <i>Curcuma longa</i> L.; (3) <i>Curcuma kwangsiensis</i> S. G. Lee et C. F. Liang; (4) <i>Curcuma phaeocaulis</i> Val.	Root tuber	06193510400199002
10489	Kaempferiae Rhizoma	Galanga Resurrectionlily Rhizome	山柰	Shan nai	<i>Kaempferia galanga</i> L.	Rhizome	06193510500199001
10490	Zingiberis Rhizoma	Dried Ginger	干姜(乾薑)	Gan jiang	<i>Zingiber officinale</i> Rosc.	Rhizome	06193510500299008
10491	Wenyujin Rhizoma Concisum	Wenyujin Concise Rhizome	片姜(薑)黃	Pian jiang huang	<i>Curcuma wenyujin</i> Y.H. Chen et C. Ling	Rhizome	06193510500399005
10492	Zingiberis Rhizoma Recens	Fresh Ginger	生姜(薑)	Sheng jiang	<i>Zingiber officinale</i> (Willd.) Rosc.	Rhizome	06193510500499002

NOTE "No." is sorted as follows: 10001 to 19999 indicate Chinese Materia Medica, 20001 to 29999 indicate decoction pieces and 30001 to 39999 indicate granule forms of individual medicals for prescriptions.