
**Clamping flanges for superabrasive
cutting-off wheels —**

**Part 1:
Natural stone**

Flasques pour meules de tronçonnage superabrasives —

Partie 1: Pierre naturelle

STANDARDSISO.COM : Click to view the full PDF of ISO 21537-1:2004



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO 21537-1:2004

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 21537-1 was prepared by Technical Committee ISO/TC 29, *Small tools*, Subcommittee SC 5, *Grinding wheels and abrasives*.

ISO 21537 consists of the following parts, under the general title *Clamping flanges for superabrasive cutting-off wheels*:

- *Part 1: Natural stone*
- *Part 2: Building and construction*

Clamping flanges for superabrasive cutting-off wheels —

Part 1: Natural stone

1 Scope

This part of ISO 21537 specifies dimensions for clamping flanges for the mounting of superabrasive cutting-off wheels (diamond saws) for use on stationary cutting-off machines for the machining of natural stone.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 2768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

3 Dimensions

The dimensions of flanges without hole circle (type N1) and with hole circle (type N2) for clamping superabrasive cutting-off wheels are shown in Figures 1 and 2 and given in Table 1.

Details which are not specified shall be chosen according to need.




Figure 1 — Type N1 without hole circle




Figure 2 — Type N2 with hole circle

Table 1 — Flange dimensions

Dimensions in millimetres
General tolerances ISO 2768 - m

Cutting-off wheel		Flange								
D	H	D_F	b	c	d_1 g6	d_2 H7	d_3	d_4 and number of threads	P_1	r
$300 \leq D \leq 600$	50	120	12	1	50		—	—	—	10
	60				60					
$600 < D \leq 750$	60	160	18		80					
$750 < D \leq 900$	80	200	20	1,5	100		—	—	—	20
$900 < D \leq 1\ 400$	80	250	20		120					25
	100				150					30
$1\ 400 < D \leq 1\ 900$	120	300	25	2	150		24	M18 8 × 45°	350	50
$1\ 900 < D \leq 3\ 000$	150	400	35		450				50	
$3\ 000 < D \leq 5\ 000$	150	500	40							