

INTERNATIONAL STANDARD

ISO 2425

Second edition
1999-04-15

AMENDMENT 1
2003-12-01

Measurement of liquid flow in open channels under tidal conditions

AMENDMENT 1

*Mesure de débit des liquides dans les canaux découverts dans des
conditions de marée*

AMENDEMENT 1

STANDARDSISO.COM : Click to view the full PDF of ISO 2425:1999/Amd 1:2003



Reference number
ISO 2425:1999/Amd.1:2003(E)

© ISO 2003

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO 2425:1999/Amd 1:2003

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

Amendment 1 to ISO 2425:1999 was prepared by Technical Committee ISO/TC 113, *Hydrometry*, Subcommittee SC 1, *Velocity area methods*.

Measurement of liquid flow in open channels under tidal conditions

AMENDMENT 1

Cover page

Replace the title in French with “*Mesure de débit des liquides dans les canaux découverts dans des conditions de marée*”.

Page 2, Subclause 4.3.1

Add the following sentence at the end of the subclause:

“This value, when used in conjunction with the cross-sectional area, will provide an estimate of the flow in the channel.”

Page 2, Subclause 4.3.2

Replace the last sentence with the following:

“After calibration, measurements of electrical parameters and water depth provide a means of estimating the discharge.”

Page 3, Subclause 5.1 c)

In the first line, replace “usually” with “could”.

Page 3, Subclause 5.2.1

Replace the penultimate sentence with the following:

“Under variable or unsteady conditions, the frequency of measurement, although affecting the operational cost of each gauging station and important economically, may not be compromised.”

Page 3, Subclause 5.2.2 a)

Replace “tidal range” with “tidal range including level, flow and velocity”.

Page 4, Subclause 5.2.2 f)

Replace this item in the list with the following:

“f) change in flow direction during a tidal cycle including flow reversal or backwater effects;”.

Page 4, Subclause 5.2.2 p)

Delete this item in the list.

Page 6, Subclause 6.1.1.3.1

Replace the second paragraph with the following one:

“To limit the risk of error due to changes in the direction of flow, the use of a direction-indicating current meter is recommended. Since the direction of flow may not be the same at different levels in the vertical, the depths at which the directions of flow are measured should also be recorded, and the measurement made at a number of points (at least surface, mid-depth and bed) in the vertical. An alternative but less reliable method of determining the direction of flow is to use a sub-surface float.”

Page 8, Subclause 6.1.1.3.2, Note

For the definition of T , replace “cycle” with “cycle(s)”.

Page 9, Subclause 6.2.1 e)

Replace this item in the list with the following:

“e) measurement may not be possible if high concentrations of suspended solids are present. Annex B, Table B.2 gives the relationship between pathlength, transducer frequency and suspended solid concentrations;”

Page 9, Subclause 6.2.1 h)

Delete this item from the list.

Page 10, Subclause 6.2.3, Note

For the definition of q , add “(m³/s)” after “flow”.

For the definition of T , replace “ebb flow” with “ebb flow(s)”.

Page 17, Annex B

Replace the first paragraph with

“This annex provides guidance to the selection of an appropriate method (Table B.1) and estimates of tolerable sediment concentration for acoustic velocity meter systems (Table B.2).”

Pages 17 to 19, Annex B, Tables B.1 to B.3

Delete Table B.2. Renumber Table B.3 as Table B.2.