
INTERNATIONAL STANDARD



2780

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Milling cutters with tenon drive — Interchangeability dimensions with cutter arbors — Metric series

First edition — 1973 - 02 - 15

STANDARDSISO.COM : Click to view the full PDF of ISO 2780:1973

UDC 621.914.2 : 389.63

Ref. No. ISO 2780-1973 (E)

Descriptors : cutting tools, milling cutters, mandrels, dimensions, elements.

Price based on 3 pages

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 2780 was drawn up by Technical Committee ISO/TC 29, *Small tools*.

It was approved in July 1972 by the Member Bodies of the following countries :

Austria	Israel	Sweden
Belgium	Italy	Switzerland
Czechoslovakia	Japan	Thailand
Egypt, Arab Rep. of	Netherlands	Turkey
France	Poland	United Kingdom
Germany	Romania	U.S.A.
Hungary	South Africa, Rep. of	U.S.S.R.
India	Spain	

No Member Body expressed disapproval of the document.

STANDARDISO.COM : Click to view the full PDF of ISO 2780:1973

Milling cutters with tenon drive – Interchangeability dimensions with cutter arbors – Metric series

1 SCOPE AND FIELD OF APPLICATION

This International Standard specifies the dimensions for interchangeability between milling cutters with tenon drive and the cutter seating of cutter arbors.

It applies only to milling cutters of the metric series.

It gives the interchangeability dimensions

- of the milling cutter;
- of the cutter seating on the arbor;
- of the retaining bolt of the cutter on the cutter arbor.

It includes in an Appendix, and for guidance, an abstract from ISO/R 240.

2 REFERENCES

ISO/R 240, *Interchangeability dimensions for milling cutters and cutter arbors or cutter mandrels – Metric series and inch series.*

ISO/R 724, *ISO general purpose metric screw threads – Basic dimensions.*

ISO 2586, *Shell end mills with plain bore and tenon drive – Metric series.*

3 DIMENSIONS





FIGURE 1 – General arrangement

3.1 Interchangeability dimensions of the cutter



* For dimension r_1 , see Appendix.

FIGURE 2 – Cutter


TABLE 1

Dimensions in millimetres			
d H7	l min.	d_1 min.	d_s ¹⁾ min.
16	18	22	33
22	20	30	41
27	22	38	49
32	25	45	59
40	28	56	71
50	31	67	91

1) Optional relief of the rear face.

The tenon seatings shall be in accordance with the metric series of ISO/R 240 (see Appendix).

3.2 Interchangeability dimensions of the seating of the cutter on the arbor



*For dimension r , see Appendix.

FIGURE 3 — Arbor spigot

TABLE 2

Dimensions in millimetres

d h6	l_1 max.	d_2 min.	d_3	l_2
16	17	32	M 8	22
22	19	40	M10	28
27	21	48	M12	32
32	24	58	M16	36
40	27	70	M20	45
50	30	90	M24	50

3.3 Interchangeability dimensions of the retaining bolt of the cutter to the cutter arbor




FIGURE 4 — Retaining bolt

TABLE 3

Dimensions in millimetres

$d^{1)}$	d_3	l_3 min.	d_4 max.	e
16	M 8	16	20	6
22	M10	18	28	7
27	M12	22	35	8
32	M16	26	42	9
40	M20	30	52	10
50	M24	36	63	10

1) Nominal diameter of spigot

The tenon seatings shall be in accordance with the metric series of ISO/R 240 (see Appendix).

The shape of the retaining screw head is left to the manufacturer's discretion, only the overall dimensions d_4 and e having to be respected.