
INTERNATIONAL STANDARD



3652

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Shipbuilding — Inland vessels — Rope reels

Construction navale — Bateaux de navigation intérieure — Tourets à câble

First edition — 1975-12-15

STANDARDSISO.COM : Click to view the full PDF of ISO 3652:1975

UDC 629.122 : 677.72

Ref. No. ISO 3652-1975 (E)

Descriptors : shipbuilding, inland navigation, reels, specifications, dimensions.

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 3652 was drawn up by Technical Committee ISO/TC 8, *Shipbuilding*, and circulated to the Member Bodies in December 1974.

It has been approved by the Member Bodies of the following countries :

Belgium	Italy	Spain
Bulgaria	Japan	Turkey
Czechoslovakia	Mexico	United Kingdom
France	Netherlands	U.S.S.R.
Germany	Poland	
Israel	Romania	


No Member Body expressed disapproval of the document.

Shipbuilding – Inland vessels – Rope reels

1 SCOPE AND FIELD OF APPLICATION

This International Standard specifies the characteristics of rope reels intended for the storage of mooring and towing ropes in vessels of all types and purposes for use on inland waterways.

2 CHARACTERISTICS



Execution : welded of steel tubes and sheet steel.

NOTE – The figure does not determine the design.

Dimensions in millimetres

Nominal dimension of reel	Length of drum L	Length of stand L_1
300 X 380	380	460
300 X 700	700	780

3 DESIGNATION

Example : For a reel with a drum 380 mm in length : Reel 300 X 380.