
International Standard



379

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Gymnastic equipment — Horizontal bar

Engins de gymnastique — Barre fixe

First edition — 1980-10-15

STANDARDSISO.COM : Click to view the full PDF of ISO 379:1980

UDC 685.644.2

Ref. No. ISO 379-1980 (E)

Descriptors : sport equipment, gymnastic equipment, dimensions, specifications, materials specifications, equipment specifications.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 379 was developed by Technical Committee ISO/TC 83, *Sports and recreational equipment*, in cooperation with the International Gymnastic Federation (IGF) and was circulated to the member bodies in June 1979.

It has been approved by the member bodies of the following countries :

Australia	Germany, F. R.	South Africa, Rep. of
Austria	India	Spain
Egypt, Arab Rep. of	New Zealand	Switzerland
France	Poland	USSR

The member bodies of the following countries expressed disapproval of the document on technical grounds :

Italy
Netherlands

This International Standard cancels and replaces ISO Recommendation R 379-1964, of which it constitutes a technical revision.

Gymnastic equipment — Horizontal bar

1 Scope and field of application

This International Standard specifies the functional and safety requirements for horizontal bars for use in competitions and training, in order to permit a true comparison of performance.

2 Dimensions

The dimensions of the horizontal bar shall be those indicated in figure 1. The dimensions not specified are left to the discretion of the manufacturer.

The horizontal bar need not correspond to figure 1.

The dimension 2 400 mm corresponding to the distance from centre to centre of the bar pins, allowing deflection of the bar in the vertical plane, may be the same as the dimension from centre to centre of the supports.

The height for competitions shall be at $2\,550 \pm 5$ mm.

3 Material

The bar shall be made of stainless steel of at least $1\,200$ N/mm² tensile strength.

The supports shall be of steel or equivalent material.

Dimensions in millimetres




Figure 1 — Dimensions of horizontal bar