

INTERNATIONAL STANDARD

ISO
4251-5

Second edition
1992-03-15

AMENDMENT 1
1998-09-01

Tyres (ply rating marked series) and rims for agricultural tractors and machines —

Part 5: Log skidder tyres

AMENDMENT 1

Pneumatiques (série à marquage «ply rating») et jantes pour tracteurs et machines agricoles —

Partie 5: Pneumatiques pour engins forestiers de débardage

AMENDEMENT 1



Reference number
ISO 4251-5:1992/Amd.1:1998(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Amendment 1 to ISO 4251-5:1992 was prepared by Technical Committee ISO/TC 31, *Tyres, rims and valves*, Subcommittee SC 5, *Agricultural tyres and rims*.

© ISO 1998

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland
Internet iso@iso.ch

Printed in Switzerland

Tyres (ply rating marked series) and rims for agricultural tractors and machines —

Part 5:

Log skidder tyres

AMENDMENT 1

Throughout the document (including the title)

Replace “Log skidder tyres” by “logging and forestry service tyres”.

Page 1

Clause 2

Delete footnote 1) following the reference to ISO 4251-1:1992.

Page 2

Table 2

For the tyre size designation 18.4 - 34 LS, under 14 PR, add 3 720 kg as the basic tyre load and 260 kPa as the corresponding inflation pressure.