
International Standard



5676

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Tractors and machinery for agriculture and forestry — Hydraulic coupling — Braking circuit

Tracteurs et matériels agricoles et forestiers — Coupleurs hydrauliques — Circuit de freinage

First edition — 1983-08-01

STANDARDSISO.COM : Click to view the full PDF of ISO 5676:1983

UDC 629.1.013.5 : 631.3-59

Ref. No. ISO 5676-1983 (E)

Descriptors : agricultural equipment, forest equipment, tractors, braking systems, hydraulic equipment, hydraulic couplings, dimensions, interchangeability, tests, pressure tests.

Price based on 2 pages

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been authorized has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 5676 was developed by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, and was circulated to the member bodies in April 1982.

It has been approved by the member bodies of the following countries :

Australia	Germany, F. R.	Romania
Austria	India	South Africa, Rep. of
Belgium	Iran	Spain
China	Italy	Sweden
Czechoslovakia	Korea, Rep. of	Switzerland
Denmark	Mexico	Turkey
Egypt, Arab Rep. of	New Zealand	United Kingdom
Finland	Norway	USA
France	Portugal	

The member bodies of the following countries expressed disapproval of the document on technical grounds :

Canada
USSR

Tractors and machinery for agriculture and forestry — Hydraulic coupling — Braking circuit

1 Scope

This International Standard specifies the conditions for interchangeability, and the operating characteristics and lays down the technical specifications for tests, for the hydraulic couplings on braking systems for towed agriculture and forestry machinery.

2 Field of application

This International Standard applies solely to hydraulic brake couplings.

The braking system is of a regulatable type, operated by an increase in pressure within a service pressure range of between 10 and 15 MPa (100 and 150 bar).

These devices are used to connect or disconnect the braking circuit each time trailed agricultural or forestry machinery is hitched or unhitched.

3 References

ISO 2082, *Metallic coatings — Electroplated coatings of cadmium on iron or steel.*

ISO 3104, *Petroleum products — Transparent and opaque liquids — Determination of kinematic viscosity and calculation of dynamic viscosity.*


ISO 5675, *Agricultural tractors and machinery — Hydraulic couplers for general use — Specifications.*

4 Definitions

See ISO 5675.

5 Dimensional characteristics

The coupling shall conform with the figure.



NOTE — The sole aim of the configuration of the coupling is to illustrate and give the reference dimensions. It is not intended to convey design requirements.

Figure — Dimensions of the hydraulic coupler