

# INTERNATIONAL STANDARD

**ISO  
6701**

First edition  
1991-01-15

---

---

## Cycles — External dimensions of spoke nipples

*Cycles — Dimensions extérieures des écrous de rayons*

STANDARDSISO.COM : Click to view the full PDF of ISO 6701:1991



Reference number  
ISO 6701:1991(E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 6701 was prepared by Technical Committee ISO/TC 149, *Cycles*.

STANDARDSISO.COM : Click to view the full PDF of ISO 6701:1991

© ISO 1991

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization  
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

## Cycles — External dimensions of spoke nipples

### 1 Scope

This International Standard specifies the external dimensions and tolerances of the spoke nipples of bicycles. It also specifies the designation.

It applies to round or flat head spoke nipples.

### 2 Dimensions

External dimensions of spoke nipples shall be those indicated in figure 1 and table 1.

### 3 Designation

Any spoke nipple in conformity with the specifications of this International Standard shall be designated by the number of this International Standard, followed by the wire diameter, expressed in millimetres.

Example of designation:

**Nipple ISO 6701  $\varnothing$**




Figure 1