

INTERNATIONAL STANDARD

ISO 6747

Second edition
1988-07-01

AMENDMENT 1
1989-07-01

Earth-moving machinery — Tractors — Terminology and commercial specifications AMENDMENT 1

Engins de terrassement — Tracteurs — Terminologie et spécifications commerciales
AMENDEMENT 1



Reference number
ISO 6747 : 1988/Amd.1 : 1989 (E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

Amendment 1 to International Standard ISO 6747 : 1988 was developed by Technical Committee ISO/TC 127, *Earth-moving machinery*.

© ISO 1989

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

STANDARDSISO.COM : Click to view the full PDF of ISO 6747:1988/Amd 1:1989

Earth-moving machinery — Tractors — Terminology and commercial specifications

AMENDMENT 1

Page 17, clause 7

Delete the existing subclauses 7.4 and 7.5, and replace by the following:

7.4 longitudinal static slope capacity: Maximum gradient, expressed as a percentage, that the base machine

can achieve longitudinally during the static slope evaluation without exceeding performance parameters.

7.5 lateral static slope capacity: Maximum gradient, expressed as a percentage, that the base machine can achieve laterally during the static slope evaluation without exceeding performance parameters.

STANDARDSISO.COM : Click to view the full PDF of ISO 6747:1988/Amd 1:1989