

Third edition
2007-11-01

AMENDMENT 2
2015-04-15

**Graphical symbols — Public
information symbols**

AMENDMENT 2

Symboles graphiques — Symboles destinés à l'information du public
AMENDEMENT 2

STANDARDSISO.COM : Click to view the full PDF of ISO 7001:2007/Amd 2:2015



Reference number
ISO 7001:2007/Amd.2:2015(E)

© ISO 2015

STANDARDSISO.COM : Click to view the full PDF of ISO 7001:2007/Amd 2:2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 145, *Graphical symbols*, Subcommittee SC 1, *Public information symbols*.

STANDARDSISO.COM : Click to view the full PDF of ISO 7001:2007/Amd 2:2015

Graphical symbols — Public information symbols

AMENDMENT 2

Add the following public information symbols:

- PI CF 012: Foot care or podiatry
- PI CF 015: Barber or hair salon
- PI CF 016: Cinema
- PI CF 017: Car repair workshop
- PI CF 018: Wireless LAN
- PI PF 067: Pedestrian underpass
- PI PF 068: Baggage delivery
- PI TF 037: Security check
- PI PB 008: Surveillance camera
- PI PF 069: Baggage assistant
- PI PF 070: Embassy
- PI TC 017: Beach
- PI TC 018: Planetarium
- PI TF 030: Baggage weighing
- PI TF 035: Water taxi


STANDARDSISO.COM : Click to view the full PDF of ISO 7001:2007/Amd 2:2015

PI CF 012: Foot care or podiatry


	Reference No. <p style="text-align: center;">ISO 7001 - PI CF 012</p>
	Referent <p style="text-align: center;">Foot care or podiatry</p>
	Function To indicate the location of a facility where foot care or podiatry is offered.
	Image content A footprint and a cross in the upper right corner indicating a healthcare centre.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> Finding the location of a facility where foot care or podiatry is offered.	
<p>Need</p> When information is needed about the location of a facility where foot care or podiatry is offered.	
<p>Related meanings</p> —	
<p>Field of application</p> Public facilities, commercial facilities.	
<p>Context of use</p> This information appears on information-boards or in guide-books on a sign or door.	
<p>Additional information</p> Test data obtained according to ISO 9186-1:2007 are not available from more than one country. Findings from national testing, however, showed that in one country the symbol exceeded the criteria of acceptability. A supplementary text sign may be used to increase comprehension.	

STANDARDSISO.COM: Click to view the full PDF of ISO 7001:2007/Amd 2:2015

PI CF 015: Barber or hair salon

	Reference No. <p style="text-align: center;">ISO 7001 - PI CF 015</p>
	Referent <p style="text-align: center;">Barber or hair salon</p>
	Function To show the location of a barber or hair salon.
	Image content A pair of scissors and one comb side by side, in front view.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> Finding the location of a barber or hair salon.	
<p>Need</p> When information is needed about the location of a barber or hair salon.	
<p>Related meanings</p> —	
<p>Field of application</p> Public facilities, commercial facilities.	
<p>Context of use</p> This symbol is used in a public place like a shopping mall or a plaza, and is also found in a street. You might find it on a signboard at the side of the road (for example near the road cross), on an layout plan showing the different facilities in a building.	
<p>Additional information</p> Test data obtained according to ISO 9186-1:2007 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. A supplementary text sign may be used to increase comprehension.	

PI CF 016: Cinema

	Reference No. <p style="text-align: center;">ISO 7001 - PI CF 016</p>
	Referent <p style="text-align: center;">Cinema</p>
	Function To show the location of a cinema.
	Image content Motion-picture screen, three half-length human figures, in rear view; the motion-picture screen is above the human figures.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding a cinema.	
Need To help people find a cinema.	
Related meanings —	
Field of application Public facilities, commercial facilities, tourism, culture and heritage.	
Context of use This symbol is used in a public place like a shopping mall or a plaza, and is also found in a street. You might find it on a signboard at the side of the road, on a layout plan showing the different facilities in a building.	
Additional information Test data obtained according to ISO 9186-1:2007 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. A supplementary text sign may be used to increase comprehension.	

STANDARDSISO.COM · Click to view the full PDF of ISO 7001:2007/Amd 2:2015

PI CF 017: Car repair workshop

	Reference No. <p style="text-align: center;">ISO 7001 - PI CF 017</p>
	Referent <p style="text-align: center;">Car repair workshop</p>
	Function To show the location of a car repair workshop.
	Image content Front view of a car and a spanner, the spanner is above the car.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding a car repair workshop.	
Need To aid drivers.	
Related meanings —	
Field of application Public facilities, commercial facilities, transport facilities.	
Context of use This symbol is used in a street. It might be found on a signboard at the side of the road (for example near the road).	
Additional information Test data obtained according to ISO 9186-1:2007 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. A supplementary text sign may be used to increase comprehension.	

PI CF 018: Wireless LAN

	<p>Reference No.</p> <p style="text-align: center;">ISO 7001 - PI CF 018</p>
	<p>Referent</p> <p style="text-align: center;">Wireless LAN</p>
	<p>Function</p> <p>To indicate the presence of a wireless network service through which you can be connected to the internet or go online.</p>
	<p>Image content</p> <p>Outline rectangle above filled base with four curved lines.</p>
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> <p>People are enabled to use wireless internet service.</p> <p>Need</p> <p>To aid people who need wireless internet connection.</p> <p>Related meanings</p> <p>—</p> <p>Field of application</p> <p>Public facilities, commercial facilities.</p> <p>Context of use</p> <p>Signs in airports, stations, public indoor areas, commercial facilities.</p> <p>Additional information</p> <p>Test data obtained according to ISO 9186-1:2007 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. A supplementary text sign may be used to increase comprehension.</p>	

STANDARDSISO.COM: Click to view the full PDF of ISO 7001:2007/Amd 2:2015

PI PF 067: Pedestrian underpass

	<p>Reference No.</p> <p>ISO 7001 - PI PF 067</p>
	<p>Referent</p> <p>Pedestrian underpass</p>
	<p>Function</p> <p>To show the location of a pedestrian underpass.</p>
	<p>Image content</p> <p>Stairs passage to underpass, and a human figure in sideview; the human figure going down the stairs.</p>
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> <p>Finding a pedestrian underpass.</p> <p>Need</p> <p>To help people cross the road.</p> <p>Related meanings</p> <p>—</p> <p>Field of application</p> <p>Public facilities.</p> <p>Context of use</p> <p>This symbol is found at a street. It might be found on a signboard at the side of the road, on a street layout plan showing the distribution of facilities.</p> <p>Additional information</p> <p>Test data obtained according to ISO 9186-1:2007 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. A supplementary text sign may be used to increase comprehension.</p>	

PI PF 068: Baggage delivery


	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 068</p>
	Referent <p style="text-align: center;">Baggage delivery</p>
	Function To indicate a place where baggage can be deposited for transport and delivery or collected after transport and delivery.
	Image content Suitcase over van.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding a baggage delivery service counter or facilities.</p> <p>Need To aid people who need to find a baggage delivery service counter.</p> <p>Related meanings PI PF 018, PI PF 069, PI PF 020, PI TF 030</p> <p>Field of application Public facilities, transport facilities, commercial facilities.</p> <p>Context of use Signs at hotels, stations, airports, public facilities.</p> <p>Additional information Test data obtained according to ISO 9186-1:2007 are available from more than one country. Findings from testing showed that the graphical symbol did not reach the criteria of acceptability. Consequently a supplementary text sign shall be used to increase comprehension.</p>	

STANDARDSISO.COM: Click to view the full PDF of ISO 7001:2007/Amd 2:2015

PI TF 037: Security check

	Reference No. <p style="text-align: center;">ISO 7001 - PI TF 037</p>
	Referent <p style="text-align: center;">Security check</p>
	Function To show the location of a security check gate.
	Image content Front view of a human figure in the middle of a security check gate.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning</p> Being aware of the location of a security check gate.	
<p>Need</p> To make people aware of a security check gate and allow them to prepare for passing through.	
<p>Related meanings</p> —	
<p>Field of application</p> Public facilities, transport facilities, tourism, culture and heritage, sporting activities.	
<p>Context of use</p> This symbol is usually found in transport facilities, like airports, railway stations, and is also used in large activities like celebrations, concerts.	
<p>Additional information</p> Test data obtained according to ISO 9186-1:2007 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. A supplementary text sign may be used to increase comprehension.	

PI BP 008: Surveillance camera

	Reference No. <p style="text-align: center;">ISO 7001 - PI BP 008</p>
	Referent <p style="text-align: center;">Surveillance camera</p>
	Function To indicate the location of surveillance camera.
	Image content Side view of wall mounted surveillance camera.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Understanding whether the area is under surveillance.	
Need When information is needed about the area under surveillance.	
Related meanings —	
Field of application Public facilities, transport facilities.	
Context of use This information appears in information boards or on a sign.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available from more than one country. Findings from national testing, however, showed that in one country the symbol exceeded the criteria of acceptability. A supplementary text sign may be used to increase comprehension.	

PI PF 069: Baggage assistant

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 069</p>
	Referent <p style="text-align: center;">Baggage assistant</p>
	Function To indicate the location of a baggage assistant.
	Image content Side view of human figure wearing skull cap pushing cart with bag on it.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding the location of a baggage assistant.</p> <p>Need When information is needed about the location of a baggage assistant.</p> <p>Related meanings PI PF 018</p> <p>Field of application Public facilities, transport facilities.</p> <p>Context of use This information appears on information boards or on a sign.</p> <p>Additional information Test data obtained according to ISO 9186-1:2007 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. A supplementary text sign may be used to increase comprehension.</p>	

PI PF 070: Embassy

	Reference No. <p style="text-align: center;">ISO 7001 - PI PF 070</p>
	Referent <p style="text-align: center;">Embassy</p>
	Function To indicate the location of embassy.
	Image content House with arch gate and flag hoisted on the left.
Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding the location of an embassy.	
Need When information is needed about the location of an embassy.	
Related meanings —	
Field of application Public facilities.	
Context of use This information appears on information boards or in guide-books or on a sign.	
Additional information Test data obtained according to ISO 9186-1:2007 are not available consequently, it is recommended that this symbol is accompanied by text to increase comprehension.	

STANDARDSISO.COM: Click to view the full PDF of ISO 7001:2007/Amd 2:2015

PI TC 017: Beach

	Reference No. <p style="text-align: center;">ISO 7001 - PI TC 017</p>
	Referent <p style="text-align: center;">Beach</p>
	Function To indicate the location of beach.
	Image content Side view of human figure, parasol and water.
<p>Human behaviour that is intended to be caused after understanding the public information symbol's meaning Finding the location of a beach.</p> <p>Need When information is needed about the location of a beach.</p> <p>Related meanings —</p> <p>Field of application Public facilities, tourism, culture and heritage.</p> <p>Context of use This information appears on information-boards or in guide-books, or on a sign.</p> <p>Additional information Test data obtained according to ISO 9186-1:2007 are available from more than one country. Findings from testing showed that the symbol exceeded the criteria of acceptability. A supplementary text sign may be used to increase comprehension.</p>	