

INTERNATIONAL STANDARD

ISO
8662-3

First edition
1992-07-01

AMENDMENT 1
1999-10-15

Hand-held portable power tools — Measurement of vibrations at the handle —

Part 3:

Rock drills and rotary hammers

AMENDMENT 1

Machines à moteur portatives — Mesurage des vibrations au niveau des poignées —

Partie 3: Marteaux perforateurs et marteaux rotatifs

AMENDEMENT 1



Reference number
ISO 8662-3:1992/Amd.1:1999(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Amendment 1 to International Standard ISO 8662-3 was prepared by Technical Committee ISO/TC 118, *Compressors, pneumatic tools and pneumatic machines*, Subcommittee SC 3, *Pneumatic tools and machines*.

STANDARDSISO.COM : Click to view the full PDF of ISO 8662-3:1992/Amd 1:1999

© ISO 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland
Internet iso@iso.ch

Printed in Switzerland

Hand-held portable power tools — Measurement of vibrations at the handle —

Part 3:

Rock drills and rotary hammers

AMENDMENT 1

Page 7, subclause 7.3

Replace the existing text with the following:

"Measurements shall be continued until a valid test series has been obtained, i.e. when the coefficient of variation of five consecutive weighted values obtained by the same operator is less than 0,15 or the standard deviation is less than 0,30 m/s²."