

INTERNATIONAL STANDARD

ISO
8925

First edition
1989-11-15

AMENDMENT 1
1997-05-15

Earth-moving machinery — Diagnostic ports

AMENDMENT 1

Engins de terrassement — Orifices de contrôle

Amendement 1

STANDARDSISO.COM : Click to view the full PDF of ISO 8925:1989/Amd 1:1997



Reference number
ISO 8925:1989/Amd.1:1997(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Amendment 1 to International Standard ISO 8925:1989 was prepared by Technical Committee ISO/TC 127, *Earth-moving machinery*.

STANDARDSISO.COM : Click to view the full PDF of ISO 8925:1989/Amd 1:1997

© ISO 1997

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case postale 56 • CH-1211 Genève 20 • Switzerland
Internet central@iso.ch
X.400 c=ch; a=400net; p=iso; o=isocs; s=central

Printed in Switzerland

Earth-moving machinery — Diagnostic ports

AMENDMENT 1

Page 1, 3.1

Replace subclause 3.1 with the following and delete the footnote at the bottom of page 1).

The port size for measuring temperature and pressure, and to obtain fluid samples shall be M10 × 1,25, M14 × 1,5, M16 × 1,5 or PT 1/8. However, an M14 × 1,5 port in accordance with ISO 6149 attached to a tube of 8 mm outside diameter shall be most preferable.

STANDARDSISO.COM : Click to view the full PDF of ISO 8925:1989/Amd 1:1997