

---

---

**Glass containers — Standard tolerances  
for bottles**

*Récipients en verre — Tolérances standards pour bouteilles*

STANDARDSISO.COM : Click to view the full PDF of ISO 9058:2008



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO 9058:2008



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9058 was prepared by Technical Committee ISO/TC 63, *Glass containers*.

This second edition cancels and replaces the first edition (ISO 9058:1992), which has been technically revised.

STANDARDSISO.COM : Click to view the full PDF of ISO 9058:2008

[STANDARDSISO.COM](https://standardsiso.com) : Click to view the full PDF of ISO 9058:2008

# Glass containers — Standard tolerances for bottles

## 1 Scope

This International Standard specifies tolerances for glass bottles of circular cross-section and nominal capacity from 50 ml to 5 000 ml.

NOTE This International Standard is based on CE.T.I.E [Centre technique international de l'embouteillage et du conditionnement (International Technical Centre for Bottling and Packaging), 112-114, rue La Boétie, 75008 Paris, France, <http://www.cetie.org>] data sheet DT 2 (1996) and EC Council Directive 75/107/EEC.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7348:1992, *Glass containers — Manufacture — Vocabulary*

ISO 9009:1991, *Glass containers — Height and non-parallelism of finish with reference to container base — Test methods*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 7348 and ISO 9009 and the following apply.

### 3.1

#### leading body diameter

greatest horizontal cross-sectional dimension of a container

## 4 Tolerances

### 4.1 Capacity tolerance

The actual capacity error (tolerance) shall be in accordance with the values specified in Table 1.

Table 1 — Capacity tolerances

Nominal capacity, $V_n$ ml	Maximum permissible error of the actual capacity	
	% of $V_n$	ml
$50 < V_n \leq 100$		3
$100 < V_n \leq 200$	3	
$200 < V_n \leq 300$		6
$300 < V_n \leq 500$	2	
$500 < V_n \leq 1\ 000$		10
$1\ 000 < V_n \leq 5\ 000$	1	

The maximum permissible error in the brimful capacity shall be the same as the maximum permissible error in the corresponding nominal capacity.

#### 4.2 Nominal height tolerance, $T_H$

The nominal height tolerance, in millimetres, shall be calculated using the following formula:

$$T_H = \pm (0,6 + 0,004H)$$

where  $H$  is the nominal height, in millimetres.

#### 4.3 Nominal leading diameter tolerance, $T_D$

The nominal leading body diameter tolerance, in millimetres, shall be calculated using the following formula:

$$T_D = \pm (0,5 + 0,012D)$$

where  $D$  is the nominal leading body diameter, in millimetres.

#### 4.4 Verticality tolerance, $T_V$ (vertical axis deviation tolerance)

The verticality tolerance, in millimetres, shall be calculated using the following formulae:

a) for a nominal height  $H \leq 120$  mm:

$$T_V = 1,5 \text{ mm}$$

b) for a nominal height  $H > 120$  mm:

$$T_V = 0,3 + 0,01H$$

where  $H$  is in millimetres.

#### 4.5 Tolerance on non-parallelism of finish with reference to container base

The tolerance on non-parallelism of finish with reference to container base (or the slope of finish) shall be in accordance with the values specified in Table 2.

**Table 2 — Tolerance on non-parallelism of finish with reference to container base**

Dimensions in millimetres

Nominal diameter of finish	Tolerance
$\leq 20$	0,45
$> 20$ and $\leq 30$	0,6
$> 30$ and $\leq 40$	0,7
$> 40$ and $\leq 50$	0,8
$> 50$ and $\leq 60$	0,9
$> 60$	1