



INTERNATIONAL STANDARD ISO 9125:1990
TECHNICAL CORRIGENDUM 1

Published 1993-02-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Fibre-cement slates and fittings

TECHNICAL CORRIGENDUM 1

Ardoises et leurs accessoires en fibres-ciment

RECTIFICATIF TECHNIQUE 1

Technical corrigendum 1 to International Standard ISO 9125:1990 was prepared by Technical Committee ISO/TC 77, *Products in fibre reinforced cement*, Sub-Committee SC 7, *Study groups for harmonization work*.

Page 5

Subclause 3.5.2.3

The second sentence (third line onward) shall read as follows:

"The tube is filled with water and maintained at a height of about 250 mm measured from the upper surface of the test piece, and the level is maintained constant."

UDC 691.328.5-414 : [691.15+691.27] : 69.024.15

Ref. No. ISO 9125:1990/Cor.1:1993 (E)

Descriptors: buildings, roofing, fibre-cement products, slates, fittings, specifications, dimensions, tests, mechanical tests, environmental tests, density measurement, marking, certification.

© ISO 1993

Printed in Switzerland