
International Standard 93/3

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Textile machinery and accessories — Cylindrical sliver cans — Part 3 : Packaging sliver cans (press cans)

Matériel pour l'industrie textile — Pots cylindriques pour rubans — Partie 3 : Pots de filature pour pressage (pots pressés)

First edition — 1981-07-15

STANDARDSISO.COM : Click to view the full PDF of ISO 93-3:1981

UDC 677.052.43

Ref. No. ISO 93/3-1981 (E)

Descriptors : textile machinery, sliver cans, dimensions.

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been set up has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

International Standard ISO 93/3 was developed by Technical Committee ISO/TC 72, *Textile machinery and allied machinery and accessories*, and was circulated to the member bodies in July 1978.

It has been approved by the member bodies of the following countries :

Belgium	Japan	Switzerland
Czechoslovakia	Mexico	Turkey
Egypt, Arab Rep. of	Poland	United Kingdom
France	Romania	Yugoslavia
India	South Africa, Rep. of	
Italy	Spain	

The member body of the following country expressed disapproval of the document on technical grounds :

Germany, F. R.

Textile machinery and accessories — Cylindrical sliver cans —

Part 3 : Packaging sliver cans (press cans)


1 Scope and field of application

This part of ISO 93 specifies the diameters of base openings and sets out a selection of cylindrical spinning cans (with or without castors) which enable textile sliver to be pressed and packaged on presses, by "tying (or baling) by hand" or by "tying (or baling) automatically".

2 Reference

ISO 93/1, *Textile machinery and accessories — Cylindrical sliver cans — Part 1 : Main dimensions.*

3 Packaging sliver cans



d = inside diameter
 d_i = diameter of base opening
 h = overall height

NOTE — The figure shows only the main dimensions. There are two types of packaging sliver cans :

type A for tying (or baling) by hand,

type B for tying (or baling) automatically.

**Figure — Packaging sliver cans
(shown without castors)**

Table — Main dimensions

Values in millimetres

$d^{1)}$	$h^{1)}$	d_i	
		Type A	Type B
350 ²⁾	900	—	230
400	900	350 ²⁾	
	1 000 1 100 ²⁾		
500	900 ²⁾	350	
	1 000 1 100		
600	900	380	250
	1 000		
	1 100		
700	1 000		
	1 100 1 200		
800	1 000		
	1 100 1 200		
1 000	1 200		

1) Selection of sliver cans extracted from ISO 93/1.

2) Admissible only for packaging sliver cans without castors.