INTERNATIONAL STANDARD ISO/IEC 10164-12:1994
TECHNICAL CORRIGENDUM 2

Published 1999-11-01

Information technology — Open Systems Interconnection — Systems Management: Test Management Function

TECHNICAL CORRIGENDUM 2

Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — Gestion-systèmes: Fonction de gestion des tests

RECTIFICATIF TECHNIQUE 2

Technical Corrigendum 2 to International Standard ISO/IEC 10164-12:1994 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*.

ICS 35.100.70

Ref. No. ISO/IEC 10164-12:1994/Cor.2:1999(E)

INTERNATIONAL STANDARD

ITU-T RECOMMENDATION

INFORMATION TECHNOLOGY – OPEN SYSTEMS INTERCONNECTION – SYSTEMS MANAGEMENT: TEST MANAGEMENT FUNCTION

TECHNICAL CORRIGENDUM 2

1)   Subclause A.1.4

Replace   **monitoredAttributesPackage PRESENT IF**

with   **"Rec. X.721 | ISO/IEC 10165-2:1992":monitoredAttributesPackage PRESENT IF**

Replace   **proposedRepairActionsPackage PRESENT IF**

with   **"Rec. X.721 | ISO/IEC 10165-2:1992":proposedRepairActionsPackage PRESENT IF**

2)   Subclause A.2

In **requestedWindowPackage** *change:*

endTime   DEFAULT VALUE Test-ASN1Module.defaultEndTime GET-REPLACE REPLACE-WITH-DEFAULT;

to:

endTime   REPLACE-WITH-DEFAULT   DEFAULT VALUE Test-ASN1Module.defaultEndTime GET-REPLACE;

3)   Subclause A.3.11

Replace   **"WITH ATTRIBUTE SYNTAX Test-ASN1Module.TestObjectId"**

with   **"WITH ATTRIBUTE SYNTAX Test-ASN1Module.TestObjectId;"**

4)   Subclause A.5

In **testResultNotification**

replace   **"correlatedNotfications"**

with **"   correlatedNotifications"**

5)   Subclause A.6

In   **mORTNotAvailable**

replace   **BEHAVIOUR mORTNotAvailable BEHAVIOUR**

with   **BEHAVIOUR mORTNotAvailableBehaviour BEHAVIOUR**

6)   Subclause A.7

Before **IMPORTS FROM InformationFramework** *add the following ASN.1 comment Note:*

          -- NOTE – This Recommendation | International Standard imports DistinguishedName from
          -- CCITT Rec. X.501 (1988) | ISO/IEC 9594-2:1990. The specification for this syntax can now be
          -- found in an informative annex of ITU-T Rec. X.711 (1997) | ISO/IEC 9596-1:1998.