
**Information technology — Guideline for
the evaluation and selection of CASE
tools**

*Technologies de l'information — Lignes directrices pour l'évaluation et la
sélection d'outils CASE*

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 14102:2008

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 14102:2008



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

| | | |
|------|--|----|
| 1 | Scope | 1 |
| 2 | Normative references | 2 |
| 3 | Terms and definitions | 2 |
| 4 | Abbreviated terms | 3 |
| 5 | Overview of evaluation and selection of CASE tools | 3 |
| 5.1 | Introduction of the evaluation and selection of CASE tools | 3 |
| 5.2 | Overview of the evaluation and selection of CASE tools | 4 |
| 5.3 | General process considerations | 5 |
| 6 | Preparation process | 6 |
| 6.1 | Overview | 6 |
| 6.2 | Goal setting | 6 |
| 6.3 | Establishing selection criteria | 7 |
| 6.4 | Project planning and control | 7 |
| 7 | Structuring process | 8 |
| 7.1 | Overview | 8 |
| 7.2 | Requirements definition | 8 |
| 7.3 | CASE tool information gathering | 10 |
| 7.4 | Identifying final candidate CASE tools | 10 |
| 8 | Evaluation process | 11 |
| 8.1 | Overview | 11 |
| 8.2 | Preparing for evaluation | 11 |
| 8.3 | Evaluating CASE tools | 12 |
| 8.4 | Evaluation reporting | 13 |
| 9 | CASE tool selection process | 13 |
| 9.1 | Overview | 13 |
| 9.2 | Preparing for selection | 14 |
| 9.3 | Applying the selection algorithm | 14 |
| 9.4 | Recommending a selection decision | 14 |
| 9.5 | Validating the selection decision | 15 |
| 10 | CASE tool characteristics | 15 |
| 10.1 | Overview | 15 |
| 10.2 | Characteristics related to life-cycle process functionality | 15 |
| 10.3 | Characteristics related to CASE tool usage functionality | 24 |
| 10.4 | General quality characteristics | 27 |
| 10.5 | General characteristics not related to quality | 30 |
| | Annex A (informative) Considerations on the use of this International Standard | 33 |
| | Annex B (informative) Examples of selection algorithms | 35 |
| | Annex C (informative) Evaluation Report Contents | 38 |
| | Bibliography | 40 |

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 14102 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and systems engineering*.

This second edition cancels and replaces the first edition (ISO/IEC 14102:1995), which has been technically revised.

Introduction

Within systems and software engineering, Computer-Aided Software Engineering (CASE) tools represent a major part of the supporting technologies used to develop and maintain information technology systems. Their selection must be carried out with careful consideration of both the technical and management requirements.

This International Standard defines both a set of processes and a structured set of CASE tool characteristics for use in the technical evaluation and the ultimate selection of a CASE tool. It follows the software product evaluation model defined in ISO/IEC 14598-5:1998.

This International Standard adopts the general model of software product quality characteristics and sub-characteristics defined in ISO/IEC 9126-1:2001 and extends these when the software product is a CASE tool; it provides product characteristics unique to CASE tools. This larger set of characteristics is then organized into four groups. This grouping provides a more manageable approach to the overall evaluation and selection process.

The technical evaluation can indicate how well a CASE tool meets its user's stated requirements. It can also indicate how well the tool meets its claimed functionality.

The objective of the technical evaluation process is to provide quantitative results on which the final selection can be based. Measurement assigns numbers (or other ratings) to attributes of entities; a major activity of evaluation is to obtain these measurements for use in selection. The final selection results should aim to achieve objectivity, repeatability and impartiality. These objectives and the confidence in the outcomes will in part depend on the resources allocated to the overall evaluation and selection process. The user of this International Standard is asked to deal with these issues at an early stage.

To be widely acceptable, these CASE tool evaluation and selection processes must be of value to the users of CASE tools and to the suppliers of CASE to the community at large. The information outlined in this International Standard should lead to more cost-effective selections of CASE tools and to a greater uniformity in how CASE tool functions and features are described.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 14102:2008

Information technology — Guideline for the evaluation and selection of CASE tools

1 Scope

This International Standard gives guidelines for the evaluation and selection of CASE tools, covering a partial or full portion of the software engineering life cycle. It establishes processes and activities to be applied for the evaluation of CASE tools and selecting the most appropriate CASE tools from several candidates. These processes are generic, and organizations must tailor them to meet organizational needs. The CASE tool evaluation and selection processes should be viewed in the larger context of the organization's technology adoption process.

This International Standard provides the following:

- a) guidance on identifying organizational requirements for CASE tools;
- b) guidance on mapping those requirements to CASE tool characteristics to be evaluated;
- c) a process for selecting the most appropriate CASE tool from several tools, based on measurements of the defined characteristics.

Primary users of this International Standard are organizations that intend to adopt CASE tools to support their software life cycle processes. CASE tool suppliers can also use this International Standard to describe characteristics of their CASE tools.

This International Standard is not intended to apply to:

- a) software engineering frameworks whose purpose is to provide mechanisms for data, control and presentation integration;
- b) general purpose tools (e.g. word processors, spreadsheets) which can be used in software engineering activities, nor CASE tools of very narrow scope or specific purpose (e.g. a compiler);
- c) planning for the implementation of CASE tools within an organization (even though it is recognised that this is an important subject).

NOTE A user of this International Standard can make the best possible selection of a CASE tool and yet have no guarantee of a successful implementation. ISO/IEC TR 14471 Adoption of CASE Tools addresses this subject.

This International Standard contains a set of processes, activities, and tasks designed to be tailored. The tailoring process is the selection of applicable processes, activities and tasks.

Compliance with this International Standard is defined as the performance of the processes, activities, and tasks selected from this International Standard for the evaluation and selection project. Any organization imposing this International Standard as a condition of trade is responsible for specifying the minimum set of required processes, activities, and tasks which constitute compliance for a given application of this International Standard.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 12207:2008, *Systems and software engineering — Software life cycle processes*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 assessment

action of applying specific documented criteria to a specific software module, package or product for the purpose of determining acceptance or release of the software module, package or product

3.2 CASE tool

software product that can assist software engineers by providing automated support for software life-cycle activities as defined in ISO/IEC 12207:2008

NOTE 1 A CASE tool can provide support in only selected functional areas or in a wide variety of functional areas.

NOTE 2 CASE tools can be used in several modes:

- As stand-alone tools; in this case, only compatibility with environment elements should be addressed.
- In small groups that communicate directly with one another; it can be supposed that integration is predefined, perhaps proprietarily.
- In the presence of a larger framework of the SEE; in this case the ability of the tool to use the relevant services of the framework should be addressed.

3.3 measurement

use of a metric to assign a value (which may be a number or category) from a scale to an attribute of an entity

[ISO/IEC 14598-1:1999]

NOTE 1 Measurement can be qualitative when using categories. For example, some important attributes of software products, e.g. the language of a source program (Java, C++, C, COBOL, etc.) are qualitative categories.

NOTE 2 Measurement can apply to metrics other than Software quality metrics.

NOTE 3 An Object can be measured directly, or can be information about or representations of the Object measured indirectly by the application of metrics.

3.4 metric

defined measurement method and measurement scale

[ISO/IEC 14598-1:1999]

3.5**rating**

action of mapping the measured value to the appropriate rating level

[ISO/IEC 14598-1:1999]

NOTE 1 Used to determine the rating level associated with the software for a specific quality characteristic.

NOTE 2 Rating and rating levels can be applied to characteristics other than quality characteristics.

3.6**rating level**

scale point on an ordinal scale which is used to categorize a measurement scale

[ISO/IEC 14598-1:1999]

NOTE 1 The rating level enables software to be classified (rated) in accordance with the stated or implied needs (see 8.2).

NOTE 2 Appropriate rating levels can be associated with the different views of quality i.e. 'Users', 'Managers' or 'Developers'.

3.7**SEE****Software Engineering Environment**

environment which provides automated services for the engineering of software systems and related domains (project management, process management, etc.)

[ISO/IEC 15940:2006]

NOTE 1 It includes the platform, system software, utilities, and CASE tools installed.

NOTE 2 The SEE architecture has two aspects:

- the CASE tools which provide facilities for supporting life-cycle processes, and
- general framework which provides a set of capabilities that offer common services used by the tools.

4 Abbreviated terms

CASE Computer Aided Software Engineering

GUI Graphical User Interface

5 Overview of evaluation and selection of CASE tools**5.1 Introduction of the evaluation and selection of CASE tools**

This International Standard defines both a set of processes and a structured set of CASE tool characteristics for use in the technical evaluation and the ultimate selection of a CASE tool. It follows the Software product evaluation model defined in ISO/IEC 14598-5:1998.

This International Standard adopts the general model of software product quality characteristics and sub-characteristics defined in ISO/IEC 9126-1:2001, and extends these when the software product is a CASE tool; it provides product characteristics unique to CASE tools as described in 10.2 to 10.5. This larger set of characteristics is then organized into four groups; they are characteristics related to life cycle process functionality, CASE tool usage functionality, general quality and not related to quality. This grouping provides a more manageable approach to the overall evaluation and selection process.

The objective of the technical evaluation process is to provide quantitative results on which the final selection can be based. Measurement assigns numbers (or other ratings) to attributes of entities; a major activity of evaluation is to obtain these measurements for use in selection. The final selection results should aim to achieve objectivity, repeatability and impartiality. These objectives and the confidence in the outcomes will in part depend on the resources allocated to the overall evaluation and selection process. The user of this International Standard is asked to deal with these issues at an early stage.

NOTE 1 Characteristic: An aspect of a product by which it can be described and evaluated. A characteristic may be refined into multiple levels of sub-characteristics that bear on its ability to satisfy stated or implied needs.

NOTE 2 Atomic sub-characteristic: The highest level evaluation categories are called characteristics. Characteristics are usually subdivided into sub-characteristics. Many sub-characteristics may be further subdivided into lower level sub-characteristics. At the lowest level, when no further subdivision is appropriate, the sub-characteristics are referred to as atomic sub-characteristics.

5.2 Overview of the evaluation and selection of CASE tools

This sub-clause illustrates an overview of the evaluation and selection of CASE tools discussed in this International Standard as shown in Figure 1. Evaluation and selection of CASE tools includes four major processes:

- Preparation Process
- Structuring Process
- Evaluation Process
- Selection Process




Figure 1 — Overview of evaluation and selection of CASE tools

A key process is the structuring of a set of requirements against which candidate CASE tools are to be evaluated, and upon which selection decisions will be based. The CASE tool characteristics defined in 10.2 to 10.5 forms the basis for requirements structuring and play a central role in the overall process.

5.3 General process considerations

There are several considerations that apply to the processes described in this International Standard on a global basis. The intent is for the user of this International Standard to tailor its application in such a way as to maximize the probability of a successful evaluation and selection process, and minimize its cost and risk. See Annex A.

5.3.1 Sequencing of processes

This International Standard does not impose the sequence of process activities described above and in the following clauses. It is up to the organization to select the relevant processes and activities needed to meet its evaluation and selection goals.

The organization will decide which to employ, in what sequence, and with what degree of parallelism. The sequencing of the processes' activities is then documented in an evaluation project plan.

5.3.2 Reducing cost and risk

In general, organizations which apply this International Standard will want to minimize the cost of the entire evaluation and selection process to the extent possible, while maintaining the level of effort necessary to select the most appropriate CASE tool(s) for their use. These objectives may be addressed by minimizing the number of tools evaluated, minimizing the cost of evaluating specific tools, and ensuring that the formality of the process is appropriate to the organization.

The activities of CASE tool information gathering and identifying final candidates for selection (see Clause 9) effectively allow the user of this International Standard to screen the available tools against the organization's needs, and eliminate from consideration tools which do not, or are not likely to, substantially address the organization's needs.

NOTE 1 It may be that the organization is unable to find any tool which appear likely to sufficiently meet its needs. In such a case, the stated needs themselves should be re-examined, and if they are found to accurately reflect the organization's actual requirements for technology improvement, the overall evaluation and selection process may be abandoned. Similarly, if the final candidate tools appear to be marginal in addressing the organization's needs, the level of detail and formality of the subsequent activities should be made to reflect the risk factor, and the organization should be prepared to not select a tool if the evaluation process so indicates, as the typical cost of bringing a new tool into operational use is substantial.

Evaluations of candidate tools may have already been performed and be available to the organization. Such information may be used to reduce the cost of candidate tool evaluation.

NOTE 2 Previous evaluations which have been performed on a different Version of the candidate tool may still yield useful information. Similarly, evaluations which addressed a different set of organizational needs may still provide useful information.

This International Standard calls for the development of several plans and reports, and implicitly, for their review by various personnel within the organization. In addition, activities are required to perform the four processes outlined. The format and level of detail of the data products is left to the discretion of the organization, as is the level of effort necessary to perform the activities.

NOTE 3 Some organizations may need to limit the scope, detail and formality of the processes to apply this International Standard within existing resource constraints.

6 Preparation process

6.1 Overview

The evaluation and selection processes require the agreement of management. In line with this agreement, a set of goals for the introduction (or enhancement) of CASE technology will be established. A set of CASE tool selection guidelines will be identified and a project plan developed. The process is shown in Figure 2.




Figure 2 — Overview of preparation process

6.2 Goal setting

The development of a set of realistic goals is a necessary first activity. In developing goals, both a rationale for acquisition (why acquire a CASE tool) and a general policy for acquisition (what type of tool to acquire and how to do it) should be developed.

NOTE Goal setting activities, including possibly the identification of selection criteria, may have already been performed as a part of other efforts prior to formally entering the preparation process of evaluation and selection of CASE tools.

The following tasks should be performed.

- a) Develop rationale for acquisition:
 - 1) Review the organization's current software development process, determining its maturity and areas of concern.
 - 2) Review the current state of CASE technology and observe trends for consideration as future reference technology.
 - 3) Compare the organization's current practices to possible future practices if CASE tools are adopted and identify areas of potential benefit.
 - 4) Identify probable impacts of CASE tools on the organization; e.g., areas where training and education, procedure guides, and technical support are needed to effectively deploy CASE technology.
- b) Define goals and expectations:
 - 1) Set overall goals (e.g., productivity improvement, quality improvement, enhanced process manageability).
 - 2) Define evaluation and selection constraints (e.g., cost, schedule, resources).

- 3) Quantify and classify expectations (based upon goals).
- c) Set general policy for acquisition:
- 1) Identify constraints on tool acquisition (e.g., implementation cost, schedule, other resources).
 - 2) Develop alternate approaches to introducing/augmenting CASE technology (e.g., buy a tool, modify an existing tool, develop a new tool).
 - 3) Assess the feasibility of the various alternatives in light of organizational readiness, technical considerations, performance specifications, and resources.
 - 4) The goals and expectations established here will be used to guide subsequent activities in the overall process and, finally, to validate the selection decision.

6.3 Establishing selection criteria

Based upon the goals and expectations developed above, selection criteria should be established:

- a) Decompose the high level goals into a set of selection criteria to make the (go/no go) selection decision.

NOTE The selection criteria should be objective and quantitative. Each selection criterion should include some defined threshold specified on which the major go/no go decision will be made during selection.

- b) Define the relative importance of the selection criteria.

NOTE The relative importance of the selection criteria will be used to determine the weights assigned to tool characteristics and sub-characteristics for evaluation.

- c) Define the level of detail and the nature of the evaluation activities to be performed.

NOTE The nature of the evaluation activities covers the methods used in collecting the data. Reference, for example, how the data are measured, collected with predefined criteria, or based upon subjective Observation.

- d) Define the evaluation/selection scenario to be performed (see Annex A).

6.4 Project planning and control

Based upon the goals and selection criteria which have been established for the overall evaluation and selection process, a project plan should be created and a control mechanism implemented. The plan and control mechanism should be developed in accordance with the organization's normal planning and control process, and it should contain the following:

- a) A project team organization with assigned responsibilities.

NOTE The skill of the evaluators will have an impact on the results of the evaluation and its applicability to the organization. The evaluation personnel should be selected with this in mind, and the skill level of evaluators should be a factor in assessing evaluation results. The evaluation team should be representative of the intended tool user group.

- b) A set of operational goals obtained by decomposing the overall goals previously established.
- c) A set of selection guidelines: weighted selection criteria, definition of level of detail and nature, and an evaluation and selection scenario (see Annex A).
- d) A schedule of activities and their tasks, along with an estimate of resource requirements and a cost estimate.
- e) A means of monitoring and controlling the execution of the plan.
- f) If developed, the project plan and control mechanism should be updated as the project evolves.

7 Structuring process

7.1 Overview

The structuring of the evaluation and selection activities can begin when a set of high level goals, selection guidelines, and a project plan are in place. The structuring process begins with a requirements definition activity which is followed by two parallel activities: the gathering of information on existing CASE tools, and the preparation of a list of candidate CASE tools to be evaluated.

The Organization of CASE tool requirements will follow the four groups of CASE tool characteristics as outlined in 10.2 to 10.5. The major activities are shown in Figure 3.




Figure 3 — Overview of structuring process

7.2 Requirements definition

7.2.1 Overview

During requirements definition, the requirements for the CASE tool are collected and organized into the CASE tool characteristics as noted in 10.2 and 10.3 identify the major CASE specific characteristics, 10.4 identifies general software quality characteristics, and 10.5 identifies a set of characteristics not related to quality. A comprehensive set of requirements is necessary to select the most appropriate CASE tool, and the structuring process provides for greater ease and repeatability in the evaluation process. Three activities are required.

7.2.2 Organizational information gathering

To be able to define a set of detailed requirements to be satisfied by the CASE tool, information about the organization should be gathered, including:

- a) Willingness of the organization to fully fund and implement CASE tool use.
- b) Current software engineering environment within the organization, including data describing current hardware, operating software, and tool use.

- c) Types of software development projects undertaken by the organization include size, domain of application.
- d) Characteristics and constraints of the target systems for which software is developed.
- e) Specific expected impacts and improvements of CASE technology on the organization.
- f) Requirements from potential tool users and end users.
- g) Current organizational procurement policies.

This information is necessary to ensure the tool or tools are appropriate for use within the organization, they address organizational needs, and needs perceived by their future users.

NOTE This information can be gathered in a number of ways, including Surveys and focus groups.

7.2.3 Requirements identification

The tool user's requirements should deal with the question of what the CASE tool should do as well as its impact on the existing environment. The following tasks should be performed in building the list of requirements:

- a) Analyze the requirements and adjust the level of detail to which requirements are defined and measured.
- b) Evaluate the current need for CASE tools while taking into consideration those projects where the CASE tool may initially be used.
- c) Identify desired methodology (e.g., process-oriented, data-oriented, object-oriented).
- d) Identify portions of the life-cycle to be supported (e.g., planning, analysis, design).
- e) Identify required functions of the CASE tool.
- f) Identify required quality characteristics of the CASE tool.
- g) Check the consistency of the requirements with the previously established goals.

NOTE These requirements represent the total set of organizational requirements. It is possible that no single CASE tool may satisfy all of the requirements, but that individual CASE tools may satisfy a sufficient number to justify their use by the organization, which may continue to search for tools to support remaining requirements.

7.2.4 Requirements structuring

The applicability of the user needs identified in 10.2 to 10.5, and any others which the organization may wish to add, should be defined. The purpose of this structuring is to organize the requirements in such a way that the evaluation can proceed more effectively. The tasks include:

- a) Categorize the user requirements in terms of the organization of 10.2 to 10.5, and decompose them into detailed specifications.
- b) Select characteristics and specific sub-characteristics from 10.2 to 10.5 which can be evaluated to determine the extent to which the CASE tool meets the detailed specifications.

NOTE The extent to which a CASE tool supports or implements a specific methodology may be a critical factor, and should be seriously considered when selecting characteristics and sub-characteristics and weighting those sub-characteristics.

- c) Identify weights for the characteristics and sub-characteristics.

NOTE 1 The weights are applied to the ratings determined during the evaluation as part of the selection process, and reflect the relative importance of the related selection criterion as determined during the preparation process.

NOTE 2 The assignment of weights is a subjective task which has a fundamental impact on the outcome of the entire evaluation and selection process. The assignment of weights should reflect both the organization's actual requirements and the ability of the organization to evaluate the characteristic. See Annex B for further discussion.

NOTE 3 ISO/IEC 25051:2006 addresses quality requirements applicable to CASE tools when considered as software packages, and should be consulted as part of the requirements structuring task. It provides additional guidance on a subset of the quality requirements of ISO/IEC 9126-1:2001.

7.3 CASE tool information gathering

A general search of potential CASE tools to be evaluated is undertaken based upon the requirements and selection criteria established. The activities of gathering information and identifying the candidate CASE tools may require several iterations to quickly and efficiently identify the most promising tools for further evaluation. For the CASE tools that appear most promising for further evaluation, additional and more detailed data that deal with their potential acquisition are obtained. This additional information may help to quickly eliminate many tools, allowing attention to be focused on the remaining candidates. Information to be obtained includes:

- a) Vendor general information (e.g., business history, available support, plans & strategies).
- b) Vendor's specific product development strategy.
- c) The tool's cost (e.g., price, maintenance, modifications, training).
- d) The hardware and software required to support tool use.
- e) The hardware and software required to support final application/product use.
- f) The training required for efficient tool use.
- g) The tool's functional capabilities.
- h) The tool's methodology and life-cycle support.
- i) How the tool interfaces to external systems.
- j) The number of users, existence of a user's group, the users' response to the tool.
- k) The tool's license mechanism (e.g., floating license, multi-user licenses, Cross platform licenses).

7.4 Identifying final candidate CASE tools

When the set of potential candidate tools has been identified, the final candidates for selection (those to be evaluated) may be chosen. This is accomplished through the following tasks:

- a) Establish a set of high-priority or critical, requirements to be met by CASE tools.
- b) Compare the user's functional requirements with the CASE tool's functional capabilities, supporting methodology, system environment.
- c) Compare the managerial requirements with the CASE tool's cost, available training and support.
- d) Analyze the tool vendors' user base, user response, support and business history.
- e) Identify tools satisfying a sufficient number of high-priority or critical requirements which then become the final candidates for formal evaluation. The results of the previous tasks provide the justification for the list of candidates.

NOTE The tasks described in this subclause represent a "screening" of possible candidates to allow the organization to identify the candidates most likely to be acceptable, given the organization's requirements or suppliers abilities. The identification of final candidates can be performed in parallel with CASE tool information gathering, or the two activities may be iterated. The goal is to reduce the cost of tool evaluation by only considering a screened set of final candidates during the evaluation process.

8 Evaluation process

8.1 Overview

Evaluation can begin when the structured requirements have been defined and a screened set of final candidates for selection has been chosen. Final preparations will be made for evaluating the candidate CASE tools, including the development of an evaluation plan. The evaluation activities are then performed and documented, resulting in a profile of how each CASE tool measures up to the structured requirements. The objective is to produce the technical evaluation reports necessary for the selection process, as shown in Figure 4.




Figure 4 — Overview of evaluation process

8.2 Preparing for evaluation

To define the necessary level of detail prior to beginning evaluation activities, final preparations are necessary. Based upon the list of candidate CASE tools and the structured requirements, the following tasks should be accomplished:

- a) For each atomic sub-characteristic, define or select one or more metrics and define the details of their use.

NOTE ISO/IEC JTC 1 SC7 Working Group 6 developed the following technical reports regarding metrics: ISO/IEC TR 9126-2:2003, ISO/IEC TR 9126-3:2003 and ISO/IEC TR 9126-4:2004 (see Bibliography).

- b) Set the rating levels and identify the means by which the levels will be generated or computed.

NOTE A measured metric value (e.g., average lines of code per module = 274) must then be assigned a rating value (e.g., 1.3 on a scale of 0 to 4). The means by which rating levels are obtained from measurements must be identified.

- c) Define the assessment characteristics for evaluation, establishing what is acceptable, taking into consideration the rating levels previously defined and the context of use of the product.
- d) Identify and schedule all activities that must be performed as part of the evaluation process.

NOTE Activities include preparing any data sets necessary for the evaluation, obtaining tool documentation and an instance of the tool to be evaluated, providing evaluators any necessary training in tool use, hands-on tool use, recording of tool outputs, and analysis of results.

In some cases, a Bench Mark Test (BMT) may be a part of the evaluation process. The recommended approach for a BMT includes:

- Identify the required critical tool functions.
- Identify a test project or sample program to be the basis for the BMT.
- Develop a BMT scenario, defining inputs and expected outputs.

To focus evaluation activities and provide for traceability of the evaluation process, develop an evaluation plan that includes the information above.

8.3 Evaluating CASE tools

8.3.1 Overview

The software is evaluated in comparison with each of the chosen characteristics. Evaluation is a process of measurement, rating and assessment.

8.3.2 Measurement

Measurements can be made based upon information obtained by examining the CASE tool itself, or information about it, through the following types of tasks:

- a) Examining the vendor-supplied documentation.
- b) Examining the source code and other intermediate products, if available.
- c) Interviewing actual users of the software.
- d) Viewing demonstrations and interviewing demonstrators.
- e) Executing test cases.
- f) Applying to test projects.
- g) Examining results of previous evaluations (whether in-house, third party, or other evaluations).
- h) Performing a BMT on the candidate tools and analysing the results.

Measurement values may be binary, based on a continuous scale (quantifiable), or textual. There are both objective and subjective characteristics.

NOTE Objective characteristics are those which permit independent and repeatable test or metric. Subjective characteristics are those for which no independent and repeatable test or metric exists (e.g. fitness of the user interface to the culture of the user).

For objective characteristics, the evaluation should be made by a repeatable procedure such that another evaluator would be able to produce the same results. During evaluation, if test cases are used, a uniform, predefined, and documented set of cases should be used.

For subjective characteristics, the evaluation should be performed repeatedly by more than one person or group, who will discuss and agree upon results.

The evaluation results should be recorded in a quantified manner, where possible, together with textual justification, where applicable.

8.3.3 Rating

In the rating task, each measured value is rated against the scale of values defined in the evaluation plan. Rating levels are either directly generated or computed according to previously defined algorithms.

NOTE It is possible that requirements may be revised during the evaluation, and this may require revision of rating scales.

8.3.4 Assessment

Based upon the resulting ratings and the previously defined assessment criteria, assess the sub-characteristics and characteristics. In accordance with the selection guidelines and the evaluation plan, ratings should be aggregated up to the characteristic level.

8.4 Evaluation reporting

The end result of the evaluation activities will be an evaluation report. An evaluation report may address all tools which were evaluated; alternatively, several evaluation reports may be written, each reporting on a subset of the tools evaluated.

Evaluation results should be provided in terms of the lowest level of sub-characteristic decomposition (normally an atomic sub-characteristic). For each sub-characteristic, the metric value measured should be given in terms of the rating level for that metric.

Based upon the lowest level results, any aggregation should be shown so as to make clear the method of aggregation: any weights used, the elements aggregated, and the level to which aggregation is performed. The result will be a profile describing the results of the evaluation in terms of scores for the characteristics of Clause 7, or in terms of scores for sub-characteristics, depending on the level of aggregation.

In cases where the report covers multiple tools, or where the results of this evaluation will be compared to those of other evaluations, care should be taken to ensure the results are provided in a uniform format which facilitates comparison (e.g., by using templates). Objective results should be provided with minimal accompanying text. Subjective results should be supported by text describing the specific reasons for the metric values assigned.

9 CASE tool selection process

9.1 Overview

CASE tool selection can begin when the evaluation reports are complete. A selection algorithm should be defined and then applied to the results of the CASE tool evaluation efforts. A decision can then be recommended, and the recommendation validated against the original set of goals and selection guidelines. An overview of the process is shown in Figure 5.




Figure 5 — Overview of selection process

9.2 Preparing for selection

The selection algorithm determines how the data generated during the various evaluations are combined and compared to result in ratings for each candidate.

Based upon the original goals and selection guidelines, a final set of selection criteria is identified and the basis upon which these criteria are to be assessed is defined. This definition will be based upon the aggregated evaluation assessments described in 8.3.4.

The algorithm for further aggregating the results, comparing the candidates, and arriving at a decision is then defined. A discussion of selection algorithms is provided in Annex B.

9.3 Applying the selection algorithm

The evaluation results are used as inputs to the selection algorithm. Information relating the candidate tools is output. Each tool's evaluation results provide a technical summary of each tool's characteristics, aggregated up to the level specified in the selection algorithm (usually the characteristic level). The selection algorithm combines the results of the evaluations of the various tools, providing a comparison for use by decision makers.

9.4 Recommending a selection decision

When the selection algorithm has been applied, a decision may be made to acquire a tool or set of tools. This is a management decision based upon the technical comparison provided above and additional management criteria.

Such a decision would indicate that the most appropriate of the candidates has been identified for selection. Alternatively, the assessment of evaluation results may show a need for additional information, which may indicate that some iteration of previous activities is necessary. Evaluation and selection scenarios are further discussed in Annex A.

The selection decision should be justified with a rationale that summarizes the information and logic that led to the selection.

9.5 Validating the selection decision

The final activity in the process should be the validation of the recommended selection. The original goals and selection guidelines should be reviewed and compared to the evaluation results and other data relating to the recommended selection. A check should be made to ensure that if the recommendation is accepted, the high level goals (or a sufficient number of them) will be met. It may be found that no adequate tool exists, in which case a choice may be made between the development of a new tool or the modification of an existing tool (within the user organization or outside), or abandoning the entire evaluation and selection process.

10 CASE tool characteristics

10.1 Overview

The user needs which drive any evaluation and/or selection process will be based upon the characteristics and sub-characteristics described below. By defining user needs in the terms used here, assessments and comparisons may be made based upon a broad, common, and nearly complete set of characteristics. As discussed above, a structuring activity is required to transform the set of needs initially identified by the user into the terms provided here.

The top-level evaluation categories are called characteristics. Each characteristic is subdivided into sub-characteristics. Sub-characteristics may be further subdivided into lower level sub-characteristics. At the lowest-level, sub-characteristics are referred to as atomic sub-characteristics. Sub-clauses 10.2 to 10.5 define atomic sub-characteristics in terms of their attributes; each of these will be assigned a value during the evaluation process based upon one or more metrics (see 8.2).

It is unlikely that any user of this International Standard will need to use all of the atomic sub-characteristics given below; users should select only those sub-characteristics that have significant weight with respect to their organization's requirements. There will be cases where additional needs or characteristics, specific to a particular evaluation or selection, have to be added to those listed below; in that sense, the atomic sub-characteristics listed below can be considered a partial list, to be augmented as necessary.

Non-atomic sub-characteristics are assigned values by aggregating the values of their component sub-characteristics, weighted as called for in the evaluation plan. This aggregation task is continued until the levels of aggregation called for in the evaluation plan have been reached. The selection algorithm is then used to combine the evaluation results of the various tools for comparison and decision.

10.2 Characteristics related to life-cycle process functionality

10.2.1 Overview

A set of attributes that bear on the existence of a set of functions and their specified properties to support CASE tool use as it relates to software engineering life-cycle processes and activities. For those life-cycle processes referenced, the definitions in ISO/IEC 12207:2008 apply.

NOTE This clause addresses CASE support for several life-cycle processes. Other life-cycle processes not addressed here are absent either because CASE tools do not typically provide support for those processes, or because the process and/or the CASE support for it are not stable at this time.

10.2.2 Management Process characteristics

A set of atomic sub-characteristics that bear on the existence of a set of functions and their specified properties to support the management process activities. For additional attributes that bear on management, see 10.2.9.

Table 1 — Atomic sub-characteristics of the Management Process

| No. | Atomic sub-characteristics | Description |
|-----|---------------------------------------|---|
| 1) | Cost and Schedule Estimating | <p>Attributes relating to its ability to estimate cost, schedule and other project Parameters based upon organizational inputs.</p> <p>NOTE 1 For example, the Constructive Cost Model (COCOMO) and its variants. Planning attributes relating to its ability to support user entry and analysis of project planning data.</p> <p>NOTE 2 This sub-characteristic is more general than the sub-characteristic above: in addition to cost and schedule data, it includes, for example, computer and other facility resources, personnel allocations, annual calendar definition and vacation planning. Also included is the capability of analysis of planning data, such as a critical path analysis to optimise the project plan with respect to the required constraints, and the capability of reusing/modifying the planning data.</p> |
| 2) | Project Tracking | <p>Attributes relating to its ability to support user entry of project activity data, including automated data gathering.</p> <p>NOTE Examples of project activity data which may be tracked include completion date, funds expended, resources consumed, number of documents generated, lines of code developed, number of test cases completed, and number of defects detected.</p> |
| 3) | Project Status Analysis and Reporting | Attributes relating to its ability to support analysis of project activities based on the data tracked and provide status reports and projections in user definable formats. |
| 4) | Managing Processes | <p>Attributes relating to its ability to support the management of processes.</p> <p>NOTE Process management includes defining detailed work items by defining input, resources, output, personnel, deadline, etc.; making work item definitions available to project members; updating work status by (manually or automatically) gathering the results of the work. Query capability is also included.</p> |

10.2.3 Software Implementation Process characteristics

A set of atomic sub-characteristics that bear on the existence of a set of functions and their specified properties to support the software implementation process activities. For additional attributes that bear on the software implementation process, see 10.2.11.

NOTE The set of software implementation functions may not be exhaustive, and additional sub-characteristics may be considered as required.

Table 2 — Atomic sub-characteristics of the Software Implementation Process

| No. | Atomic sub-characteristics | Description |
|-----|---------------------------------|---|
| 1) | Requirement Elicitation support | Attributes relating to its ability to support the conduct of elicitation interviews, workshops and other requirements information gathering activities. |
| 2) | Requirement Analysis Support | <p>Attributes relating to its ability to support the review and analysis of requirements, problem solving activities, and prioritising of requirements.</p> <p>NOTE Requirements Analysis support services may include sensitivity and impact analysis, feasibility analysis, and relationship and traceability analysis.</p> |

| | | |
|----|---|---|
| 3) | Requirement Specification Support | Attributes relating to its ability to support the entry and editing of requirements specification data and checking the consistency and completeness of the requirements data against allowable specification constructs and rules. NOTE 1 Classes of requirements data which may be considered include functional, data, interface, quality, performance, hardware, environment, cost, and schedule requirements. NOTE 2 A formal language may be used to express requirements data. |
| 4) | Requirement Validation and Verification Support | Attributes relating to its ability to support the evaluation of the completeness, correctness and usability of the requirements. |
| 5) | Requirement Management Support | Attributes relating to its ability to support the recording, storage, manipulation, import and export, and the administration of requirements and associated information. NOTE Requirements management support services may include requirement designing, manipulation, sorting, filtering, organizing, baselining and tracing; document importing, generation and exporting; diagram and model interpretation and generation; requirements configuration management, access control, and metrics generation. |

10.2.4 Modeling sub-characteristics

A set of atomic sub-characteristics that bear on the existence of a set of functions and their specified properties to support the modeling activities which can be part of the software implementation process.

NOTE Modeling functions reflect the CASE tool's ability to support the identification of software requirements, the expression of software design, and the transformation of requirements into design.

Table 3 — Atomic sub-characteristics of the Modeling activity

| No. | Atomic sub-characteristics | Description |
|-----|-----------------------------------|--|
| 1) | Diagram Development | Attributes relating to its ability to support the entry and editing of diagrams of types of interest to the user, and to translate between diagram types, and between diagrams and text. NOTE 1 Diagram types are defined in ISO 5807:1985. In addition, typical diagram types include: control flow, data flow, decomposition, entity-relationship, object oriented, UML, Petri nets, state transition, and structure charts. NOTE 2 Rules relevant to specific diagram types should be enforced. |
| 2) | Diagram Analysis | Attributes relating to its ability to support the analysis of graphical figures input to the CASE tool and extracting and storing requirements and/or design information. NOTE Diagram analysers are, in many cases, integrated with diagram drawers, but go beyond diagram drawers in analytical capability. |
| 3) | Requirement Specification Support | Attributes relating to its ability to support the entry and editing of requirements specification data and checking the consistency and completeness of the requirements data against allowable specification constructs and rules. NOTE 1 Classes of requirements data that may be considered include: functional, data, interface, quality, performance, hardware, environment, cost, and schedule requirements. NOTE 2 A formal language may be used to express requirements data. |

| | | |
|----|----------------------------------|--|
| 4) | Design Specification Support | <p>Attributes relating to its ability to support the entry and editing of design specification data and checking the consistency and completeness of design data against allowable specification constructs and rules.</p> <p>NOTE 1 Classes of design data that may be considered include: functional, data, interface, quality, performance, hardware, environment, cost, and schedule information.</p> <p>NOTE 2 A formal language may be used to express requirements data.</p> |
| 5) | Specification Construct Modeling | <p>Attributes relating to its ability to support the entry and editing of information describing the types of constructs that a specification can contain, including their relationships and depiction.</p> <p>NOTE Types of constructs that might be modeled include data structures, data flows, objects, processes and states.</p> |
| 6) | Simulation | <p>Attributes relating to its ability to simulate aspects of a system's potential operation based upon requirements and/or design data available to the CASE tool.</p> <p>NOTE Examples of aspects to be simulated include System effectiveness (operational Utility), operator interface, and architectural Performance (response time, utilization, throughput).</p> |
| 7) | Prototyping | <p>Attributes relating to its ability to generate a prototype model of all or portions of a system based upon user-supplied requirements and/or design information.</p> <p>NOTE Prototyping features of CASE products may sometimes be replaced by graphical user interface (GUI) tools. Such replacement requires fluent transition from modeling to design activities and back.</p> |
| 8) | Human Interface Modeling | <p>Attributes relating to its ability to model the content aspects of human-computer interactions and the mechanical aspects of those interactions.</p> <p>NOTE Examples of content aspects of human-computer interactions are presentations (e.g., menus, screen and window layouts and report designs) and querying (e.g., text, voice, touch, icon or other inputs). Examples of mechanical aspects include window location, size, and colours; voice volume and pitch, and touch sensitivity).</p> |

10.2.5 Construction sub-characteristics

A set of atomic sub-characteristics that bear on the existence of a set of functions and their specified properties to support the construction activities which can be part of the software implementation process.

NOTE Construction functions reflect the tool's ability to produce operational (eg., executable) elements of the final system to be fielded, or to modify an existing system. Many of the functions in this paragraph are dependent upon a specific language or languages. Examples of such languages include programming languages, data and query languages, graphics languages, and operating system interfaces such as job control languages. The user of this International Standard should identify those languages relevant to the specific effort.

Table 4 — Atomic sub-characteristics of the Construction activity

| No. | Atomic sub-characteristics | Description |
|-----|----------------------------|--|
| 1) | Code Generation | Attributes relating to its ability to generate code in one or more specific languages based upon design data available to the CASE tool. NOTE Typical code generation capabilities include general purpose Code generation, database generation, query generation, Screen display/menu generation. Another form of code generation is the direct generation of executable code. |
| 2) | Database Schema Generation | Attributes relating to its ability to generate database schema based upon user-supplied information. |
| 3) | Screen Generation | Attributes relating to its ability to generate display screens based upon user-supplied information. |
| 4) | Report Generation | Attributes relating to its ability to automate the development of reports to be produced by the system under development (as opposed to the CASE tool). |
| 5) | Compilation | Attributes relating to its ability to compile code in one or more specific languages. |
| 6) | Syntax Directed Editing | Attributes relating to its ability to support the entry of source code in one or more specific languages with syntax support provided by the editor. |
| 7) | Debugging | Attributes relating to its ability to support the identification and isolation of errors in a program. NOTE Typical capabilities include providing trace backs and identifying fault location in terms of source Code. |

10.2.6 Maintenance Process characteristics

A set of atomic sub-characteristics that bear on the existence of a set of functions and their specified properties to support the maintenance process activities.

Table 5 — Atomic sub-characteristics of the Maintenance Process

| No. | Atomic sub-characteristics | Description |
|-----|----------------------------|--|
| 1) | Problem understanding | Attributes relating to its ability to determine that a problem: results from a user misunderstanding, has already been resolved, is going to be resolved in the context of another maintenance action, or is a new problem to be resolved. |
| 2) | Localization | Attributes relating to its ability to identify the portion of the software requiring modification, given the identification of a problem. |
| 3) | Impact analysis | Attributes relating to its ability to, for each change foreseen, identify potential consequences of making the change. |
| 4) | Data Reverse Engineering | Attributes relating to its ability to extract information from source code which defines or describes the data elements and structures of the software. NOTE Examples of typical outputs include design language code, data dictionary entries and direct entry of design data into the CASE tool's database. |

| | | |
|----|---------------------------------------|---|
| 5) | Process/Procedure Reverse Engineering | Attributes relating to its ability to extract process design data from source code. NOTE Examples of typical outputs include design language code, design diagrams, and direct entry of design data into the CASE tool's database. |
| 6) | Source Code Restructuring | Attributes relating to its ability to input existing source code in one or more specific languages, modify its format and/or structure according to defined directives (e.g., reduce size of code, reduce execution time, implement code format standard) and output a source code file in the same language. |
| 7) | Source Code Translation | Attributes relating to its ability to input existing Source code written in one or more specific languages, translate it into a different language, and output the resulting Code. |

10.2.7 Documentation Process characteristics

A set of atomic sub-characteristics that bear on the existence of a set of functions and their specified properties to support the documentation process activities.

Table 6 — Atomic sub-characteristics of the Documentation Process

| No. | Atomic sub-characteristics | Description |
|-----|---|--|
| 1) | Text Editing | Attributes relating to its ability to edit text. |
| 2) | Graphical Editing | Attributes relating to its ability to enter and edit data in graphical format. |
| 3) | Forms-Based Editing | Attributes relating to its ability to support user definition of forms and subsequent forms-based editing. |
| 4) | Publishing | Attributes relating to its ability to support desktop publishing. |
| 5) | Hypertext Support | Attributes relating to its ability to support hypertext formats and functions. |
| 6) | Variant Handling | Attributes relating to its ability to reuse the same generation of the product with limited variation. NOTE Examples include change of objects in screen panes (e.g., logo) and adaptation to local requirements (e.g., language). |
| 7) | Automatic Data Extraction and Document Generation | Attributes relating to its ability to accept, store and retrieve specifications of the content, format and layout of textual and graphical data to be extracted and produced, and its ability to then extract and produce the data in compliance with a specification. |

10.2.8 Configuration Management Process characteristics

A set of atomic sub-characteristics that bear on the existence of a set of functions and their specified properties to support the configuration management process activities.

Table 7 — Atomic sub-characteristics of the Configuration Management Process

| No. | Atomic sub-characteristics | Description |
|-----|--|---|
| 1) | Access Control | Attributes relating to its ability to control access to data elements. NOTE Access control includes the ability to specify components to be no access, read only, etc. based upon work groups, or other similar identifier, as well as the ability to check-out data elements for modification and restrict access to them (locking) until they have been updated and checked back in (unlocking). |
| 2) | Tracking of Modifications | Attributes relating to its ability to maintain a record of all modifications made to the system under development or maintenance. NOTE As design and code information is changed, includes automatically updating and keeping consistent all related information kept in the tool. |
| 3) | Definition and Management of Multiple Versions | Attributes relating to its ability to maintain records and perform management functions on multiple versions of a system which may share common components. |
| 4) | Configuration Status Accounting | Attributes relating to its ability to provide the user with reports defining the history, contents and status of the various configuration items being managed. |
| 5) | Release Generation | Attributes relating to its ability to support user definition of steps required to create a version (build) of the software for release, and to automatically execute those steps. |
| 6) | Archival Capability | Attributes relating to its ability to automatically place data elements in secondary storage for subsequent retrieval. NOTE Archiving typically involves long term storage of information off-line for use in reconstructing a system which was damaged or accessing data which is seldom needed. Archiving features which may be considered include level of automation, ease of retrieval, data compression capabilities and security against both loss and unauthorized access. |

10.2.9 Quality Assurance Process characteristics

A set of atomic sub-characteristics that bear on the existence of a set of functions and their specified properties to support the quality assurance process activities.

Table 8 — Atomic sub-characteristics of the Quality Assurance Process

| No. | Atomic sub-characteristics | Description |
|-----|----------------------------|--|
| 1) | Quality Data Management | Attributes relating to its ability to support user entry of quality data, analyze quality data, and generate information to support quality management. NOTE 1 Examples of quality data include quality assurance Plans, results of reviews and audits, test results, fault and corrective action reports, and values of complexity metrics. NOTE 2 Includes the ability to handle quality data by variant. |
| 2) | Risk Management | Attributes relating to its ability to support risk identification, risk estimation, risk impact assessment, risk monitoring and controlling. NOTE 1 Risks to be analyzed might be categorized into, but not limited to, project risks, technical risks, and business risks. NOTE 2 Risk management support capabilities might include hazard analysis in critical applications such as air traffic control Systems or nuclear power plant control Systems. |

10.2.10 Verification Process characteristics

A set of atomic sub-characteristics that bear on the existence of a set of functions and their specified properties to support the verification process activities. For additional attributes that bear on the verification process, see 10.2.11 ; additional functional capabilities relating to verification may be found embedded in existing software implementation sub-characteristics.

Table 9 — Atomic sub-characteristics of the Verification Process

| No. | Atomic sub-characteristics | Description |
|-----|-------------------------------------|---|
| 1) | Specification Traceability Analysis | Attributes relating to its ability to perform traceability analyses. NOTE Analyses normally addresses information from the level of requirements specifications thorough design data. |
| 2) | Specification Analyses | Attributes relating to its ability to perform analyses based upon the requirements and design data available to the tool. NOTE Specific types of analyses might include: algorithm, complexity, control flow, data flow, data normalization, data use, interface, human-machine interface, range bound, and structure. |
| 3) | Source Code Analysis | Attributes relating to its ability to input source code in one or more specific languages and perform analyses. NOTE Examples of such analyses include the measurements of size, calculation of complexity metrics, generation of cross-references, and review for conformance to standard usages. |

10.2.11 Validation Process characteristics

A set of atomic sub-characteristics that bear on the existence of a set of functions and their specified properties to support the validation process activities.

Table 10 — Atomic sub-characteristics of the Validation Process

| No. | Atomic sub-characteristics | Description |
|-----|--|---|
| 1) | Proof of Correctness Techniques | Attributes relating to its ability to formally prove assertions about features or operations of the software to be validated. |
| 2) | Failure Analysis | Attributes relating to its ability to analyse failures and trace them back to defects. |
| 3) | Defect Analysis | Attributes relating to its ability to analyse defects and trace them forward to failures. |
| 4) | Test Case and Expected Result Entry | Attributes relating to its ability to support user entry of test cases and entry of expected test case results. |
| 5) | Test Case and Expected Result Generation | Attributes relating to its ability to automatically generate test cases based upon existing requirements and/or design specification data available to the tool and to automatically generate expected test case results. |
| 6) | Test Traceability | Attributes relating to traceability of test activities and data. NOTE Aspects include traceability of test data to other test data (eg., test requirements to test design to test cases) as well as traceability of test data to activities and data from other life-cycle activities (e.g., requirements specifications to test cases and test cases to source code). |

| | | |
|-----|-----------------------------------|---|
| 7) | Source Code Instrumentation | Attributes relating to its ability to automatically instrument code to be tested in order that test events can be identified and recorded. |
| 8) | Input Capture and Replay | Attributes relating to its ability to capture operator inputs (e.g., keyboard, mouse) and the extent to which such data can be edited and replayed in subsequent test cases. |
| 9) | Test Driving | Attributes relating to its ability to execute and/or replay test cases. |
| 10) | Run-time Analysis | Attributes relating to its ability to analyse the performance of a program as it executes. NOTE Capabilities may include the ability to verify and report on assertions (or exceptions) encountered during execution, as well as reporting on CPU utilization, memory utilization, accesses to specified data elements and/or Code Segments, and timing characteristics. |
| 11) | Reliability Analysis | Attributes relating to its ability to analyse measures of software reliability. NOTE Examples of reliability measures include measures of complexity, software science attributes and the MTBF (Mean Time Between Failure). |
| 12) | Test Coverage Analysis | Attributes relating to its ability to analyse and report coverage, including system coverage analysis and function coverage analysis. NOTE For example, Statements which were/were not executed, procedures which were/were not called, and variables which were/were not accessed. |
| 13) | Test Procedure Management | Attributes relating to its ability to manage test activities and a test program. NOTE For example, the ability to maintain a schedule of planned activities, capture and record the results of test activities, and generate status reports. |
| 14) | Regression Testing | Attributes relating to its ability to support regression testing. NOTE For example, the ability to re-run previous tests; the ability to modify previous tests to account for system and/or environmental differences (e.g., date, time). |
| 15) | Automatic Result Checking | Attributes relating to its ability to automatically compare expected test case results and actual test case results. |
| 16) | Test Statistical Analysis | Attributes relating to its ability to statistically analyse and report on test results. NOTE For example, percent of test cases executed and per cent of test cases passed. Operations Environment Simulation: attributes relating to its ability to support the Simulation of a real operations environment, such as a large number of users, as well as various scenarios of use and various configurations. |
| 17) | Operations Environment Simulation | Attributes relating to its ability to support the Simulation of a real operations environment, such as a large number of users, as well as various scenarios of use and various configurations. NOTE For example, the ability to automatically generate simulated inputs to the system being tested based upon received system outputs. |
| 18) | Integration Testing | Attributes relating to its ability to support software integration activities. NOTE For example, the automatic generation of body stubs for top-down testing or the automatic generation of driver procedures for bottom-up testing. |

10.3 Characteristics related to CASE tool usage functionality

10.3.1 Overview

The following characteristics relate the tool to its environment and the projects it will be used to support.

10.3.2 CASE tool operation environment characteristics

A set of atomic sub-characteristics which bear on the relationship between the CASE tool and its operational (host) environment.

Table 11 — Atomic sub-characteristics of the CASE tool operation environment

| No. | Atomic sub-characteristics | Description |
|-----|---|---|
| 1) | Required Hardware Characteristics of Tool | <p>Attributes relating to any hardware requirements for its use.</p> <p>NOTE 1 Typical hardware items to be listed include processors (including co-processors), main memory type, bus type, type and size of peripheral storage, extension or graphics cards, input and output equipment.</p> <p>NOTE 2 The user of this International Standard should identify hardware items for which the minimal requirements may not provide adequate performance, e.g., main memory. Hardware necessary to provide acceptable performance should be identified.</p> <p>NOTE 3 The user of this International Standard should identify hardware items which are supported by the tool as options, e.g., input and output devices.</p> |
| 2) | Required Software Environment of Tool | <p>Attributes relating to any software items required for its use.</p> <p>NOTE Typical software items to be listed include operating systems, database management systems, languages, character sets and character codes, and communications/network packages.</p> |
| 3) | Software Repository (Information Base) | <p>Attributes relating to its ability to house and manage all relevant software engineering process information. This includes its ability to make information developed in one life cycle activity available for use during other activities, as well as its ability to provide access to this information to other environment elements.</p> <p>NOTE 1 Examples of such information include requirements and design documentation, code, and test data.</p> <p>NOTE 2 Includes the ability to handle relevant data by variant.</p> |
| 4) | Physical Environment of Tool | <p>Attributes relating to any geographical aspects of the development environment which will impact tool use.</p> <p>NOTE Considerations include physical and temporal Separation of users and the related issues of networking considerations, on-line/off-line considerations, and repository updating/mirroring at multiple sites.</p> |

10.3.3 CASE tool integrability characteristics

A set of atomic sub-characteristics which bear on the ability of the CASE tool to integrate and interoperate with other items in its operational environment. The evaluation and selection of CASE tools is performed in the context of the software engineering environment in which the tool will be used.

NOTE Examples of other environmental items include those given in the hardware and software environment of the tool, above.

Table 12 — Atomic sub-characteristics of the CASE tool integrability

| No. | Atomic sub-characteristics | Description |
|-----|---|---|
| 1) | Required Hardware Characteristics of Tool | <p>Attributes relating to any hardware requirements for its use.</p> <p>NOTE 1 Typical hardware items to be listed include processors (including co-processors), main memory type, bus type, type and size of peripheral storage, extension or graphics cards, input and output equipment.</p> <p>NOTE 2 The user of this International Standard should identify hardware items for which the minimal requirements may not provide adequate performance, e.g., main memory. Hardware necessary to provide acceptable performance should be identified.</p> <p>NOTE 3 The user of this International Standard should identify hardware items which are supported by the tool as options, e.g., input and output devices.</p> |
| 2) | Required Software Environment of Tool | <p>Attributes relating to any software items required for its use.</p> <p>NOTE Typical software items to be listed include operating systems, database management systems, languages, character sets and character codes, and communications/network packages.</p> |
| 3) | Software Repository (Information Base) | <p>Attributes relating to its ability to house and manage all relevant software engineering process information. This includes its ability to make information developed in one life cycle activity available for use during other activities, as well as its ability to provide access to this information to other environment elements.</p> <p>NOTE 1 Examples of such information include requirements and design documentation, code, and test data.</p> <p>NOTE 2 Includes the ability to handle relevant data by variant.</p> |
| 4) | Physical Environment of Tool | <p>Attributes relating to any geographical aspects of the development environment which will impact tool use.</p> <p>NOTE Considerations include physical and temporal Separation of users and the related issues of networking considerations, on-line/off-line considerations, and repository updating/mirroring at multiple sites.</p> |

10.3.4 CASE tool application characteristics

A set of atomic sub-characteristics which bear on the relationship between the CASE tool and the projects to which it is applied, including the environment of its products and characteristics of those products.

Table 13 — Atomic sub-characteristics of the CASE tool application

| No. | Atomic sub-characteristics | Description |
|-----|--|--|
| 1) | Hardware and Software Environment of Tool Products | <p>Attributes relating to the set of hardware and Software items on which or with which the products of the tool can be used.</p> <p>NOTE The level of platform support in the target environment may be a consideration; e.g., does the CASE tool generate screens, and does it generate calls to an external (platform or environment) service to generate the screens.</p> |
| 2) | Conformance to Standards - Tool Products | <p>Attributes relating to conformance of the products resulting from its use to Standards.</p> <p>NOTE Examples include language, database, repository, communication, GUI(Graphical User Interface), documentation, development, configuration management, security, portability, and information interchange standards.</p> |
| 3) | Domain of Application | <p>Attributes relating to the application domains which the CASE tool is designed to support.</p> <p>NOTE Examples of application domains include transaction processing, real-time, information management, and safety critical.</p> |
| 4) | Size of Application Supported | <p>Attributes which would result in size limitations of the application and therefore limit the tool's applicability.</p> <p>NOTE Such parameters might include lines of code, levels of nesting, size of database, number of data elements, and number of configuration items.</p> |
| 5) | Languages Supported | <p>Attributes relating to its ability to support specific languages.</p> <p>NOTE Examples of such languages include programming languages, data and query languages, graphics languages, and operating System interfaces such as job control languages</p> |
| 6) | Databases Supported | <p>Attributes relating to its ability to support specific databases.</p> |
| 7) | Methodology Support | <p>Attributes relating to the set of methods or methodologies which it can support.</p> <p>NOTE 1 Examples of methods or methodologies include various object oriented approaches, structured (top down) approaches, data driven approaches, and real-time extensions.</p> <p>NOTE 2 A CASE tool's support for a method or methodology can be evaluated based upon the extent that the tool provides the specific capabilities necessary to implement the methodology.</p> |
| 8) | Internationalisation | <p>Attributes relating to its ability to be used in different cultures and to generate products in terms of different countries or cultures.</p> <p>NOTE 1 Examples include using natural different languages, character sets, character and graphic presentation modes (left-right, top-bottom), and different date formats.</p> <p>NOTE 2 This sub-characteristic may have an influence on other hardware or software environment elements.</p> |

10.4 General quality characteristics

10.4.1 Overview

The following characteristics describe the quality of the tool in the terms of ISO/IEC 9126-1:2001.

NOTE Further guidance on evaluating the sub-characteristics in this clause can be found in ISO/IEC 25051:2006.

10.4.2 Functionality characteristics

A set of atomic sub-characteristics that bear on the existence of a set of functions and their specified properties. The functions are those which satisfy stated or implied needs.

Table 14 — Atomic sub-characteristics of the Functionality

| No. | Atomic sub-characteristics | Description |
|-----|----------------------------|--|
| 1) | Security | Attributes relating to its ability to prevent unauthorized use or misuse of itself. NOTE Security may also encompass all or part of the System on which the tool is used. |
| 2) | Accuracy | Attributes relating to the provision of right or agreed results or effects. |
| 3) | Regulatory Compliance | Attributes relating to adherence to application related legal and/or regulatory requirements. |
| 4) | Technical Compliance | Attributes relating to adherence or compliance with any identified standards. NOTE Examples include language, database, repository, communication, GUI, documentation, development, configuration management, security, portability, and information interchange standards. |

10.4.3 Reliability characteristics

A set of atomic sub-characteristics that bear on the capability of the software to maintain its level of performance under stated conditions for a stated period of time.

Table 15 — Atomic sub-characteristics of the Reliability

| No. | Atomic sub-characteristics | Description |
|-----|----------------------------|--|
| 1) | Data Integrity | Attributes relating to its ability to correctly store and retrieve information with a high degree of confidence. |
| 2) | Automatic Backup | Attributes relating to its ability to automatically initiate a backup routine to save the current state of the process. NOTE Typically backups are scheduled at a predetermined interval by the vendor or are scheduled by the user. |
| 3) | Error Handling | Attributes relating to its ability to detect abnormal behaviours, notify the user that a problem has occurred, and properly exit or save the work to the point of interruption. NOTE This may include error messages displayed to the Screen and a Screen directed means of either exiting or saving. |

| | | |
|----|-----------------|---|
| 4) | Fault Tolerance | Attributes relating to its ability to maintain a specified level of performance (e.g., “fail-soft” or reduced capability) in cases of various faults (e.g., hardware, software, network). |
| 5) | Recoverability | Attributes relating to its capability to re-establish its level of performance and recover the data directly affected in case of a failure, and the time and effort needed for it. |

10.4.4 Usability characteristics

A set of atomic sub-characteristics that bear on the effort needed for use, and on the individual assessment of such use, by a stated or implied set of users.

Table 16 — Atomic sub-characteristics of the Usability

| No. | Atomic sub-characteristics | Description |
|-----|----------------------------|---|
| 1) | User Friendliness | Attributes relating to its ability to integrate into the tool user’s activities, taking into account the user’s level of experience and expertise, and the concepts, information, representations and procedures that are part of the user work domain and culture (professional and individual). |
| 2) | User Guidance | Attributes relating to the provisions to allow the tool user to know the status of tool operation, to establish the causal relationship between user actions and tool status, and to assess and direct user actions on the tool. |
| 3) | Homogeneity | Attributes relating to the consistency of logic within an application or across applications, at the procedural level as well as for the presentation of information. |
| 4) | Adaptability | Attributes relating to the ability of its interface to adapt to various task requirements, strategies, habits, and cultural modes (e.g., languages, character sets, date formats). NOTE Adaptability has several aspects: the ability to adapt to users with differing levels of experience, the ability of the user to customize input and output methods (e.g., macros and screen displays and formats), and in the number of procedures, options and commands available to a user to achieve a given objective. |
| 5) | Clarity of Control | Attributes relating to the extent to which the semantics of the dialogue steps (e.g., menu selections, window choices) used to control the tool, reflect the resulting action, and the predictability of the action. |
| 6) | Error Handling | Attributes relating to its abilities to help and guide the user in identifying and correcting errors, and to maintain tool integrity (avoiding incorrect data and process changes). |
| 7) | Conciseness | Attributes which decrease the required number of steps to identify and memorize, and which increase the efficiency of the dialogue. |
| 8) | Ease of Learning | Attributes relating to the amount of time and effort required for a user to understand normal CASE tool operations and to become productive. NOTE 1 The availability and quality of on-line tutorials may be a factor in ease of learning. NOTE 2 These features should be integrated within the presentation and structure of the data on the Screen (or reports). |

| | | |
|-----|----------------------------|--|
| 9) | Tool Documentation Quality | Attributes relating to the overall quality of the documentation provided with the tool. NOTE 1 Documentation quality factors include: completeness, correctness, consistency, understandability, and ease of overview. NOTE 2 To the extent that the tool implements a methodology, descriptions of the methodology should accompany the tool. |
| 10) | Ease of Installation | Attributes relating to how easy it is for the user to play the required role in initial installation and in the subsequent installation of updates. |

10.4.5 Efficiency characteristics

A set of atomic sub-characteristics that bear on the relationship between the level of performance of the software and the amount of resources used, under stated conditions.

NOTE In evaluating a CASE tool against the sub-characteristics that follow, consideration should be given to jobs of both typical and maximal size.

Table 17 — Atomic sub-characteristics of the Efficiency

| No. | Atomic sub-characteristics | Description |
|-----|-----------------------------|--|
| 1) | Throughput | Attributes relating to the performance of the tool in performing stated tasks. NOTE Examples include query response time and time to analyze 100,000 lines of code. In some cases, performance benchmark data are available from external sources. |
| 2) | Acceptable Response Time | Attributes relating to the acceptability of the time required for the CASE tool to respond to a user input with the appropriate response in the expected operational environment. |
| 3) | Data Storage Requirements | Attributes relating to the amount of mass storage required (e.g., disk, tape) to accommodate the tool itself and any databases required and/or generated by the tool. |
| 4) | Acceptable Memory Capacity | Attributes relating to the amount of CPU addressable memory required to load and operate the tool. NOTE A determination of the amount of memory required for acceptable tool performance should be made, as many tools will operate in a memory-poor environment, but will do so only marginally. |
| 5) | Acceptable Processing Speed | Attributes relating to the processor (type and speed) required to operate the CASE tool at an acceptable level of performance. |

10.4.6 Maintainability characteristics

A set of atomic sub-characteristics that bear on the effort needed to make specified modifications.

Table 18 — Atomic sub-characteristics of the Maintainability

| No. | Atomic sub-characteristics | Description |
|-----|--|--|
| 1) | Vendor Support | Attributes relating to the availability, responsiveness, and quality of Services provided by the vendor to tool users. NOTE Such support services might include telephone support, local technical support, on-site support, publication of “known defect lists”. |
| 2) | Ability of Tool to Follow Changes in Methodology | Attributes relating to the ability of the tool vendor to modify the tool to maintain methodology support, as a methodology changes over time. |
| 3) | Updates | Attributes relating to the vendor’s track record in making regular updates which address recognized problems and/or provide additional capabilities. |
| 4) | Expandability | Attributes relating to its ability to be easily modified to meet expanded user needs without requiring major modification, expense, or schedule Change. NOTE Related to changeability, except here, vendor intervention or additional hardware and/or Software may be required. |

10.4.7 Portability characteristics

A set of atomic sub-characteristics that bear on the ability of the Software to be transferred from one environment to another.

Table 19 — Atomic sub-characteristics of the Portability

| No. | Atomic sub-characteristics | Description |
|-----|---|--|
| 1) | Portability to Different Hardware Platforms | Attributes relating to its ability to run on various versions of the same hardware platform or on different hardware platforms. |
| 2) | Compatibility With Different Operating Systems | Attributes relating to its ability to run on various versions of the same operating system or on different operating systems, and the ease with which it can be modified to run on updates to an operating system. |
| 3) | Ability to Move Data Between Versions of the Tool | Attributes relating to the ability of one version of the tool to use data generated by a different version of the tool, and the extent of data manipulation required for reuse. |
| 4) | Portability with Windowing Systems | Attributes relating to its ability to be ported between windowing systems (e.g., Windows, Macintosh, Open Look and Motif X-Window systems). |

10.5 General characteristics not related to quality

10.5.1 Overview

The following characteristics are general in nature, and address both the tool itself, the tool developer and/or vendor.

10.5.2 Acquisition Process characteristics

A set of atomic sub-characteristics that bear on the acquisition process necessary if the CASE tool is selected for adoption.

Table 20 — Atomic sub-characteristics of the Acquisition Process

| No. | Atomic sub-characteristics | Description |
|-----|-----------------------------|---|
| 1) | Cost of Tool Implementation | Attributes relating to the cost of implementing the tool. NOTE All aspects relevant to the specific instance should be considered. Not only tool purchase price, but also the costs for installation, initial maintenance, hardware/software revision or upgrades, and training. Price data on all relevant configurations should be considered, including Single copy, multiple copies, site license, corporate license, and network license. |
| 2) | Licensing Policies | Attributes relating to the supplier's licensing policies. NOTE These include available license Options, the right to copy (media and documentation), and any restrictions and/or fees for secondary usage. That is, the tool user sells products which include some element or aspect of a tool used to develop the product. Also, any terms and conditions, including product guarantee, which apply to the tool. |
| 3) | Export Restrictions | Attributes relating to the identification of any restrictions on the export of the tool, or of any secondary usage of the tool. |

10.5.3 Implementation characteristics

A set of atomic sub-characteristics that bear on the tool's delivery, installation and operation.

Table 21 — Atomic sub-characteristics of the Implementation

| No. | Atomic sub-characteristics | Description |
|-----|--|--|
| 1) | Cost Effectiveness | Attributes relating to the cost of tool Operation. NOTE A cost/benefit analysis may be performed, or some consideration given to the expected level of productivity of the CASE tool. |
| 2) | Development Delivery Constraints | Attributes relating to any schedule constraints involving further product development and/or delivery. In addition, the time required for the tool's users to become productive with the tool (learning curve) should also be considered. |
| 3) | Workarounds Required for User Organization | Attributes relating to any workarounds which would be required to implement the CASE tool in the user's environment. An example of such a workaround is finding a way to use a centralized tool (single common database) in a distributed environment. |
| 4) | Infrastructure needs | Attributes relating to infrastructure requirements for tool use. NOTE Examples include floor space, table space, furniture, electricity and other physical requirements generated by new tool-related hardware or tool use considerations. |

10.5.4 Support Indicators characteristics

A set of atomic sub-characteristics that bear on the vendor’s ability to provide tool support.

Table 22 — Atomic sub-characteristics of the Support indicators

| No. | Atomic sub-characteristics | Description |
|-----|----------------------------|--|
| 1) | Supplier Profile | Attributes relating to a general indication of the supplier’s overall capability. NOTE Examples include: the supplier’s size, number of years in business, market share, a financial statement, listing of any complementary products, identification of relevant business relationships (e.g., other tool suppliers), local presence, and the company’s planned direction for future development. |
| 2) | Product Profile | Attributes relating to general product use information. NOTE Examples include: product age, number of paid installations, number of distributors of the tool, existence, size and level of activity of a user’s group, number of versions supported, availability of dial up help hot-line, availability of maintenance contracts, formal problem reporting system, product development program, lead times (e.g., new functions, trouble reports, customer support), body of applications, freedom from error, and availability (commercial, government, public domain, in-house, or under development). |
| 3) | Training Availability | Attributes relating to the availability of training materials and training courses, both at the vendor’s facility and at the purchaser’s facility. NOTE Conditions under which training can be supplied, including the availability of courses customized for specific user needs should be considered. |

10.5.5 Evaluation or Certification characteristics

A set of atomic sub-characteristics that bear on the evaluation or certification of the developer or the product.

Table 23 — Atomic sub-characteristics of the Evaluation or Certification

| No. | Atomic sub-characteristics | Description |
|-----|---------------------------------------|--|
| 1) | Developer Evaluation or Certification | Attributes relating to the evaluation or certification by a professionally recognized software engineering evaluation organization that the developer’s software engineering practices meet some minimum level, or the vendor’s intention to obtain such an evaluation or certification. NOTE For example, a capability maturity assessment based upon the Software Engineering Institute’s Capability Maturity Model, ISO/IEC 15504 Software process assessment or ISO 9001 certification. |
| 2) | Product Certification | Attributes relating to the certification by an appropriate party that the tool complies with a specific standard. |