



**INTERNATIONAL STANDARD ISO/IEC 15444-1:2000**  
**TECHNICAL CORRIGENDUM 3**

Published 2002-08-15

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION  
INTERNATIONAL ELECTROTECHNICAL COMMISSION • МЕЖДУНАРОДНАЯ ЭЛЕКТРОТЕХНИЧЕСКАЯ КОМИССИЯ • COMMISSION ÉLECTROTECHNIQUE INTERNATIONALE

**Information technology — JPEG 2000 image coding system —**  
**Part 1:**  
**Core coding system**

TECHNICAL CORRIGENDUM 3

*Technologies de l'information — Système de codage d'image JPEG 2000 —*

*Partie 1: Système de codage de noyau*

*RECTIFICATIF TECHNIQUE 3*

Technical Corrigendum 3 to ISO/IEC 15444-1:2000 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

STANDARDSISO.COM . Click to view the full PDF of ISO/IEC 15444-1:2000/COR3:2002

# Withdrawn

**INFORMATION TECHNOLOGY – JPEG 2000 IMAGE CODING SYSTEM -  
CORE CODING SYSTEM**

**TECHNICAL CORRIGENDUM 3**

- 1) In Annex B.6, between paragraphs 3 and 4, p. 64, add

“It can happen that *numprecincts* is 0 for a particular tile-component and resolution level. When this happens, there are no packets for this tile-component and resolution level.”

- 2) In Annex F.3.8.2, paragraph 3, p. 123, change

“Firstly, step 1 is performed for all values of  $n$  such that  $\left\lfloor \frac{i_0}{2} \right\rfloor - 1 \leq n < \left\lfloor \frac{i_1}{2} \right\rfloor + 2$ , and step 2 is performed for all values

of  $n$  such that  $\left\lfloor \frac{i_0}{2} \right\rfloor - 1 \leq n < \left\lfloor \frac{i_1}{2} \right\rfloor + 1$ .”

to

“Firstly, step 1 is performed for all values of  $n$  such that  $\left\lfloor \frac{i_0}{2} \right\rfloor - 1 \leq n < \left\lfloor \frac{i_1}{2} \right\rfloor + 2$ , and step 2 is performed for all values

of  $n$  such that  $\left\lfloor \frac{i_0}{2} \right\rfloor - 2 \leq n < \left\lfloor \frac{i_1}{2} \right\rfloor + 2$ .”

- 3) In Annex F.4.8.2, paragraph 7, p. 132, change

“Finally, step 5 is performed for all values of  $n$  such that  $\left\lfloor \frac{i_0}{2} \right\rfloor - 1 \leq n < \left\lfloor \frac{i_1}{2} \right\rfloor$  and uses values calculated at step 3, and

step 6 is performed for all values of  $n$  such that  $\left\lfloor \frac{i_0}{2} \right\rfloor \leq n < \left\lfloor \frac{i_1}{2} \right\rfloor$  and uses values calculated at step 4.”

to

“Finally, step 5 is performed for all values of  $n$  such that  $\left\lfloor \frac{i_0}{2} \right\rfloor \leq n < \left\lfloor \frac{i_1}{2} \right\rfloor$  and uses values calculated at step 3, and step

6 is performed for all values of  $n$  such that  $\left\lfloor \frac{i_0}{2} \right\rfloor \leq n < \left\lfloor \frac{i_1}{2} \right\rfloor$  and uses values calculated at step 4.”

- 4) In Annex I.5.3.5, paragraph 2, change

“If the JP2 Header box contains a Palette box, then the JP2 Header box shall also contain a Component Mapping box. If the JP2 Header box does not contain a Palette box, then the JP2 Header box shall not contain a Component Mapping box. In this case, the components shall be mapped directly to channels, such that component  $i$  is mapped to channel  $i$ .”

to

“If the JP2 Header box contains a Palette box, then the JP2 Header box shall also contain a Component Mapping box. If the JP2 Header box does not contain a a Component Mapping box, the components shall be mapped directly to channels, such that component  $i$  is mapped to channel  $i$ .”