
**Information technology — Media
context and control —**

**Part 5:
Data formats for interaction devices**

*Technologies de l'information — Contrôle et contexte de supports —
Partie 5: Formats des données pour dispositifs d'interaction*

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 23005-5:2016

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 23005-5:2016



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

1	Scope	1
2	Normative references	2
3	Terms, definitions, abbreviated terms and prefixes	3
3.1	Terms and definitions	3
3.2	Abbreviated terms	3
4	Interaction information description language	3
4.1	General	3
4.2	Schema wrapper conventions	3
4.3	Root element and top-level tools	4
4.4	Device commands	12
4.5	Sensed information description tools	15
5	Device command vocabulary	20
5.1	General	20
5.2	Schema wrapper conventions	20
5.3	Light type	21
5.4	Flash type	23
5.5	Heating type	25
5.6	Cooling type	26
5.7	Wind type	28
5.8	Vibration type	29
5.9	Sprayer type	31
5.10	Scent type	32
5.11	Fog type	34
5.12	Color correction type	36
5.13	Initialize color correction parameter type	39
5.14	Rigid body motion type	46
5.15	Tactile type	61
5.16	Kinesthetic type	66
5.17	Global position command type	71
5.18	Bubble type	74
6	Sensed information vocabulary	75
6.1	General	75
6.2	Schema wrapper conventions	75
6.3	Light sensor type	75
6.4	Ambient noise sensor type	80
6.5	Temperature sensor type	82
6.6	Humidity sensor type	84
6.7	Distance sensor type	86
6.8	Atmospheric pressure sensor type	88
6.9	Position sensor type	90
6.10	Velocity sensor type	95
6.11	Acceleration sensor type	100
6.12	Orientation sensor type	107
6.13	Angular velocity sensor type	112
6.14	Angular acceleration sensor type	118
6.15	Force sensor type	123
6.16	Torque sensor type	125
6.17	Pressure sensor type	127
6.18	Motion sensor type	129
6.19	Intelligent camera type	137

6.20	Multi Interaction point sensor type	145
6.21	Gaze tracking sensor type	148
6.22	Wind sensor type	151
6.23	Global position sensor type	152
6.24	Altitude sensor type	154
6.25	Bend sensor type	156
6.26	Gas sensor type	158
6.27	Dust sensor type	161
6.28	Body height sensor type	163
6.29	Body weight sensor type	164
6.30	Body temperature sensor type	166
6.31	Body fat sensor type	168
6.32	Blood type sensor type	169
6.33	Blood pressure sensor type	171
6.34	Blood sugar sensor type	174
6.35	Blood oxygen sensor type	175
6.36	Heart rate sensor type	177
6.37	Electrograph sensor type	178
6.38	EEG sensor type	181
6.39	ECG sensor type	185
6.40	EMG sensor type	189
6.41	EOG sensor type	200
6.42	GSR sensor type	203
6.43	Bio sensor type	205
6.44	Weather sensor type	210
6.45	Facial expression sensor type	216
6.46	Facial morphology sensor type	231
6.47	Facial expression characteristics sensor type	234
6.48	Geomagnetic sensor type	238
6.49	Proximity sensor	240
6.50	Switch sensor	242
6.51	Camera sensor type	244
6.52	Spectrum camera sensor type	247
6.53	Color camera sensor type	250
6.54	Depth camera sensor type	252
6.55	Stereo camera sensor type	254
6.56	Thermographic camera sensor type	255
6.57	Engine oil temperature sensor type	257
6.58	Intake air temperature sensor type	259
6.59	Tire pressure monitor system sensor type	261
6.60	Distance traveled sensor type	263
6.61	Speed sensor type	264
6.62	Vehicle speed sensor type	266
6.63	Mass air flow sensor type	267
6.64	Percentage sensor type	269
6.65	Fuel level type	270
6.66	Manifold absolute pressure sensor type	271
6.67	EngineRPM sensor type	273
6.68	CoM sensor type	275
Annex A (informative) Schema documents		277
A.1	Schemas for this part of ISO/IEC 23005	277
A.2	Associated MPEG-7 Schema	277
Annex B (informative) Classification schemes		278
B.1	Waveform Label CS of EEG	278
B.2	Waveform Label CS of ECG	280
B.3	Waveform Label CS of EMG	282
B.4	Waveform Label CS of EOG	291
B.5	Wave Pattern CS	292
B.6	GasTypeCS	292

B.7	WeatherCS	294
B.8	WindDirectionTypeCS	295
B.9	FacialExpressionBasisIDCS	296
Annex C	(informative) Patent statements	304

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 23005-5:2016

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/IEC JTC 1, *Information technology*, SC 29, *Coding of audio, picture, multimedia and hypermedia information*.

This third edition cancels and replaces the second edition (ISO/IEC 23005-5:2013), which has been technically revised.

ISO/IEC 23005 consists of the following parts, under the general title *Information technology — Media context and control*:

- *Part 1: Architecture*
- *Part 2: Control information*
- *Part 3: Sensory information*
- *Part 4: Virtual world object characteristics*
- *Part 5: Data formats for interaction devices*
- *Part 6: Common types and tools*
- *Part 7: Conformance and reference software*

Introduction

This International Standard (MPEG-V) provides an architecture and specifies associated information representations to enable interoperability between virtual worlds, e.g. digital content provider of a virtual world, gaming (serious), simulation, DVD, and the real world, e.g. sensors, actuators, vision and rendering, robotics (e.g. for revalidation), (support for) independent living, social and welfare systems, banking, insurance, travel, real estate, rights management and many others.

Virtual worlds (often referred to as 3D3C for 3D visualization and navigation and the 3Cs of Community, Creation and Commerce) integrate existing and emerging media technologies (e.g. instant messaging, video, 3D, VR, AI, chat, voice, etc.) that allow for the support of existing and the development of new kinds of social networks. The emergence of virtual worlds as platforms for social networking is recognized by businesses as an important issue for at least the following two reasons:

- a) it offers the power to reshape the way companies interact with their environments (markets, customers, suppliers, creators, stakeholders, etc.) in a fashion comparable to the Internet;
- b) it allows for the development of new (breakthrough) business models, services, applications and devices.

Each virtual world, however, has a different culture and audience making use of these specific worlds for a variety of reasons. These differences in existing metaverses permit users to have unique experiences. Resistance to real-world commercial encroachment still exists in many virtual worlds, where users primarily seek an escape from real life. Hence, marketers should get to know a virtual world beforehand and the rules that govern each individual universe.

Although realistic experiences have been achieved via devices such as 3D audio/visual devices, it is hard to realize sensory effects only with presentation of audiovisual contents. The addition of sensory effects leads to even more realistic experiences in the consumption of audiovisual contents. This will lead to the application of new media for enhanced experiences of users in a more realistic sense.

Such new media will benefit from the standardization of control and sensory information which consists of sensory effect metadata, sensory device capabilities/commands, user sensory preferences, and various delivery formats. The MPEG-V architecture can be applicable for various business models for which audiovisual contents can be associated with sensory effects that need to be rendered on appropriate actuators.

This part of ISO/IEC 23005 contains the tools for exchanging information for interaction devices. To be specific, it specifies normative command formats for controlling actuators and data formats for receiving information from sensors. It also specifies some non-normative examples.

The International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC) draw attention to the fact that it is claimed that compliance with this document may involve the use of patents.

ISO and the IEC take no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured ISO and the IEC that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statements of the holders of these patent rights are registered with ISO and the IEC. Information may be obtained from the companies listed in Annex C.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified in Annex C. ISO and the IEC shall not be held responsible for identifying any or all such patent rights.

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 23005-5:2016

Information technology — Media context and control — Part 5: Data formats for interaction devices

1 Scope

This part of ISO/IEC 23005 specifies syntax and semantics of the data formats for interaction devices, i.e. Device Commands and Sensed Information, required for providing interoperability in controlling interaction devices and in sensing information from interaction devices in real as well as virtual worlds as depicted in Figure 1.

This part of ISO/IEC 23005 aims to provide data formats for industry-ready interaction devices: sensors and actuators. The same data formats for interaction devices can be utilized by various applications supported by different MPEG technologies. Not only this International Standard but also other International Standards such as ISO/IEC 23007 (MPEG-U) and scene representation specifications (for example ISO/IEC 14496-20) can simply refer to this part of ISO/IEC 23005 to use the defined data formats.

Two cases can occur for controlling a virtual world by using the MPEG tools. When the virtual world is using a scene description defined by MPEG tools (BIFS, Laser, etc.), the sensors and actuators can be directly connected to it through an MPEG-U interface. When the virtual world is defined by non MPEG tools, an adaptation engine and common formalism for effects are needed. In Figure 1, the first case is illustrated by VirtualWorld2 and the second by VirtualWorld1.

When this part of ISO/IEC 23005 is used in the context of pure ISO/IEC 23005, the adaptation engine (RV or VR engine), which is not within the scope of standardization, performs bi-directional communications using data formats specified in this part of ISO/IEC 23005. The adaptation engine can also utilize other tools defined in ISO/IEC 23005-2, which are user's sensory preferences (USP), sensory device capabilities (SDC), sensor capabilities (SC), and sensor adaptation preferences (SAP) for fine controls of devices in both real and virtual worlds.

On the other hand, the defined data formats (Sensed Information and Device Command) can be mapped to MPEG-U defined interfaces when this part of ISO/IEC 23005 is utilized in the context of other standards such as MPEG-U Framework. For example, the interface can be provided as ISO/IEC 23007-2 in the context of MPEG-U. Also defined, Sensed Information can be used by scene representation specifications as input data formats for a scene. The Device Command data format can also be used as output data formats to communicate with the outer world by mapping onto the interfaces defined in specific specifications.




Figure 1 — Scope of the data formats for interaction devices

In Figure 1, V→R adaptation takes Sensory Effects (ISO/IEC 23005-3) from a Virtual World, optionally Sensory Device Capabilities (ISO/IEC 23005-2) from the actuators and the Sensory Effect Preferences (ISO/IEC 23005-2) from users; it generates the Device Commands by adapting the Sensory Effects based on the Capabilities and/or the Preferences.

R→V adaptation takes the Sensed Information with or without the Sensor Capabilities (ISO/IEC 23005-2) from Sensors, the Sensor Adaptation Preferences (ISO/IEC 23005-2) from Users, and/or the Virtual World Object Characteristics (ISO/IEC 23005-4) from a Virtual world. It has two usages: it controls the Virtual World Object Characteristics or it transmits an adapted version of the Sensed Information by using the Sensor Capabilities and/or the Sensor Adaptation Preferences coming from the user.

The usage scenarios are described in detail in MPEG-V Architecture (ISO/IEC 23005-1).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 15938-5:2003, *Information technology — Multimedia content description interface — Part 5: Multimedia description schemes*

ISO/IEC 23005-6:—, *Information technology — Media context and control — Part 6: Common types and tools*

3 Terms, definitions, abbreviated terms and prefixes

3.1 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC 23005-6 apply.

3.2 Abbreviated terms

For the purposes of this document, the following abbreviated terms apply.

CS	Classification Scheme (see ISO/IEC 15938-5)
DAC	Digital-to-Analog Conversion
RV	Real to Virtual
URI	Uniform Resource Identifier (see RFC 2396)
VR	Virtual to Real
XML	Extensible Markup Language (W3C, http://www.w3.org/XML/)
RW	Real World
VW	Virtual World

4 Interaction information description language

4.1 General

This Clause describes basic structure of the tools in this part of ISO/IEC 23005 in the form of interaction information description language including the schema wrapper conventions, basic data types, root element, and top-level elements.

4.2 Schema wrapper conventions

The Syntax defined in this Clause assumes the following Schema Wrapper to form a valid XML schema document.

```
<schema xmlns="http://www.w3.org/2001/XMLSchema"
xmlns:mpeg7="urn:mpeg:mpeg7:schema:2004" xmlns:iidl="urn:mpeg:mpeg-v:2016:01-
IIDL-NS" xmlns:mpegvct="urn:mpeg:mpeg-v:2016:01-CT-NS" xmlns:dcv="urn:mpeg:mpeg-
v:2016:01-DCV-NS" xmlns:siv="urn:mpeg:mpeg-v:2016:01-SIV-NS"
targetNamespace="urn:mpeg:mpeg-v:2016:01-IIDL-NS" elementFormDefault="qualified"
attributeFormDefault="unqualified" version="ISO/IEC 23005-5" id="MPEG-V-
IIDL.xsd">
  <import namespace="urn:mpeg:mpeg7:schema:2004"
schemaLocation="http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
7_schema_files/mpeg7-v2.xsd"/>
  <import namespace="urn:mpeg:mpeg-v:2016:01-CT-NS" schemaLocation="
http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-CT.xsd"/>
  <import namespace="urn:mpeg:mpeg-v:2016:01-DCV-NS"
schemaLocation="http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-DCV.xsd"/>
```

```
<import namespace="urn:mpeg:mpeg-v:2016:01-SIV-NS"
schemaLocation="http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-SIV.xsd"/>
```

Additionally, the following line should be appended to the resulting schema document in order to obtain a well-formed XML document.

```
</schema>
```

For clarity, throughout this part of ISO/IEC 23005, consistent namespace prefixes are used.

"xsi:" prefix is not normative. It is a naming convention in this document to refer to an element of the <http://www.w3.org/2001/XMLSchema-instance> namespace.

"xml:" and "xmlns:" are normative prefixes defined in Reference [2]. The prefix "xml:" is, by definition, bound to "http://www.w3.org/XML/1998/namespace". The prefix "xmlns:" is used only for namespace bindings and is not itself bound to any namespace name.

All other prefixes used in either the text or examples of this part of ISO/IEC 23005 are not normative, e.g., "sedl:", "sev:", "dia:", "si:", "mpeg7:".

In particular, most of the informative examples in this part of ISO/IEC 23005 are provided as XML fragments without the normally required XML document declaration and, thus, miss a correct namespace binding context declaration. In these descriptions fragments, the different prefixes are bound to the namespaces as given in Table 1.

Table 1 — Mapping of prefixes to namespaces in examples and text

Prefix	Corresponding namespace
mpegvct	urn:mpeg:mpeg-v:2016:01-CT-NS
iidl	urn:mpeg:mpeg-v:2016:01-IIDL-NS
dcv	urn:mpeg:mpeg-v:2016:01-DCV-NS
sedl	urn:mpeg:mpeg-v:2016:01-SEDL-NS
sev	urn:mpeg:mpeg-v:2016:01-SEV-NS
dia	urn:mpeg:mpeg21:2003:01-DIA-NS
si	urn:mpeg:mpeg21:2003:01-DIA-XSI-NS
mpeg7	urn:mpeg:mpeg7:schema:2004
xsi	http://www.w3.org/2001/XMLSchema-instance
xsd	http://www.w3.org/2001/XMLSchema

4.3 Root element and top-level tools

4.3.1 General

This Subclause specifies the root elements and the top-level tools which can follow a root element in interactive information. The root elements are the only elements, one of which can appear as the topmost element when the interactive information specified in this part of ISO/IEC 23005 is instantiated. The top-level tools are defined as the elements which are allowed to appear as the topmost element within the root element.

4.3.2 Syntax

```

<!-- ##### -->
<!-- Root and Top-Level Elements -->
<!-- ##### -->
<element name="InteractionInfo" type="iidl:InteractionInfoType"/>
<element name="DeviceCommand" type="iidl:DeviceCommandBaseType"/>
<element name="SensedInfo" type="iidl:SensedInfoBaseType"/>

<complexType name="InteractionInfoType">
  <choice>
    <element name="DeviceCommandList" type="iidl:DeviceCmdListType"/>
    <element name="SensedInfoList" type="iidl:SensedInfoListType"/>
  </choice>
</complexType>

<complexType name="DeviceCmdListType">
  <sequence>
    <element ref="iidl:DeviceCommand" maxOccurs="unbounded"/>
  </sequence>
</complexType>

<complexType name="SensedInfoListType">
  <sequence>
    <element ref="iidl:SensedInfo" maxOccurs="unbounded"/>
  </sequence>
</complexType>

```

4.3.3 Binary representation syntax

InteractionInfo {	Number of bits	Mnemonic
InteractionType	1	bslbf
If (InteractionType){		
DeviceCommandList		DeviceCmdListType
}else{		
SensedInfoList		SensedInfoListType
}		
}		
SensedInfoListType{		
NumOfSensedInfo	32	uimsbf
for(i=1;i<NumOfSensedInfo;i++){		
IndividualSensedInfoType	8	bslbf

SensedInfo		SensedInfoType specified by IndividualSensedInfoType
}		
}		
}		
DeviceCmdListType{		
NumOfDeviceCmd	32	uimsbf
for(i=1;i<NumOfDeviceCmd;i++){		
IndividualDeviceCmdType	8	bslbf
DeviceCmd		DeviceCmdType specified by IndividualDeviceCmdType
}		
}		

4.3.4 Semantics

Semantics of the InteractionInfo type:

Name	Definition
InteractionInfo	One of the root elements that serve as the topmost element in the interaction information description. This element may have DeviceCommandList and SensedInfoList as its subelements.
DeviceCommand	One of the root elements that serve as the topmost element in the interaction information description. It specifies a single command for a certain device. This element can be instantiated as a root element or subelements of DeviceCommandList.
SensedInfo	One of the root elements that serve as the topmost element in the interaction information description. It specifies a single description of information acquired through a sensor. This element can be instantiated as a root element or subelements of SensedInfoList.
InteractionInfoType	The root type provides basic structure that the interaction information description should follow through the root element.
DeviceCommandList	Optional wrapper element that serves as the placeholder for the sequence of device commands.

Name	Definition
SensedInfoList	Optional wrapper element that serves as the placeholder for the list of information acquired through sensors (<i>SensedInfo</i>).
DeviceCommandBaseType	<i>DeviceCommandBaseType</i> is an abstract type providing a base for individual command (<i>DeviceCommand</i>).
SensedInfoBaseType	<i>SensedInfoBaseType</i> is an abstract type providing a base for description of individual type of sensor.
InteractionType	This field, which is only present in the binary representation, indicates the type of the <i>InteractionInfo</i> element. If it is “1” then the <i>DeviceCommandList</i> element is present, otherwise the <i>SensedInfoList</i> element is present.
SensedInfoListType	A type that serves as the placeholder for the list of information acquired through sensors.
NumOfSensedInfo	This field, which is only present in the binary representation, specifies the number of <i>SensedInfo</i> instances accommodated in the <i>SensedInfoList</i> .
IndividualSensedInfoType	This field, which is only present in the binary representation, describes which <i>SenseInfo</i> type shall be used.

In the binary description, the following mapping table is used.

Terms of sensor	Binary representation for sensor type (8 bits)
Light sensor	00000000
Ambient noise sensor	00000001
Temperature sensor	00000010
Humidity sensor	00000011
Distance sensor	00000100
Atmospheric pressure sensor	00000101
Position sensor	00000110
Velocity sensor	00000111
Acceleration sensor	00001000
Orientation sensor	00001001
Angular velocity sensor	00001010
Angular acceleration sensor	00001011
Force sensor	00001100
Torque sensor	00001101

Name	Definition	
Pressure sensor		00001110
Motion sensor		00001111
Intelligent camera sensor		00010000
Multinteraction point sensor		00010001
Gaze tacking sensor		00010010
Wind sensor		00010011
Global position sensor		00010100
Altitude sensor		00010101
Bend sensor		00010110
Gas sensor		00010111
Dust sensor		00011000
Body height sensor		00011001
Body weight sensor		00011010
Body temperature sensor		00011011
Body fat sensor		00011100
Blood type sensor		00011101
Blood pressure sensor		00011110
Blood sugar sensor		00011111
Blood oxygen sensor		00100000
Heart rate sensor		00100001
Electrograph sensor		00100010
EEG sensor		00100011
ECG sensor		00100100
EMG sensor		00100101
EOG sensor		00100110
GSR sensor		00100111
Bio sensor		00101000
Weather sensor		00101001
Facial expression sensor		00101010

Name	Definition
	Facial morphology sensor 00101011
	Facial expression characteristics sensor 00101100
	Geomagnetic sensor 00101101
	Proximity sensor 00101110
	Switch sensor 00101111
	Camera sensor 00110001
	Spectrum camera sensor 00110010
	Color camera sensor 00110011
	Depth camera sensor 00110100
	Stereo camera sensor 00110101
	Thermographic camera sensor 00110111
	Engine oil temperature sensor 00111000
	Intake air temperature sensor 00111001
	Tire pressure monitor system sensor 00111010
	Distance traveled sensor 00111011
	Speed sensor 00111100
	Vehicle speed sensor 00111101
	Mass air flow sensor 00111110
	Percentage sensor 00111111
	Fuel level sensor 01000000
	Manifold absolute pressure sensor 01000001
	Engine RPM sensor 01000010
	CoM sensor 01000011
	Reserved 01000100-11111111
DeviceCommandListType	A type that serves as the placeholder for the sequence of device commands.
NumOfDeviceCmd	This field, which is only present in the binary representation, specifies the number of DeviceCmd instances accommodated in the DeviceCommandList.
IndividualDeviceCmdType	This field, which is only present in the binary representation,

Name	Definition
------	------------

describes which DeviceCmd type shall be used.

In the binary description, the following mapping table is used.

Terms of Device	Binary representation for device type (8bits)
Light device	00000000
Flash device	00000001
Heating device	00000010
Cooling device	00000011
Wind device	00000100
Vibration device	00000101
Sprayer device	00000110
Scent device	00000111
Fog device	00001000
Color correction device	00001001
Initialize color correction parameter device	00001010
Rigid body motion device	00001011
Tactile device	00001100
Kinesthetic device	00001101
Global position command device	00001110
Bubble device	00001111
Reserved	00010000-11111111

4.3.5 Examples

The following shows two use cases of InteractionInfo element, which are for listing device commands and for listing sensed informations.

The first example shows the case when the InteractionInfo is used for DeviceCommandList.

```
<iidl:InteractionInfo xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:mpeg7="urn:mpeg:mpeg7:schema:2004" xmlns:mpegvct="urn:mpeg:mpeg-v:2016:01-
CT-NS" xmlns:iidl="urn:mpeg:mpeg-v:2016:01-IIDL-NS" xmlns:dcv="urn:mpeg:mpeg-
v:2016:01-DCV-NS" xsi:schemaLocation="urn:mpeg:mpeg-v:2016:01-DCV-NS
```

```

http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-DCV.xsd">
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:FogType" activate="true"
deviceIdRef="fdc1" id="command1" intensity="20"/>
    ...
    <iidl:DeviceCommand xsi:type="dcv:..." .../>
    ...
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>

```

The second example shows the case when the `InteractionInfo` is used for `SensedInfoList`.

```

<iidl:InteractionInfo xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:mpeg7="urn:mpeg:mpeg7:schema:2004" xmlns:mpegvct="urn:mpeg:mpeg-v:2016:01-
CT-NS" xmlns:iidl="urn:mpeg:mpeg-v:2016:01-IIDL-NS" xmlns:siv="urn:mpeg:mpeg-
v:2016:01-SIV-NS" xsi:schemaLocation="urn:mpeg:mpeg-v:2016:01-SIV-NS
http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-SIV.xsd">
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="a_type_derived_from_SensedInfoBaseType" .../>
    ...
    <iidl:SensedInfo xsi:type="siv:AccelerationSensorType" .../>
    ...
  </iidl:SensedInfoList>
</iidl:InteractionInfo>

```

The third example shows the case when the `DeviceCommand` is used directly as the root element.

```

<iidl:DeviceCommand xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:mpeg7="urn:mpeg:mpeg7:schema:2004" xmlns:mpegvct="urn:mpeg:mpeg-v:2016:01-
CT-NS" xmlns:dcv="urn:mpeg:mpeg-v:2016:01-DCV-NS" xmlns:iidl="urn:mpeg:mpeg-
v:2016:01-IIDL-NS" xsi:schemaLocation="urn:mpeg:mpeg-v:2016:01-DCV-NS
http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-DCV.xsd" xsi:type="dcv:LightType" id="light1"
color="urn:mpeg:mpeg-v:01-SI-ColorCS-NS:red" intensity="5">
  <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
</iidl:DeviceCommand>

```

The fourth example shows the case when the `SensedInfo` is used directly as the root element.

```

<iidl:SensedInfo xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:mpeg7="urn:mpeg:mpeg7:schema:2004" xmlns:mpegvct="urn:mpeg:mpeg-v:2016:01-
CT-NS" xmlns:iidl="urn:mpeg:mpeg-v:2016:01-IIDL-NS" xmlns:siv="urn:mpeg:mpeg-
v:2016:01-SIV-NS" xsi:schemaLocation="urn:mpeg:mpeg-v:2016:01-SIV-NS
http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-SIV.xsd" xsi:type="siv:LightSensorType" id="LS001"
sensorIdRef="LSID001" activate="true" value="200" color="#FF0000">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="1000"
pts="600000"/>
</iidl:SensedInfo>

```

Note that these examples are only showing a part of the complete XML description to show the use of the root element, `InteractionInfo`, with the choice of `DeviceCommandList` or `SensedInfoList`.

4.4 Device commands

4.4.1 General

This Subclause specifies tools for describing actions that each individual device (actuators) is supposed to take. Instances of following device commands defined in the Clause may be generated as an output of the VR engine and used to drive actuators. The following Subclause defines an abstract complex type of DeviceCommandBaseType, which the device command types of individual device should inherit.

4.4.2 Reference coordinate system

The origin of the reference coordinate for actuators is located at the position of the user. Each axis is defined as follows. X-axis is in the direction of the left hand side of the user facing the screen. Y-axis is in the reverse direction of gravity. Z-axis is in the direction of the user's facing the screen. The x-, y-, and z-axes are depicted in Figure 2.




Figure 2 — Reference coordinate system for actuators

4.4.3 Device command base type

4.4.3.1 Syntax

```

<!-- ##### -->
<!-- Device command base type -->
<!-- ##### -->
<complexType name="DeviceCommandBaseType" abstract="true">
  <sequence>
    <element name="TimeStamp" type="mpegvct:TimeStampType"/>
  </sequence>
  <attributeGroup ref="iidl:DeviceCmdBaseAttributes"/>
</complexType>
    
```

4.4.3.2 Binary representation syntax

DeviceCommandBaseType{	Number of bits	Mnemonic
TimeStamp		TimeStampType
DeviceCmdBaseAttributes		DeviceCmdBaseAttributesType
}		

4.4.3.3 Semantics

Semantics of the DeviceCommandBaseType:

Name	Definition										
DeviceCommandBaseType	Provides the topmost type of the base type hierarchy which each individual device command can inherit.										
TimeStamp	Provides the timing information for the device command to be executed. As defined in ISO/IEC 23005-6, there is a choice of selection among three timing schemes, which are absolute time, clocktick time, and delta of clock tick time.										
DeviceCmdBaseAttributes	Describes a group of attributes for the commands.										
TimeStampType	This field, which is only present in the binary representation, describes which time stamp scheme shall be used. "1" means that the absolute time stamp type shall be used, "2" means that the clock tick time stamp type shall be used, and "3" means that the clock tick time delta stamp type shall be used. "0" is reserved.										
	<table border="1"> <thead> <tr> <th>TimeStamp Select</th> <th>Type Stamp Type</th> </tr> </thead> <tbody> <tr> <td>00</td> <td>Reserved</td> </tr> <tr> <td>01</td> <td>AbsoluteTimeType</td> </tr> <tr> <td>10</td> <td>ClockTickTimeType</td> </tr> <tr> <td>11</td> <td>ClockTickTimeDeltaType</td> </tr> </tbody> </table>	TimeStamp Select	Type Stamp Type	00	Reserved	01	AbsoluteTimeType	10	ClockTickTimeType	11	ClockTickTimeDeltaType
TimeStamp Select	Type Stamp Type										
00	Reserved										
01	AbsoluteTimeType										
10	ClockTickTimeType										
11	ClockTickTimeDeltaType										
AbsoluteTimeStamp	The absolute time stamp is defined in ISO/IEC 23005-6:—, A.2.3.										
ClockTickTimeStamp	The clock tick time stamp is defined in ISO/IEC 23005-6:—, A.2.3.										
ClockTickTimeDeltaStamp	The clock tick time delta stamp, which value is the time delta between the present and the past time, is defined in ISO/IEC 23005-6:—, 4.7.4.										

4.4.3.4 Examples

For the examples of the DeviceCommandBaseType, see the examples of individual types of device commands.

4.4.4 Device command base attributes

4.4.4.1 Syntax

```

<!-- ##### -->
<!-- Definition of Device Command Base Attributes -->
<!-- ##### -->
<attributeGroup name="DeviceCmdBaseAttributes">
  <attribute name="id" type="ID" use="optional"/>
  <attribute name="deviceIdRef" type="anyURI" use="optional"/>
  <attribute name="activate" type="boolean" use="optional" default="true"/>
</attributeGroup>
    
```

4.4.4.2 Binary representation syntax

DeviceCmdBaseAttributesType{	Number of bits	Mnemonic
idFlag	1	bslbf
deviceIdRefFlag	1	bslbf
activateFlag	1	bslbf
if(idFlag) {		
id	See ISO/IEC 10646	UTF-8
}		
if(deviceIdRefFlag) {		
deviceIdRef		UTF-8
}		
if(activateFlag) {		
activate	1	bslbf
}		
}		

4.4.4.3 Semantics

Semantics of the DeviceCmdBaseAttributes:

Name	Definition
DeviceCmdBaseAttributes	Specifies the common attributes for any type inherits from the DeviceCommandBaseType.
id	To be used to identify each individual device command.
deviceIdRef	To specify an individual device to which the command is associated.
activate	Describes whether the effect shall be activated. A value of <code>true</code> means the device shall be activated (switch on) and <code>false</code> means the device shall be deactivated (switch off).
DeviceCmdBaseAttributesType	Provides the topmost type of the base type hierarchy which the attributes of each individual device command can inherit.
idFlag	This field, which is only present in the binary representation, signals the presence of the id attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
deviceIdRefFlag	This field, which is only present in the binary representation, signals the presence of the sensor ID reference attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
activateFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.

4.4.4.4 Examples

The following is a snippet of an XML document showing the use of the DeviceCmdBaseAttributes. It shows a device command specified by the identifier of `command1` to activate a device type `any_specific_device_command_type` with device identifier `fdcl`.

```
<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:any_specific_device_command_type"
activate="true" deviceIdRef="fdcl" id="command1"/>
    ...
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
```

4.5 Sensed information description tools

4.5.1 General

This Subclause specifies tools for describing information acquired through each individual sensor. Instances of following sensed information defined in the Clause may be generated as an output of the sensors. The

following subclause defines an abstract complex type of `SensedInfoBaseType`, which the sensed information types for each individual sensor should inherit.

4.5.2 Global coordinate for sensors




Figure 3 — Reference coordinate for sensors

The reference coordinate for sensors is defined adapting the right handed coordinate system. Each axis is defined as follows: Y-axis is in the direction of gravity; Z-axis is in the direction of user's front (in common sense) which is orthogonal to the y-axis; X-axis is in the direction of user's right side which is also orthogonal to both y-axis and z-axis. The x-, y-, and z-axes are depicted in Figure 3. The default origin of the reference coordinate for sensors is the position of the user. The origin of the coordinate system differs depending on the type of the sensor.

4.5.3 Sensed information base type

4.5.3.1 Syntax

```

<!-- ##### -->
<!-- Sensed information base type -->
<!-- ##### -->
<complexType name="SensedInfoBaseType" abstract="true">
  <sequence>
    <element name="TimeStamp" type="mpegvct:TimeStampType" minOccurs="0"/>
  </sequence>
  <attributeGroup ref="iidl:sensedInfoBaseAttributes"/>
</complexType>
    
```

4.5.3.2 Binary representation syntax

SensedInfoBaseTypeType{	Number of bits	Mnemonic
TimeStampFlag	1	bslbf
SensedInfoBaseAttributes		SensedInfoBaseAttributesType
If(TimeStampFlag){		

TimeStamp		TimeStampType
}		
}		

4.5.3.3 Semantics

Semantics of the SensedInfoListType:

<i>Name</i>	<i>Definition</i>
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.
sensedInfoBaseAttributes	Describes a group of attributes for the sensed information.
TimeStamp	Provides the time information at which the sensed information is acquired. As defined in ISO/IEC 23005-6, there is a choice of selection among three timing schemes, which are absolute time, clocktick time, and delta of clock tick time.
TimeStampFlag	This field, which is only present in the binary representation, signals the presence of the TimeStamp element. A value of "1" means the element shall be used and "0" means the element shall not be used.

4.5.4 Sensed information base attributes

4.5.4.1 Syntax

```

<!-- ##### -->
<!-- Definition of Sensed Information Base Attributes -->
<!-- ##### -->
<attributeGroup name="sensedInfoBaseAttributes">
  <attribute name="id" type="ID" use="optional"/>
  <attribute name="sensorIdRef" type="anyURI" use="optional"/>
  <attribute name="linkedlist" type="anyURI" use="optional"/>
  <attribute name="groupID" type="anyURI" use="optional"/>
  <attribute name="activate" type="boolean" use="optional"/>
  <attribute name="priority" type="nonNegativeInteger" use="optional"
default="0"/>
</attributeGroup>

```

4.5.4.2 Binary representation syntax

SensedInfoBaseAttributesType{	<i>Number of bits</i>	<i>Mnemonic</i>
IDFlag	1	bslbf
sensorIdRefFlag	1	bslbf

linkedListFlag	1	bslbf
groupIDFlag	1	bslbf
priorityFlag	1	bslbf
activateFlag	1	bslbf
if(IDFlag) {		
ID	See ISO/IEC 10646	UTF-8
}		
if(sensorIDRefFlag) {		
sensorIDRef		UTF-8
}		
if(linkedListFlag) {		
linkedList		UTF-8
}		
if(groupIDFlag) {		
groupID		UTF-8
}		
if(priorityFlag) {		
priority	32	uimsbf
}		
if(activateFlag) {		
activate	1	bslbf
}		
}		

4.5.4.3 Semantics

Semantics of the sensedInfoBaseAttributes:

<i>Name</i>	<i>Definition</i>
sensedInfoBaseAttributes	Describes a group of attributes for the commands.

Name	Definition
id	Unique identifier for identifying individual sensed information.
sensorIdRef	References a sensor that has generated the information included in this specific sensed information.
linkedlist	Describes the multi-sensor structure that consists of a group of sensors in a way that each record contains a reference to the ID of the next sensor.
groupID	Identifier for a group multi-sensor structure to which this specific sensor belongs.
activate	<p>Describes whether the sensor shall be activated. A value of "true" means the sensor shall be activated and "false" means the sensor shall be deactivated.</p> <p>In the binary representation, a value of "1" means the sensor shall be activated and "0" means the sensor shall be deactivated.</p>
priority	<p>Describes a priority for sensed information with respect to other sensed information sharing the same point in time when the sensed information becomes adapted. A value of one indicates the highest priority and larger values indicate lower priorities. The default value of the priority is one. If there are more than one sensed information with the same priority, the order of process can be determined by the adaptation engine itself.</p> <p>NOTE The priority might be used to apply the sensed information on the virtual world object characteristics, defined within a group of sensors, according to the capabilities of the adaptation VR.</p> <p>EXAMPLE The adaptation RV processes the individual sensed information of a group of sensors according to their priority in descending order due to its limited capabilities. That is, the sensed information with the lower priority might get lost.</p>
SensedInfoBaseAttributes Type	Tool for describing sensed information base attributes.
IDFlag	This field, which is only present in the binary representation, signals the presence of the ID attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
sensorIdRefFlag	This field, which is only present in the binary representation, signals the presence of the sensor ID reference attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
linkedlistFlag	This field, which is only present in the binary representation, signals the presence of the linked list attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
groupIDFlag	This field, which is only present in the binary representation, signals the presence of the group ID attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.

Name	Definition
priorityFlag	This field, which is only present in the binary representation, signals the presence of the priority attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
activateFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.

4.5.4.4 Examples

The example of the BaseAttributes is given in the examples of sensed information vocabulary.

5 Device command vocabulary

5.1 General

This Clause describes syntax and semantics of the device command vocabulary to implement commanding of individual devices.

This Clause also describes the binary representation of each individual device command. There are two possible modes for the devices requiring a high speed update rate and large data, such as color correction type, rigid body motion type, and tactile type, can utilize the update mode in addition to the normal mode. The device commands with the update mode parse the elements, which values are different from their corresponding values in the previous device command.

5.2 Schema wrapper conventions

The syntax defined in this Clause assumes the following Schema Wrapper to form a valid XML schema document.

```
<schema xmlns="http://www.w3.org/2001/XMLSchema"
xmlns:mpeg7="urn:mpeg:mpeg7:schema:2004" xmlns:dcv="urn:mpeg:mpeg-v:2016:01-DCV-
NS" xmlns:iidl="urn:mpeg:mpeg-v:2016:01-IIDL-NS" xmlns:mpegvct="urn:mpeg:mpeg-
v:2016:01-CT-NS" targetNamespace="urn:mpeg:mpeg-v:2016:01-DCV-NS"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="ISO/IEC 23005-5" id="MPEG-V-DCV.xsd">
  <import namespace="urn:mpeg:mpeg-v:2016:01-IIDL-NS"
schemaLocation="http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-IIDL.xsd"/>
  <import namespace="urn:mpeg:mpeg7:schema:2004"
schemaLocation="http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
7_schema_files/mpeg7-v2.xsd"/>
  <import namespace="urn:mpeg:mpeg-v:2016:01-CT-NS"
schemaLocation="http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-CT.xsd"/>
```

Additionally, the following line should be appended to the resulting schema document in order to obtain a well-formed XML document.

```
</schema>
```

5.3 Light type

5.3.1 General

This Subclause specifies a device command type which can generate a light effect. The properties of the command can be generated by the adaptation engine, which is combining the light effect specified by ISO/IEC 23005-3 with the user preference toward the light effect and the light device capabilities specified by ISO/IEC 23005-2.

5.3.2 Syntax

```

<!-- ##### -->
<!-- Definition of DCV light type -->
<!-- ##### -->
<complexType name="LightType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <attribute name="color" type="mpegvct:colorType" use="optional"/>
      <attribute name="intensity" type="integer" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

5.3.3 Binary representation syntax

LightType{	Number of bits	Mnemonic
colorFlag	1	bslbf
intensityFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if(colorFlag) {		
color	8	colorType
}		
if(intensityFlag) {		
intensity	7	uimsbf
}		
}		

colorType {	Number of bits	Mnemonic
NamedcolorFlag	1	
If(NamedcolorFlag) {		

NamedColorType	9	bslbf
} else {		
colorRGBType	6	Bslbf
}		
}		

5.3.4 Semantics

Semantics of the LightType:

Name	Definition
LightType	Tool for describing a command for a lighting device to follow.
color	<p>Describes the list of colors, which the lighting device can provide, that shall be used either as a reference to a classification scheme term using the mpeg7:termReferenceType defined in ISO/IEC 15938-5:2003, 7.4.6 or as RGB value. A CS that may be used for this purpose is the ColorCS defined in ISO/IEC 23005-6:—, A.2.2. The binary representation of the ColorCS is defined in ISO/IEC 23005-6:—, A.2.2.</p> <p>EXAMPLE 1 urn:mpeg:mpeg-v:01-SI-ColorCS-NS:alice_blue would describe the color Alice blue.</p> <p>EXAMPLE 2 The RGB representation of the color Alice blue is #F0F8FF.</p>
	Describes the intensity that the lighting device shall emit in percentage with respect to the maximum intensity that the specific device can generate.
colorFlag	This field, which is only present in the binary representation, signals the presence of color attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
intensityFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
DeviceCommandBase	Provides the topmost type of the base type hierarchy which each individual device command can inherit.
NamedcolorFlag	This field, which is only present in the binary representation, indicates a choice of the color descriptions. If it is 1 then the color is described by mpeg7:termReferenceType, otherwise the color is described by colorRGBType.
NamedColorType	This field, which is only present in the binary representation, describes color in terms of ColorCS Flag defined in ISO/IEC 23005-6:—, A.2.2.
colorRGBType	This field, which is only present in the binary representation,

Name	Definition
	describes color in terms of colorRGBType.

5.3.5 Examples

This example shows the description of a device command of light effect with the following semantics. The displaying device for the light effect is “light1”. The intensity shall be 5 % with the color “red” from the classification scheme described in ISO/IEC 23005-6:—, A.2.2.

```

<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:LightType" id="light1"
color="urn:mpeg:mpeg-v:01-SI-ColorCS-NS:red" intensity="5">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>

```

5.4 Flash type

5.4.1 General

This Subclause specifies a device command type which can generate a flash effect. The properties of the command can be generated by the adaptation engine, which is combining the flash effect specified by ISO/IEC 23005-3 with the user preference toward the flash effect and the flash device capabilities specified by ISO/IEC 23005-2.

5.4.2 Syntax

```

<!-- ##### -->
<!-- Definition of DCV flash type -->
<!-- ##### -->
<complexType name="FlashType">
  <complexContent>
    <extension base="dcv:LightType">
      <attribute name="frequency" type="positiveInteger" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

5.4.3 Binary representation syntax

FlashType{	Number of bits	Mnemonic
frequencyFlag	1	bslbf
Light		LightType
if(frequencyFlag) {		

frequency	7	uimsbf
}		
}		

5.4.4 Semantics

Semantics of the FlashType:

Name	Definition
FlashType	Tool for describing a flash device command.
intensity	Describes the intensity of the flash effect in terms of illumination in percentage with respect to the maximum light intensity that the specific device can generate.
frequency	Describes the number of flickering in percentage with respect to the maximum frequency that the specific flash device can generate.
Color	Describes the color of the flash effect as a reference to a classification scheme term or as RGB. A CS that may be used for this purpose is the ColorCS defined in ISO/IEC 23005-6:—, A.2.2. The binary representation of the ColorCS is defined in ISO/IEC 23005-6:—, A.2.2. EXAMPLE 1 urn:mpeg:mpeg-v:01-SI-ColorCS-NS:alice_blue would describe the color Alice blue. EXAMPLE 2 The RGB representation of the color Alice blue is #F0F8FF.
frequencyFlag	This field, which is only present in the binary representation, signals the presence of color attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.

5.4.5 Examples

This example shows the description of a device command of flash effect with the following semantics. The displaying device for the flash effect is “flash1”. The intensity shall be 5% of the maximum intensity of “flash1”, while the frequency is 10 % of the maximum frequency of “flash1”.

```
<InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:FlashType" id="flash1"
      color="urn:mpeg:mpeg-v:01-SI-ColorCS-NS:red" intensity="5"
      frequency="10">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</InteractionInfo>
```

5.5 Heating type

5.5.1 General

This Subclause specifies a device command type which can generate a heating effect. The properties of the command can be generated by the adaptation engine, which is combining the heating effect specified by ISO/IEC 23005-3 with the user preference toward the heating effect and the heating device capabilities specified by ISO/IEC 23005-2.

5.5.2 Syntax

```

<!-- ##### -->
<!-- Definition of DCV heating type -->
<!-- ##### -->
<complexType name="HeatingType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <attribute name="intensity" type="integer" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

5.5.3 Binary representation syntax

HeatingType{	Number of bits	Mnemonic
intensityFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if(intensityFlag) {		
intensity	7	uimsbf
}		
}		

5.5.4 Semantics

Semantics of the HeatingType:

Name	Definition
HeatingType	Tool for describing a command for heating device.
Intensity	Describes the intensity of the temperature effect of heating in percentage with respect to the capable range of temperature control. If the intensity is not specified, this command shall be interpreted as turning on at the maximum intensity.
	EXAMPLE If the device can control temperature between 20 C and

Name	Definition
	40 C, intensity of 20 % means the intensity of 24 C.
intensityFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
DeviceCommandBase	Provides the topmost type of the base type hierarchy which each individual device command can inherit.

5.5.5 Examples

This example shows the description of a device command of heating effect with the following semantics. The identifier for this command is “heater1” and the identifier for the heating device for which this command is issued is “heater001”. The intensity shall be 28 % of the maximum intensity of “heater001.”

```
<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:HeatingType" id="heater1"
      deviceIdRef="heater001" activate="true" intensity="28">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
```

5.6 Cooling type

5.6.1 General

This Subclause specifies a device command type which can generate a cooling effect. The properties of the command can be generated by the adaptation engine, which is combining the cooling effect specified by ISO/IEC 23005-3 with the user preference toward the cooling effect and the cooling device capabilities specified by ISO/IEC 23005-2.

5.6.2 Syntax

```
<!-- ##### -->
<!-- Definition of DCV cooling type -->
<!-- ##### -->
<complexType name="CoolingType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <attribute name="intensity" type="integer" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

5.6.3 Binary representation syntax

CoolingType{	<i>Number of bits</i>	<i>Mnemonic</i>
intensityFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if(intensityFlag) {		
intensity	7	uimsbf
}		
}		

5.6.4 Semantics

Semantics of the CoolingType:

<i>Name</i>	<i>Definition</i>
CoolingType	Tool for describing a command for cooling device
intensity	Describes the intensity of the temperature effect of cooling in percentage with respect to the capable range of temperature control. The larger intensity value the CoolingType description has, the cooler the environment is intended to be driven. If the intensity is not specified, this command shall be interpreted as turning on at the maximum intensity. EXAMPLE If the device can create cooling effect from 30 °C to 10 °C, intensity of 20 % means the intensity of 26 °C.
intensityFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
DeviceCommandBase	Provides the topmost type of the base type hierarchy which each individual device command can inherit.

5.6.5 Examples

This example shows the description of a device command of cooling effect with the following semantics. The identifier for this command is "cooling01" and the identifier for the cooling device for which this command is issued is "cooler001". The intensity shall be 40 % of the maximum intensity of "cooler001".

```
<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:CoolingType" id="cooling01"
      deviceIdRef="cooler001" activate="true" intensity="40">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
```

5.7 Wind type

5.7.1 General

This Subclause specifies a device command type which can generate a wind effect. The properties of the command can be generated by the adaptation engine, which is combining the wind effect specified by ISO/IEC 23005-3 with the user preference toward the wind effect and the wind device capabilities specified by ISO/IEC 23005-2.

5.7.2 Syntax

```

<!-- ##### -->
<!-- Definition of DCV wind type -->
<!-- ##### -->
<complexType name="WindType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <attribute name="intensity" type="integer" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

5.7.3 Binary representation syntax

WindType{	Number of bits	Mnemonic
intensityFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if(intensityFlag) {		
intensity	7	uimsbf
}		
}		

5.7.4 Semantics

Semantics of the WindType:

Name	Definition
WindType	Tool for describing a wind device command.
intensity	Describes the intensity of the wind effect in terms of strength in percentage with respect to the maximum intensity of the specified device. If the intensity is not specified, this command shall be interpreted as turning on at the maximum intensity.

Name	Definition
intensityFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
DeviceCommandBase	Provides the topmost type of the base type hierarchy which each individual device command can inherit.

5.7.5 Examples

This example shows the description of a device command of wind effect with the following semantics. The identifier for this command is "wind01" and the identifier for the wind device for which this command is issued is "wind001". The intensity shall be 30 % of the maximum intensity of "wind001."

```
<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:WindType" id="wind01"
      deviceIdRef="wind001" activate="true" intensity="30">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
```

5.8 Vibration type

5.8.1 General

This Subclause specifies a device command type which can generate a vibration effect. The properties of the command can be generated by the adaptation engine, which is combining the vibration effect specified by ISO/IEC 23005-3 with the user preference toward the vibration effect and the vibration device capabilities specified by ISO/IEC 23005-2.

5.8.2 Syntax

```
<!-- ##### -->
<!-- Definition of DCV vibration type -->
<!-- ##### -->
<complexType name="VibrationType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <attribute name="intensity" type="integer" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

5.8.3 Binary representation syntax

VibrationType{	Number of bits	Mnemonic
intensityFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if(intensityFlag) {		
intensity	7	uimsbf
}		
}		

5.8.4 Semantics

Semantics of the VibrationType:

Name	Definition
VibrationType	Tool for describing a vibration device command.
intensity	Describes the intensity of the vibration effect in terms of strength in percentage with respect to the maximum intensity of the specified device. If the intensity is not specified, this command shall be interpreted as turning on at the maximum intensity.
intensityFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
DeviceCommandBase	Provides the topmost type of the base type hierarchy which each individual device command can inherit.

5.8.5 Examples

This example shows the description of a device command of vibration effect with the following semantics. The identifier for this command is “vibe01” and the identifier for the vibration device for which this command is issued is “vibe001”. The intensity shall be 60 % of the maximum intensity of “vibe001.”

```

<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:VibrationType" id="vibe01"
      deviceIdRef="vibe001" activate="true" intensity="60">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
    
```

5.9 Sprayer type

5.9.1 General

This Subclause specifies a device command type which can generate a spraying effect. The properties of the command can be generated by the adaptation engine, which is combining the spraying effect specified by ISO/IEC 23005-3 with the user preference toward the spraying effect and the spraying device capabilities specified by ISO/IEC 23005-2.

5.9.2 Syntax

```

<!-- ##### -->
<!-- Definition of DCV sprayer type -->
<!-- ##### -->
<complexType name="SprayerType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <attribute name="sprayingType" type="mpeg7:termReferenceType"/>
      <attribute name="intensity" type="integer" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

5.9.3 Binary representation syntax

SprayerType{	Number of bits	Mnemonic
sprayingFlag	1	bslbf
intensityFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if(sprayingFlag) {		
sprayingType	8	bslbf
}		
if(intensityFlag) {		
Intensity	7	Uimsbf
}		
}		

5.9.4 Semantics

Semantics of the SprayerType:

Name	Definition
SprayerType	Tool for describing a liquid spraying device command.
sprayingType	Describes the type of the sprayed material that shall be used as a reference to a classification scheme term using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. A CS that may be used for this purpose is the <code>SprayingTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.7. The binary representation of the <code>SprayingTypeCS</code> is defined in ISO/IEC 23005-6:—, A.2.7.
intensity	Describes the intensity that the liquid is sprayed in percentage with respect to the maximum intensity described in the device capability. If the intensity is not specified, this command shall be interpreted as turning on at the maximum intensity.
sprayingFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
intensityFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
DeviceCommandBase	Provides the topmost type of the base type hierarchy which each individual device command can inherit.

5.9.5 Examples

This example shows the description of a device command of sprayer effect with the following semantics. The identifier for this command is “sprayer01” and the identifier for the sprayer device for which this command is issued is “sprayer001”. The intensity shall be 50 % of the maximum intensity of “sprayer001.” The material to be sprayed is pure water as specified in the `SprayingTypeCS` of ISO/IEC 23005-6:—, A.2.7.

```

<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:SprayerType" id="sprayer01"
      deviceIdRef="sprayer001" activate="true" intensity="50"
      sprayingType="urn:mpeg:mpeg-v:01-SI-SprayingTypeCS-NS:water">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>

```

5.10 Scent type

5.10.1 General

This Subclause specifies a device command type which can generate a scent effect. The properties of the command can be generated by the adaptation engine, which is combining the scent effect specified by ISO/IEC 23005-3 with the user preference toward the scent effect and the scent device capabilities specified by ISO/IEC 23005-2.

5.10.2 Syntax

```

<!-- ##### -->
<!-- Definition of DCV scent type -->
<!-- ##### -->
<complexType name="ScentType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <attribute name="scent" type="mpeg7:termReferenceType" use="optional"/>
      <attribute name="intensity" type="integer" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

5.10.3 Binary representation syntax

ScentType{	Number of bits	Mnemonic
scentFlag	1	bslbf
intensityFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if(scentFlag) {		
scent	9	bslbf
}		
if(intensityFlag) {		
intensity	7	uimsbf
}		
}		

5.10.4 Semantics

Semantics of the ScentType:

Name	Definition
ScentType	Tool for describing a scent device command.
intensity	Describes the intensity of the scent effect in percentage with respect to the maximum intensity described in the device capability. If the intensity is not specified, this command shall be interpreted as turning on at the maximum intensity.
scent	Describes the scent that shall be used as a reference to a classification scheme term using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. A CS that may be used for

Name	Definition
	this purpose is the <code>ScentCS</code> defined in ISO/IEC 23005-6:—, A.2.4. The binary representation of the <code>ScentCS</code> is defined in ISO/IEC 23005-6:—, A.2.4.
<code>scentFlag</code>	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
<code>intensityFlag</code>	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
<code>DeviceCommandBase</code>	Provides the topmost type of the base type hierarchy which each individual device command can inherit.

5.10.5 Examples

This example shows the description of a device command of scent effect with the following semantics. The identifier for this command is “scent01” and the identifier for the sprayer device for which this command is issued is “scentdevice001”. The intensity shall be 30 % of the maximum intensity of “scentdevice001.” The scent is defined to be the scent of acacia according to the definition of `ScentCS` of ISO/IEC 23005-6:—, A.2.4.

```
<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:ScentType" id="scent01"
      deviceIdRef="scentdevice001" activate="true" intensity="30"
      scent="urn:mpeg:mpeg-v:01-SI-ScentCS-NS:acacia">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
```

5.11 Fog type

5.11.1 General

This Subclause specifies a device command type which can generate a fog effect. The properties of the command can be generated by the adaptation engine, which is combining the fog effect specified by ISO/IEC 23005-3 with the user preference toward the fog effect and the fog device capabilities specified by ISO/IEC 23005-2.

5.11.2 Syntax

```
<!-- ##### -->
<!-- Definition of DCV fog type -->
<!-- ##### -->
<complexType name="FogType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <attribute name="intensity" type="integer" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

5.11.3 Binary representation syntax

FogType{	Number of bits	Mnemonic
intensityFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if(intensityFlag) {		
intensity	7	uimsbf
}		
}		

5.11.4 Semantics

Semantics of the FogType:

Name	Definition
FogType	Tool for describing a fog device command.
intensity	Describes the intensity of the fog effect in percentage with respect to the maximum intensity described in the device capability. If the intensity is not specified, this command shall be interpreted as turning on at the maximum intensity.
intensityFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
DeviceCommandBase	Provides the topmost type of the base type hierarchy which each individual device command can inherit.

5.11.5 Examples

This example shows the description of a device command of fog effect with the following semantics. The identifier for this command is "fog01" and the identifier for the sprayer device for which this command is issued is "fog001". The intensity shall be 50 % of the maximum intensity of "fog001."

```
<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:FogType" id="fog01" deviceIdRef="fog001"
      activate="true" intensity="50">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
```

5.12 Color correction type

5.12.1 General

This Subclause specifies a device command type which can generate a color correction effect. The properties of the command can be generated by the adaptation engine, which is combining the color correction effect specified by ISO/IEC 23005-3 with the user preference toward the color correction effect and the color correction device capabilities specified by ISO/IEC 23005-2.

5.12.2 Syntax

```

<!-- ##### -->
<!-- Definition of DCV color correction type -->
<!-- ##### -->
<complexType name="ColorCorrectionType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <sequence minOccurs="0" maxOccurs="unbounded">
        <element name="SpatialLocator" type="mpeg7:RegionLocatorType"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
    
```

5.12.3 Binary representation syntax

ColorCorrectionType{	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
ColorCorrectionNormal		ColorCorrectionNormalType
}else{		
ColorCorrectionUpdate		ColorCorrectionUpdateType
}		
}		

ColorCorrectionNormalType{	Number of bits	Mnemonic
SpatialLocatorFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if (SpatialLocatorFlag) {		
LoopSpatialLocator		vluimsbf5

for(k=0;k< LoopSpatialLocator;k++){		
SpatialLocator[k]		mpeg7:RegionLocatorType
}		
}		
}		

ColorCorrectionUpdateType {	Number of bits	Mnemonic
idFlag	1	bslbf
deviceIdRefFlag	1	bslbf
activateFlag	1	bslbf
SpatialLocatorFlag	1	bslbf
ListUpdate	idFlag+ deviceIdRef Flag+ activateFlag+ SpatialLocatorFlag	bslbf
TimeStamp		TimeStampType
ListItemNum = 0		
if(idFlag){		
if(ListUpdate[ListItemNum]){		
id	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(deviceIdRefFlag){		
if(ListUpdate[ListItemNum]){		
deviceIdRef		UTF-8
}		
ListItemNum++		
}		
if(activateFlag){		

if(ListUpdate[ListItemNum]){		
activate	1	bslbf
}		
ListItemNum++		
}		
if (SpatialLocatorFlag) {		
if(ListUpdate[ListItemNum]){		
LoopSpatialLocator		vluimsbf5
UpdateMask	LoopSpatialLocator	bslbf
for(k=0;k< LoopSpatialLocator; k++){		
if(UpdateMask[k]){		
SpatialLocator[k]		mpeg7:RegionLocatorType
}		
}		
}		
}		
}		

5.12.4 Semantics

Semantics of the ColorCorrectionType:

<i>Name</i>	<i>Definition</i>
ColorCorrectionType	Tool for commanding a display device to perform color correction.
SpatialLocator	Describes the spatial localization of the still region using SpatialLocatorType (optional), which indicates the regions in a video segment where the color correction effect is applied. The SpatialLocatorType shall be used as defined in ISO/IEC 15938-5.
activate	Describes whether the color correction effect should be used or not.
UpdateMode	This field, which is only present in the binary representation, signals whether the command is on the normal mode or on the update mode. A value of "1" means the update mode shall be used

Name	Definition
	and "0" means the normal mode shall be used.
ColorCorrectionNormal	This field is used to command a display device to perform color correction.
ColorCorrectionUpdate	This field is used to command a display device to perform color correction only for the updated elements.
ColorCorrectionNormalType	Tool for commanding a display device to perform color correction on the normal mode.
ColorCorrectionUpdateType	Tool for commanding a display device to perform color correction on the update mode.
DeviceCommandBase	Provides the topmost type of the base type hierarchy which each individual device command can inherit.
LoopSpatialLocator	This field, which is only present in the binary representation, specifies the number of SpatialLocator contained in the description.
ListUpdate	Describes the updated list among all the active elements in the command.

5.12.5 Examples

This example shows the description of a device command of color correction effect with the following semantics. The displaying device for the color correction effect is "tv1". The color correction effect is applied only to the region defined by the SpatialLocator.

```

<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dvc:ColorCorrectionType" id="tv1"
      activate="true">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
      <dvc:SpatialLocator>
        <mpeg7:Polygon>
          <mpeg7:Coords mpeg7:dim="8">5 25 0 -2 15 0 0 2 </mpeg7:Coords>
        </mpeg7:Polygon>
      </dvc:SpatialLocator>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>

```

5.13 Initialize color correction parameter type

5.13.1 General

This command delivers the parameters supporting the color correction effect to devices.

5.13.2 Syntax

```

<!-- ##### -->
<!-- Definition of initialize color correction parameter Type -->
<!-- ##### -->
<complexType name="InitializeColorCorrectionParameterType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <sequence>
        <element name="ToneReproductionCurves"
          type="mpegvct:ToneReproductionCurvesType" minOccurs="0"/>
        <element name="ConversionLUT" type="mpegvct:ConversionLUTType"/>
        <element name="ColorTemperature" type="mpegvct:IlluminantType"
          minOccurs="0"/>
        <element name="InputDeviceColorGamut"
          type="mpegvct:InputDeviceColorGamutType" minOccurs="0"/>
        <element name="IlluminanceOfSurround" type="mpeg7:unsigned12"
          minOccurs="0"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

```

5.13.3 Binary representation syntax

InitializeColorCorrectinParameterType{	Number of bits	Mnemonic
ToneReproductionCurvesFlag	1	bslbf
ConversionLUTFlag	1	bslbf
ColorTemperatureFlag	1	bslbf
InputDeviceColorGamutFlag	1	bslbf
IlluminanceOfSurroundFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if(ToneReproductionCurvesFlag) {		
ToneReproductionCurves		ToneReproductionCurvesType
}		
ConversionLUT		ConversionLUTType
if(ColorTemperatureFlag) {		
ColorTemperature		IlluminantType
}		
if(InputDeviceColorGamutFlag) {		

InputDeviceColorGamut		InputDeviceColorGamutType
}		
if(IlluminanceOfSurroundFlag) {		
IlluminanceOfSurround	12	uimsbf
}		
}		

ToneReproductionCurvesType {	Number of bits	Mnemonic
NumOfRecords	8	uimsbf
for(i=0;i< NumOfRecords;i++){		
DAC_Value	8	mpeg7:unsigned8
RGB_Value	32*3	mpeg7:doubleVector
}		
}		

ConversionLUTType {	Number of bits	Mnemonic
RGB2XYZ_LUT	32*3*3	mpeg7:DoubleMatrixType
RGBScalar_Max	32*3	mpeg7:doubleVector
Offset_Value	32*3	mpeg7:doubleVector
Gain_Offset_Gamma	32*3*3	mpeg7:DoubleMatrixType
InverseLUT	32*3*3	mpeg7:DoubleMatrixType
}		

IlluminantType {	Number of bits	Mnemonic
ElementType	1	bslbf
if(ElementType==00){		
xy_Value	32*2	dia:ChromaticityType
Y_Value	7	uimsbf

}else if(ElementType==01){		
Correlated_CT	8	uimsbf
}		
}		

InputDeviceColorGamutType {	Number of bits	Mnemonic
typeLength		vluimsbf5
IDCG_Type	8 * typeLength	bslbf
IDCG_Value	32*3*2	mpeg7:DoubleMatrixType
}		

5.13.4 Semantics

Semantics of the InitializeColorCorrectionParameterType:

Name	Definition
InitializeColorCorrectionParameterType	Tool for describing an initialize color correction parameter command.
ToneReproductionCurves	This curve shows the characteristics (e.g. gamma curves for R, G and B channels) of the input display device.
ConversionLUT	A look-up table (matrix) converting an image between an image color space (e.g. RGB) and a standard connection space (e.g. CIE XYZ).
ColorTemperature	An element describing a white point setting (e.g. D65, D93) of the input display device.
InputDeviceColorGamut	An element describing an input display device color gamut, which is represented by chromaticity values of R, G, and B channels at maximum DAC values.
IlluminanceOfSurround	An element describing an illuminance level of viewing environment. The illuminance is represented by lux.
ToneReproductionCurvesFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
ConversionLUTFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.

<i>Name</i>	<i>Definition</i>
ColorTemperatureFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
InputDeviceColorGamutFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
IlluminanceOfSurroundFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
DeviceCommandBase	Provides the topmost type of the base type hierarchy which each individual device command can inherit.

Semantics of the ToneReproductionCurvesType:

<i>Names</i>	<i>Description</i>
NumOfRecords	This field, which is only present in the binary representation, specifies the number of record (DAC and RGB value) instances accommodated in the ToneReproductionCurves.
DAC_Value	An element describing discrete DAC values of input device.
RGB_Value	An element describing normalized gamma curve values with respect to DAC values. The order of describing the RGB_Value is R_n, G_n, B_n .

Semantics of the ConversionLUTType:

<i>Names</i>	<i>Description</i>
RGB2XYZ_LUT	This look-up table (matrix) converts an image from RGB to CIE XYZ. The size of the conversion matrix is 3×3 such as $\begin{pmatrix} R_x & G_x & B_x \\ R_y & G_y & B_y \\ R_z & G_z & B_z \end{pmatrix}$. The way of describing the values in the binary representation is in the order of $[R_x, G_x, B_x, R_y, G_y, B_y, R_z, G_z, B_z]$.
RGBScalar_Max	An element describing maximum RGB scalar values for GOG transformation. The order of describing the RGBScalar_Max is $R_{max}, G_{max}, B_{max}$.
Offset_Value	An element describing offset values of input display device when the DAC is 0. The value is described in CIE XYZ form. The order of describing the Offset_Value is X, Y, Z.
Gain_Offset_Gamma	An element describing the gain, offset, gamma of RGB channels for GOG transformation. The size of the Gain_Offset_Gamma matrix is 3×3 such as

$$\begin{bmatrix} Gain_r & Gain_g & Gain_b \\ Offset_r & Offset_g & Offset_b \\ Gamma_r & Gamma_g & Gamma_b \end{bmatrix}.$$

The way of describing the values in the binary representation is in the order of [Gain_r, Gain_g, Gain_b; Offset_r, Offset_g, Offset_b; Gamma_r, Gamma_g, Gamma_b].

InverseLUT

This look-up table (matrix) converts an image form CIE XYZ to RGB.

The size of the conversion matrix is 3×3 such as $\begin{pmatrix} R_x^l & G_x^l & B_x^l \\ R_y^l & G_y^l & B_y^l \\ R_z^l & G_z^l & B_z^l \end{pmatrix}$. The way of describing the values in the binary representation is in the order of [R_x^l, G_x^l, B_x^l; R_y^l, G_y^l, B_y^l; R_z^l, G_z^l, B_z^l].

Semantics of the IlluminantType:

Names	Description						
ElementType	This field, which is only present in the binary representation, describes which Illuminant scheme shall be used. In the binary description, the following mapping table is used.						
	<table border="1"> <thead> <tr> <th>Illuminant</th> <th>IlluminantType</th> </tr> </thead> <tbody> <tr> <td>00</td> <td>xy and Y value</td> </tr> <tr> <td>01</td> <td>Correlated_CT</td> </tr> </tbody> </table>	Illuminant	IlluminantType	00	xy and Y value	01	Correlated_CT
Illuminant	IlluminantType						
00	xy and Y value						
01	Correlated_CT						
xy_Value	An element describing the chromaticity of the light source. The ChromaticityType is specified in ISO/IEC 21000-7.						
Y_Value	An element describing the luminance of the light source between 0 and 100.						
Correlated_CT	Indicates the correlated color temperature of the overall illumination. The value expression is obtained through quantizing the range [1667, 25000] into 28 bins in a non-uniform way as specified in ISO/IEC 15938-5.						

Semantics of the InputDeviceColorGamutType:

Names	Description
typeLength	This field, which is only present in the binary representation, specifies the length of each IDCG_Type instance in bytes. The value of this element is the size of the largest IDCG_Type instance, aligned to a byte boundary by bit stuffing using 0-7 '1' bits.
IDCG_Type	An element describing the type of input device color gamut (e.g. NTSC, SMPTE).

IDCG_Value

An element describing the chromaticity values of RGB channels when the DAC values are maximum. The size of the IDCG_Value matrix is 3×2 such as

$$\begin{bmatrix} x_r & y_r \\ x_g & y_g \\ x_b & y_b \end{bmatrix}$$

The way of describing the values in the binary representation is in the order of $[x_r, y_r, x_g, y_g, x_b, y_b]$.

5.13.5 Exmaples

Examples of the color correction parameters.

```
<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:InitializeColorCorrectionParameterType">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
      <dcv:ToneReproductionCurves>
        <mpegvct:DAC_Value>0</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.0000 0.0000 0.0000</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>16</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.0093 0.0087 0.0076</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>32</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.0304 0.0312 0.0274</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>48</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.0595 0.0633 0.0557</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>64</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.0947 0.1026 0.0957</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>80</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.1391 0.1486 0.1388</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>96</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.1864 0.1974 0.1863</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>112</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.2400 0.2555 0.2426</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>125</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.2907 0.3082 0.2960</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>144</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.3759 0.3951 0.3841</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>160</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.4582 0.4778 0.4673</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>176</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.5491 0.5666 0.5576</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>192</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.6510 0.6653 0.6528</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>208</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.7503 0.7644 0.7635</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>224</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.8483 0.8644 0.8654</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>240</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>0.9445 0.9546 0.9438</mpegvct:RGB_Value>
        <mpegvct:DAC_Value>255</mpegvct:DAC_Value>
        <mpegvct:RGB_Value>1.0000 1.0000 1.0000</mpegvct:RGB_Value>
      </dcv:ToneReproductionCurves>
      <dcv:ConversionLUT>
        <mpegvct:RGB2XYZ_LUT mpeg7:dim="3 3">
          .6000 67.6000 38.0000
          .0000 137.0000 16.5000
          .3650 19.4100 203.9000
        </mpegvct:RGB2XYZ_LUT>
        <mpegvct:RGBScalar_Max>0.9910 0.9860 0.9820</mpegvct:RGBScalar_Max>
      </dcv:ConversionLUT>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
```

```

    <mpegvct:Offset_Value>0.2150 0.2050 0.4250</mpegvct:Offset_Value>
    <mpegvct:Gain_Offset_Gamma mpeg7:dim="3 3">
      .0228 -0.0228 1.6222
      .0242 -0.0242 1.5624
      .0220 -0.0220 1.6180
    </mpegvct:Gain_Offset_Gamma>
    <mpegvct:InverseLUT mpeg7:dim="3 3">
      .0155 -0.0073 -0.0023
      .0052 0.0099 0.0002
      .0003 -0.0009 0.0049
    </mpegvct:InverseLUT>
  </dcv:ConversionLUT>
  <dcv:ColorTemperature>
    <mpegvct:xy_Value x="0.3127" y="0.3290"/>
    <mpegvct:Y_Value>100</mpegvct:Y_Value>
  </dcv:ColorTemperature>
  <dcv:InputDeviceColorGamut>
    <mpegvct:IDCG_Type>NTSC</mpegvct:IDCG_Type>
    <mpegvct:IDCG_Value mpeg7:dim="3 2">
      .6700 0.3300
      .2100 0.7100
      .1400 0.0800
    </mpegvct:IDCG_Value>
  </dcv:InputDeviceColorGamut>
  <dcv:IlluminanceOfSurround>180</dcv:IlluminanceOfSurround>
</iidl:DeviceCommand>
</iidl:DeviceCommandList>
</iidl:InteractionInfo>

```

5.14 Rigid body motion type

5.14.1 General

This Subclause specifies a device command type which can generate a rigid body motion effect. The properties of the command can be generated by the adaptation engine, which is combining the rigid body motion effect specified by ISO/IEC 23005-3 with the user preference toward the rigid body motion effect and the rigid body motion device capabilities specified by ISO/IEC 23005-2.

5.14.2 Syntax

```

<!-- ##### -->
<!-- Definition of rigid body motion type -->
<!-- ##### -->
<complexType name="RigidBodyMotionType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <sequence>
        <element name="MoveToward" type="dcv:MoveTowardType"
minOccurs="0"/>
        <element name="Incline" type="dcv:InclineType" minOccurs="0"/>
      </sequence>
      <attribute name="duration" type="float"/>
    </extension>
  </complexContent>
</complexType>

<complexType name="MoveTowardType">

```

```

<attribute name="directionX" type="float"/>
<attribute name="directionY" type="float"/>
<attribute name="directionZ" type="float"/>
<attribute name="speedX" type="float"/>
<attribute name="speedY" type="float"/>
<attribute name="speedZ" type="float"/>
<attribute name="accelerationX" type="float"/>
<attribute name="accelerationY" type="float"/>
<attribute name="accelerationZ" type="float"/>
</complexType>

<complexType name="InclineType">
  <attribute name="pitchAngle" type="mpegvct:InclineAngleType" use="optional"/>
  <attribute name="yawAngle" type="mpegvct:InclineAngleType" use="optional"/>
  <attribute name="rollAngle" type="mpegvct:InclineAngleType" use="optional"/>
  <attribute name="pitchSpeed" type="float" use="optional"/>
  <attribute name="yawSpeed" type="float" use="optional"/>
  <attribute name="rollSpeed" type="float" use="optional"/>
  <attribute name="pitchAcceleration" type="float" use="optional"/>
  <attribute name="yawAcceleration" type="float" use="optional"/>
  <attribute name="rollAcceleration" type="float" use="optional"/>
</complexType>

```

5.14.3 Binary representation syntax

RigidBodyMotionType{	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
RigidBodyMotionNormal		RigidBodyMotionNormalType
}else{		
RigidBodyMotionUpdate		RigidBodyMotionUpdateType
}		
}		

RigidBodyMotionNormalType{	Number of bits	Mnemonic
MoveTowardFlag	1	bslbf
InclineFlag	1	bslbf
durationFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if(MoveTowardFlag) {		

MoveToward		MoveTowardTypes
}		
if(InclineFlag) {		
Incline		InclineType
}		
if(durationFlag) {		
duration	32	fsbf
}		
}		
MoveTowardType{		
directionXFlag	1	bslbf
directionYFlag	1	bslbf
directionZFlag	1	bslbf
speedXFlag	1	bslbf
speedYFlag	1	bslbf
speedZFlag	1	bslbf
accelerationXFlag	1	bslbf
accelerationYFlag	1	bslbf
accelerationZFlag	1	bslbf
if(directionXFlag){		
directionX	32	fsbf
}		
if(directionYFlag){		
directionY	32	fsbf
}		
if(directionZFlag){		
directionZ	32	fsbf
}		

if(speedXFlag){		
speedX	32	fsbf
}		
if(speedYFlag){		
speedY	32	fsbf
}		
if(speedZFlag){		
speedZ	32	fsbf
}		
if(accelerationXFlag){		
accelerationX	32	fsbf
}		
if(accelerationYFlag){		
accelerationY	32	fsbf
}		
if(accelerationZFlag){		
accelerationZ	32	fsbf
}		
}		
InclineType{		
pitchAngleFlag	1	bslbf
yawAngleFlag	1	bslbf
rollAngleFlag	1	bslbf
pitchSpeedFlag	1	bslbf
yawSpeedFlag	1	bslbf
rollSpeedFlag	1	bslbf
pitchAccelerationFlag	1	bslbf
YawAccelerationFlag	1	bslbf

rollAccelerationFlag	1	bsbf
if(pitchAngleFlag){		
pitchAngle		InclineAngleType
}		
if(yawAngleFlag){		
yawAngle		InclineAngleType
}		
if(rollAngleFlag){		
rollAngle		InclineAngleType
}		
if(pitchSpeedFlag){		
pitchSpeed	32	fsbf
}		
if(yawSpeedFlag){		
yawSpeed	32	fsbf
}		
if(rollSpeedFlag){		
rollSpeed	32	fsbf
}		
if(pitchAccelerationFlag){		
pitchAcceleration	32	fsbf
}		
if(yawAccelerationFlag){		
yawAcceleration	32	fsbf
}		
if(rollAccelerationFlag){		
rollAcceleration	32	fsbf
}		

}		
---	--	--

RigidBodyMotionUpdateModeType{	Number of bits	Mnemonic
idFlag	1	bslbf
deviceIdRefFlag	1	bslbf
activateFlag	1	bslbf
MoveTowardFlag	1	bslbf
directionXFlag	1	bslbf
directionYFlag	1	bslbf
directionZFlag	1	bslbf
speedXFlag	1	bslbf
speedYFlag	1	bslbf
speedZFlag	1	bslbf
accelerationXFlag	1	bslbf
accelerationYFlag	1	bslbf
accelerationZFlag	1	bslbf
InclineFlag	1	bslbf
pitchAngleFlag	1	bslbf
yawAngleFlag	1	bslbf
rollAngleFlag	1	bslbf
pitchSpeedFlag	1	bslbf
yawSpeedFlag	1	bslbf
rollSpeedFlag	1	bslbf
pitchAccelerationFlag	1	bslbf
yawAccelerationFlag	1	bslbf
rollAccelerationFlag	1	bslbf
durationFlag	1	bslbf
ListUpdate	idFlag+ deviceIdRefFlag+ activate Flag+ MoveTowardFlag+ direction XFlag + directionYFlag + direction ZFlag + speedXFlag + speedYFla	bslbf

	g + speedZFlag + accelerationXFlag + accelerationYFlag + accelerationZFlag + InclineFlag + PitchAngleFlag + YawAngleFlag + RollAngleFlag + PitchSpeedFlag + YawSpeedFlag + RollSpeedFlag + PitchAccelerationFlag + YawAccelerationFlag + RollAccelerationFlag + durationFlag	
ListItemNum = 0		
if(idFlag){		
if(ListUpdate[ListItemNum]){		
id	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(deviceIdRefFlag){		
if(ListUpdate[ListItemNum]){		
deviceIdRef		UTF-8
}		
ListItemNum++		
}		
if(activateFlag){		
if(ListUpdate[ListItemNum]){		
activate	1	bslbf
}		
ListItemNum++		
}		
TimeStamp		TimeStampType
if(MoveTowardFlag) {		
if(ListUpdate[ListItemNum]){		
if(directionXFlag){		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 23005-5:2016

if(ListUpdate[ListItemNum]){		
directionX	32	fsbf
}		
ListItemNum++		
}		
if(directionYFlag){		
if(ListUpdate[ListItemNum]){		
directionY	32	fsbf
}		
ListItemNum++		
}		
if(directionZFlag){		
if(ListUpdate[ListItemNum]){		
directionZ	32	fsbf
}		
ListItemNum++		
}		
if(speedXFlag){		
if(ListUpdate[ListItemNum]){		
speedX	32	fsbf
}		
ListItemNum++		
}		
if(speedYFlag){		
if(ListUpdate[ListItemNum]){		
speedY	32	fsbf
}		
ListItemNum++		

}		
if(speedZFlag){		
if(ListUpdate[ListItemNum]){		
speedZ	32	fsbf
}		
ListItemNum++		
}		
if(accelerationXFlag){		
if(ListUpdate[ListItemNum]){		
accelerationX	32	fsbf
}		
ListItemNum++		
}		
if(accelerationYFlag){		
if(ListUpdate[ListItemNum]){		
accelerationY	32	fsbf
}		
ListItemNum++		
}		
if(accelerationZFlag){		
if(ListUpdate[ListItemNum]){		
accelerationZ	32	fsbf
}		
ListItemNum++		
}		
}		
ListItemNum++		
}		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 23005-5:2016

if(InclineTypeFlag) {		
if(ListUpdate[ListItemNum]){		
if(pitchAngleFlag){		
if(ListUpdate[ListItemNum]){		
pitchAngle		InclineAngle Type
}		
ListItemNum++		
}		
if(yawAngleFlag){		
if(ListUpdate[ListItemNum]){		
yawAngle		InclineAngle Type
}		
ListItemNum++		
}		
if(rollAngleFlag){		
if(ListUpdate[ListItemNum]){		
rollAngle		InclineAngle Type
}		
ListItemNum++		
}		
if(pitchSpeedFlag){		
if(ListUpdate[ListItemNum]){		
pitchSpeed	32	fsbf
}		
ListItemNum++		
}		
if(yawSpeedFlag){		

if(ListUpdate[ListItemNum]){		
yawSpeed	32	fsbf
}		
ListItemNum++		
}		
if(rollSpeedFlag){		
if(ListUpdate[ListItemNum]){		
rollSpeed	32	fsbf
}		
ListItemNum++		
}		
if(pitchAccelerationFlag){		
if(ListUpdate[ListItemNum]){		
pitchAcceleration	32	fsbf
}		
ListItemNum++		
}		
if(yawAccelerationFlag){		
if(ListUpdate[ListItemNum]){		
yawAcceleration	32	fsbf
}		
ListItemNum++		
}		
if(rollAccelerationFlag){		
if(ListUpdate[ListItemNum]){		
rollAcceleration	32	fsbf
}		
ListItemNum++		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 23005-5:2016

}		
}		
ListItemNum++		
}		
if(durationFlag){		
if(ListUpdate[ListItemNum]){		
duration	32	fsbf
}		
}		
}		

5.14.4 Semantics

Semantics of the `RigidBodyMotionType`:

<i>Name</i>	<i>Definition</i>
<code>RigidBodyMotionType</code>	Tool for describing a rigid body motion device command.
<code>MoveToward</code>	Describes the destination axis values of move toward effect. The type is defined by <code>dcv:MoveTowardType</code> .
<code>Incline</code>	Describes the rotation angle of incline effect. The type is defined by <code>dcv:InclineType</code> .
<code>duration</code>	Describes time period during which the rigid body object should continuously move. The object which reaches the destination described by the description of <code>RigidBodyMotionType</code> should stay at the destination until it receives another command with <code>activate="false"</code> .
<code>MoveTowardType</code>	Tool for describing <code>MoveToward</code> commands for each axis
<code>directionX</code>	Describes the position command on x-axis in terms of centimeter with respect to the current position.
<code>directionY</code>	Describes the position command on y-axis in terms of centimeter with respect to the current position.
<code>directionZ</code>	Describes the position command on z-axis in terms of centimeter with respect to the current position.
<code>speedX</code>	Describes the desired speed of the rigid body object on the x-axis in terms of percentage with respect to the maximum speed of the specific device which also be described in the device capability as defined in ISO/IEC 23005-2.

Name	Definition
speedY	Describes the desired speed of the rigid body object on the y-axis in terms of percentage with respect to the maximum speed of the specific device which also be described in the device capability as defined in ISO/IEC 23005-2.
speedZ	Describes the desired speed of the rigid body object on the z-axis in terms of percentage with respect to the maximum speed of the specific device which also be described in the device capability as defined in ISO/IEC 23005-2.
accelerationX	Describes the desired acceleration of the rigid body object on the x-axis in terms of percentage with respect to the maximum acceleration of the specific device which may be described in the device capability as defined in ISO/IEC 23005-2.
accelerationY	Describes the desired acceleration of the rigid body object on the y-axis in terms of percentage with respect to the maximum acceleration of the specific device which may be described in the device capability as defined in ISO/IEC 23005-2.
accelerationZ	Describes the desired acceleration of the rigid body object on the z-axis in terms of percentage with respect to the maximum acceleration of the specific device which may be described in the device capability as defined in ISO/IEC 23005-2.
InclineType	Tool for describing Incline commands for each axis.
pitchAngle	Describes the angle to rotate in y-axis, Θ (pitch) in degrees between -180 and 180. NOTE The pitch angle is increased with counter-clock wise.
yawAngle	Describes the angle to rotate in z-axis, Ψ (yaw) in degrees between -180 and 180. NOTE The yaw angle is increased with counter-clock wise.
rollAngle	Describes the angle to rotate in x-axis, ϕ (roll), in degrees between -180 and 180. NOTE The roll angle is increased with counter-clock wise.
pitchSpeed	Describes the desired speed (command) of rotation for pitch in terms of percentage with respect to the maximum angular speed of the specific device which may be described in the device capability as defined in ISO/IEC 23005-2.
yawSpeed	Describes the desired speed (command) of rotation for yaw in terms of percentage with respect to the maximum angular speed of the specific device which may be described in the device capability as defined in ISO/IEC 23005-2.
rollSpeed	Describes the desired speed (command) of rotation for roll in terms of percentage with respect to the maximum angular speed of the specific device which may be described in the device capability as defined in ISO/IEC 3005-2.

<i>Name</i>	<i>Definition</i>
pitchAcceleration	Describes the desired acceleration (command) of rotation for pitch in terms of percentage with respect to the maximum angular acceleration of the specific device which may be described in the device capability as defined in ISO/IEC 23005-2.
yawAcceleration	Describes the desired acceleration (command) of rotation for yaw in terms of percentage with respect to the maximum angular acceleration of the specific device which may be described in the device capability as defined in ISO/IEC 23005-2.
rollAcceleration	Describes the desired acceleration (command) of rotation for roll in terms of percentage with respect to the maximum angular acceleration of the specific device which may be described in the device capability as defined in ISO/IEC 23005-2.
UpdateMode	This field, which is only present in the binary representation, signals whether the command is on the normal mode or on the update mode. A value of "1" means the update mode shall be used and "0" means the normal mode shall be used.
RigidBodyMotionNormal	This field is used to command a rigid body motion device to perform color correction.
RigidBodyMotionUpdate	This field is used to command a rigid body motion device to perform color correction only for the updated elements.
RigidBodyMotionNormalType	Tool for commanding a rigid body motion device to perform color correction on the normal mode.
MoveTowardFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
InclineFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
durationFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
DeviceCommandBase	Provides the topmost type of the base type hierarchy which each individual device command can inherit.
directionXFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
directionYFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
directionZFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.

<i>Name</i>	<i>Definition</i>
speedXFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
speedYFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
speedZFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
accelerationXFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
accelerationYFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
accelerationZFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
pitchAngleFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
yawAngleFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
rollAngleFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
pitchSpeedFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
yawSpeedFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
rollSpeedFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
pitchAccelerationFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
yawAccelerationFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.

Name	Definition
rollAccelerationFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
rigidBodyMotionUpdateType	Tool for commanding a rigid body motion device to perform color correction on the update mode.
ListUpdate	Describes the updated list among all the active elements in the command.

5.14.5 Examples

This example shows the description of a MoveToward device command. This device will be moved 10 cm on x-axis with 2 cm/sec speed and no acceleration.

```
<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:RigidBodyMotionType">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
      <dcv:MoveToward directionX="10" speedX="2" accelerationX="0"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
```

This example shows the description of a Incline device command. This device will be rotated 60° on y-axis with constant 10 % of its maximum speed.

```
<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:RigidBodyMotionType">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
      <dcv:Incline yawAngle="60" yawSpeed="10" yawAcceleration="0"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
```

5.15 Tactile type

5.15.1 General

This Subclause specifies a device command type which can generate a tactile effect. The properties of the command can be generated by the adaptation engine, which is combining the tactile effect specified by ISO/IEC 23005-3 with the user preference toward the tactile effect and the tactile device capabilities specified by ISO/IEC 23005-2.

5.15.2 Syntax

```
<!-- ##### -->
<!-- Definition of DCV tactile type -->
<!-- ##### -->
<complexType name="TactileType">
```

```

<complexContent>
  <extension base="iidl:DeviceCommandBaseType">
    <sequence>
      <element name="ArrayIntensity" type="mpeg7:FloatMatrixType"
        minOccurs="0"/>
    </sequence>
    <attribute name="tactileDisplay" type="mpeg7:termReferenceType"
      use="optional"/>
  </extension>
</complexContent>
</complexType>

```

5.15.3 Binary representation syntax

TactileType{	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
TactileNormal		TactileNormalType
}else{		
TactileUpdate		TactileUpdateType
}		
}		

TactileNormalType{	Number of bits	Mnemonic
DeviceCommandBase		DeviceCommandBaseType
ArrayIntensityFlag	1	bslbf
tactileDisplayFlag	1	bslbf
if (ArrayIntensityFlag) {		
dimX	4	uimsbf
dimY	16	uimsbf
for (k=0;k<dimX*dimY;k++) {		
ArrayIntensity[k]	32	fsbf
}		
}		
if (tactileDisplayFlag) {		
tactileDisplay	3	bslbf

}		
}		
TactileUpdateType{	Number of bits	Mnemonic
idFlag	1	bslbf
deviceIdRefFlag	1	bslbf
activateFlag	1	bslbf
ArrayIntensityFlag	1	bslbf
tactileDisplayFlag	1	bslbf
ListUpdate	idFlag + deviceIdRefFlag + activateFlag + arrayIntensityFlag + tactileDisplayFlag + 2	bslbf
ListItemNum = 0		
if(idFlag){		
if(ListUpdate[ListItemNum]){		
Id	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(deviceIdRefFlag){		
if(ListUpdate[ListItemNum]){		
deviceIdRef		UTF-8
}		
ListItemNum++		
}		
if(activateFlag){		
if(ListUpdate[ListItemNum]){		
Activate	1	bslbf
}		
ListItemNum++		

}		
TimeStamp		TimeStampType
if (tactileDisplayFlag) {		
if(ListUpdate[ListItemNum]){		
dimX	4	uimsbf
}		
ListItemNum++		
if(ListUpdate[ListItemNum]){		
dimY	16	uimsbf
}		
ListItemNum++		
if(ListUpdate[ListItemNum]){		
Array_intensityMask	dimX*dimY	bslbf
for(k=0;k<dimX*dimY;k++){		
if(Array_intensityMask[k]){		
ArrayIntensity[k]	32	fsbf
}		
}		
}		
ListItemNum++		
}		
if (tactileDisplayFlag) {		
if(ListUpdate[ListItemNum]) {		
tactileDisplay	3	bslbf
}		
ListItemNum++		
}		
}		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 23005-5:2016

5.15.4 Semantics

Semantics of the `TactileType`:

<i>Name</i>	<i>Definition</i>
<code>TactileType</code>	Tool for describing array-type tactile device command. A tactile device is composed of an array of actuators.
<code>ArrayIntensity</code>	Describes the intensities of array actuators in percentage with respect to the maximum intensity described in the device capability. If the intensity is not specified, this command shall be interpreted as turning on at the maximum intensity.
<code>tactileDisplay</code>	Describes the <code>tactileDisplay</code> that shall be used as a reference to a classification scheme term using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. A CS that may be used for this purpose is the <code>TactileDisplayCS</code> defined in the ISO/IEC 23005-6:—, A.2.11.
<code>UpdateMode</code>	This field, which is only present in the binary representation, signals whether the command is on the normal mode or on the update mode. A value of “1” means the update mode shall be used and “0” means the normal mode shall be used.
<code>TactileNormal</code>	This field is used to command an array-type tactile device to perform a tactile effect.
<code>TactileUpdate</code>	This field is used to command an array-type tactile device to perform a tactile effect only for the updated elements.
<code>TactileNormalType</code>	Tool for commanding an array-type tactile device to perform a tactile effect on the normal mode.
<code>dimX</code>	This field, which is only present in the binary representation, specifies the x-direction size of <code>ArrayIntensity</code> .
<code>dimY</code>	This field, which is only present in the binary representation, specifies the y-direction size of <code>ArrayIntensity</code> .
<code>TactileUpdateType</code>	Tool for commanding an array-type tactile device to perform a tactile effect on the update mode.
<code>ListUpdate</code>	Describes the updated list among all the active elements in the command.
<code>Array_intensityMask</code>	This field, which is only present in the binary syntax, specifies a bit-field that indicates whether the updated value is assigned to the corresponding partition.

5.15.5 Examples

An example of the `TactileType` to provide commands to actuate a tactile device is provided as follows. When tactile data formed as an array are given, these data are mapped to tactile devices with 3-by-3 array (note that tactile data are formed with *i*-by-*j* array can be resized to map with the 3-by-3 array of a tactile device). The command data are given as *M*×*N* matrix as shown in the example.

```
<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:TactileType">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
      <dcv:ArrayIntensity mpeg7:dim="3 3">
        25 25 25 0 0 0 15 12 15
      </dcv:ArrayIntensity>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
```

5.16 Kinesthetic type

5.16.1 General

This Subclause specifies a device command type which can generate a kinesthetic effect. The properties of the command can be generated by the adaptation engine, which is combining the kinesthetic effect specified by ISO/IEC 23005-3 with the user preference toward the kinesthetic effect and the kinesthetic device capabilities specified by ISO/IEC 23005-2.

5.16.2 Syntax

```
<!-- ##### -->
<!-- Definition of DCV kinesthetic type -->
<!-- ##### -->
<complexType name="KinestheticType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <sequence>
        <element name="Position" type="mpegvct:Float3DVectorType"
          minOccurs="0"/>
        <element name="Orientation" type="mpegvct:Float3DVectorType"
          minOccurs="0"/>
        <element name="Force" type="mpegvct:Float3DVectorType"
          minOccurs="0"/>
        <element name="Torque" type="mpegvct:Float3DVectorType"
          minOccurs="0"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
```

5.16.3 Binary representation syntax

KinestheticType {	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
KinestheticNormal		KinestheticNormalType
}else{		

KinestheticUpdate		KinestheticUpdateType
}		
}		

KinestheticNormalType{	Number of bits	Mnemonic
PositionFlag	1	bslbf
OrientationFlag	1	bslbf
ForceFlag	1	bslbf
TorqueFlag	1	bslbf
DeviceCommandBase		DeviceCommandBaseType
if(PositionFlag){		
Position		Float3DVectorType
}		
if(OrientationFlag){		
Orientation		Float3DVectorType
}		
if(ForceFlag){		
Force		Float3DVectorType
}		
if(TorqueFlag){		
Torque		Float3DVectorType
}		
}		
Float3DVectorType {		
X	32	fsbf
Y	32	fsbf
Z	32	fsbf
}		

KinestheticUpdateType{	Number of bits	Mnemonic
idFlag	1	bslbf
deviceIdRefFlag	1	bslbf
activateFlag	1	bslbf
PositionFlag	1	bslbf
OrientationFlag	1	bslbf
ForceFlag	1	bslbf
TorqueFlag	1	bslbf
ListUpdate	idFlag + deviceIdRefFlag + activateFlag + PositionFlag + OrientationFlag + ForceFlag + TorqueFlag	bslbf
ListItemNum = 0		
if(idFlag){		
if(ListUpdate[ListItemNum]){		
id	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(deviceIdRefFlag){		
if(ListUpdate[ListItemNum]){		
deviceIdRef		UTF-8
}		
ListItemNum++		
}		
if(activateFlag){		
if(ListUpdate[ListItemNum]){		
activate	1	bslbf
}		
ListItemNum++		

}		
TimeStamp		TimeStampType
if(PositionFlag){		
if(ListUpdate[ListItemNum]){		
Position		Float3DVectorType
}		
ListItemNum++		
}		
if(OrientationFlag){		
if(ListUpdate[ListItemNum]){		
Orientation		Float3DVectorType
}		
ListItemNum++		
}		
if(ForceFlag){		
if(ListUpdate[ListItemNum]){		
Force		Float3DVectorType
}		
ListItemNum++		
}		
if(TorqueFlag){		
if(ListUpdate[ListItemNum]){		
Torque		Float3DVectorType
}		
}		
}		

5.16.4 Semantics

Semantics of the KinestheticType:

<i>Name</i>	<i>Definition</i>
KinestheticType	Describes a command for a kinesthetic device.
Position	Describes the position that a kinesthetic device shall take in millimeters along each axis of X, Y and Z, with respect to the home position of the device.
Orientation	Describes the orientation that a kinesthetic device shall take in degrees along each axis of X, Y and Z, with respect to the home orientation of the device.
Force	Describes the force of kinesthetic effect in percentage with respect to the maximum force described in the device capability. If the Force is not specified, this command shall be interpreted as turning on at the maximum force. This element takes Float3DVectorType type defined in ISO/IEC 23005-6.
Torque	Describes the torque of kinesthetic effect in percentage with respect to the maximum torque described in the device capability. If the Torque is not specified, this command shall be interpreted as turning on at the maximum torque. This element takes Float3DVectorType type defined in ISO/IEC 23005-6.
UpdateMode	This field, which is only present in the binary representation, signals whether the command is on the normal mode or on the update mode. A value of "1" means the update mode shall be used and "0" means the normal mode shall be used.
TactileNormal	This field is used to command a kinesthetic device to perform kinesthetic effects.
TactileUpdate	This field is used to command a kinesthetic device to perform kinesthetic effects only for the updated elements.
TactileNormalType	Tool for commanding a kinesthetic device to perform kinesthetic effects on the normal mode.
PositionFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
OrientationFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
ForceFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
TorqueFlag	This field, which is only present in the binary representation, signals the presence of device command attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
DeviceCommandBase	Provides the topmost type of the base type hierarchy which each individual device command can inherit.

Name	Definition
Float3DVectorType	Tool for describing a 3D vector
X	Describes the sensed value in x-axis.
Y	Describes the sensed value in y-axis.
Z	Describes the sensed value in z-axis.
KinestheticUpdateType	Tool for commanding a kinesthetic device to perform kinesthetic effects on the normal mode.
ListUpdate	Describes the updated list among all the active elements in the command.

5.16.5 Examples

An example of the `KinestheticType`, to provide commands to actuate a kinesthetic device, is provided as follows. This example provide position, $P_{x,y,z}$ (40 mm, 60 mm, 120 mm) and orientation, $O_{x,y,z}$ (5°, 7°, 19°) information that a kinesthetic device may be moved to.

```

<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:KinestheticType">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
      <dcv:Position>
        <mpegvct:X>40</mpegvct:X>
        <mpegvct:Y>60</mpegvct:Y>
        <mpegvct:Z>120</mpegvct:Z>
      </dcv:Position>
      <dcv:Orientation>
        <mpegvct:X>5</mpegvct:X>
        <mpegvct:Y>7</mpegvct:Y>
        <mpegvct:Z>19</mpegvct:Z>
      </dcv:Orientation>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>

```

5.17 Global position command type

5.17.1 General

This Subclause specifies XML syntax, binary representation syntax, and semantics of the `GlobalPositionCommandType` command with an example instantiation of the command. This command is intended to command an unmanned mobile vehicle/device, such as an unmanned aerial vehicle or an unmanned automobile, to move to a certain position specified by the global position coordinates. The altitude attribute may not be applicable to automobiles as they cannot change their altitude. On the other hand, the altitude attribute should be accepted as a command by the aerial vehicles as they can change its altitude as commanded.

5.17.2 Syntax

```

<!--##### -->
<!--Definition of global position command type -->
<!--##### -->
<complexType name="GlobalPositionCommandType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType">
      <attribute name="crs" type="anyURI"
default="urn:ogc:def:crs:EPSG::4979"/>
      <attribute name="longitude" use="required">
        <simpleType>
          <restriction base="double">
            <minInclusive value="-180.0"/>
            <maxInclusive value="180.0"/>
          </restriction>
        </simpleType>
      </attribute>
      <attribute name="latitude" use="required">
        <simpleType>
          <restriction base="double">
            <minInclusive value="-90.0"/>
            <maxInclusive value="90.0"/>
          </restriction>
        </simpleType>
      </attribute>
      <attribute name="altitude" type="double" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

5.17.3 Binary representation syntax

GlobalPositionCommandType{	Number of bits	Mnemonic
DeviceCommandBaseType	See above	DeviceCommmandBaseType
altitudeFlag	1	
crsLength		vluimsbf5
crs		UTF-8
longitude	32	Fsfb
latitude	32	Fsfb
if (altitudeFlag) {		
altitude	32	Fsfb
}		
}		

5.17.4 Semantics

Semantics of the GlobalPositionCommandType:

Name	Definition
GlobalPositionCommandType	Tool for commanding mobile device to move to the destination designated by the description.
TimeStamp	Describes the time that the command is issued.
crsLength	Provides length of the crs field in binary format in bytes.
crs	Specifies the URI of the coordinate reference system based on which the values of longitude, latitude and altitude are given. The default is urn:ogc:def:crs:EPSG::4979 specifying the Coordinate Reference System (CRS) with code 4979 specified in the EPSG database available at http://www.epsg.org/ .
longitude	Describes the destination point in degrees of longitude. Positive values represent eastern longitude and negative values represent western longitude. EXAMPLE -132.236 represents 132.236 degrees West.
latitude	Describes the destination point in degrees of latitude. Positive value represents northern latitude and negative value represents southern latitude. EXAMPLE 37.103 represents 37.103 degrees North.
altitude	Describes the destination altitude in terms of meters above the geoid. When this attribute is not specified, it implies that the device is requested to maintain the current altitude.

5.17.5 Examples

EXAMPLE This example shows the description of a global position command with the following semantics. The mobile device of id "FLY001" is command to go to the latitude of 37.23456 degrees N, the longitude of 131.23456 degrees E, and the altitude of 252.7 meters above the geoid. The command is issued at system clock tick of 600 000 where there are 1 000 ticks per second. The id of this command is "GPC001."

```
<iidl:DeviceCommand xsi:type="dcv:GlobalPositionCommandType" id="GPC001"
deviceIdRef="FLY001" activate="true" longitude="131.23456" latitude="37.23456"
altitude="252.7">
<iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:DeviceCommand>
```

5.18 Bubble type

5.18.1 General

This Subclause specifies XML syntax, binary representation syntax, and semantics of the BubbleType command with an example instantiation of the command. This command is intended to command an bubble effect generator.

5.18.2 Syntax

```

<!-- ##### -->
<!-- Definition of Bubble type -->
<!-- ##### -->
<complexType name="BubbleType">
  <complexContent>
    <extension base="iidl:DeviceCommandBaseType"/>
  </complexContent>
</complexType>
    
```

5.18.3 Binary representation

BubbleType {	Number of bits	Mnemonic
DeviceCommandBase		DeviceCommandBaseType
}		

5.18.4 Semantics

Semantics of the BubbleType:

Name	Definition
BubbleType	Tool for describing a bubble device command.

5.18.5 Examples

This example shows the description of a device command of color correction effect with the following semantics. The device for the bubble effect is “bubble1”.

This example shows the description of a device command of bubble effect with the following semantics. The identifier for this command is “bubble01” and the identifier for the bubble device for which this command is issued is “bubble001”. The activate value is true of “bubble001.”

```

<iidl:InteractionInfo>
  <iidl:DeviceCommandList>
    <iidl:DeviceCommand xsi:type="dcv:BubbleType" id="bubble01"
deviceIdRef="bubble001" activate="true">
      <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="1:30:23"/>
    </iidl:DeviceCommand>
  </iidl:DeviceCommandList>
</iidl:InteractionInfo>
    
```

6 Sensed information vocabulary

6.1 General

This Clause describes syntax and semantics of the sensed information vocabulary to implement exchange of information acquired from individual sensors.

This Clause also describes the binary representation of each individual sensed information. There are two possible modes for the sensors requiring a high speed update rate and large data, such as motion sensor and intelligent camera, can utilize the update mode in addition to the normal mode. The sensed information with the update mode parses the elements, which values are different from their corresponding values in the previous sensed information.

6.2 Schema wrapper conventions

The Syntax defined in this Clause assumes the following Schema Wrapper to form a valid XML schema document.

```
<schema xmlns="http://www.w3.org/2001/XMLSchema"
xmlns:mpeg7="urn:mpeg:mpeg7:schema:2004" xmlns:siv="urn:mpeg:mpeg-v:2016:01-SIV-
NS" xmlns:iidl="urn:mpeg:mpeg-v:2016:01-IIDL-NS" xmlns:mpegvct="urn:mpeg:mpeg-
v:2016:01-CT-NS" targetNamespace="urn:mpeg:mpeg-v:2016:01-SIV-NS"
elementFormDefault="qualified" attributeFormDefault="unqualified"
version="ISO/IEC 23005-5" id="MPEG-V-SIV.xsd">
  <import namespace="urn:mpeg:mpeg-v:2016:01-IIDL-NS"
schemaLocation="http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-IIDL.xsd"/>
  <import namespace="urn:mpeg:mpeg-v:2016:01-CT-NS"
schemaLocation="http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-CT.xsd"/>
  <import namespace="urn:mpeg:mpeg7:schema:2004"
schemaLocation="http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
7_schema_files/mpeg7-v2.xsd"/>
```

Additionally, the following line should be appended to the resulting schema document in order to obtain a well-formed XML document.

```
</schema>
```

6.3 Light sensor type

6.3.1 General

This Subclause specifies a sensor type which senses light intensity and color. The light sensor type does not specify any sensing methods such as photo resistor technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The properties of the sensor are specified in the light sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include multisensorial effect control, home securities, environmental monitoring and others.

6.3.2 Syntax

```

<!--##### -->
<!--Definition of light sensor type -->
<!--##### -->
<complexType name="LightSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="siv:valueType" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
      <attribute name="color" type="mpegvct:colorType" use="optional"/>
      <attribute name="colorValue" type="siv:colorValueType"
use="optional"/><attribute name="model" type="siv:colorSpaceType"
use="optional"/>
    </extension>
  </complexContent>
</complexType>

<simpleType name="valueType">
  <union memberTypes="float siv:colorWType"/>
</simpleType>

<simpleType name="colorWType">
  <restriction base="NMTOKEN">
    <whiteSpace value="collapse"/>
    <pattern value="#[0-9A-Fa-f]{2}"/>
  </restriction>
</simpleType>

<simpleType name="colorValueType">
  <restriction base="mpeg7:doubleVector">
    <length value="3"/>
  </restriction>
</simpleType>

<simpleType name="colorSpaceType">
  <restriction base="NMTOKEN">
    <enumeration value="XYZ"/>
    <enumeration value="Yxy"/>
    <enumeration value="Lab"/>
    <enumeration value="Lch"/>
    <enumeration value="LUV"/>
    <enumeration value="HunterLab"/>
  </restriction>
</simpleType>

```

6.3.3 Binary representation syntax

LightSensorType{	Number of bits	Mnemonic
valueFlag	1	bslbf
unitFlag	1	bslbf
colorFlag	1	bslbf

colorValueFlag	1	bslbf
modelFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(valueFlag) {		
value		valueType
}		
if(unitFlag) {		
unit	8	bslbf
}		
if(colorFlag) {		
color		colorType
}		
if(colorValueFlag) {		
colorValue	32*3	fsbf
}		
if(modelFlag) {		
model	3	bslbf
}		
}		
valueType {		
whiteFlag	1	bslbf
if (whiteFlag) {		
white	8	bslbf
} else {		
lux	32	fsbf
}		
}		

6.3.4 Semantics

Semantics of the `LightSensorType`:

Name	Definition		
<code>LightSensorType</code>	Tool for describing sensed information with respect to a light sensor.		
<code>TimeStamp</code>	Describes the time that the information is acquired (sensed).		
<code>value</code>	<p>Describes the sensed intensity of the light with respect to Lux. This attribute can be used to represent “White” when the light sensor senses “RGBW”.</p> <p>EXAMPLE #F0 would describe the white color value in XML syntax.</p>		
<code>unit</code>	<p>Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.</p>		
<code>color</code>	<p>Describes the list of colors which the light sensor can sense either as a reference to a classification scheme that shall be using the <code>meg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6 or as RGB value. A CS that may be used for this purpose is the <code>ColorCS</code> defined in ISO/IEC 23005-6:—, A.2.2.</p> <p>EXAMPLE 1 <code>urn:mpeg:mpeg-v:01-SI-ColorCS-NS:alice_blue</code> would describe the color Alice blue.</p> <p>EXAMPLE 2 The RGB representation of the color Alice blue is #F0E8FF.</p>		
<code>valueType</code>	Describes the light intensity with respect to Lux or White.		
<code>colorWType</code>	Tool for describing a color in 1 byte (256 level) value of White.		
<code>colorValue</code>	Describes the sensed values of a color sensor with respect to color space models.		
<code>model</code>	Describes the color model of the sensed values from a color sensor using <code>colorSpaceType</code> .		
<code>colorValueType</code>	<p>Describes three values from a color sensor. The meaning of the three values is determined by the color space model.</p> <p>EXAMPLE The color model CIEXYZ would have three values of X, Y, and Z in order.</p>		
<code>colorSpaceType</code>	<p>The color space models utilized by a color sensor are Yxy, CIEXYZ, CIELAB, CIELCH, CIELUV, and Hunter Lab.</p> <table border="1" data-bbox="507 2002 1324 2060"> <tr> <td>color space</td> <td>value</td> </tr> </table>	color space	value
color space	value		

Name	Definition														
	<table border="1"> <tr> <td>Yxy</td> <td>000</td> </tr> <tr> <td>CIEXYZ (XYZ)</td> <td>001</td> </tr> <tr> <td>CIELAB (Lab)</td> <td>010</td> </tr> <tr> <td>CIELCH (Lch)</td> <td>011</td> </tr> <tr> <td>CIELUV (LUV)</td> <td>100</td> </tr> <tr> <td>HunterLab</td> <td>101</td> </tr> <tr> <td>reserved</td> <td>110-111</td> </tr> </table>	Yxy	000	CIEXYZ (XYZ)	001	CIELAB (Lab)	010	CIELCH (Lch)	011	CIELUV (LUV)	100	HunterLab	101	reserved	110-111
Yxy	000														
CIEXYZ (XYZ)	001														
CIELAB (Lab)	010														
CIELCH (Lch)	011														
CIELUV (LUV)	100														
HunterLab	101														
reserved	110-111														
valueFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.														
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of "1" means the user-defined unit shall be used and "0" means the user-defined unit shall not be used.														
colorFlag	This field, which is only present in the binary representation, signals the presence of color attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.														
colorValueFlag	This field, which is only present in the binary representation, signals the presence of colorValue attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.														
modelFlag	This field, which is only present in the binary representation, signals the presence of model attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.														
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.														
whiteFlag	This field, which is only present in the binary representation, indicates a choice of the value descriptions. If it is 1, then the value is given by the white, otherwise, the value is described by lux.														
white	This field, which is only present in the binary representation, describes value means "White" when the light sensor senses "RGBW".														
lux	This field, which is only present in the binary representation, describes value means "Lux".														

6.3.5 Examples

This example shows the description of a light sensing with the following semantics. The sensor has an ID of “LS001” and references “LSID001”. The sensor shall be activated and the value shall be 200 (LUX) with the color #FF0000. The sensor shall be sensed at system clock tick of 600 000 where there are 1 000 ticks per second.

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:LightSensorType" id="LS001"
      sensorIdRef="LSID001" activate="true" value="200" color="#FF0000">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="1000"
        pts="600000"/>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

6.4 Ambient noise sensor type

6.4.1 General

This Subclause specifies a sensor type which senses ambient noise and its duration. The ambient noise sensor type does not specify any sensing methods such as audio and microphone technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The properties of the sensor are specified in the ambient noise sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include multisensorial effect control, home securities, environmental monitoring and others.

6.4.2 Syntax

```
<!--##### -->
<!--Definition of ambient noise sensor type -->
<!--##### -->
<complexType name="AmbientNoiseSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="lifespan" type="float" use="optional"/>
      <attribute name="value" type="float" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.4.3 Binary representation syntax

AmbientNoiseSensorType{	Number of bits	Mnemonic
lifespanFlag	1	bslbf
valueFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType

if(lifespanFlag) {		
Lifespan	32	fsbf
}		
if(valueFlag) {		
value	32	fsbf
}		
if(unitFlag) {		
unit	8	bslbf
}		
}		

6.4.4 Semantics

Semantics of the `AmbientNoiseSensorType`:

<i>Name</i>	<i>Definition</i>
<code>AmbientNoiseSensorType</code>	Tool for describing sensed information using an ambient noise sensor.
<code>TimeStamp</code>	Describes the time that the information is acquired (sensed).
<code>lifespan</code>	Describes the duration taken to measure the information based on the timestamp. The unit of lifespan is the internal clock count.
<code>value</code>	Describes the sensed value of the ambient noise with respect to decibel (dB).
<code>unit</code>	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
<code>lifespanFlag</code>	This field, which is only present in the binary representation, signals the presence of the life span attribute. A value of “1” means the lifespan shall be used and “0” means the lifespan shall not be used.
<code>valueFlag</code>	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.

unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of “1” means the user-defined unit shall be used and “0” means the user-defined unit shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.

6.4.5 Examples

This example shows the description of an ambient noise sensing with the following semantics. The sensor has an ID of “ANS001” and references “ANSID001”. The sensor shall be activated and the value shall be 10 (dB). The sensor shall be sensed at timestamp=“60000” where there are 100 clock ticks per second with a lifespan of 5 sec.

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:AmbientNoiseSensorType" id="ANS001"
      sensorIdRef="ANSID001" activate="true" value="10" lifespan="500">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType"
        timeScale="100" pts="60000"/>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

6.5 Temperature sensor type

6.5.1 General

This Subclause specifies a sensor type which senses temperature. The temperature sensor type does not specify any sensing methods such as the thermally sensitive resistor technology. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The properties of the sensor are specified in the temperature sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include multisensorial effect control, home securities, environmental monitoring and others.

6.5.2 Syntax

```
<!--##### -->
<!--Definition of temperature sensor type -->
<!--##### -->
<complexType name="TemperatureSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.5.3 Binary representation syntax

TemperatureSensorType{	Number of bits	Mnemonic
valueFlag	1	bslbf
unitFlag	1	bslbf
if(valueFlag) {		
value	32	fsbf
}		
if(unitFlag) {		
unit	8	bslbf
}		
}		

6.5.4 Semantics

Semantics of the TemperatureSensorType:

Name	Definition
TemperatureSensorType	Tool for describing sensed information with respect to a temperature sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
unit	Specifies the unit of the sensed value, if a unit other than the default unit (Celsius) is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
Value	Describes the sensed value of the temperature with respect to the Celsius scale.
valueFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of “1” means the user-defined unit shall be used and “0” means the user-defined unit shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each

Name	Definition
	individual sensed information can inherit.

6.5.5 Examples

This example shows the description of a temperature sensing with the following semantics. The sensor has an ID of “TS001” and references “TSID001”. The sensor shall be activated and the value shall be 36,5 °C. The sensor shall be sensed at timestamp=“60000” where there are 100 clock ticks per second.

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:TemperatureSensorType" id="TS001"
      sensorIdRef="TSID001" activate="true" value="36.5">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

6.6 Humidity sensor type

6.6.1 General

This Subclause specifies a sensor type which senses humidity. The humidity sensor type does not specify any sensing methods such as the capacitive, resistive, and conductivity technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The properties of the sensor are specified in the humidity sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include multisensorial effect control, home securities, environmental monitoring and others.

6.6.2 Syntax

```
<!--##### -->
<!--Definition of humidity sensor type -->
<!--##### -->
<complexType name="HumiditySensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.6.3 Binary representation syntax

HumiditySensorType{	<i>Number of bits</i>	<i>Mnemonic</i>
valueFlag	1	bslbf
unitFlag	1	bslbf

SensedInfoBaseType		SensedInfoBaseTypeType
if(valueFlag) {		
Value	32	fsbf
}		
if(unitFlag) {		
Unit	8	bslbf
}		
}		

6.6.4 Semantics

Semantics of the HumiditySensorType:

<i>Name</i>	<i>Definition</i>
HumiditySensorType	Tool for describing sensed information with respect to a humidity sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
value	Describes the value sensed by the humidity sensor with respect to percentage (%).
valueFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of “1” means the user-defined unit shall be used and “0” means the user-defined unit shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.

6.6.5 Examples

This example shows the description of a humidity sensing with the following semantics. The sensor has an ID of “HS001” and references “HSID001”. The sensor shall be activated and the value shall be 60 %.The sensor shall be sensed at timestamp=“60000” where there are 100 clock ticks per second.

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:HumiditySensorType" id="HS001"
      sensorIdRef="HSID001" activate="true" value="60">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

6.7 Distance sensor type

6.7.1 General

This Subclause specifies a sensor type which senses distance from the sensor-specified point to a sensed object. The distance sensor type does not specify any sensing methods such as ultrasonic, optical, and inductive technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in the distance sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, security systems, and others.

6.7.2 Syntax

```
<!--##### -->
<!--Definition of distance sensor type -->
<!--##### -->
<complexType name="DistanceSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.7.3 Binary representation syntax

DistanceSensorType{	Number of bits	Mnemonic
valueFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(valueFlag) {		
value	32	fsbf

}		
if(unitFlag) {		
unit	8	bslbf
}		
}		

6.7.4 Semantics

Semantics of the `DistanceSensorType`:

Name	Definition
<code>DistanceSensorType</code>	Tool for describing sensed information with respect to a length sensor.
<code>TimeStamp</code>	Describes the time that the information is acquired (sensed).
<code>unit</code>	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
<code>value</code>	Describes the sensed value from the length sensor with respect to metre (m).
<code>valueFlag</code>	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
<code>unitFlag</code>	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of "1" means the user-defined unit shall be used and "0" means the user-defined unit shall not be used.
<code>SensedInfoBaseType</code>	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.

6.7.5 Examples

This example shows the description of a length sensing with the following semantics. The sensor has an ID of "LS001" and references "LSID001". The sensor shall be activated and the value shall be 5 m. The sensor shall be sensed at `timestamp="60000"` where there are 100 clock ticks per second.

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:DistanceSensorType" id="DS001">
```

```

        sensorIdRef="DSID001" activate="true" value="5.0" >
        <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
            pts="60000"/>
    </iidl:SensedInfo>
</iidl:SensedInfoList>
</iidl:InteractionInfo>
    
```

6.8 Atmospheric pressure sensor type

6.8.1 General

This Subclause specifies a sensor type which senses atmospheric pressure. The atmospheric pressure sensor type does not specify any sensing methods such as the capacitive, resistive, and conductivity technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The properties of the sensor are specified in the atmospheric pressure sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include multisensorial effect control, environmental monitoring and others.

6.8.2 Syntax

```

<!--##### -->
<!--Definition of atmospheric pressure Sensor type -->
<!--##### -->
<complexType name="AtmosphericPressureSensorType">
    <complexContent>
        <extension base="iidl:SensedInfoBaseType">
            <attribute name="value" type="float" use="optional"/>
            <attribute name="unit" type="mpegvct:unitType" use="optional"/>
        </extension>
    </complexContent>
</complexType>
    
```

6.8.3 Binary representation syntax

AtmosphericPressureSensorType{	Number of bits	Mnemonic
valueFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(valueFlag) {		
Value	32	fsbf
}		
if(unitFlag) {		
Unit	8	bslbf
}		
}		

6.8.4 Semantics

Semantics of the AtmosphericPressureSensorType:

Name	Definition
AtmosphericPressureSensorType	Tool for describing sensed information with respect to an atmospheric pressure sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in 7.4.6 of ISO/IEC 15938-5:2003. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in A.2.1 of ISO/IEC 23005-6. The binary representation of the <code>UnitTypeCS</code> is also defined in A.2.1 of ISO/IEC 23005-6.
value	Describes the sensed value from the humidity sensor with respect to hectopascal (hPa).
valueFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of "1" means the user-defined unit shall be used and "0" means the user-defined unit shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.

6.8.5 Examples

This example shows the description of an atmospheric pressure sensing with the following semantics. The sensor has an ID of "APS001" and references "APSID001". The sensor shall be activated and the value shall be 1 000 hPa. The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:AtmosphericPressureSensorType" id="APS001"
      sensorIdRef="APSID001" activate="true" value="1000.0" >
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

6.9 Position sensor type

6.9.1 General

This Subclause specifies a sensor type which senses position. The position sensor type does not specify any sensing methods such as ultrasonic, optical, and inductive technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in the position sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, natural user interface, security systems, and others.

6.9.2 Syntax

```

<!--##### -->
<!--Definition of position sensor type -->
<!--##### -->
<complexType name="PositionSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="Position" type="mpegvct:Float3DVectorType"
          minOccurs="0"/>
      </sequence>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
    
```

6.9.3 Binary representation syntax

PositionSensorType {	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
PositionSensorNormal		PositionSensorNormalType
}else{		
PositionSensorUpdate		PositionSensorUpdateType
}		
}		

PositionSensorNormalType{	Number of bits	Mnemonic
positionFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType

if(positionFlag) {		
position		Float3DVectorType
}		
if(unitFlag) {		
unit	8	bslbf
}		
}		

PositionSensorUpdateType {	Number of bits	Mnemonic
TimeStampFlag	1	bslbf
IDFlag	1	bslbf
sensorIdRefFlag	1	bslbf
linkedlistFlag	1	bslbf
groupIDFlag	1	bslbf
priorityFlag	1	bslbf
activateFlag	1	bslbf
positionFlag	1	bslbf
unitFlag	1	bslbf
ListUpdate	TimeStampFlag + IDFlag + sensorIdRefFlag + linkedlistFlag + groupIDFlag + priorityFlag + activateFlag + positionFlag + unitFlag	bslbf
ListItemNum = 0		
if(TimeStampFlag){		
if(ListUpdate[ListItemNum]){		
TimeStamp		TimeStampType
}		
ListItemNum++		
}		
if(IDFlag){		

if(ListUpdate[ListItemNum]){		
ID	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(sensorIdRefFlag){		
if(ListUpdate[ListItemNum]){		
sensorIdRef		UTF-8
}		
ListItemNum++		
}		
if(linkedListFlag){		
if(ListUpdate[ListItemNum]){		
linkedList		UTF-8
}		
ListItemNum++		
}		
if(groupIdFlag){		
if(ListUpdate[ListItemNum]){		
groupId		UTF-8
}		
ListItemNum++		
}		
if(priorityFlag){		
if(ListUpdate[ListItemNum]){		
priority	8	uimsbf
}		
ListItemNum++		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 23005-5:2016

}		
if(activateFlag){		
if(ListUpdate[ListItemNum]){		
activate	1	bslbf
}		
ListItemNum++		
}		
if(positionFlag){		
if(ListUpdate[ListItemNum]){		
position		Float3DVector Type
}		
ListItemNum++		
}		
if(unitFlag){		
if(ListUpdate[ListItemNum]){		
unit	8	bslbf
}		
}		
}		

6.9.4 Semantics

Semantics of the PositionSensorType:

Name	Definition
PositionSensorType	Tool for describing sensed information with respect to a position sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
Position	Describes the 3D value of the position sensor in the unit of meter (m). The origin of the coordinate shall be the position of the object sensed at the time of sensor activation. If a calibration has been performed on the position of the sensor, the origin shall be the position after the calibration. If this sensed information is used with

Name	Definition
	the <code>PositionSensorCapability</code> information defined in ISO/IEC 23005-2, the origin of the coordinate shall be defined in the <code>PositionSensorCapability</code> .
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
UpdateMode	This field, which is only present in the binary representation, signals whether the sensed information is on the normal mode or on the update mode. A value of “1” means the update mode shall be used and “0” means the normal mode shall be used.
PositionSensorNormal	This field is used to send the sensed information from a position sensor.
PositionSensorUpdate	This field is used to send the sensed information from a position sensor only for the updated elements.
PositionSensorNormalType	This field is used to send the sensed information from a position sensor on the normal mode.
positionFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of “1” means the user-defined unit shall be used and “0” means the user-defined unit shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.
PositionSensorUpdateType	This field is used to send the sensed information from a position sensor on the update mode.
ListUpdate	Describes the updated list among all the active elements in the sensed information.
priority	Describes a priority for sensed information with respect to other sensed information sharing the same point in time when the sensed information becomes adapted. A value of one indicates the highest priority and larger values indicate lower priorities. The default value of the priority is one. If there are more than one sensed information with the same priority, the order of process can be determined by the Adaptation engine itself.
	NOTE The priority might be used to apply the sensed information on the virtual world object characteristics, defined within a group of sensors, according to the capabilities of the adaptation VR.

Name	Definition
	EXAMPLE The adaptation RV processes the individual sensed information of a group of sensors according to their priority in descending order due to its limited capabilities. That is, the sensed information with the lower priority might get lost.

6.9.5 Examples

This example shows the description of a position sensing with the following semantics. The sensor has an ID of "PS001" and references "PSID001". The sensor shall be activated and the value shall be Px="1.5" (m), Py="0.5" (m), and Pz="-2.1" (m). The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```

<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:PositionSensorType" id="PS001"
      sensorIdRef="PSID001" activate="true" >
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
      <siv:Position>
        <mpegvct:X>1.5</mpegvct:X>
        <mpegvct:Y>0.5</mpegvct:Y>
        <mpegvct:Z>-2.1</mpegvct:Z>
      </siv:Position>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>

```

6.10 Velocity sensor type

6.10.1 General

This Subclause specifies a sensor type which senses velocity. The velocity sensor type does not specify any sensing methods such as ultrasonic, optical, inertial and inductive technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in the velocity sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, natural user interface, security systems, and others.

6.10.2 Syntax

```

<!--##### -->
<!--Definition of velocity sensor type -->
<!--##### -->
<complexType name="VelocitySensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="Velocity" type="mpegvct:Float3DVectorType"
          minOccurs="0"/>
      </sequence>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

6.10.3 Binary representation syntax

VelocitySensorType {	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
VelocitySensorNormal		VelocitySensorNormalType
}else{		
VelocitySensorUpdate		VelocitySensorUpdateType
}		
}		

VelocitySensorNormalType{	Number of bits	Mnemonic
velocityFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(velocityFlag) {		
velocity		Float3DVectorType
}		
if(unitFlag) {		
unit	8	bslbf
}		
}		

VelocitySensorUpdateType{	Number of bits	Mnemonic
TimeStampFlag	1	bslbf
IDFlag	1	bslbf
sensorIdRefFlag	1	bslbf
linkedListFlag	1	bslbf
groupIDFlag	1	bslbf

priorityFlag	1	bslbf
activateFlag	1	bslbf
velocityFlag	1	bslbf
unitFlag	1	bslbf
ListUpdate	TimeStampFlag + IDFlag + sensorIdRefFlag + linkedlistFlag + groupIDFlag + priorityFlag + activateFlag + velocityFlag + unitFlag	bslbf
ListItemNum = 0		
if(TimeStampFlag){		
if(ListUpdate[ListItemNum]){		
TimeStamp		TimeStampType
}		
ListItemNum++		
}		
if(IDFlag){		
if(ListUpdate[ListItemNum]){		
ID	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(sensorIdRefFlag){		
if(ListUpdate[ListItemNum]){		
sensorIdRef		UTF-8
}		
ListItemNum++		
}		
if(linkedlistFlag){		
if(ListUpdate[ListItemNum]){		
linkedlist		UTF-8

}		
ListItemNum++		
}		
if(groupIDFlag){		
if(ListUpdate[ListItemNum]){		
groupID		UTF-8
}		
ListItemNum++		
}		
if(priorityFlag){		
if(ListUpdate[ListItemNum]){		
priority	8	uimsbf
}		
ListItemNum++		
}		
if(activateFlag){		
if(ListUpdate[ListItemNum]){		
activate	1	bslbf
}		
ListItemNum++		
}		
if(velocityFlag){		
if(ListUpdate[ListItemNum]){		
velocity		Float3DVector Type
}		
ListItemNum++		
}		
if(unitFlag){		
if(ListUpdate[ListItemNum]){		

unit	8	bslbf
}		
}		
}		

6.10.4 Semantics

Semantics of the `VelocitySensorType`:

<i>Name</i>	<i>Definition</i>
<code>VelocitySensorType</code>	Tool for describing sensed information with respect to a velocity sensor.
<code>TimeStamp</code>	Describes the time that the information is acquired (sensed).
<code>Velocity</code>	Describes the sensed velocity by the sensor in a three dimensional vector with respect to metre per second (m/s).
<code>Unit</code>	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
<code>UpdateMode</code>	This field, which is only present in the binary representation, signals whether the sensed information is on the normal mode or on the update mode. A value of “1” means the update mode shall be used and “0” means the normal mode shall be used.
<code>VelocitySensorNormal</code>	This field, which is only present in the binary representation, is used to send the sensed information from a velocity sensor.
<code>VelocitySensorUpdate</code>	This field, which is only present in the binary representation, is used to send the sensed information from a velocity sensor only for the updated elements.
<code>VelocitySensorNormalType</code>	This field, which is only present in the binary representation, is used to send the sensed information from a velocity sensor on the normal mode.
<code>velocityFlag</code>	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
<code>unitFlag</code>	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of “1” means the user-defined unit shall be used and “0” means the user-defined unit shall not be used.

Name	Definition
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.
VelocitySensorUpdateType	This field is used to send the sensed information from a velocity sensor on the update mode.
ListUpdate	Describes the updated list among all the active elements in the sensed information.
Priority	<p>Describes a priority for sensed information with respect to other sensed information sharing the same point in time when the sensed information becomes adapted. A value of one indicates the highest priority and larger values indicate lower priorities. The default value of the priority is one. If there are more than one sensed information with the same priority, the order of process can be determined by the Adaptation engine itself.</p> <p>NOTE The priority might be used to apply the sensed information on the virtual world object characteristics, defined within a group of sensors, according to the capabilities of the adaptation VR.</p> <p>EXAMPLE The adaptation RV processes the individual sensed information of a group of sensors according to their priority in descending order due to its limited capabilities. That is, the sensed information with the lower priority might get lost.</p>

6.10.5 Examples

This example shows the description of a velocity sensing with the following semantics. The sensor has an ID of "VS001" and references "VSID001". The sensor shall be activated and the value shall be Vx="10.0" (m/s), Vy="5.0" (m/s), and Vz="0.1" (m/s). The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```

<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:VelocitySensorType" id="VS001"
      sensorIdRef="VSID001" activate="true" >
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
      <siv:Velocity>
        <mpegvct:X>10.0</mpegvct:X>
        <mpegvct:Y>5.0</mpegvct:Y>
        <mpegvct:Z>0.1</mpegvct:Z>
      </siv:Velocity>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>

```

6.11 Acceleration sensor type

6.11.1 General

This Subclause specifies a sensor type which senses acceleration. The acceleration sensor type does not specify any sensing methods such as ultrasonic, optical, inertial and inductive technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing

properties of the sensor are specified in the acceleration sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, natural user interface, security systems, and others.

6.11.2 Syntax

```

<!--##### -->
<!--Definition of acceleration sensor type -->
<!--##### -->
<complexType name="AccelerationSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="Acceleration" type="mpegvct:Float3DVectorType"
          minOccurs="0"/>
      </sequence>
      <attribute name="axis" type="mpeg7:unsigned2" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

6.11.3 Binary representation syntax

AccelerationSensorType {	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
AccelerationSensorNormal		AccelerationSensorNormalType
}else{		
AccelerationSensorUpdate		AccelerationSensorUpdateType
}		
}		

AccelerationSensorType{	Number of bits	Mnemonic
accelerationFlag	1	bslbf
axisFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(accelerationFlag) {		
acceleration		Float3DVectorType
}		

if(axisFlag) {		
axis	2	uimsbf
}		
if(unitFlag) {		
unit	8	bslbf
}		
}		

AccelerationSensorUpdateType {	Number of bits	Mnemonic
TimeStampFlag	1	bslbf
IDFlag	1	bslbf
sensorIdRefFlag	1	bslbf
linkedListFlag	1	bslbf
groupIDFlag	1	bslbf
priorityFlag	1	bslbf
activateFlag	1	bslbf
accelerationFlag	1	bslbf
axisFlag	1	bslbf
unitFlag	1	bslbf
ListUpdate	TimeStampFlag + IDFlag + sensorIdRefFlag + linkedListFlag + groupIDFlag + priorityFlag + activateFlag + accelerationFlag + axisFlag + unitFlag	bslbf
ListItemNum = 0		
if(TimeStampFlag){		
if(ListUpdate[ListItemNum]){		
TimeStamp		TimeStampType
}		

ListItemNum++		
}		
if(IDFlag){		
if(ListUpdate[ListItemNum]){		
ID	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(sensorIdRefFlag){		
if(ListUpdate[ListItemNum]){		
sensorIdRef		UTF-8
}		
ListItemNum++		
}		
if(linkedListFlag){		
if(ListUpdate[ListItemNum]){		
linkedList		UTF-8
}		
ListItemNum++		
}		
if(groupIdFlag){		
if(ListUpdate[ListItemNum]){		
groupId		UTF-8
}		
ListItemNum++		
}		
if(priorityFlag){		
if(ListUpdate[ListItemNum]){		

priority	8	uimsbf
}		
ListItemNum++		
}		
if(activateFlag){		
if(ListUpdate[ListItemNum]){		
activate	1	bslbf
}		
ListItemNum++		
}		
if(accelerationFlag){		
if(ListUpdate[ListItemNum]){		
acceleration		Float3DVectorType
}		
ListItemNum++		
}		
if(axisFlag) {		
if(ListUpdate[ListItemNum]){		
axis	2	uimsbf
}		
ListItemNum++		
}		
if(unitFlag){		
if(ListUpdate[ListItemNum]){		
unit	8	bslbf
}		
}		
}		

6.11.4 Semantics

Semantics of the AccelerationSensorType:

Name	Definition
AccelerationSensorType	Tool for describing sensed information with respect to an acceleration sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
Acceleration	Describes the value of the acceleration sensor in a three dimensional vector with respect to m/s^2 . When the axis is 1, only the first entry of the 3D vector is used. When the axis is 2, the first and the second entries of the 3D vector are used. When the axis is 3, all three entries of the 3D vector are used. By the nature of the sensor, the three entries of the 3D vectors are meant to be the values of three orthogonal axis, but are irrelevant to the global coordinate system.
Acceleration	Describes the value of the acceleration sensor in a three dimensional vector with respect to m/s^2 . When the axis is 1, only X is used. When the axis is 2, X and Y are used. When the axis is 3, X, Y, and Z are used.
axis	The number of axis that the acceleration sensor can measure. The axis value shall be either 1, 2, or 3. The default axis is 3.
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
UpdateMode	This field, which is only present in the binary representation, signals whether the sensed information is on the normal mode or on the update mode. A value of “1” means the update mode shall be used and “0” means the normal mode shall be used.
AccelerationSensorNormal	This field is used to send the sensed information from an acceleration sensor.
AccelerationSensorUpdate	This field is used to send the sensed information from an acceleration sensor only for the updated elements.
AccelerationSensorNormal Type	This field is used to send the sensed information from an acceleration sensor on the normal mode.
accelerationFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
axisFlag	This field, which is only present in the binary representation, signals the presence of axis attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.

Name	Definition
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of "1" means the user-defined unit shall be used and "0" means the user-defined unit shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.
AccelerationSensorUpdate Type	This field is used to send the sensed information from an acceleration sensor on the update mode.
ListUpdate	Describes the updated list among all the active elements in the sensed information.
priority	Describes a priority for sensed information with respect to other sensed information sharing the same point in time when the sensed information becomes adapted. A value of one indicates the highest priority and larger values indicate lower priorities. The default value of the priority is one. If there are more than one sensed information with the same priority, the order of process can be determined by the Adaptation engine itself. NOTE The priority might be used to apply the sensed information on the virtual world object characteristics, defined within a group of sensors, according to the capabilities of the adaptation VR. EXAMPLE The adaptation RV processes the individual sensed information of a group of sensors according to their priority in descending order due to its limited capabilities. That is, the sensed information with the lower priority might get lost.

6.11.5 Examples

This example shows the description of an acceleration sensing with the following semantics. The sensor has an ID of "AS001" and references "ASID001" and can measure the values in three axis. The sensor shall be activated and the value shall be Ax="9.8" m/s², Ay="4.9" m/s², and Az="-4.9" m/s². The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```

<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo          xsi:type="siv:AccelerationSensorType"          id="AS001"
sensorIdRef="ASID001" activate="true" axis="3">
      <iidl:TimeStamp          xsi:type="mpegvct:ClockTickTimeType"          timeScale="100"
pts="60000"/>
      <siv:Acceleration>
        <mpegvct:X>9.8</mpegvct:X>
        <mpegvct:Y>4.9</mpegvct:Y>
        <mpegvct:Z>-4.9</mpegvct:Z>
      </siv:Acceleration>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>

```

6.12 Orientation sensor type

6.12.1 General

This Subclause specifies a sensor type which senses orientation. The orientation sensor type does not specify any sensing methods such as ultrasonic, optical, inertial and gyro technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in the orientation sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, natural user interface, security systems, and others.

6.12.2 Syntax

```

<!--##### -->
<!--Definition of orientation sensor type -->
<!--##### -->
<complexType name="OrientationSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="Orientation" type="mpegvct:Float3DVectorType"
          minOccurs="0"/>
      </sequence>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

6.12.3 Binary representation syntax

OrientationSensorType {	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
OrientationSensorNormal		OrientationSensorNormalType
}else{		
OrientationSensorUpdate		OrientationSensorUpdateType
}		
}		

OrientationSensorNormalType{	Number of bits	Mnemonic
orientationFlag	1	bslbf
unitFlag	1	bslbf

SensedInfoBaseType		SensedInfoBaseType
if(orientationFlag) {		
orientation		Float3DVectorType
}		
if(unitFlag) {		
unit	8	bslbf
}		
}		

OrientationSensorUpdateModeType {	Number of bits	Mnemonic
TimeStampFlag	1	bslbf
IDFlag	1	bslbf
sensorIdRefFlag	1	bslbf
linkedListFlag	1	bslbf
groupIDFlag	1	bslbf
priorityFlag	1	bslbf
activateFlag	1	bslbf
orientationFlag	1	bslbf
unitFlag	1	bslbf
ListUpdate	TimeStampFlag + IDFlag + sensorIdRefFlag + linkedlistFlag + groupIDFlag + priorityFlag + activateFlag + orientationFlag + unitFlag	bslbf
ListItemNum = 0		
if(TimeStampFlag){		
if(ListUpdate[ListItemNum]){		
TimeStamp		TimeStampType
}		
ListItemNum++		

}		
if(IDFlag){		
if(ListUpdate[ListItemNum]){		
ID	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(sensorIdRefFlag){		
if(ListUpdate[ListItemNum]){		
sensorIdRef		UTF-8
}		
ListItemNum++		
}		
if(linkedListFlag){		
if(ListUpdate[ListItemNum]){		
linkedList		UTF-8
}		
ListItemNum++		
}		
if(groupIdFlag){		
if(ListUpdate[ListItemNum]){		
groupId		UTF-8
}		
ListItemNum++		
}		
if(priorityFlag){		
if(ListUpdate[ListItemNum]){		
priority	8	uimsbf

}		
ListItemNum++		
}		
if(activateFlag){		
if(ListUpdate[ListItemNum]){		
activate	1	bslbf
}		
ListItemNum++		
}		
if(orientationFlag){		
if(ListUpdate[ListItemNum]){		
orientation		Float3DVectorType
}		
ListItemNum++		
}		
if(unitFlag){		
if(ListUpdate[ListItemNum]){		
unit	8	bslbf
}		
}		
}		

6.12.4 Semantics

Semantics of the OrientationSensorType:

<i>Name</i>	<i>Definition</i>
OrientationSensorType	Tool for describing sensed information with respect to an orientation sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
Orientation	Describes the sensed value by the orientation sensor in a three dimensional vector in the unit of degree. The orientation shall be

Name	Definition
	measured as the inclined degree (orientation) with respect to the original pose. The original pose shall be the pose of the object sensed at the time of sensor activation. If a calibration has been performed on the orientation of the sensor after activation, the orientation after the calibration shall be considered as the original pose of the object.
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
UpdateMode	This field, which is only present in the binary representation, signals whether the sensed information is on the normal mode or on the update mode. A value of “1” means the update mode shall be used and “0” means the normal mode shall be used.
OrientationSensorNormal	This field is used to send the sensed information from an orientation sensor.
OrientationSensorUpdate	This field is used to send the sensed information from an orientation sensor only for the updated elements.
OrientationSensorNormalType	This field is used to send the sensed information from an orientation sensor on the normal mode.
orientationFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of “1” means the user-defined unit shall be used and “0” means the user-defined unit shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.
OrientationSensorUpdateType	This field is used to send the sensed information from a orientation sensor on the update mode.
ListUpdate	Describes the updated list among all the active elements in the sensed information.
priority	Describes a priority for sensed information with respect to other sensed information sharing the same point in time when the sensed information becomes adapted. A value of one indicates the highest priority and larger values indicate lower priorities. The default value of the priority is one. If there are more than one sensed information with the same priority, the order of process can be determined by the Adaptation engine itself.
	NOTE The priority might be used to apply the sensed information on the virtual world object characteristics, defined within a group of

Name	Definition
	<p>sensors, according to the capabilities of the adaptation VR.</p> <p>EXAMPLE The adaptation RV processes the individual sensed information of a group of sensors according to their priority in descending order due to its limited capabilities. That is, the sensed information with the lower priority might get lost.</p>

6.12.5 Examples

This example shows the description of an orientation sensing with the following semantics. The sensor has an ID of "OS001" and references "OSID001". The sensor shall be activated and the value shall be Ox="6.0" (degrees), Oy="-3" (degrees), and Oz="3" (degrees). The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:OrientationSensorType" id="OS001"
      sensorIdRef="OSID001" activate="true" unit="urn:mpeg:mpeg-v:01-CI-
UnitTypeCS-NS:radian">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
      <siv:Orientation>
        <mpegvct:X>6.0</mpegvct:X>
        <mpegvct:Y>-3</mpegvct:Y>
        <mpegvct:Z>3</mpegvct:Z>
      </siv:Orientation>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

6.13 Angular velocity sensor type

6.13.1 General

This Subclause specifies a sensor type which senses angular velocity. The angular velocity sensor type does not specify any sensing methods such as ultrasonic, optical, inertial and gyro technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in the angular velocity sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, natural user interface, security systems, and others.

6.13.2 Syntax

```
<!--##### -->
<!--Definition of angular velocity sensor type -->
<!--##### -->
<complexType name="AngularVelocitySensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="AngularVelocity" type="mpegvct:Float3DVectorType"
          minOccurs="0"/>
      </sequence>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

```

</extension>
</complexContent>
</complexType>

```

6.13.3 Binary representation syntax

AngularVelocitySensorType {	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
AngularVelocitySensorNormal		AngularVelocitySensorNormalType
}else{		
AngularVelocitySensorUpdate		AngularVelocitySensorUpdateType
}		
}		

AngularVelocitySensorNormalType {	Number of bits	Mnemonic
angularvelocityFlag	1	Bslbf
unitFlag	1	Bslbf
SensedInfoBaseType		SensedInfoBaseType Type
if(angularvelocityFlag) {		
angularvelocity		Float3DVectorType
}		
if(unitFlag) {		
unit	8	Bslbf
}		
}		

AngularVelocitySensorUpdateType {	Number of bits	Mnemonic
TimeStampFlag	1	Bslbf

IDFlag	1	bslbf
sensorIdRefFlag	1	bslbf
linkedListFlag	1	bslbf
groupIDFlag	1	bslbf
priorityFlag	1	bslbf
activateFlag	1	bslbf
angularvelocityFlag	1	bslbf
unitFlag	1	bslbf
ListUpdate	TimeStampFlag + IDFlag + sensorIdRefFlag + linkedlistFlag + groupIDFlag + priorityFlag + activateFlag + angularvelocityFlag + unitFlag	bslbf
ListItemNum = 0		
if(TimeStampFlag){		
if(ListUpdate[ListItemNum]){		
TimeStamp		TimeStampType
}		
ListItemNum++		
}		
if(IDFlag){		
if(ListUpdate[ListItemNum]){		
ID	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(sensorIdRefFlag){		
if(ListUpdate[ListItemNum]){		
sensorIdRef		UTF-8
}		
ListItemNum++		

}		
if(linkedListFlag){		
if(ListUpdate[ListItemNum]){		
linkedList		UTF-8
}		
ListItemNum++		
}		
if(groupIDFlag){		
if(ListUpdate[ListItemNum]){		
groupID		UTF-8
}		
ListItemNum++		
}		
if(priorityFlag){		
if(ListUpdate[ListItemNum]){		
priority	8	uimsbf
}		
ListItemNum++		
}		
if(activateFlag){		
if(ListUpdate[ListItemNum]){		
activate	1	bslbf
}		
ListItemNum++		
}		
if(angularVelocityFlag){		
if(ListUpdate[ListItemNum]){		
angularVelocity		Float3DVect orType
}		

ListItemNum++		
}		
if(unitFlag){		
if(ListUpdate[ListItemNum]){		
unit	8	bslbf
}		
}		
}		

6.13.4 Semantics

Semantics of the AngularVelocitySensorType:

Name	Definition
AngularVelocitySensorType	Tool for describing sensed information with respect to with respect to an angular velocity sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
AngularVelocity	Describes the sensed value by the Angular Velocity sensor in a three dimensional vector with respect to degree per second.
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the mpeg7:termReferenceType defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the UnitTypeCS defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the UnitTypeCS is also defined in ISO/IEC 23005-6:—, A.2.1.
UpdateMode	This field, which is only present in the binary representation, signals whether the sensed information is on the normal mode or on the update mode. A value of “1” means the update mode shall be used and “0” means the normal mode shall be used.
AngularVelocitySensorNormal	This field is used to send the sensed information from an angular velocity sensor.
AngularVelocitySensorUpdate	This field is used to send the sensed information from an angular velocity sensor only for the updated elements.
AngularVelocitySensorNormalType	This field is used to send the sensed information from an angular velocity sensor on the normal mode.
angularvelocityFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.

Name	Definition
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of "1" means the user-defined unit shall be used and "0" means the user-defined unit shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.
AngularVelocitySensorUpdateType	This field is used to send the sensed information from an angular velocity sensor on the update mode.
ListUpdate	Describes the updated list among all the active elements in the sensed information.
priority	<p>Describes a priority for sensed information with respect to other sensed information sharing the same point in time when the sensed information becomes adapted. A value of one indicates the highest priority and larger values indicate lower priorities. The default value of the priority is one. If there are more than one sensed information with the same priority, the order of process can be determined by the Adaptation engine itself.</p> <p>NOTE The priority might be used to apply the sensed information on the virtual world object characteristics, defined within a group of sensors, according to the capabilities of the adaptation VR.</p> <p>EXAMPLE The adaptation RV processes the individual sensed information of a group of sensors according to their priority in descending order due to its limited capabilities. That is, the sensed information with the lower priority might get lost.</p>

6.13.5 Examples

This example shows the description of an angular velocity sensing with the following semantics. The sensor has an ID of "AVS001" and references "AVSID001". The sensor shall be activated and the value shall be AVx="6" (degree/s), AVy="-4" (degree/s), and AVz="15" (degrees/s). The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:AngularVelocitySensorType" id="AVS001"
      sensorIdRef="AVSID001" activate="true" unit="urn:mpeg:mpeg-v:01-CI-
      UnitTypeCS-NS:radpersec">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
      <siv:AngularVelocity>
        <mpegvct:X>6.0</mpegvct:X>
        <mpegvct:Y>-4.0</mpegvct:Y>
        <mpegvct:Z>15.0</mpegvct:Z>
      </siv:AngularVelocity>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

6.14 Angular acceleration sensor type

6.14.1 General

This Subclause specifies a sensor type which senses angular acceleration. The angular acceleration sensor type does not specify any sensing methods such as ultrasonic, optical, inercial and gyro technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in the angular acceleration sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, natural user interface, security systems, and others.

6.14.2 Syntax

```

<!--##### -->
<!--Definition of angular acceleration sensor type -->
<!--##### -->
<complexType name="AngularAccelerationSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="AngularAcceleration"
          type="mpegvct:Float3DVectorType" minOccurs="0"/>
      </sequence>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
    
```

6.14.3 Binary representation syntax

AngularAccelerationSensorType {	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
AngularAccelerationSensorNorma 		AngularAccelerationSensor NormalType
}else{		
AngularAccelerationSensorUpdat e		AngularAccelerationSensor UpdateType
}		
}		

AngularAccelerationSensorType{	Number of bits	Mnemonic
angularaccelerationFlag	1	bslbf
unitFlag	1	bslbf

SensedInfoBaseType		SensedInfoBaseTypeType
if(angularaccelerationFlag) {		
angularacceleration		Float3DVectorType
}		
if(unitFlag) {		
unit	8	bslbf
}		
}		
AngularAccelerationSensorUpdateType {		
	Number of bits	Mnemonic
TimeStampFlag	1	bslbf
IDFlag	1	bslbf
sensorIdRefFlag	1	bslbf
linkedListFlag	1	bslbf
groupIDFlag	1	bslbf
priorityFlag	1	bslbf
activateFlag	1	bslbf
angularaccelerationFlag	1	bslbf
unitFlag	1	bslbf
ListUpdate	TimeStampFlag + IDFlag + sensorIdRefFlag + linkedListFlag + groupIDFlag + priorityFlag + activateFlag + angularaccelerationFlag + unitFlag	bslbf
ListItemNum = 0		
if(TimeStampFlag){		
if(ListUpdate[ListItemNum]){		
TimeStamp		TimeStampType
}		
}		

ListItemNum++		
}		
if(IDFlag){		
if(ListUpdate[ListItemNum]){		
ID	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(sensorIdRefFlag){		
if(ListUpdate[ListItemNum]){		
sensorIdRef		UTF-8
}		
ListItemNum++		
}		
if(linkedListFlag){		
if(ListUpdate[ListItemNum]){		
linkedList		UTF-8
}		
ListItemNum++		
}		
if(groupIdFlag){		
if(ListUpdate[ListItemNum]){		
groupId		UTF-8
}		
ListItemNum++		
}		
if(priorityFlag){		
if(ListUpdate[ListItemNum]){		

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 23005-5:2016

priority	8	uimsbf
}		
ListItemNum++		
}		
if(activateFlag){		
if(ListUpdate[ListItemNum]){		
activate	1	bslbf
}		
ListItemNum++		
}		
if(angularaccelerationFlag){		
if(ListUpdate[ListItemNum]){		
angularacceleration		Float3DVectorType
}		
ListItemNum++		
}		
if(unitFlag){		
if(ListUpdate[ListItemNum]){		
unit	8	bslbf
}		
}		
}		

6.14.4 Semantics

Semantics of the AngularAccelerationSensorType:

Name	Definition
AngularAccelerationSensorType	Tool for describing sensed information with respect to an angular acceleration sensor.
TimeStamp	Describes the time that the information is acquired (sensed).

Name	Definition
AngularAcceleration	Describes the sensed value by the Angular Acceleration sensor in a three dimensional vector with respect to degree per second squared.
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
UpdateMode	This field, which is only present in the binary representation, signals whether the sensed information is on the normal mode or on the update mode. A value of “1” means the update mode shall be used and “0” means the normal mode shall be used.
AngularAccelerationSensorNormal	This field is used to send the sensed information from an angular acceleration sensor.
AngularAccelerationSensorUpdate	This field is used to send the sensed information from an angular acceleration sensor only for the updated elements.
AngularAccelerationSensorNormalType	This field is used to send the sensed information from an angular acceleration sensor on the normal mode.
angularaccelerationFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of “1” means the user-defined unit shall be used and “0” means the user-defined unit shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.
AngularAccelerationSensorUpdateType	This field is used to send the sensed information from an angular acceleration sensor on the update mode.
ListUpdate	Describes the updated list among all the active elements in the sensed information.
priority	Describes a priority for sensed information with respect to other sensed information sharing the same point in time when the sensed information becomes adapted. A value of one indicates the highest priority and larger values indicate lower priorities. The default value of the priority is one. If there are more than one sensed information with the same priority, the order of process can be determined by the Adaptation engine itself.
	NOTE The priority might be used to apply the sensed information on the virtual world object characteristics, defined within a group of sensors, according to the capabilities of the adaptation VR.
	EXAMPLE The adaptation RV processes the individual sensed information of a group of sensors according to their priority in

Name	Definition
	descending order due to its limited capabilities. That is, the sensed information with the lower priority might get lost.

6.14.5 Examples

This example shows the description of an angular acceleration sensing with the following semantics. The description has identifier of "aas001" and the sensor references an actual sensor with ID of "aas0001". The sensor shall be activated and the value shall be AVx="10.0" (rad/s²), AVy="1.0" (rad/s²), and AVz="20" (rad/s²). The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```

<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:AngularAccelerationSensorType" id="aas001"
      sensorIdRef="aas0001" activate="true" unit="urn:mpeg:mpeg-v:01-CI-
UnitTypeCS-NS:radpersecsquare">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
      <siv:AngularAcceleration>
        <mpegvct:X>10.0</mpegvct:X>
        <mpegvct:Y>1.0</mpegvct:Y>
        <mpegvct:Z>20.0</mpegvct:Z>
      </siv:AngularAcceleration>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>

```

6.15 Force sensor type

6.15.1 General

This Subclause specifies a sensor type which senses force. The force sensor type does not specify any sensing methods such as ultrasonic, optical, and inductive technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in the force sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, user interface, haptics, and telepresence.

6.15.2 Syntax

```

<!--##### -->
<!--Definition of force sensor type -->
<!--##### -->
<complexType name="ForceSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="Force" type="mpegvct:Float3DVectorType"
          minOccurs="0"/>
      </sequence>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

6.15.3 Binary representation syntax

ForceSensorType{	Number of bits	Mnemonic
forceFlag	1	Bslbf
unitFlag	1	Bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(forceFlag) {		
force		Float3DVectorType
}		
if(unitFlag) {		
unit	8	bslbf
}		
}		

6.15.4 Semantics

Semantics of the ForceSensorType:

Name	Definition
ForceSensorType	Tool for describing sensed information with respect to a force sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
Force	Describes the sensed value by the force sensor in a three dimensional vector with respect to N (Newton).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
forceFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of “1” means the user-defined unit shall be used and “0” means the user-defined unit shall

Name	Definition
	not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.

6.15.5 Examples

This example shows the description of a force sensing with the following semantics. The description has identifier of "fst01" and the sensor references an actual sensor with ID of "fst001". The device shall be activated and the value shall be x="10.0", y="1.0", and z="20" (Newton). The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:ForceSensorType" id="fst01"
      sensorIdRef="fst001" activate="true">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
      <siv:Force>
        <mpegvct:X>10.0</mpegvct:X>
        <mpegvct:Y>1.0</mpegvct:Y>
        <mpegvct:Z>20.0</mpegvct:Z>
      </siv:Force>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

6.16 Torque sensor type

6.16.1 General

This Subclause specifies a sensor type which senses torque. The torque sensor type does not specify any sensing methods such as ultrasonic, optical, and inductive technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in the torque sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, user interface, haptics, and telepresence.

6.16.2 Syntax

```
<!--##### -->
<!--Definition of torque sensor type -->
<!--##### -->
<complexType name="TorqueSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="Torque" type="mpegvct:Float3DVectorType"
          minOccurs="0"/>
      </sequence>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
```

```
</complexType>
```

6.16.3 Binary representation syntax

TorqueSensorType{	<i>Number of bits</i>	<i>Mnemonic</i>
TorqueFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(TorqueFlag) {		
Torque		Float3DVectorType
}		
if(unitFlag) {		
unit	8	bslbf
}		
}		

6.16.4 Semantics

Semantics of the TorqueSensorType:

<i>Name</i>	<i>Definition</i>
TorqueSensorType	Tool for describing sensed information with respect to a torque sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
Torque	Describes the sensed value by the torque sensor in a three dimensional vector with respect to N-mm (Newton millimeter).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
TorqueFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.

Name	Definition
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of "1" means the user-defined unit shall be used and "0" means the user-defined unit shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.

6.16.5 Examples

This example shows the description of a torque sensing with the following semantics. The description has identifier of "mytorq01" and the sensor references an actual sensor with ID of "fttorque". The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second. The value shall be x="10.0", y="15.0", and z="14" (Newton millimeter).

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:TorqueSensorType" id="mytorq01"
      sensorIdRef="fttorque">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
      <siv:Torque>
        <mpegvct:X>10.0</mpegvct:X>
        <mpegvct:Y>15.0</mpegvct:Y>
        <mpegvct:Z>14.0</mpegvct:Z>
      </siv:Torque>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

6.17 Pressure sensor type

6.17.1 General

This Subclause specifies a sensor type which senses pressure. The pressure sensor type does not specify any sensing methods such as as the capacitive, resistive, and conductivity technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in the pressure sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include multisensorial effect control, environmental monitoring, and others.

6.17.2 Syntax

```
<!--##### -->
<!--Definition of pressure sensor type -->
<!--##### -->
<complexType name="PressureSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
```

```
</complexType>
```

6.17.3 Binary representation syntax

PressureSensorType{	<i>Number of bits</i>	<i>Mnemonic</i>
valueFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(valueFlag) {		
value	32	fsbf
}		
if(unitFlag) {		
unit	8	bslbf
}		
}		

6.17.4 Semantics

Semantics of the PressureSensorType:

<i>Name</i>	<i>Definition</i>
PressureSensorType	Tool for describing sensed information with respect to a pressure sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. If the unit is not defined here, the default unit is N/mm ² (Newton/millimeter squared). The binary representation of the <code>UnitTypeCS</code> is also defined in ISO/IEC 23005-6:—, A.2.1.
value	Describes the sensed pressure value by the pressure with respect to the default unit or the unit defined in the unit attribute.
valueFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.

Name	Definition
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of "1" means the user-defined unit shall be used and "0" means the user-defined unit shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.

6.17.5 Examples

This example shows the description of a pressure sensing with the following semantics. The description has identifier of "press01" and the sensor references an actual sensor with ID of "fff". The sensed pressure is 0.1 N/mm². The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:PressureSensorType" activate="true"
      id="press01" sensorIdRef="fff" value="0.1">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

6.18 Motion sensor type

6.18.1 General

This Subclause specifies an aggregated sensor type which contains sensed information such as position, velocity, acceleration, orientation, angular velocity, and angular acceleration. The aggregated sensor type may contain just a subset of the sensed information. Moreover, the motion sensor type does not specify any sensing methods such as ultrasonic, MEMS sensor-based and camera-based technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in the motion sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include motion-based computer games, and others.

6.18.2 Syntax

```
<!-- ##### -->
<!-- Definition of motion sensor type -->
<!-- ##### -->
<complexType name="MotionSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="Position" type="siv:PositionSensorType"
          minOccurs="0"/>
        <element name="Orientation" type="siv:OrientationSensorType"
          minOccurs="0"/>
        <element name="Velocity" type="siv:VelocitySensorType"
          minOccurs="0"/>
        <element name="AngularVelocity" type="siv:AngularVelocitySensorType"
          minOccurs="0"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
```

```

        type="siv:AngularVelocitySensorType" minOccurs="0"/>
        <element name="Acceleration" type="siv:AccelerationSensorType"
            minOccurs="0"/>
        <element name="AngularAcceleration"
            type="siv:AngularAccelerationSensorType" minOccurs="0"/>
    </sequence>
</extension>
</complexContent>
</complexType>

```

6.18.3 Binary representation syntax

MotionSensorType {	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
MotionSensorNormal		MotionSensorNormalType
}else{		
MotionSensorUpdate		MotionSensorUpdateType
}		
}		

MotionSensorNormalType{	Number of bits	Mnemonic
positionFlag	1	bslbf
orientationFlag	1	bslbf
velocityFlag	1	bslbf
angularvelocityFlag	1	bslbf
accelerationFlag	1	bslbf
angularaccelerationFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(positionFlag) {		
position		PositionSensorType
}		
if(orientationFlag) {		
orientation		OrientationSensorType

}		
if(velocityFlag) {		
velocity		VelocitySensorType
}		
if(angularvelocityFlag) {		
angularvelocity		AngularVelocitySensorType
}		
if(accelerationFlag) {		
acceleration		AccelerationSensorType
}		
if(angularaccelerationFlag) {		
angularacceleration		AngularAccelerationSensorType
}		
MotionSensorUpdateType {	Number of bits	Mnemonic
TimeStampFlag	1	bslbf
IDFlag	1	bslbf
sensorIdRefFlag	1	bslbf
linkedlistFlag	1	bslbf
groupIDFlag	1	bslbf
priorityFlag	1	bslbf
activateFlag	1	bslbf
positionFlag	1	bslbf
orientationFlag	1	bslbf
velocityFlag	1	bslbf
angularvelocityFlag	1	bslbf
accelerationFlag	1	bslbf
angularaccelerationFlag	1	bslbf

ListUpdate	TimeStampFlag + IDFlag + sensorIdRefFlag + linkedlistFlag + groupIDFlag + priorityFlag + activateFlag + positionFlag + orientationFlag + velocityFlag + angularvelocityFlag + accelerationFlag + angularaccelerationFlag	bslbf
ListItemNum = 0		
if(TimeStampFlag){		
if(ListUpdate[ListItemNum]){		
TimeStamp		TimeStampType
}		
ListItemNum++		
}		
if(IDFlag){		
if(ListUpdate[ListItemNum]){		
ID	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(sensorIdRefFlag){		
if(ListUpdate[ListItemNum]){		
sensorIdRef		UTF-8
}		
ListItemNum++		
}		
if(linkedlistFlag){		
if(ListUpdate[ListItemNum]){		
linkedlist		UTF-8

}		
ListItemNum++		
}		
if(groupIDFlag){		
if(ListUpdate[ListItemNum]){		
groupID		UTF-8
}		
ListItemNum++		
}		
if(priorityFlag){		
if(ListUpdate[ListItemNum]){		
priority	8	uimsbf
}		
ListItemNum++		
}		
if(activateFlag){		
if(ListUpdate[ListItemNum]){		
activate	1	bslbf
}		
ListItemNum++		
}		
if(positionFlag){		
if(ListUpdate[ListItemNum]){		
position		PositionSensorUpdate Type
}		
ListItemNum++		
}		
if(orientationFlag){		

if(ListUpdate[ListItemNum]){		
orientation		OrientationSensorUpdateType
}		
ListItemNum++		
}		
if(velocityFlag){		
if(ListUpdate[ListItemNum]){		
velocity		VelocitySensorUpdateType
}		
ListItemNum++		
}		
if(angularvelocityFlag){		
if(ListUpdate[ListItemNum]){		
angularvelocity		AngularVelocitySensorUpdateType
}		
ListItemNum++		
}		
if(accelerationFlag){		
if(ListUpdate[ListItemNum]){		
acceleration		AccelerationSensorUpdateType
}		
ListItemNum++		
}		
if(angularaccelerationFlag){		
if(ListUpdate[ListItemNum]){		
angularacceleration		AngularAccelerationSensorUpdateType

STANDARDS1FO.COM · Click to view the full PDF of ISO/IEC 23005-5:2016

}		
}		
}		

6.18.4 Semantics

Semantics of the MotionSensorType:

<i>Name</i>	<i>Definition</i>
MotionSensorType	Tool for describing a motion sensed information.
TimeStamp	Describes the time that the information is acquired (sensed).
Position	Describes the sensed vector value of the position.
Orientation	Describes the sensed vector value of the orientation.
Velocity	Describes the sensed vector value of the velocity.
AngularVelocity	Describes the sensed vector value of the angular velocity.
Acceleration	Describes the sensed vector value of the acceleration.
AngularAcceleration	Describes the sensed vector value of the angular acceleration.
UpdateMode	This field, which is only present in the binary representation, signals whether the sensed information is on the normal mode or on the update mode. A value of "1" means the update mode shall be used and "0" means the normal mode shall be used.
MotionSensorNormal	This field is used to send the sensed information from a motion sensor.
MotionSensorUpdate	This field is used to send the sensed information from a motion sensor only for the updated elements.
MotionSensorNormalType	This field is used to send the sensed information from a motion sensor on the normal mode.
positionFlag	This field, which is only present in the binary representation, signals the presence of position value attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
orientationFlag	This field, which is only present in the binary representation, signals the presence of orientation value attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
velocityFlag	This field, which is only present in the binary representation, signals the presence of velocity value attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
angularvelocityFlag	This field, which is only present in the binary representation, signals the presence of angular velocity value attribute. A value of "1" means

Name	Definition
accelerationFlag	the attribute shall be used and "0" means the attribute shall not be used.
angularaccelerationFlag	This field, which is only present in the binary representation, signals the presence of acceleration value attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.
MotionSensorUpdateType	This field is used to send the sensed information from a motion sensor on the update mode.
ListUpdate	Describes the updated list among all the active elements in the sensed information.
priority	Describes a priority for sensed information with respect to other sensed information sharing the same point in time when the sensed information becomes adapted. A value of one indicates the highest priority and larger values indicate lower priorities. The default value of the priority is one. If there are more than one sensed information with the same priority, the order of process can be determined by the Adaptation engine itself. NOTE The priority might be used to apply the sensed information on the virtual world object characteristics, defined within a group of sensors, according to the capabilities of the adaptation VR. EXAMPLE The adaptation RV processes the individual sensed information of a group of sensors according to their priority in descending order due to its limited capabilities. That is, the sensed information with the lower priority might get lost.

6.18.5 Examples

This example shows the description of a motion sensing with the following semantics. The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```

<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:MotionSensorType" id="MS001"
      sensorIdRef="MSID001" activate="true">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
      <siv:Position xsi:type="siv:PositionSensorType" >
        <siv:Position>
          <mpegvct:X>1.5</mpegvct:X>
          <mpegvct:Y>0.5</mpegvct:Y>
          <mpegvct:Z>-2.1</mpegvct:Z>
        </siv:Position>
      </iidl:SensedInfo>
    </iidl:SensedInfoList>
  </iidl:InteractionInfo>

```

```

    </siv:Position>
    <siv:Orientation xsi:type="siv:OrientationSensorType"
unit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:radian">
      <siv:Orientation>
        <mpegvct:X>2.0</mpegvct:X>
        <mpegvct:Y>-0.5</mpegvct:Y>
        <mpegvct:Z>1.0</mpegvct:Z>
      </siv:Orientation>
    </siv:Orientation>
    <siv:Velocity xsi:type="siv:VelocitySensorType" >
      <siv:Velocity>
        <mpegvct:X>10.0</mpegvct:X>
        <mpegvct:Y>5.0</mpegvct:Y>
        <mpegvct:Z>0.1</mpegvct:Z>
      </siv:Velocity>
    </siv:Velocity>
    <siv:AngularVelocity xsi:type="siv:AngularVelocitySensorType"
unit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:radpersec">
      <siv:AngularVelocity>
        <mpegvct:X>2.0</mpegvct:X>
        <mpegvct:Y>-0.5</mpegvct:Y>
        <mpegvct:Z>1.0</mpegvct:Z>
      </siv:AngularVelocity>
    </siv:AngularVelocity>
    <siv:Acceleration xsi:type="siv:AccelerationSensorType">
      <siv:Acceleration>
        <mpegvct:X>9.8</mpegvct:X>
        <mpegvct:Y>4.9</mpegvct:Y>
        <mpegvct:Z>-4.9</mpegvct:Z>
      </siv:Acceleration>
    </siv:Acceleration>
    <siv:AngularAcceleration xsi:type="siv:AngularAccelerationSensorType"
unit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:radpersecsquare">
      <siv:AngularAcceleration>
        <mpegvct:X>150.0</mpegvct:X>
        <mpegvct:Y>-100.0</mpegvct:Y>
        <mpegvct:Z>50.0</mpegvct:Z>
      </siv:AngularAcceleration>
    </siv:AngularAcceleration>
  </iidl:SensedInfo>
</iidl:SensedInfoList>
</iidl:InteractionInfo>

```

6.19 Intelligent camera type

6.19.1 General

This Subclause specifies a camera sensor type which is capable of sensing information such as facial expressions, body gestures, facial and body feature points. The sensor type may contain just a subset of the sensed information. The sensor type does not specify if the camera uses marker or not to detect such information. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The properties of the sensor are specified in the intelligent camera capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, natural user interface, and others.

6.19.2 Syntax

```

<!-- ##### -->
<!-- Definition of intelligent camera type -->
<!-- ##### -->
<complexType name="IntelligentCameraType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="FacialAnimationID" type="anyURI" minOccurs="0"/>
        <element name="BodyAnimationID" type="anyURI" minOccurs="0"/>
        <element name="FaceFeature" type="mpegvct:Float3DVectorType"
          minOccurs="0" maxOccurs="255"/>
        <element name="BodyFeature" type="mpegvct:Float3DVectorType"
          minOccurs="0" maxOccurs="255"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

```

6.19.3 Binary representation syntax

IntelligentCameraType{	Number of bits	Mnemonic
UpdateMode	1	bslbf
if(UpdateMode ==0){		
IntelligentCameraNormal		IntelligentCameraNormalType
}else{		
IntelligentCameraUpdate		IntelligentCameraUpdateType
}		
}		

IntelligentCameraNormalType{	Number of bits	Mnemonic
FacialIDFlag	1	bslbf
BodyIDFlag	1	bslbf
FaceFeatureFlag	1	bslbf
BodyFeatureFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(FacialIDFlag) {		
FacialAnimationID		UTF-8
}		

if(BodyIDFlag) {		
BodyAnimationID		UTF-8
}		
if(FaceFeatureFlag) {		
NumOfFaceFeature	8	uimsbf
for(k=0; k<NumOfFaceFeature; k++) {		
FaceFeature[k]		Float3DVectorType
}		
}		
if(BodyFeatureFlag) {		
NumOfBodyFeature	8	uimsbf
for(k=0; k<NumOfBodyFeature;		
k++) {		
BodyFeature[k]		Float3DVectorType
}		
}		
}		
IntelligentCameraUpdateModeType {	Number of bits	Mnemonic
TimeStampFlag	1	bslbf
IDFlag	1	bslbf
sensorIdRefFlag	1	bslbf
linkedListFlag	1	bslbf
groupIDFlag	1	bslbf
priorityFlag	1	bslbf
activateFlag	1	bslbf
FacialIDFlag	1	bslbf
BodyIDFlag	1	bslbf

FaceFeatureFlag	1	bslbf
BodyFeatureFlag	1	bslbf
ListUpdate	TimeStampFlag + IDFlag + sensorIdRefFlag + linkedlistFlag + groupIdFlag + priorityFlag + activateFlag + FacialIDFlag + BodyIDFlag + FaceFeatureFlag + BodyFeatureFlag	bslbf
ListItemNum = 0		
if(TimeStampFlag){		
if(ListUpdate[ListItemNum]){		
TimeStamp		TimeStampType
}		
ListItemNum++		
}		
if(IDFlag){		
if(ListUpdate[ListItemNum]){		
ID	See ISO/IEC 10646	UTF-8
}		
ListItemNum++		
}		
if(sensorIdRefFlag){		
if(ListUpdate[ListItemNum]){		
sensorIdRef		UTF-8
}		
ListItemNum++		
}		
if(linkedListFlag){		
if(ListUpdate[ListItemNum]){		
linkedList		UTF-8
}		

ListItemNum++		
}		
if(groupIDFlag){		
if(ListUpdate[ListItemNum]){		
groupID		UTF-8
}		
ListItemNum++		
}		
if(priorityFlag){		
if(ListUpdate[ListItemNum]){		
priority	8	uimsbf
}		
ListItemNum++		
}		
if(activateFlag){		
if(ListUpdate[ListItemNum]){		
activate	1	bslbf
}		
ListItemNum++		
}		
if(FacialIDFlag){		
if(ListUpdate[ListItemNum]){		
FacialAnimationID		UTF-8
}		
ListItemNum++		
}		
if(BodyIDFlag){		
if(ListUpdate[ListItemNum]){		

BodyAnimationID		UTF-8
}		
ListItemNum++		
}		
if(FaceFeatureFlag)		
if(ListUpdate[ListItemNum]){		
NumOfFaceFeature	8	uimsbf
UpdateMaskFace	NumOfFaceFeature	bslbf
for(k=0;k<NumOfFaceFeature; k++){		
if(UpdateMaskFace[k]){		
FaceFeature[k]		Float3DVector Type
}		
}		
}		
if(BodyFeatureFlag)		
if(ListUpdate[ListItemNum]){		
NumOfBodyFeature	8	uimsbf
UpdateMaskBody	NumOfBodyFeature	bslbf
for(k=0;k<NumOfBodyFeature; k++){		
if(UpdateMaskBody[k]){		
BodyFeature[k]		Float3DVector Type
}		
}		
}		
}		
}		

STANDARD.PDF.COM :: Click to view the full PDF of ISO/IEC 23005-5:2016

6.19.4 Semantics

Semantics of the `IntelligentCameraType`:

<i>Name</i>	<i>Definition</i>
<code>IntelligentCameraSensorType</code>	Tool for describing an Intelligent camera.
<code>FacialAnimationID</code>	Describes the ID referencing the facial expression defined in the <code>FacialExpressionAnimationCS</code> in ISO/IEC 23005-4:—, A.2.3.12.
<code>BodyAnimationID</code>	Describes the ID referencing the body expression defined in the <code>BodyExpressionAnimationCS</code> in ISO/IEC 23005-4:—, A.2.3.13.
<code>FaceFeature</code>	Describes the 3D position of each of the face feature points detected by the camera. NOTE The order of the elements corresponds to the order of the face feature points defined at the <code>featureControl</code> for face in ISO/IEC 23005-4:—, 5.2.8.7
<code>BodyFeature</code>	Describes the 3D position of each of the body feature points detected by the camera. NOTE The order of the elements corresponds to the order of the body feature points defined at the <code>featureControl</code> for body in ISO/IEC 23005-4:—, 5.2.8.6.
<code>TimeStamp</code>	Describes the time that the information is acquired (sensed).
<code>UpdateMode</code>	This field, which is only present in the binary representation, signals whether the sensed information is on the normal mode or on the update mode. A value of “1” means the update mode shall be used and “0” means the normal mode shall be used.
<code>IntelligentCameraNormal</code>	This field is used to send the sensed information from an intelligent camera.
<code>IntelligentCameraUpdate</code>	This field is used to send the sensed information from an intelligent camera only for the updated elements.
<code>IntelligentCameraNormalType</code>	This field is used to send the sensed information from an intelligent camera on the normal mode.
<code>FacialIDFlag</code>	This field, which is only present in the binary representation, signals the presence of the facial animation ID. A value of “1” means the facial animation ID mode shall be used and “0” means the facial animation ID mode shall not be used.
<code>BodyIDFlag</code>	This field, which is only present in the binary representation, signals the presence of the body animation ID. A value of “1” means the body animation ID mode shall be used and “0” means the body animation ID mode shall not be used.
<code>FaceFeatureFlag</code>	This field, which is only present in the binary representation, signals the presence of the face features. A value of “1” means the face feature tracking mode shall be used and “0” means the face feature

Name	Definition
	tracking mode shall not be used.
BodyFeatureFlag	This field, which is only present in the binary representation, signals the presence of the body features. A value of "1" means the body feature tracking mode shall be used and "0" means the body feature tracking mode shall not be used.
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.
IntelligentCameraUpdateType	This field is used to send the sensed information from an intelligent camera on the update mode.
ListUpdate	Describes the updated list among all the active elements in the sensed information.
UpdateMaskBody	This field, which is only present in the binary syntax, specifies a bit-field that indicates whether the updated value is assigned to the corresponding partition.
UpdateMaskFace	This field, which is only present in the binary syntax, specifies a bit-field that indicates whether the updated value is assigned to the corresponding partition.

6.19.5 Examples

This example shows the description of an intelligent camera sensing with the following semantics. The information from the intelligent camera with the ID of ICS002 shall be sensed at timestamp="60000" where there are 100 clock ticks per second. The 1st Point of the head outline is located in 3D at (0.0, 0.0, 0.0). The 2nd Point of the head outline is located in 3D at (0.01, 0.0, 0.01). ... the 4th point of the mouse lips is located in 3D at (0.05, 0.1, 0.01). The 3D point of the head skull is located at (0.0, 0.5, -0.05). The 3D point of the left clavicle is located at (0.0, 0.4, -0.04). ... The 3D point of the left foot is located at (-0.3, 1.2, -0.04).

```

<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:IntelligentCameraType" id="ICS002"
      activate="true">
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="60000"/>
      <siv:FaceFeature>
        <mpegvct:X>0.0</mpegvct:X>
        <mpegvct:Y>0.0</mpegvct:Y>
        <mpegvct:Z>0.0</mpegvct:Z>
      </siv:FaceFeature>
      <siv:FaceFeature>
        <mpegvct:X>0.01</mpegvct:X>
        <mpegvct:Y>0.0</mpegvct:Y>
        <mpegvct:Z>0.01</mpegvct:Z>
      </siv:FaceFeature>
      <siv:FaceFeature>
        <mpegvct:X>0.05</mpegvct:X>
        <mpegvct:Y>0.1</mpegvct:Y>
        <mpegvct:Z>0.01</mpegvct:Z>
      </siv:FaceFeature>
      <siv:FaceFeature>

```

```

    <mpegvct:X>0.0</mpegvct:X>
    <mpegvct:Y>0.5</mpegvct:Y>
    <mpegvct:Z>-0.05</mpegvct:Z>
  </siv:FaceFeature>
  <siv:BodyFeature>
    <mpegvct:X>0.0</mpegvct:X>
    <mpegvct:Y>0.5</mpegvct:Y>
    <mpegvct:Z>-0.05</mpegvct:Z>
  </siv:BodyFeature>
  <siv:BodyFeature>
    <mpegvct:X>0.0</mpegvct:X>
    <mpegvct:Y>0.4</mpegvct:Y>
    <mpegvct:Z>-0.04</mpegvct:Z>
  </siv:BodyFeature>
  <siv:BodyFeature>
    <mpegvct:X>-0.3</mpegvct:X>
    <mpegvct:Y>1.2</mpegvct:Y>
    <mpegvct:Z>-0.04</mpegvct:Z>
  </siv:BodyFeature>
</iidl:SensedInfo>
</iidl:SensedInfoList>
</iidl:InteractionInfo>

```

6.20 Multi Interaction point sensor type

6.20.1 General

This Subclause specifies a sensor type which senses a set of states for multiple interaction points which receive user's selecting inputs. For instance, the current touch-based devices provide lots of multi-touch applications while some of such applications may include a set of buttons, which are supposed to receive user's touch. In this case, this type of sensed information represents a set of states whether the buttons are pressed or not at the moment. Meanwhile, the semantic meaning of the interaction points is out of scope of this part, the other parts such as scenes or adaptation engines which request those interaction points may determine the semantic meaning of the interaction points. This sensor type does not specify any sensing methods such as touch-pad, gesture-based sensor, motion sensor, and even intelligent vision technologies. The sensing properties of the sensor are specified as the multi interaction point sensor capability in ISO/IEC 23005-2.

6.20.2 Syntax

```

<!-- ##### -->
<!-- Definition of multi interaction point sensor type -->
<!-- ##### -->
<complexType name="MultiInteractionPointSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="InteractionPoint" type="siv:InteractionPointType"
maxOccurs="unbounded"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="InteractionPointType">
  <attribute name="interactionPointId" type="ID" use="required"/>
  <attribute name="interactionPointStatus" type="boolean" default="false"/>

```


Name	Definition						
interactionPointStatus	Indicates the status of an interaction point which is included in a multi interaction point sensor. A value of "true" means that the interaction point receives user's input and "false" means that the interaction point does not.						
	<table border="1"> <thead> <tr> <th>Binary value (1 bits)</th> <th>status of the interaction point</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>The interaction point does not receive user's input</td> </tr> <tr> <td>1</td> <td>The interaction point receives user's input</td> </tr> </tbody> </table>	Binary value (1 bits)	status of the interaction point	0	The interaction point does not receive user's input	1	The interaction point receives user's input
Binary value (1 bits)	status of the interaction point						
0	The interaction point does not receive user's input						
1	The interaction point receives user's input						

6.20.5 Examples

This example shows the description of a set of interaction points sensing with the following semantics. A multi-touch game, drum-kit, has a base drum, a tom-tom drum and a cymbal. To receive user's input, the game creates an interface via a multi interaction point sensor. The multi interaction point sensor of id "MPSID001" includes three interaction points for a drum kit. At timestamp = "50000" where there are 1 000 clock ticks per second, the region of the cymbal image is not pressed while the images of the base drum and the tom-tom drum are pressed.

```
<iidl:InteractionInfo xmlns:siv="urn:mpeg:mpeg-v:2016:01-SIV-NS"
xmlns:mpegvct="urn:mpeg:mpeg-v:2016:01-CT-NS" xmlns:iidl="urn:mpeg:mpeg-
v:2016:01-IIDL-NS" xsi:schemaLocation="urn:mpeg:mpeg-v:2016:01-SIV-NS
http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-SIV.xsd">
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:MultiInteractionPointSensorType"
id="MPS001" sensorIdRef="MPSID001" activate="true" >
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="1000"
pts="50000"/>
      <siv:InteractionPoint interactionPointId="IPT001"
interactionPointStatus="false"/>
      <siv:InteractionPoint interactionPointId="IPT002"
interactionPointStatus="true"/>
      <siv:InteractionPoint interactionPointId="IPT003"
interactionPointStatus="true"/>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

After 1 second, timestamp = "51000" the user is trying to release the drum kit. Therefore, all interaction points are not pressed.

```
<iidl:InteractionInfo xmlns:siv="urn:mpeg:mpeg-v:2016:01-SIV-NS"
xmlns:mpegvct="urn:mpeg:mpeg-v:2016:01-CT-NS" xmlns:iidl="urn:mpeg:mpeg-
v:2016:01-IIDL-NS" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:mpeg:mpeg-v:2016:01-SIV-NS
http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-SIV.xsd">
  <iidl:SensedInfoList>
```

```

        <iidl:SensedInfo xsi:type="siv:MultiInteractionPointSensorType"
id="MPS001" sensorIdRef="MPSID001" activate="true" >
        <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="1000"
pts="51000"/>
        <siv:InteractionPoint interactionPointId="IPT001"
interactionPointStatus="false"/>
        <siv:InteractionPoint interactionPointId="IPT002"
interactionPointStatus="false"/>
        <siv:InteractionPoint interactionPointId="IPT003"
interactionPointStatus="false"/>
        </iidl:SensedInfo>
</iidl:SensedInfoList>
</iidl:InteractionInfo>

```

6.21 Gaze tracking sensor type

6.21.1 General

This Subclause specifies a sensor type which senses a position and a blinking status of user’s eye along with the orientation of user’s gaze. The gaze tracking sensor type does not specify any sensing methods such as infrared, vision, and inductive technologies. The sensing properties of the sensor are specified in a gaze tracking sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include user interactions, robotics, security systems, and others.

6.21.2 Syntax

```

<!-- ##### -->
<!-- Definition of gaze tracking sensor type -->
<!-- ##### -->
<complexType name="GazeTrackingSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="Gaze" type="siv:GazeType" maxOccurs="2"/>
      </sequence>
      <attribute name="personIdx" type="anyURI" use="optional"/>
    </extension>
  </complexContent>
</complexType>

<complexType name="GazeType">
  <sequence>
    <element name="Position" type="siv:PositionSensorType" minOccurs="0"/>
    <element name="Orientation" type="siv:OrientationSensorType"
minOccurs="0"/>
  </sequence>
  <attribute name="gazeIdx" type="anyURI" use="optional"/>
  <attribute name="blinkStatus" type="boolean" use="optional" default="false"/>
</complexType>

```

6.21.3 Binary representation syntax

	Number of bits	Mnemonic
GazeTrackingSensorType{		
SensedInfoBaseType		SensedInfoBaseType
personIdxRefFlag	1	bslbf
if(personIdxRefFlag) {		
personIdxRef	16	uimsbf
}		
NumOfGazes	16	uimsbf
for(k=0; k< NumOfGazes; k++) {		
Gaze [k]		GazeType
}		
}		
GazeType{		
PositionFlag	1	Bslbf
OrientationFlag	1	Bslbf
gazeldxFlag	1	bslbf
blinkStatusFlag	1	bslbf
if(PositionFlag) {		
Position		PositionSensorType
}		
if(OrientationFlag) {		
Orientation		OrientationSensorType
}		
if(gazeldxFlag) {		
gazeldx	16	uimsbf
}		
if(blinkStatusFlag) {		
blinkStatus	1	uimsbf

}		
}		

6.21.4 Semantics

Semantics of the GazeTrackingSensorType:

Name	Definition
GazeTrackingSensorType	Tool for describing sensed information captured by one or more gaze tracking sensor. EXAMPLE Gaze tracking sensor, etc.
TimeStamp	Describes the time that the information is sensed.
personIdx	Describes an index of the person who is being sensed.
Gaze	Describes a set of gazes from a person.
GazeType	Describes the referring identification of a set of gazes.
Position	Describes the position information of an eye which is defined as PositionSensorType.
Orientation	Describes the direction of a gaze which is defined as OrientationSensorType.
gazeIdx	Describes an index of a gaze which is sensed from the same eye.
blinkStatus	Describes the eye’s status in terms of blinking. “false” means the eye is not blinking and “true” means the eye is blinking. Default value of this attribute is “false”.

6.21.5 Examples

This example shows the description of a gaze sensing with the following semantics. The gaze tracking sensor of id “GTSID001” was sensing two gazes from a person. According to the attributes, the sensor was tracking a person who is considered as the personIdx, “pSID001”. One gaze was sensed at the position, (1.5, 0.5, -2.1) and the orientation of that gaze is (1.0, 1.0, 0.0) with no blink during a period. The other gaze was sensed at the position, (1.7, 0.5, -2.1) with same orientation with a blinking during a period. The sensor shall be sensed at timestamp=“50000” where there are 1 000 clock ticks per second.

```
<iidl:InteractionInfo xmlns:siv="urn:mpeg:mpeg-v:2016:01-SIV-NS"
xmlns:mpegvct="urn:mpeg:mpeg-v:2016:01-CT-NS" xmlns:iidl="urn:mpeg:mpeg-
v:2016:01-IIDL-NS" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="urn:mpeg:mpeg-v:2016:01-SIV-NS
http://standards.iso.org/ittf/PubliclyAvailableStandards/MPEG-
V_schema_files/MPEG-V-SIV.xsd">
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:GazeTrackingSensorType" id="GTS001"
sensorIdRef="GTSID001" activate="true" personIdx="pSID001" >
```

```

        <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="1000"
pts="50000"/>
        <siv:Gaze gazeIdx="gz001" blinkStatus="false" >
            <siv:Position id="PS001" sensorIdRef="PSID001">
                <siv:Position>
                    <mpegvct:X>1.5</mpegvct:X>
                    <mpegvct:Y>0.5</mpegvct:Y>
                    <mpegvct:Z>-2.1</mpegvct:Z>
                </siv:Position>
            </siv:Position>
            <siv:Orientation id="OS001" sensorIdRef="OSID001">
                <siv:Orientation>
                    <mpegvct:X>1.0</mpegvct:X>
                    <mpegvct:Y>1.0</mpegvct:Y>
                    <mpegvct:Z>0.0</mpegvct:Z>
                </siv:Orientation>
            </siv:Orientation>
        </siv:Gaze>
        <siv:Gaze gazeIdx="gz002" blinkStatus="true" >
            <siv:Position id="PS002" sensorIdRef="PSID002">
                <siv:Position>
                    <mpegvct:X>1.7</mpegvct:X>
                    <mpegvct:Y>0.5</mpegvct:Y>
                    <mpegvct:Z>-2.1</mpegvct:Z>
                </siv:Position>
            </siv:Position>
            <siv:Orientation id="OS002" sensorIdRef="OSID002">
                <siv:Orientation>
                    <mpegvct:X>1.0</mpegvct:X>
                    <mpegvct:Y>1.0</mpegvct:Y>
                    <mpegvct:Z>0.0</mpegvct:Z>
                </siv:Orientation>
            </siv:Orientation>
        </siv:Gaze>
    </iidl:SensedInfo>
</iidl:SensedInfoList>
</iidl:InteractionInfo>

```

6.22 Wind sensor type

6.22.1 General

This Subclause specifies a sensor type also known as “anemometer”, which measures a velocity of wind at a certain position. The wind sensor type does not specify any sensing methods such as ultrasonic, laser-doppler, windmill, and inductive technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The applications of the sensor type may include weather forecast, media room control, and others.

6.22.2 Syntax

```

<!-- ##### -->
<!-- Definition of wind sensor type -->
<!-- ##### -->
<complexType name="WindSensorType">
    <complexContent>
        <extension base="siv:VelocitySensorType"/>
    </complexContent>
</complexType>

```

6.22.3 Binary representation syntax

WindSensorType{	Number of bits	Mnemonic
Velocity		VelocityType
}		

6.22.4 Semantics

Semantics of the WindSensorType:

Name	Definition
WindSensorType	Tool for describing sensed information captured by none or more wind sensor. EXAMPLE wind sensor, etc.
Velocity	Describes the speed and direction of a wind flow.

6.22.5 Examples

This example shows the description of a wind sensing with the following semantics. The wind sensor of id "WSID001" includes a velocity sensor. The wind vector was with a velocity, (1.0, 1.0, 0.0). The sensor shall be sensed at timestamp="50000" where there are 1000 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:WindSensorType" id="WS001" sensorIdRef="WSID001"
activate="true" >
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="1000"
pts="50000"/>
  <siv:Velocity>
    <mpegvct:X>1.0</mpegvct:X>
    <mpegvct:Y>1.0</mpegvct:Y>
    <mpegvct:Z>0.0</mpegvct:Z>
  </siv:Velocity>
</iidl:SensedInfo>
```

6.23 Global position sensor type

6.23.1 General

This Subclause specifies XML syntax, binary representation syntax, and semantics of the GlobalPositionSensorType with an example instantiation of the sensed information. This complex type is defined to specify the syntax for the interchange of information sensed by a global position sensor. Note that most of the global position sensors also have a capability of sensing the altitude, but a vocabulary for handling sensed altitude information is defined in a separate subclause.

6.23.2 Syntax

```

<!--##### -->
<!--Definition of global position sensor type -->
<!--##### -->
<complexType name="GlobalPositionSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="crs" type="anyURI"
default="urn:ogc:def:crs:EPSG::4326"/>
      <attribute name="longitude" use="required">
        <simpleType>
          <restriction base="double">
            <minInclusive value="-180.0"/>
            <maxInclusive value="180.0"/>
          </restriction>
        </simpleType>
      </attribute>
      <attribute name="latitude" use="required">
        <simpleType>
          <restriction base="double">
            <minInclusive value="-90.0"/>
            <maxInclusive value="90.0"/>
          </restriction>
        </simpleType>
      </attribute>
    </extension>
  </complexContent>
</complexType>

```

6.23.3 Binary representation syntax

GlobalPositionSensorType{	<i>Number of bits</i>	<i>Mnemonic</i>
SensedInfoBaseType	See above	SensedInfoBaseType
crsLength		vluimsbf5
crs		UTF-8
latitude	32	fsfb
longitude	32	fsfb
}		

6.23.4 Semantics

Semantics of the GlobalPositionSensorType:

<i>Name</i>	<i>Definition</i>
GlobalPositionSensorType	Tool for describing sensed information through global positioning

Name	Definition
	system (gps) sensor with respect to a global position.
TimeStamp	Describes the time that the information is acquired (sensed).
crsLength	Indicates the length of crs fields in the binary representation in bytes.
crs	Specifies the URI of the coordinate reference system based on which the values of longitude, latitude and altitude are given. The default is urn:ogc:def:crs:EPSG::4326 specifying the Coordinate Reference System (CRS) with code 4326 specified in the EPSG database available at http://www.epsg.org/ .
longitude	Describes the position of the sensor in terms of degrees of longitude. Positive values represent eastern longitude and negative values represent western longitude. ex: -132.236 represents 132.236 degrees West.
latitude	Describes the position of the sensor in terms of degrees of latitude. Positive value represents northern latitude and negative value represents southern latitude. ex: 37.103 represents 37.103 degrees North.

6.23.5 Examples

This example shows the description of a global position sensing with the following semantics. The latitude is 37.23 N and the longitude is 131.23 E. The position is sensed at system clock tick of 600 000 where there are 1000 ticks per second. The id of this sensed information is GPS001 and the id of the sensor is GPSID001.

```
<iidl:SensedInfo xsi:type="siv:GlobalPositionSensorType" id="GPS001"
sensorIdRef="GPSID001" activate="true" longitude="131.23" latitude="37.23">
<iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.24 Altitude sensor type

6.24.1 General

This subclause specifies XML syntax, binary representation syntax, and semantics of the AltitudeSensorType with an example instantiation of the sensed information. This complex type is defined to specify the syntax for the interchange of information sensed by an altitude sensor. Note that no matter what kind of technology is used to sense the altitude, the sensor type specified in this subclause only specifies the altitude above the geoid in meters.

6.24.2 Syntax

```
<!--##### -->
<!--Definition of altitude sensor type -->
<!--##### -->
```

```

<complexType name="AltitudeSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="crs" type="anyURI"
default="urn:ogc:def:crs:EPSG::4326"/>
      <attribute name="altitude" type="double" use="required"/>
    </extension>
  </complexContent>
</complexType>

```

6.24.3 Binary representation syntax

AltitudeSensorType{	Number of bits	Mnemonic
SensedInfoBaseType	See above	SensedInfoBaseType
crs		UTF-8
altitude	32	fsfb
}		

6.24.4 Semantics

Semantics of the AltitudeSensorType:

Name	Definition
AltitudeSensorType	Tool for describing sensed information through altimeter. The altitude defined in this type is following the WGS-84 coordinate reference system.
crs	Specifies the URI of the coordinate reference system based on which the values of longitude, latitude and altitude are given. The default is urn:ogc:def:crs:EPSG::4326 specifying the Coordinate Reference System (CRS) with code 4326 specified in the EPSG database available at http://www.epsg.org/ .
altitude	Describes the altitude in the unit of meters above the geoid.
TimeStamp	Describes the time that the information is acquired (sensed).
unit	Specifies the unit of the sensed value, if a unit other than the default unit (meter) is used, as a reference to a classification scheme term provided by UnitTypeCS defined in ISO/IEC 23005-6:—, A.2.1.

6.24.5 Examples

This example shows the description of an altitude sensing with the following semantics. The altitude is 123.21 meters above the geoid. The altitude is measured at the system clock tick of 600 000 where there are 1 000 ticks per second. The id of this sensed information is AL001 and the id of the sensor is AltID001.

```
<iidl:SensedInfo xsi:type="siv:AltitudeSensorType" id="AL001"
sensorIdRef="AltiID001" activate="true" altitude="123.21">
<iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.25 Bend sensor type

6.25.1 General

This Subclause specifies a bend sensor type which senses bending angles at each sensing point. The sensor type may sense a single angle or multiple angles of multiple axes depending upon the capability of the particular sensor. The bend sensor type does not specify any sensing methods such as resistive and fiber-optic technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The properties of the sensor are specified in the bend sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, exoskeleton controls, and others.

6.25.2 Syntax

```
<!--##### -->
<!--Definition of bend sensor type -->
<!--##### -->
<complexType name="BendSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="ArrayBendValue" type="mpeg7:FloatMatrixType"
minOccurs="1" maxOccurs="unbounded"/>
      </sequence>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.25.3 Binary representation syntax

BendSensorType{	Number of bits	Mnemonic
unitFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseType
numOfChannels	16	uimsbf
numOfAxes	2	uimsbf
numOfLocations	16	uimsbf
for(i=0 ;i<numOfChannels ;i ++){		
for(j = 0; j< numOfAxes*numOfLocations; j++){		

ArrayBendValue[i, j]	32	fsbf
}		
}		
}		
If (unitFlag == 1){		
Unit	8	bslbf
}		
}		

6.25.4 Semantics

Semantics of the BendSensorType:

Name	Definition
BendSensorType	Tool for describing sensed information with respect to a Bend sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitTypeCS defined in ISO/IEC 23005-6:—, A.2.1. If the unit is not defined here, the default unit is degree.
ArrayBendValue	Describes the set of sensed values by the bend sensor with respect to the default unit or the unit defined in the unit attribute on each joint. NOTE 1 The ArrayBendValue is defined by the number of axes and the number of locations. Three by ten matrix indicates that the arrayValue has 10 sensing locations, each of which has 3-axis bend angles. The order of values in each row of the matrix may be started from the fingertip to the palm side. NOTE 2 In the binary representation, the number of the ArrayBendValue matrix is defined by the number of channels. Each matrix is defined by the number of axes and the number of locations similar to the NOTE 1.
unitFlag	This field, which is only present in the binary representation, indicates the type of unit used in this sensed information.
numOfChannels	This field, which is only present in the binary representation, indicates the number of channels of the bend sensor
numOfAxes	This field, which is only present in the binary representation, indicates the dimension of the data at the sensing locations in each

Name	Definition
	channel.
numOfLocations	This field, which is only present in the binary representation, indicates the number of sensing locations in each channel.

6.25.5 Examples

This example shows the description of a bend sensing with the following semantics. The bend sensor used for this sensed information has 2 channels, each of which has 2 sensing locations with 3 axes. The sensed values at the first channel are (0.0, 90.0, 0.0) and (10.0, 50.0, 40.0) for the two sensing locations. The sensed values at the second channel are (90.0, 0.0, 0.0) and (40.0, 10.0, 50.0) for the two sensing locations. The sensed information is measured at the system clock tick of 6000 where there are 100 ticks per second. The id of this sensed information is bs01 and the id of the sensor is BS_01.

```
<iidl:SensedInfo xsi:type="siv:BendSensorType" id="bs01" sensorIdRef="BS_01">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
  <siv:ArrayBendValue mpeg7:dim="3 3">
    0.0 90.0 0.0
    10.0 50.0 40.0
  </siv:ArrayBendValue>
  <siv:ArrayBendValue mpeg7:dim="3 3">
    90.0 0.0 0.0
    40.0 10.0 50.0
  </siv:ArrayBendValue>
</iidl:SensedInfo>
```

6.26 Gas sensor type

6.26.1 General

This Subclause specifies a gas sensor type which senses a gas type and its gas concentration value. The sensor type may sense a single gas type or multiple types of gas depending upon the capability of the particular sensor. The gas sensor type does not specify any sensing methods such as chemical and biochemical technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The properties of the sensor are specified in the gas sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include home securities, environmental monitoring and others.

6.26.2 Syntax

```
<!--##### -->
<!--Definition of gas sensor type -->
<!--##### -->
<complexType name="GasSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="GasType" type="mpeg7:termReferenceType" minOccurs="0"/>
      </sequence>
      <attribute name="value" type="float" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

```

</extension>
</complexContent>
</complexType>

```

6.26.3 Binary representation syntax

GasSensorType{	Number of bits	Mnemonic
gasTypeFlag	1	bslbf
valueFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
If (gasTypeFlag == 1){		
GasTypeSelect	16	uirmsbf
}		
If (valueFlag == 1){		
value	32	fsfb
}		
If (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.26.4 Semantics

Semantics of the GasSensorType:

Name	Definition
GasSensorType	Tool for describing sensed information with respect to a gas sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
GasType	Describes the sensed type by the gas sensor. Tool for describing a gas type as a reference to a classification scheme term provided by GasTypeCS defined in B.6. The details of the structure and use of classification scheme and termReferencetype description is defined in ISO/IEC 15938-5.
EXAMPLE	urn:mpeg:mpeg-v:01-CI-GasCS-NS:oxygen would

Name	Definition
	describe the unit for gas concentrations in ppm (parts per million).
value	Describes the sensed gas concentration value by the gas sensor with respect to the default unit or the unit defined in the unit attribute.
unit	<p>Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitTypeCS defined in ISO/IEC 23005-6:—, A.2.1. The default unit for the GasSensorType is ppm.</p> <p>EXAMPLE urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:ppm would describe the unit for gas concentrations in ppm (parts per million). urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:pcpl would describe the unit for gas concentrations in pCi/l (picocuries per liter).</p>
gasTypeFlag	This field, which is only present in the binary representation, signals the presence of GasTypeSelect. A value of “1” means the GasTypeSelect shall be used and “0” means that the GasTypeSelect shall not be used.
valueFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means that the attribute shall be used and “0” means that the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, indicates the type of unit used in this sensed information.
GasTypeSelect	This field, which is only present in the binary representation, signals what value type is used.

GasTypeSelect (16 bits)	Type
0	Reserved
1	carbon monoxide
2	carbon dioxide
3	sulfurous acid
4	nitrogen oxide
5	nitrogen dioxide
6	oxygen
7	ozone
8	hydrogen
9	VOC (Volatile Organic Compounds)

Name	Definition	
	10	ethanol (chemical symbol of ethanol is C ₂ H ₅ OH)
	11	propane
	12	methane
	13	butane
	14	formaldehyde
	15	Radon222
	16-65535	reserved

6.26.5 Examples

This example shows the description of a gas sensing with the following semantics. The description has identifier of "gas01" and the sensor references an actual sensor with ID of "GSID_01". The sensor shall be activated and the value shall be 100 with the unit of ppm. The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:GasSensorType" id="gas01" activate="true"
sensorIdRef="GSID_01" value="100" unit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:ppm">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
  <siv:GasType>urn:mpeg:mpeg-v:01-CI-GasCS-NS:oxygen</siv:GasType>
</iidl:SensedInfo>
```

6.27 Dust sensor type

6.27.1 General

This Subclause specifies a gas sensor type which senses dust concentration value without identifying the types of dust. The dust sensor type does not specify any sensing methods such as optical and tribo-electric technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The properties of the sensor are specified in the dust sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include home securities, environmental monitoring and others.

6.27.2 Syntax

```
<!--##### -->
<!--Definition of dust sensor type -->
<!--##### -->
<complexType name="DustSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.27.3 Binary representation syntax

DustSensorType{	Number of bits	Mnemonic
valueFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
If (valueFlag == 1){		
value	32	fsfb
}		
If (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.27.4 Semantics

Semantics of the DustSensorType:

Name	Definition
DustSensorType	Tool for describing sensed information with respect to a dust sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
value	Describes the sensed dust concentration value by the dust check with respect to the default unit or the unit defined in the unit attribute.
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitTypeCS defined in ISO/IEC 23005-6:—, A.2.1. The default unit is $\mu\text{g}/\text{m}^3$.
valueFlag	This field, which is only present in the binary representation, signals the presence of sensor value attribute. A value of “1” means that the attribute shall be used and “0” means that the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, signals if a unit other than default unit is used. A value of “1” indicates that the unit specified in the unit attribute shall be used and “0” indicates that the default unit shall be used.

6.27.5 Examples

This example shows the description of a dust sensing with the following semantics. The description has identifier of "dust01" and the sensor references an actual sensor with ID of "DTID_01". The sensor shall be activated and the value shall be 100 with the unit of $\mu\text{g}/\text{m}^3$. The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:DustSensorType" id="dust01" activate="true"
sensorIdRef="DTID_01" value="100" unit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-
NS:microgpcm">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.28 Body height sensor type

6.28.1 General

This Subclause specifies a sensor type which senses body height. The body height sensor type does not specify any sensing methods such as ultrasonic, optical, and inductive technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The applications of the sensor type may include physical interactive game, health monitoring, and others.

6.28.2 Syntax

```
<!--##### -->
<!--Definition of body height sensor type -->
<!--##### -->
<complexType name="BodyHeightSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="required"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.28.3 Binary representation syntax

BodyHeightSensorType{	Number of bits	Mnemonic
unitFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
value	32	fsfb
If (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.28.4 Semantics

Semantics of the BodyHeightSensorType:

Name	Definition
BodyHeightSensorType	Tool for describing sensed information with respect to a body height sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-6:—, A.2.1.
value	Describes the sensed value of the body height with respect to the centimeter (cm) scale.
unitFlag	This field, which is only present in the binary representation, signals if a unit other than default unit is used. A value of “1” indicates that the unit specified in the unit attribute shall be used and “0” indicates that the default unit shall be used.

6.28.5 Examples

This example shows the description of a body height sensing with the following semantics. The sensor has an ID of “BHS001” and references “BHSID001”. The sensor shall be activated and the value shall be 170.5 (cm). The sensor shall be sensed at timestamp=“60000” where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:BodyHeightSensorType" id="BHS001"
sensorIdRef="BHSID001" activate="true" value="170.5">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.29 Body weight sensor type

6.29.1 General

This Subclause specifies a sensor type which senses body weight. The body weight sensor type does not specify any sensing methods such as strain gauge and gravity technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The applications of the sensor type may include physical interactive game, health monitoring, and others.

6.29.2 Syntax

```
<!--##### -->
<!--Definition of body weight sensor type -->
<!--##### -->
<complexType name="BodyWeightSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="required"/>
    </extension>
  </complexContent>
</complexType>
```

```

    <attribute name="unit" type="mpegvct:unitType" use="optional"/>
  </extension>
</complexContent>
</complexType>

```

6.29.3 Binary representation syntax

BodyWeightSensorType{	Number of bits	Mnemonic
unitFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
value	32	fsfb
If (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.29.4 Semantics

Semantics of the BodyWeightSensorType:

Name	Definition
BodyWeightSensorType	Tool for describing sensed information with respect to a body weight sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-6:—, A.2.1.
value	Describes the sensed value of the body weight with respect to the kilogram (kg) scale.
unitFlag	This field, which is only present in the binary representation, signals if a unit other than default unit is used. A value of “1” indicates that the unit specified in the unit attribute shall be used and “0” indicates that the default unit shall be used.

6.29.5 Examples

This example shows the description of a body weight sensing with the following semantics. The sensor has an ID of “BWS001” and references “BWSID001”. The sensor shall be activated and the value shall be 65.4 (kg). The sensor shall be sensed at timestamp=“60000” where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:BodyWeightSensorType" id="BWS001"
sensorIdRef="BWSID001" activate="true" value="65.4">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.30 Body temperature sensor type

6.30.1 General

This Subclause specifies a sensor type which senses body temperature. The body temperature sensor type does not specify any sensing methods such as the thermally sensitive resistor technology. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The applications of the sensor type may include physical interactive game, health monitoring, and others.

6.30.2 Syntax

```
<!--##### -->
<!--Definition of body temperature sensor type -->
<!--##### -->
<complexType name="BodyTemperatureSensorType">
  <complexContent>
    <extension base="siv:TemperatureSensorType">
      <attribute name="location" type="nonNegativeInteger" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.30.3 Binary representation syntax

BodyTemperatureSensorType{	Number of bits	Mnemonic
locationFlag	1	bslbf
TemperatureSensorType	See above	TemperatureSensorType
if (locationFlag == 1){		
location	4	uimsbf
}		
}		

6.30.4 Semantics

Semantics of the BodyTemperatureSensorType:

<i>Name</i>	<i>Definition</i>																								
BodyTemperatureSensorType	Tool for describing sensed information with respect to a body temperature sensor.																								
TimeStamp	Describes the time that the information is acquired (sensed).																								
value	Describes the sensed value of the body weight with respect to the Celsius (°C) scale.																								
location	<p>Describes the position information where the sensor is sensed. The default value of location is 1.</p> <p>1. General body temperature 2. Axillary (armpit) 3. Ear (usually earlobe) 4. Finger 5. Gastro-intestinal tract 6. Mouth 7. Rectum 8. Toe 9. Tympanum (ear drum)</p> <p>The following table shall be used for binary representation.</p> <table border="1"> <thead> <tr> <th>Binary representation (4 bits)</th> <th>Position information</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Reserved</td> </tr> <tr> <td>1</td> <td>General body temperature</td> </tr> <tr> <td>2</td> <td>Axillary (armpit)</td> </tr> <tr> <td>3</td> <td>Ear (usually earlobe)</td> </tr> <tr> <td>4</td> <td>Finger</td> </tr> <tr> <td>5</td> <td>Gastro-intestinal tract</td> </tr> <tr> <td>6</td> <td>Mouth</td> </tr> <tr> <td>7</td> <td>Rectum</td> </tr> <tr> <td>8</td> <td>Toe</td> </tr> <tr> <td>9</td> <td>Tympanum (ear drum)</td> </tr> <tr> <td>10-15</td> <td>Reserved</td> </tr> </tbody> </table>	Binary representation (4 bits)	Position information	0	Reserved	1	General body temperature	2	Axillary (armpit)	3	Ear (usually earlobe)	4	Finger	5	Gastro-intestinal tract	6	Mouth	7	Rectum	8	Toe	9	Tympanum (ear drum)	10-15	Reserved
Binary representation (4 bits)	Position information																								
0	Reserved																								
1	General body temperature																								
2	Axillary (armpit)																								
3	Ear (usually earlobe)																								
4	Finger																								
5	Gastro-intestinal tract																								
6	Mouth																								
7	Rectum																								
8	Toe																								
9	Tympanum (ear drum)																								
10-15	Reserved																								
locationFlag	This field, which is only present in the binary representation, signals if the body location type is used. A value of "1" indicates that the type shall be used and "0" indicates that the default location shall be used.																								

6.30.5 Examples

This example shows the description of a body temperature sensing with the following semantics. The sensor has an ID of "BTS001" and references "BTSID001". The sensor shall be activated and the value shall be 36.5 (°C). The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second and be located in the mouth.

```
<iidl:SensedInfo xsi:type="siv:BodyTemperatureSensorType" id="BTS001"
sensorIdRef="BTSID001" activate="true" value="36.5" location="6">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.31 Body fat sensor type

6.31.1 General

This Subclause specifies a sensor type which senses body fat. The body fat sensor type does not specify any sensing methods such as chemical and bio-chemical technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The applications of the sensor type may include physical interactive game, health monitoring, and others.

6.31.2 Syntax

```
<!--##### -->
<!--Definition of body fat sensor type -->
<!--##### -->
<complexType name="BodyFatSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="required"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.31.3 Binary representation syntax

BodyFatSensorType{	Number of bits	Mnemonic
unitFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
value	32	fsfb
If (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.31.4 Semantics

Semantics of the `BodyFatSensorType`:

Name	Definition
<code>BodyFatSensorType</code>	Tool for describing sensed information with respect to a body fat sensor.
<code>TimeStamp</code>	Describes the time that the information is acquired (sensed).
<code>unit</code>	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by <code>UnitCS</code> defined in ISO/IEC 23005-6:—, A.2.1.
<code>value</code>	Describes the sensed value of the body fat with respect to the percentage (%).
<code>unitFlag</code>	This field, which is only present in the binary representation, signals if a unit other than default unit is used. A value of “1” indicates that the unit specified in the unit attribute shall be used and “0” indicates that the default unit shall be used.

6.31.5 Examples

This example shows the description of a body fat sensing with the following semantics. The sensor has an ID of “BFS001” and references “BFSID001”. The sensor shall be activated and the value shall be 75 %. The sensor shall be sensed at `timestamp="60000"` where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:BodyFatSensorType" id="BFS001"
sensorIdRef="BFSID001" activate="true" value="75">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.32 Blood type sensor type

6.32.1 General

This Subclause specifies a sensor type which senses blood type. The blood type sensor type does not specify any sensing methods such as chemical and bio-chemical technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The applications of the sensor type may include physical interactive game, health monitoring, and others.

6.32.2 Syntax

```
<!--##### -->
<!--Definition of Blood type sensor type -->
<!--##### -->
<complexType name="BloodTypeSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
```

```

<element name="ABOType">
  <simpleType>
    <restriction base="string">
      <enumeration value="A"/>
      <enumeration value="B"/>
      <enumeration value="AB"/>
      <enumeration value="O"/>
    </restriction>
  </simpleType>
</element>
<element name="RhType">
  <simpleType>
    <restriction base="string">
      <enumeration value="+"/>
      <enumeration value="-"/>
    </restriction>
  </simpleType>
</element>
</sequence>
</extension>
</complexContent>
</complexType>

```

6.32.3 Binary representation syntax

BloodTypeSensorType	Number of bits	Mnemonic
SensedInfoBaseType	See above	SensedInfoBaseType
ABOType	2	bslbf
RhType	1	bslbf
}		

6.32.4 Semantics

Semantics of the BloodTypeSensorType:

Name	Definition
BloodTypeSensorType	Tool for describing sensed information with respect to a blood Type sensor.
ABOType	Describes the sensed value of the ABO blood types: A, B, AB, and O.

The following table shall be used for binary representation.

Binary representation (2 bits)	ABO Type

Name	Definition							
	00	A						
	01	B						
	10	AB						
	11	O						
RhType	<p>Describes the sensed value of the Rh blood types: Rh positive (+) and Rh negative (-).</p> <p>The following table shall be used for binary representation.</p> <table border="1"> <thead> <tr> <th>Binary representation (1 bit)</th> <th>Rh Type</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>Rh positive (+)</td> </tr> <tr> <td>1</td> <td>Rh negative (-)</td> </tr> </tbody> </table>		Binary representation (1 bit)	Rh Type	0	Rh positive (+)	1	Rh negative (-)
Binary representation (1 bit)	Rh Type							
0	Rh positive (+)							
1	Rh negative (-)							

6.32.5 Examples

This example shows the description of a blood type sensing with the following semantics. The sensor has an ID of "BTYS001" and references "BTYSID001". The sensor shall be activated. The ABO blood type shall be A and the Rh blood type shall be Rh + (Rh positive). The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:BloodTypeSensorType" id="BTYS001"
sensorIdRef="BTYSID001" activate="true">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
  <siv:ABOType>A</siv:ABOType>
  <siv:RhType>+</siv:RhType>
</iidl:SensedInfo>
```

6.33 Blood pressure sensor type

6.33.1 General

This Subclause specifies a sensor type which senses blood pressure. The blood pressure sensor type does not specify any sensing methods such as a sphygmomanometer technology. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The applications of the sensor type may include physical interactive game, health monitoring, and others.

6.33.2 Syntax

```
<!--##### -->
<!--Definition of blood pressure sensor type -->
<!--##### -->
<complexType name="BloodPressureSensorType">
```

```

<complexContent>
  <extension base="iidl:SensedInfoBaseType">
    <attribute name="systolicBP" type="float" use="optional"/>
    <attribute name="diastolicBP" type="float" use="optional"/>
    <attribute name="MAP" type="float" use="optional"/>
    <attribute name="unit" type="mpegvct:unitType" use="optional"/>
  </extension>
</complexContent>
</complexType>

```

6.33.3 Binary representation syntax

BloodPressureSensorType{	Number of bits	Mnemonic
unitFlag	1	Bslbf
systolicBPFlag	1	Bslbf
diastolicBPFlag	1	Bslbf
MAPFlag	1	Bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
if (systolicBPFlag == 1) {		
systolicBP	32	Fsfb
}		
if (diastolicBPFlag == 1) {		
diastolicBP	32	Fsfb
}		
if (MAPFlag == 1) {		
MAP	32	Fsfb
}		
if (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.33.4 Semantics

Semantics of the BloodPressureSensorType:

Name	Definition
BloodPressureSensorType	Tool for describing sensed information with respect to a blood pressure sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-6:—, A.2.1.
systolicBP	Describes the sensed value of the systolic blood pressure with respect to the millimeters of mercury (mmHg).
diastolicBP	Describes the sensed value of the diastolic blood pressure with respect to the millimeters of mercury (mmHg).
MAP	Describes the sensed value of the mean arterial pressure with respect to the millimeters of mercury (mmHg).
unitFlag	This field, which is only present in the binary representation, signals if a unit other than default unit is used. A value of “1” indicates that the unit specified in the unit attribute shall be used and “0” indicates that the default unit shall be used.
systolicBPFlag	This field, which is only present in the binary representation, signals if the value of systolicBP is present. A value of “1” indicates that the value of systolicBP shall be present and “0” indicates that systolicBP shall not be present.
diastolicBPFlag	This field, which is only present in the binary representation, signals if the value of diastolicBP is present. A value of “1” indicates that the value of diastolicBP shall be present and “0” indicates that diastolicBP shall not be present.
MAPFlag	This field, which is only present in the binary representation, signals if the value of MAP is present. A value of “1” indicates that the value of MAP shall be present and “0” indicates that MAP shall not be present.

6.33.5 Examples

This example shows the description of a blood pressure sensing with the following semantics. The sensor has an ID of “BPS001” and references “BPSID001”. The sensor shall be activated. The systolic blood pressure shall be 121 mmHg, the diastolic blood pressure shall be 83 mmHg and the mean arterial pressure shall be 100 mmHg. The sensor shall be sensed at timestamp=“60000” where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:BloodPressureSensorType" id="BPS001"
sensorIdRef="BPSID001" activate="true" systolicBP="121" diastolicBP="83"
MAP="100">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.34 Blood sugar sensor type

6.34.1 General

This Subclause specifies a sensor type which senses blood sugar. The blood sugar sensor type does not specify any sensing methods such as chemical and bio-chemical technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The applications of the sensor type may include physical interactive game, health monitoring, and others.

6.34.2 Syntax

```

<!--##### -->
<!--Definition of blood sugar sensor type -->
<!--##### -->
<complexType name="BloodSugarSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="required"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
    
```

6.34.3 Binary representation syntax

BloodSugarSensorType{	Number of bits	Mnemonic
unitFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
value	32	fsfb
If (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.34.4 Semantics

Semantics of the BloodSugarSensorType:

Name	Definition
BloodSugarSensorType	Tool for describing sensed information with respect to a blood sugar sensor.
TimeStamp	Describes the time that the information is acquired (sensed).

Name	Definition
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-6:—, A.2.1.
value	Describes the sensed value of the blood sugar with respect to the milligrams per deciliter (mg/dL).
unitFlag	This field, which is only present in the binary representation, signals if a unit other than default unit is used. A value of "1" indicates that the unit specified in the unit attribute shall be used and "0" indicates that the default unit shall be used.

6.34.5 Examples

This example shows the description of a blood sugar sensing with the following semantics. The sensor has an ID of "BSS001" and references "BSSID001". The sensor shall be activated and the value shall be 115 mg/dL. The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:BloodSugarSensorType" id="BSS001"
sensorIdRef="BSSID001" activate="true" value="115">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.35 Blood oxygen sensor type

6.35.1 General

This Subclause specifies a sensor type which senses blood oxygen. The blood oxygen sensor type does not specify any sensing methods such as chemical and bio-chemical technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The applications of the sensor type may include physical interactive game, health monitoring, and others.

6.35.2 Syntax

```
<!--##### -->
<!--Definition of blood oxygen sensor type -->
<!--##### -->
<complexType name="BloodOxygenSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="required"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.35.3 Binary representation syntax

BloodOxygenSensorType{	Number of bits	Mnemonic
unitFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
value	32	fsfb
If (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.35.4 Semantics

Semantics of the BloodOxygenSensorType:

Name	Definition
BloodOxygenSensorType	Tool for describing sensed information with respect to a blood oxygen sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-6:—, A.2.1.
value	Describes the sensed value of the blood oxygen saturation with respect to the percentage (%).
unitFlag	This field, which is only present in the binary representation, signals if a unit other than default unit is used. A value of “1” indicates that the unit specified in the unit attribute shall be used and “0” indicates that the default unit shall be used.

6.35.5 Examples

This example shows the description of a blood oxygen sensing with the following semantics. The sensor has an ID of “BOS001” and references “BOSID001”. The sensor shall be activated and the value shall be 96.0 %.The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:BloodOxygenSensorType" id="BOS001"
sensorIdRef="BOSID001" activate="true" value="96.0">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.36 Heart rate sensor type

6.36.1 General

This Subclause specifies a sensor type which senses heart rate. The heart rate sensor type does not specify any sensing methods such as a bio-mechanical technology. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The applications of the sensor type may include physical interactive game, health monitoring, and others.

6.36.2 Syntax

```

<!--##### -->
<!--Definition of heart rate sensor type -->
<!--##### -->
<complexType name="HeartRateSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="required"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

6.36.3 Binary representation syntax

HearRateSensorType{	Number of bits	Mnemonic
unitFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
value	32	fsfb
If (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.36.4 Semantics

Semantics of the HeartRateSensorType:

Name	Definition
HeartRateSensorType	Tool for describing sensed information with respect to a heart rate sensor.
TimeStamp	Describes the time that the information is acquired (sensed).

Name	Definition
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-2:—, A.2.1.
value	Describes the sensed value of the heart rate with respect to the beats per minute (BPM).
unitFlag	This field, which is only present in the binary representation, signals if a unit other than default unit is used. A value of “1” indicates that the unit specified in the unit attribute shall be used and “0” indicates that the default unit shall be used.

6.36.5 Examples

This example shows the description of a heart rate sensing with the following semantics. The sensor has an ID of “HRS001” and references “HRSID001”. The sensor shall be activated and the value shall be 65 BPM. The sensor shall be sensed at timestamp=“60000” where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:HeartRateSensorType" id="HRS001"
sensorIdRef="HRSID001" activate="true" value="65">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.37 Electrograph sensor type

6.37.1 General

This Subclause specifies an electrograph sensor type which produces any electrical graphs. The electrograph sensor type is a base type of electrograph-related bio-signals such as electroencephalogram (EEG), electrocardiogram (ECG), electromyogram (EMG), and electro-oculogram (EOG). The properties of the sensor are specified in the electrograph sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include medical use, health monitoring, brain computer interface and others.

6.37.2 Syntax

```
<!--##### -->
<!--Definition of electrograph sensor type -->
<!--##### -->
<complexType name="ElectrographSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="WaveValue" type="mpeg7:FloatMatrixType" minOccurs="0"/>
      </sequence>
      <attribute name="unit" type="mpegvct:unitType"
use="optional"/>
      <attribute name="waveformLabel" type="mpeg7:termReferenceType"
use="optional"/>
      <attribute name="maxAmplitude" type="float" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.37.3 Binary representation syntax

ElectrographSensorType{	Number of bits	Mnemonic
waveValueFlag	1	bslbf
unitFlag	1	bslbf
waveformLabelFlag	1	bslbf
maxAmplitudeFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
numOfChannels	16	uimsbf
numOfSamples	16	uimsbf
If (unitFlag == 1){		
unit	8	bslbf
}		
If (waveformLabelFlag == 1){		
waveformLabel	8	bslbf
}		
If (maxAmplitudeFlag == 1){		
maxAmplitude	32	fsbf
}		
If (waveValueFlag == 1){		
for(k = 0; k < numOfSamples; k++){		
for(j=0;j < numOfChannels;j++){		
WaveValue[(k * numOfChannels + j)]	32	fsbf
}		
}		
}		
}		

6.37.4 Semantics

Semantics of the ElectrographSensorType:

<i>Name</i>	<i>Definition</i>
ElectrographSensorType	Tool for describing sensed information with respect to an electrograph sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
WaveValue	Describes the time series sensed value of the electrograph sensor with respect to the microvolt (μV). The <code>dim</code> attribute of the matrix specifies in the order of the number of samples per channel and the number of channels. (i.e. the first dimension is number samples, and the second dimension is the number of channels).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-6:—, A.2.1.
waveformLabel	Describes the label of the waveform based as a reference to a classification scheme term provided by waveformLabelCS of EEG, ECG, EMG and EOG defined in B.1, B.2, B.3, and B.4, respectively.
maxAmplitude	Describes the maximum amplitude among the acquired time series value of the electrode sensor with respect to the microvolt (μV).
waveValueFlag	This field, which is only present in the binary representation, signals the presence of WaveValue. A value of "1" means the WaveValue shall be used and "0" means that the WaveValue shall not be used.
unitFlag	This field, which is only present in the binary representation, signals if a unit other than default unit is used. A value of "1" indicates that the unit specified in the unit attribute shall be used and "0" indicates that the default unit shall be used.
waveformLabelFlag	This field, which is only present in the binary representation, signals if the label of waveform is present. A value of "1" indicates that the label of waveform shall be present and "0" indicates that the waveform label shall not be present.
maxAmplitudeFlag	This field, which is only present in the binary representation, signals if the value of maximum amplitude is present. A value of "1" indicates that the value of maximum amplitude shall be present and "0" indicates that the value of maximum amplitude shall not be present.
numOfChannels	This field, which is only present in the binary representation, represents the number of channels.
numOfSamples	This field, which is only present in the binary representation, represents the number of samples in the sensed information for each channel.

6.37.5 Examples

This example shows the description of an electrograph sensing with the following semantics. The segmented sensed electrograph signal stream is composed of ten values of "0.5, 1.1, 2.2, 1.7, 1.1, 2.4, 5.7, 1.3, 0.5, 1.1". The unit of the signal is millivolt. The electrograph signal stream is obtained at the system clock tick of 60 000 where there are 100 ticks per second. The id of this sensed information is egs01 and the id of the sensor is EGSID_01.

```
<iidl:SensedInfo xsi:type="siv:ElectrographSensorType" id="egs01"
sensorIdRef="EGS_01">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
  <siv:WaveValue mpeg7:dim="10 1">
    0.5 1.1 2.2 1.7 1.1 2.4 5.7 1.3 0.5 1.1
  </siv:WaveValue>
</iidl:SensedInfo>
```

6.38 EEG sensor type

6.38.1 General

This Subclause specifies an electroencephalogram sensor type which detects a set of brain waves among the electrodes attached to the scalp that act as transducers. The applications of the sensor type may include medical use, health monitoring, brain computer interface and others.

6.38.2 Syntax

```
<!--##### -->
<!--Definition of EEG sensor type -->
<!--##### -->
<complexType name="EEGSensorType">
  <complexContent>
    <extension base="siv:ElectrographSensorType">
      <attribute name="wavePattern" type="mpeg7:termReferenceType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```


6.38.3 Binary representation syntax

EEGSensorType{	Number of bits	Mnemonic
wavePatternFlag	1	bslbf
electrographSensorType	See above	electrographSensorType
if (wavePatternFlag == 1){		
wavePattern	4	bslbf
}		
}		

6.38.4 Semantics

Semantics of the EEGSensorType:

Name	Definition
EEGSensorType	Tool for describing sensed information with respect to an electroencephalogram (EEG) sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
WaveValue	Describes the time series sensed value of the EEG sensor with respect to the microvolt (μV).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-6:—, A.2.1.
waveformLabel	Describes the label of the waveform based as a reference to a classification scheme term provided by EEG_waveformLabelCS defined in B.1.



< Electrode locations >

FP1.2	Frontal pole
F3.4	Frontal
C3.4	Central
P3.4	Parietal
O1.2	Occipital
F7.8	Anterior temporal
T3.4	Middle temporal
T5.6	Posterior temporal
FZ	Midline-frontal
CZ	Midline-central
PZ	Midline-parietal
A1.2	Auricular

< Symbols and their corresponding meaning >

[10-20 electrode EEG system]

Name	Definition	
	Waveform Label	Description
	EEG_FP1_F7	Describes the waveform between FP1 and F7
	EEG_F7_T3	Describes the waveform between F7 and T3
	EEG_T3_T5	Describes the waveform between T3 and T5
	EEG_T5_O1	Describes the waveform between T5 and O1
	EEG_FP2_F8	Describes the waveform between FP2 and F8
	EEG_F8_T4	Describes the waveform between F8 and T4
	EEG_T4_T6	Describes the waveform between T4 and T6
	EEG_T6_O2	Describes the waveform between T6 and O2
	EEG_FP1_F3	Describes the waveform between FP1 and F3
	EEG_F3_C3	Describes the waveform between F3 and C3
	EEG_C3_P3	Describes the waveform between C3 and P3
	EEG_P3_O1	Describes the waveform between P3 and O1
	EEG_FP2_F4	Describes the waveform between FP2 and F4
	EEG_F4_C4	Describes the waveform between F4 and C4
	EEG_C4_P4	Describes the waveform between C4 and P4
	EEG_P4_O2	Describes the waveform between P4 and O2
	EEG_FZ_CZ	Describes the waveform between FZ and CZ
	EEG_CZ_PZ	Describes the waveform between CZ and PZ

[EEG waveform label]

The following table shall be used for binary representation.

Binary representation (5 bits)	EEG waveform label
0	EEG_FP1_F7
1	EEG_F7_T3

Name	Definition	
	2	EEG_T3_T5
	3	EEG_T5_O1
	4	EEG_FP2_F8
	5	EEG_F8_T4
	6	EEG_T4_T6
	7	EEG_T6_O2
	8	EEG_FP1_F3
	9	EEG_F3_C3
	10	EEG_C3_P3
	11	EEG_P3_O1
	12	EEG_FP2_F4
	13	EEG_F4_C4
	14	EEG_C4_P4
	15	EEG_P4_O2
	16	EEG_FZ_CZ
	17	EEG_CZ_PZ
	18-31	reserved

maxAmplitude Describes the maximum amplitude among the acquired time series value of the EEG sensor with respect to the microvolt (μV).

wavePattern Specifies the pattern of the sensed wave as a reference to a classification scheme term provided by WavePatternCS defined in B.5.

The following table shall be used for binary representation.

Binary representation (4 bits)	Wave pattern Type
0	reserved
1	EEG Delta
2	EEG Theta
3	EEG Alpha
4	EEG Beta

Name	Definition	
	5	EEG Gamma
	6-15	reserved
wavePatternFlag	This field, which is only present in the binary representation, signals if <code>wavePattern</code> attribute is specified or not. A value of "1" indicates that the attribute is used and "0" shall indicate that the attribute is not used.	

6.38.5 Examples

This example shows the description of an EEG sensing with the following semantics. The segmented sensed EEG signal wave, measured between FP1 and F7, is composed of ten values of "0.5, 1.1, 2.2, 1.7, 1.1, 2.4, 5.7, 1.3, 0.5, 1.1". The unit of the signal is millivolt. The EEG signal stream is obtained at the system clock tick of 60000 where there are 100 ticks per second. The id of this sensed information is eeg01 and the id of the sensor is EEGID_01.

```
<iidl:SensedInfo xsi:type="siv:EEGSensorType" id="eeg01" activate="true"
sensorIdRef="EEGID_01" unit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:millivolt"
waveformLabel="urn:mpeg:mpeg-v:01-CI-EEG_WaveformLabelCS-NS:EEG_FP1_F7"
wavePattern="urn:mpeg:mpeg-v:01-CI-EEG_WavePatternCS-NS:EEG_Delta">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
  <siv:WaveValue mpeg7:dim="1 10">
    0.5 1.1 2.2 1.7 1.1 2.4 5.7 1.3 0.5 1.1
  </siv:WaveValue>
</iidl:SensedInfo>
```

6.39 ECG sensor type

6.39.1 General

This Subclause specifies an electrocardiogram sensor type which detects a set of heart waves among the electrodes attached to the skin that are caused when the heart muscle depolarizes during each heartbeat. The applications of the sensor type may include medical use, health monitoring, physical interactive game and others.

6.39.2 Syntax

```
<!--##### -->
<!--Definition of ECG sensor type -->
<!--##### -->
<complexType name="ECGSensorType">
  <complexContent>
    <extension base="siv:ElectrographSensorType">
    </extension>
  </complexContent>
</complexType>
```


6.39.3 Binary representation syntax

ECGSensorType{	Number of bits	Mnemonic
electrographSensorType	See above	electrographSensorType
}		


6.39.4 Semantics

Semantics of the ECGSensorType:

Name	Definition
ECGSensorType	Tool for describing sensed information with respect to an electrocardiogram (ECG) sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
WaveValue	Describes the time series sensed value of the ECG sensor with respect to the microvolt (μV).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-6:—, A.2.1.
waveformLabel	Describes the label of the waveform based as a reference to a classification scheme term provided by ECG_waveformLabelCS defined in B.2. For ECG sensors, the name of each 12 leads is used as a waveform label.



[12 lead ECG system]



Name	Definition
------	------------

[12 leads derived from the 10-electrode placement]

Electrode label	Electrode placement
RA	On the right arm, avoiding bony prominences.
LA	In the same location that RA was placed, but on the left arm this time.
RL	On the right leg, avoiding bony prominences.
LL	In the same location that RL was placed, but on the left leg this time.
V1	In the <i>fourth</i> intercostal space (between ribs 4 & 5) just to the <i>right</i> of the sternum (breastbone).
V2	In the <i>fourth</i> intercostal space (between ribs 4 & 5) just to the <i>left</i> of the sternum.
V3	Between leads V2 and V4.
V4	In the fifth intercostal space (between ribs 5 & 6) in the mid-clavicular line (the imaginary line that extends down from the midpoint of the clavicle (collarbone)).
V5	Horizontally even with V4, but in the anterior axillary line. (The anterior axillary line is the imaginary line that runs down from the point midway between the middle of the clavicle and the lateral end of the clavicle; the lateral end of the collarbone is the end closer to the arm.)
V6	Horizontally even with V4 and V5 in the midaxillary line. (The midaxillary line is the imaginary line that extends down from the middle of the patient's armpit.)

[ECG electrode labels and their corresponding meaning]

Waveform Label	Description
ECG_V1	The label of the waveform acquired from the electrode V1.
ECG_V2	The label of the waveform acquired from the electrode V2.

Name	Definition
ECG_V3	The label of the waveform acquired from the electrode V3.
ECG_V4	The label of the waveform acquired from the electrode V4.
ECG_V5	The label of the waveform acquired from the electrode V5.
ECG_V6	The label of the waveform acquired from the electrode V6.
ECG_I	Lead I is the voltage between the (positive) left arm (LA) electrode and right arm (RA) electrode. (I=LA-RA)
ECG_II	Lead II is the voltage between the (positive) left leg (LL) electrode and right arm (RA) electrode. (II=LL-RA)
ECG_III	Lead III is the voltage between the (positive) left leg (LL) electrode and left arm (LA) electrode. (III=LL-LA)
ECG_aVR	Lead augmented vector right (aVR) has the positive electrode on the right arm. The negative electrode is a combination of the left arm electrode and the left leg electrode, which "augments" the signal strength of the positive electrode on the right arm. (aVR=RA-0.5(LA+LL))
ECG_aVL	Lead augmented vector left (aVL) has the positive electrode on the left arm. The negative electrode is a combination of the right arm electrode and the left leg electrode, which "augments" the signal strength of the positive electrode on the left arm. (aVL=LA-0.5(RA+LL))
ECG_aVF	Lead augmented vector foot (aVF) has the positive electrode on the left leg. The negative electrode is a combination of the right arm electrode and the left arm electrode, which "augments" the signal of the positive electrode on the left leg. (aVF=LL-0.5(RA+LA))

[ECG waveform labels and their corresponding meaning]

The following table shall be used for binary representation.

Binary representation (5 bits)	WaveformLabel
0	ECG_V1
1	ECG_V2

Name	Definition	
	2	ECG_V3
	3	ECG_V4
	4	ECG_V5
	5	ECG_V6
	6	ECG_I
	7	ECG_II
	8	ECG_III
	9	ECG_aVR
	10	ECG_aVL
	11	ECG_aVF
	12-31	reserved

maxAmplitude Describes the maximum amplitude among the acquired time series value of the ECG sensor with respect to the microvolt (μV).

6.39.5 Examples

This example shows the description of an ECG sensing with the following semantics. The segmented sensed ECG signal wave acquired at the electrode V1 is composed of ten values of "0.5, 1.1, 2.2, 1.7, 1.1, 2.4, 5.7, 1.3, 0.5, 1.1". The unit of the signal is millivolt. The ECG signal stream is obtained at the system clock tick of 60000 where there are 100 ticks per second. The id of this sensed information is ecg01 and the id of the sensor is ECGID_01.

```
<iidl:SensedInfo xsi:type="siv:ECGSensorType" id="ecg01" activate="true"
sensorIdRef="ECGID_01" unit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:millivolt"
waveformLabel="urn:mpeg:mpeg-v:01-CI-ECG_WaveformLabelCS-NS:ECG_V1">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
  <siv:WaveValue mpeg7:dim="1 10">
    0.5 1.1 2.2 1.7 1.1 2.4 5.7 1.3 0.5 1.1
  </siv:WaveValue>
</iidl:SensedInfo>
```

6.40 EMG sensor type

6.40.1 General

This Subclause specifies an electromyogram sensor type which detects a set of muscle tissue waves among the electrodes attached to skeletal muscles. The applications of the sensor type may include medical use, health monitoring, physical interactive game and others.

6.40.2 Syntax

```

<!--##### -->
<!--Definition of EMG sensor type -->
<!--##### -->
<complexType name="EMGSensorType">
  <complexContent>
    <extension base="siv:ElectrographSensorType">
    </extension>
  </complexContent>
</complexType>
    
```

6.40.3 Binary representation syntax

EMGSensorType{	Number of bits	Mnemonic
electrographSensorType	See above	electrographSensorType
}		

6.40.4 Semantics

Semantics of the EMGSensorType:

Name	Definition
EMGSensorType	Tool for describing sensed information with respect to an electromyogram (EMG) sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
WaveValue	Describes the time series sensed value of the EMG sensor with respect to the microvolt (µV).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-6:—, A.2.1.
waveformLabel	Describes the label of the waveform based as a reference to a classification scheme term provided by EMG_wveformLabelCS defined in B.3.


NOTE Each waveform label is defined by the name of the corresponding muscle for both fine wire sites and surface sites.

Name

Definition

Fine Wire Sites:

Surface Sites:




[Anatomical position of selected electrode locations – frontal view. The left side indicates deep muscles and positions for fine wire electrodes; the right side for surface muscles and placements.]

Name Definition

Fine Wire Sites:

Surface Sites:



[Anatomical position of selected electrode locations – dorsal view. The left side indicates deep muscles and positions for fine wire electrodes; the right side for surface muscles and placements.]

WaveformLabel	Description
EMG_SmallerFace Muscles	Describes the waveform on the smaller face muscles
EMG_SmallerNeck Muscles	Describes the waveform on the smaller neck muscles
EMG_PectoralisMinor	Describes the waveform on the pectoralis minor, which is a thin, triangular muscle, situated at the upper part of the chest, beneath the pectoralis major
EMG_Diaphragma	Describes the waveform on the diaphragma
EMG_SmallerForearmMuscles	Describes the waveform on the smaller forearm muscles, which are the structure and distal region of the upper limb, between the elbow and the wrist

Name	Definition
EMG_Transversus Abdominis	Describes the waveform on the transverses abdominis, which is a muscle layer of the anterior and lateral abdominal wall which is deep to (layered below) the internal oblique muscle
EMG_Iliacus	Describes the waveform on the iliacus, which is a flat, triangular muscle which fills the iliac fossa
EMG_PsoasMajor	Describes the waveform on the psoas major, which is a long fusiform muscle placed on the side of the thoracic region of the vertebral column and brim of the lesser pelvis
EMG_Adductors	Describes the waveform on the adductors, which are muscles of the thigh
EMG_VastusIntermedius	Describes the waveform on the vastus intermedius, which arises from the front and lateral surfaces of the body of the femur in its upper two-thirds, sitting under Rectus Femoris and from the lower part of the lateral intermuscular septum
EMG_ThinDeepShankMuscles	Describes the waveform on the thin deep shank muscles
EMG_SmallerFootMuscles	Describes the waveform on the smaller foot muscles
EMG_DeepNeckMuscles	Describes the waveform on the deep neck muscles
EMG_Supraspinatus	Describes the waveform on the Supraspinatus, which is a relatively small muscle of the upper limb that runs from the supraspinatous fossa superior of th scapula (shoulderblade) to the spine of the scapula
EMG_Subscapularis	Describes the waveform on the subscapularis, which is a large triangular muscle which fills the subscapuplar fossa and inserts into the lesser tubercle of the humerus and the front of the capsule of the shoulder-joint
EMG_Rhomboideus	Describes the waveform on the rhomboideus, which are rhombus-shaped muscles associated with the scapula and are chiefly responsible for its retraction
EMG_TeresMajorMinor	Describes the waveform on the teres major, which is a muscle of the upper limb and one of six scapulohumeral muscles

Name	Definition
EMG_ThoracicErectorSpinae	Describes the waveform on the thoracic erector spinae
EMG_TricepsBrachiiCMed	Describes the waveform on the triceps brachii c med
EMG_DeepSegmentalErectorSpinae	Describes the waveform on the deep segmental erector spinae
EMG_QuadratusLumborum	Describes the waveform on the quadratus lumborum, which is irregular and irregular and quadrilateral in shape, and broader below than above
EMG_SmallerForearmExtensors	Describes the waveform on the smaller forearm extensors
EMG_DeepMultifidii	Describes the waveform on the deep multifidii
EMG_DeepHipMuscles	Describes the waveform on the deep hip muscles
EMG_Frontalis	Describes the waveform on the frontalis, which is thin, of a quadrilateral form, and intimately adherent to the superficial fascia
EMG_Masseter	Describes the waveform on the masseter, which is a thick, somewhat quadrilateral muscle, consisting of two parts, superficial and deep
EMG_Sternocleidomastoideus	Describes the waveform on the sternocleidomastoideus, which is a paired muscle in the superficial layers of the anterior portion of the neck
EMG_DeltoideusPacromialis	Describes the waveform on the deltoideus p. acromialis
EMG_DeltoideusPclavicularis	Describes the waveform on the deltoideus p. clavicularis
EMG_PectoralisMajor	Describes the waveform on the pectoralis major, which is a thick, fan-shaped muscle, situated at the chest (anterior) of the body
EMG_BicepsBrachii	Describes the waveform on the biceps brachii, which is a muscle located on the upper arm
EMG_SerratusAnterior	Describes the waveform on the serratus anterior, which is a muscle that originates on the surface of the inner eight or nine ribs at the side of the chest and

Name	Definition
	inserts along the entire anterior length of the medial border of the scapula
EMG_RectusAbdominis	Describes the waveform on the rectus abdominis, which is a paired muscle running vertically on each side of the anterior wall of the human abdomen
EMG_Brachioradialis	Describes the waveform on the brachioradialis, which is a muscle of the forearm that acts to flex the forearm at the elbow
EMG_FlexorCarpumRadialis	Describes the waveform on the flexor carpum radialis, which is a muscle of the human forearm that acts to flex and abduct the hand
EMG_FlexorCarpumUlnaris	Describes the waveform on the flexor carpum ulnaris, which is a muscle of the human forearm that acts to flex and adduct the hand
EMG_ObliquusExternusAbdominis	Describes the waveform on the obliquus externus abdominis, which is the largest and superficial (outermost) of the three flat muscles of the lateral anterior abdomen
EMG_InternusTransversusAbdominis	Describes the waveform on the internus/transversus abdominis, which is a muscle layer of the anterior and lateral abdominal wall which is deep to (layered below) the internal oblique muscle
EMG_TensorFasciaLatae	Describes the waveform on the tensor fascia latae, which arises from the posterior part of the outer lip of the iliac crest; from the outer surface of the anterior superior iliac spine, and part of the outer border of the notch below it, between the gluteus medius and Sartorius; and from the deep surface of the fascia lata
EMG_Interosseus	Describes the waveform on the interosseus
EMG_Adductores	Describes the waveform on the adductores
EMG_RectusFemoris	Describes the waveform on the rectus femoris, which is one of the four quadriceps muscles of the human body
EMG_VastusLateralis	Describes the waveform on the vastus lateralis, which is the largest part of the Quadriceps femoris
EMG_VastusMedialis	Describes the waveform on the vastus medialis, which is a medially located muscle of the quadriceps

Name	Definition
EMG_PeroneusLongus	Describes the waveform on the peroneus longus, which is a superficial muscle in the lateral compartment of the leg, and acts to evert and plantar flex the ankle
EMG_TibialisAnterior	Describes the waveform on the tibialis anterior, which is a muscle that originates in the upper two-thirds of the lateral surface of the tibia and inserts into the medial cuneiform and first metatarsal bones of the foot
EMG_NeckExtensors	Describes the waveform on the neck extensors
EMG_TrapeziusPD	Describes the waveform on the trapezius p. descendenz
EMG_TrapeziusPT	Describes the waveform on the trapezius p. transversus
EMG_DeltoideusP	Describes the waveform on the deltoideus p. scapularis
EMG_Infraspinatus	Describes the waveform on the infraspinatus, which is a thick triangular muscle. It occupies the chief part of the infraspinatous fossa
EMG_TrapeziusPA	Describes the waveform on the trapezius p. ascendenz
EMG_TricepsBrachii	Describes the waveform on the triceps brachii, which is the large muscle on the back of the upper limb of many vertebrates
EMG_LatissimusDorsi	Describes the waveform on the latissimus dorsi, which is the larger, flat, dorso-lateral muscle on the trunk, posterior to the arm, and partly covered by the trapezius on its median dorsal region
EMG_ErectorSpinaeThoracicRegion	Describes the waveform on the erector spinae thoracic region
EMG_ErectorSpinaeLumbarRegion	Describes the waveform on the erector spinae lumbar region
EMG_SmallerForearmExtensors	Describes the waveform on the smaller forearm extensors
EMG_MultifidusLumbarRegion	Describes the waveform on the multifidus lumbar region

STANDARD.ISO.COM: Click to view the full PDF of ISO/IEC 23005-5:2016

Name	Definition
EMG_GlutaesusMedius	Describes the waveform on the glutaesus medius, which is a broad, thick, radiating muscle, situated on the outer surface of the pelvis
EMG_GlutaesusMaximus	Describes the waveform on the glutaesus maximus, which is the largest and most superficial of the three gluteal muscles
EMG_BicepsFemoris	Describes the waveform on the biceps femoris, which is a muscle of the posterior (the back) thigh
EMG_Semitendinosus	Describes the waveform on the semitendinosus, which is a muscle in the back of the thigh
EMG_GastrocnemiusLat	Describes the waveform on the gastrocnemius lat
EMG_GastrocnemiusMed	Describes the waveform on the gastrocnemius med
EMG_Soleus	Describes the waveform on the soleus, which is a powerful muscle in the back part of the lower leg (the calf)

[EMG waveform labels and their corresponding meaning]

The following table shall be used for binary representation.

Binary representation (7 bits)	WaveformLabel
0	EMG_SmallerFaceMuscles
1	EMG_SmallerNeckMuscles
2	EMG_PectoralisMinor
3	EMG_Diaphragma
4	EMG_SmallerForearmMuscles
5	EMG_TransversusAbdominis
6	EMG_Iliacus
7	EMG_PsoasMajor
8	EMG_Adductors
9	EMG_VastusIntermedius

Name	Definition	
10		EMG_ThinDeepShankMuscles
11		EMG_SmallerFootMuscles
12		EMG_DeepNeckMuscles
13		EMG_Supraspinatus
14		EMG_Subscapularis
15		EMG_Rhomboideus
16		EMG_TeresMajorMinor
17		EMG_ThoracicErectorSpinae
18		EMG_TricepsBrachiiCMed
19		EMG_DeepSegmentalErectorSpi nae
20		EMG_QuadratusLumborum
21		EMG_SmallerForearmExtensors
22		EMG_DeepMultifii
23		EMG_DeepHipMuscles
24		EMG_Frontalis
25		EMG_Masseter
26		EMG_Sternocleidomastoideus
27		EMG_DeltoideusPAcromialis
28		EMG_DeltoideusPClavicularis
29		EMG_PectoralisMajor
30		EMG_BicepsBrachii
31		EMG_SerratusAnterior
32		EMG_RectusAbdominis
33		EMG_Brachioradialis
34		EMG_FlexorCarpumRadialis
35		EMG_FlexorCarpumUlnaris
36		EMG_ObliquusExternusAbdomini

STANDARDISO.COM : Click to view the full PDF of ISO/IEC 23005-5:2016

Name	Definition
	s
37	EMG_InternusTransversusAbdominis
38	EMG_TensorFasciaLatae
39	EMG_Interosseus
40	EMG_Adductores
41	EMG_RectusFemoris
42	EMG_VastusLateralis
43	EMG_VastusMedialis
44	EMG_PeroneusLongus
45	EMG_TibialisAnterior
46	EMG_NeckExtensors
47	EMG_TrapeziusPDescendenz
48	EMG_TrapeziusPTransversus
49	EMG_DeltoideusPScapularis
50	EMG_Infraspinatus
51	EMG_TrapeziusPAscendenz
52	EMG_TricepsBrachii
53	EMG_LatissimusDorsi
54	EMG_ErectorSpinaeThoracicRegion
55	EMG_ErectorSpinaeLumbarRegion
56	EMG_SmallerForearmExtensors
57	EMG_MultifidusLumbarRegion
58	EMG_GlutaemusMedius
59	EMG_GlutaemusMaximus
60	EMG_BicepsFemoris
61	EMG_Semitendinosus

Name	Definition	
	62	EMG_GastrocnemiusLat
	63	EMG_GastrocnemiusMed
	64	EMG_Soleus
	65-128	reserved
maxAmplitude	Describes the maximum amplitude among the acquired time series value of the EMG sensor with respect to the microvolt (μ V).	

6.40.5 Examples

This example shows the description of an EMG sensing with the following semantics. The segmented sensed EMG signal wave acquired on the smaller face muscles is composed of ten values of “0.5, 1.1, 2.2, 1.7, 1.1, 2.4, 5.7, 1.3, 0.5, 1.1”. The unit of the signal is millivolt. The EMG signal stream is obtained at the system clock tick of 60000 where there are 100 ticks per second. The id of this sensed information is emg01 and the id of the sensor is EMGID_01.

```
<iidl:SensedInfo xsi:type="siv:EMGSensorType" id="emg01" activate="true"
sensorIdRef="EMGID_01" unit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:millivolt"
waveformLabel="urn:mpeg:mpeg-v:01-CI-EMG_WaveformLabelCS-
NS:EMG_SmallerFaceMuscles">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
  <siv:WaveValue mpeg7:dim="1 10">
    0.5 1.1 2.2 1.7 1.1 2.4 5.7 1.3 0.5 1.1
  </siv:WaveValue>
</iidl:SensedInfo>
```

6.41 EOG sensor type

6.41.1 General

This Subclause specifies an electrooculogram sensor type which detects a set of the resting potential waves among the electrodes attached to positions around eyes. The applications of the sensor type may include medical use, health monitoring, physical interactive game and others.

6.41.2 Syntax

```
<!--##### -->
<!--Definition of EOG sensor type -->
<!--##### -->
<complexType name="EOGSensorType">
  <complexContent>
    <extension base="siv:ElectrographSensorType">
    </extension>
  </complexContent>
</complexType>
```


6.41.3 Binary representation syntax

EEGSensorType{	Number of bits	Mnemonic
electrographSensorType	See above	electrographSensorType
}		

6.41.4 Semantics

Semantics of the EEGSensorType:

Name	Definition
EEGSensorType	Tool for describing sensed information with respect to an electro-oculogram (EOG) sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
WaveValue	Describes the time series sensed value of the EOG sensor with respect to the microvolt (μV).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-6:—, A.2.1.
waveformLabel	Describes the label of the waveform based as a reference to a classification scheme term provided by EOG_wveformLabelCS defined in B.4.



[Electrode locations of EOG]

Waveform Label	Description
EOG_VerticalUp	Describes the waveform between Ground and Vertical (Up)

Name	Definition	
EOG_VerticalDown	EOG_VerticalDown	Describes the waveform between Ground and Vertical (Down)
EOG_HorizontalRight	EOG_HorizontalRight	Describes the waveform between Ground and Horizontal (Right)
EOG_HorizontalLeft	EOG_HorizontalLeft	Describes the waveform between Ground and Horizontal (Left)
EOG_VerticalUD	EOG_VerticalUD	Describes the waveform between Vertical (Up) and Vertical (Down)
EOG_HorizontalRL	EOG_HorizontalRL	Describes the waveform between Horizontal (Right) and Horizontal (Left)

[EOG waveform labels and their corresponding meaning]

The following table shall be used for binary representation.

Binary representation (4 bits)	WaveformLabel
0	EOG_VerticalUp
1	EOG_VerticalDown
2	EOG_HorizontalRight
3	EOG_HorizontalLeft
4	EOG_VerticalUD
5	EOG_HorizontalRL
6-15	reserved

maxAmplitude	Describes the maximum amplitude among the acquired time series value of the EOG sensor with respect to the microvolt (μ V).
--------------	--

6.41.5 Examples

This example shows the description of an EOG sensing with the following semantics. The segmented sensed EOG signal wave acquired between ground and vertical electrodes is composed of ten values of “0.5, 1.1, 2.2, 1.7, 1.1, 2.4, 5.7, 1.3, 0.5, 1.1”. The unit of the signal is millivolt. The EOG signal stream is obtained at the system clock tick of 60000 where there are 100 ticks per second. The id of this sensed information is emg01 and the id of the sensor is EOGID_01.

```

<iidl:SensedInfo xsi:type="siv:EOGSensorType" id="eog01" activate="true"
sensorIdRef="EOGID_01" unit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:millivolt"
waveformLabel="urn:mpeg:mpeg-v:01-CI-EOG_WaveformLabelCS-NS:EOG_VerticalUp">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
  <siv:WaveValue mpeg7:dim="1 10">
    0.5 1.1 2.2 1.7 1.1 2.4 5.7 1.3 0.5 1.1
  </siv:WaveValue>
</iidl:SensedInfo>

```

6.42 GSR sensor type

6.42.1 General

This Subclause specifies a galvanic skin response sensor type which detects a set of the electrical conductance waves of skin, which varies with its moisture level. The applications of the sensor type may include medical use, health monitoring, physical interactive game and others.

6.42.2 Syntax

```

<!--##### -->
<!--Definition of GSR sensor type -->
<!--##### -->
<complexType name="GSRSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="Array_Value" type="mpeg7:FloatMatrixType"/>
      </sequence>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```

6.42.3 Binary representation syntax

GSRSensorType{	Number of bits	Mnemonic
unitFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
numOfChannels	16	uimsbf
numOfSamples	16	uimsbf
for(k = 0; k < numOfSamples; k++){		
for(j=0;j < numOfChannels;j++){		
array_value [(k * numOfChannels + j)]	32	fsbf
}		
}		

if (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.42.4 Semantics

Semantics of the GRSensorType:

<i>Name</i>	<i>Definition</i>
GRSensorType	Tool for describing sensed information with respect to a galvanic skin response (GSR) sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitCS defined in ISO/IEC 23005-6—, A.2.1.
Array_Value	Describes the sensed value of the GSR with respect to the micromho ($\mu\Omega$). Mho is unit of electrical conductance and the reciprocal of an ohm (Ω).
unitFlag	This field, which is only present in the binary representation, signals if a unit other than default unit is used. A value of "1" indicates that the unit specified in the unit attribute shall be used and "0" indicates that the default unit shall be used.
numOfChannels	This field, which is only present in the binary representation, represents the number of channels.
numOfSamples	This field, which is only present in the binary representation, represents the sample number of the sensed information for each channel.

6.42.5 Examples

This example shows the description of a GSR sensing with the following semantics. The sensor has an ID of "GRS001" and references "GRSID001". The sensor shall be activated and the array value with 2 channels shall be [0.3 0.5] ($\mu\Omega$). The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:GRSensorType" id="GRS001"
sensorIdRef="GRSID001" activate="true">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
  <siv:Array_Value mpeg7:dim="2">0.3 0.5</siv:Array_Value>
</iidl:SensedInfo>
```

6.43 Bio sensor type

6.43.1 General

This Subclause specifies an aggregated sensor type which contains sensed information such as body height, body weight, body temperature, body fat, blood type, blood pressure, blood sugar, blood oxygen, heart rate, EEG, ECG, EMG, EOG, and GSR. The aggregated sensor type may contain just a subset of the sensed information. Moreover, the bio sensor type does not specify any sensing methods such as chemical and bio-chemical technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The applications of the sensor type may include medical use, health monitoring, physical interactive game and others.

6.43.2 Syntax

```

<!-- ##### -->
<!-- Definition of bio sensor type -->
<!-- ##### -->
<complexType name="BioSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="BodyHeight" type="siv:BodyHeightSensorType" minOccurs="0"/>
        <element name="BodyWeight" type="siv:BodyWeightSensorType" minOccurs="0"/>
        <element name="BodyTemperature" type="siv:BodyTemperatureSensorType"
minOccurs="0"/>
        <element name="BodyFat" type="siv:BodyFatSensorType" minOccurs="0"/>
        <element name="BloodType" type="siv:BloodTypeSensorType" minOccurs="0"/>
        <element name="BloodPressure" type="siv:BloodPressureSensorType"
minOccurs="0"/>
        <element name="BloodSugar" type="siv:BloodSugarSensorType" minOccurs="0"/>
        <element name="BloodOxygen" type="siv:BloodOxygenSensorType"
minOccurs="0"/>
        <element name="HeartRate" type="siv:HeartRateSensorType" minOccurs="0"/>
        <element name="EEG" type="siv:EEGSensorType" minOccurs="0"/>
        <element name="ECG" type="siv:ECGSensorType" minOccurs="0"/>
        <element name="EMG" type="siv:EMGSensorType" minOccurs="0"/>
        <element name="EOG" type="siv:EOGSensorType" minOccurs="0"/>
        <element name="GSR" type="siv:GSRSensorType" minOccurs="0"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>

```

6.43.3 Binary representation syntax

BioSensorType {	Number of bits	Mnemonic
BodyHeightFlag	1	bslbf
BodyWeightFlag	1	bslbf
BodyTemperatureFlag	1	bslbf
BodyFatFlag	1	bslbf
BloodTypeFlag	1	bslbf

BloodPressureFlag	1	bslbf
BloodSugarFlag	1	bslbf
BloodOxygenFlag	1	bslbf
HeartRateFlag	1	bslbf
EEGFlag	1	bslbf
ECGFlag	1	bslbf
EMGFlag	1	bslbf
EOGFlag	1	bslbf
GSRFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(BodyHeightFlag) {		
BodyHeight		BodyHeightSensorType
}		
if(BodyWeightFlag) {		
BodyWeight		BodyWeightSensorType
}		
if(BodyTemperatureFlag) {		
BodyTemperature		BodyTemperatureSensorType
}		
if(BodyFatFlag) {		
BodyFat		BodyFatSensorType
}		
if(BloodTypeFlag) {		
BloodType		BloodTypeSensorType
}		
if(BloodPressureFlag) {		
BloodPressure		BloodPressureSensorType
}		

if(BloodSugarFlag) {		
BloodSugar		BloodSugarSensorType
}		
if(BloodOxygenFlag) {		
BloodOxygen		BloodOxygenSensorType
}		
if(HeartRateFlag) {		
HeartRate		HeartRateSensorType
}		
if(EEGFlag) {		
EEG		EEGSensorType
}		
if(ECGFlag) {		
ECG		ECGSensorType
}		
if(EMGFlag) {		
EMG		EMGSensorType
}		
if(EOGFlag) {		
EOG		EOGSensorType
}		
if(GSRFlag) {		
GSR		GSRSensorType
}		
}		

6.43.4 Semantics

Semantics of the `BioSensorType`:

<i>Name</i>	<i>Definition</i>
BioSensorType	Tool for describing sensed information with respect to a bio sensor.
BodyHeight	Describes sensed information with respect to a body height sensor.
BodyWeight	Describes sensed information with respect to a body weight sensor.
BodyTemperature	Describes sensed information with respect to a body temperature sensor.
BodyFat	Describes sensed information with respect to a body fat sensor.
BloodType	Describes sensed information with respect to a blood type sensor.
BloodPressure	Describes sensed information with respect to a blood pressure sensor.
BloodSugar	Describes sensed information with respect to a blood sugar sensor.
BloodOxygen	Describes sensed information with respect to a blood oxygen sensor.
HeartRate	Describes sensed information with respect to a heart rate sensor.
EEG	Describes sensed information with respect to an EEG sensor.
ECG	Describes sensed information with respect to an ECG sensor.
EMG	Describes sensed information with respect to an EMG sensor.
EOG	Describes sensed information with respect to an EOG sensor.
GSR	Describes sensed information with respect to a GSR sensor.
BodyHeightFlag	This field, which is only present in the binary representation, signals if body height sensed information is available. A value of "1" indicates that the sensed information shall be included and "0" indicates that the sensed information shall not be included.
BodyWeightFlag	This field, which is only present in the binary representation, signals if body weight sensed information is available. A value of "1" indicates that the sensed information shall be included and "0" indicates that the sensed information shall not be included.
BodyTemperatureFlag	This field, which is only present in the binary representation, signals if body temperature sensed information is available. A value of "1" indicates that the sensed information shall be included and "0" indicates that the sensed information shall not be included.
BodyFatFlag	This field, which is only present in the binary representation, signals if body fat sensed information is available. A value of "1" indicates that the sensed information shall be included and "0" indicates that the sensed information shall not be included.

<i>Name</i>	<i>Definition</i>
BloodTypeFlag	This field, which is only present in the binary representation, signals if blood type sensed information is available. A value of “1” indicates that the sensed information shall be included and “0” indicates that the sensed information shall not be included.
BloodPressureFlag	This field, which is only present in the binary representation, signals if blood pressure sensed information is available. A value of “1” indicates that the sensed information shall be included and “0” indicates that the sensed information shall not be included.
BloodSugarFlag	This field, which is only present in the binary representation, signals if blood sugar sensed information is available. A value of “1” indicates that the sensed information shall be included and “0” indicates that the sensed information shall not be included.
BloodOxygenFlag	This field, which is only present in the binary representation, signals if blood oxygen sensed information is available. A value of “1” indicates that the sensed information shall be included and “0” indicates that the sensed information shall not be included.
HeartRateFlag	This field, which is only present in the binary representation, signals if heart rate sensed information is available. A value of “1” indicates that the sensed information shall be included and “0” indicates that the sensed information shall not be included.
EEGFlag	This field, which is only present in the binary representation, signals if EEG sensed information is available. A value of “1” indicates that the sensed information shall be included and “0” indicates that the sensed information shall not be included.
ECGFlag	This field, which is only present in the binary representation, signals if ECG sensed information is available. A value of “1” indicates that the sensed information shall be included and “0” indicates that the sensed information shall not be included.
EMGFlag	This field, which is only present in the binary representation, signals if EMG sensed information is available. A value of “1” indicates that the sensed information shall be included and “0” indicates that the sensed information shall not be included.
EOGFlag	This field, which is only present in the binary representation, signals if EOG sensed information is available. A value of “1” indicates that the sensed information shall be included and “0” indicates that the sensed information shall not be included.
GSRFlag	This field, which is only present in the binary representation, signals if GSR sensed information is available. A value of “1” indicates that the sensed information shall be included and “0” indicates that the sensed information shall not be included.

6.43.5 Examples

This example shows the description of aggregated sensed information acquired from a bio-sensor with the following semantics. The sensed information is obtained at the system clock tick of 60 000 where there are 100 ticks per second. The id of this sensed information is bio01 and the id of the sensor is BIOID_01. The sensed height is 180 cm, the sensed body fat is 13.5 %, and the sensed heart rate is 60 Hz.

```
<iidl:SensedInfo xsi:type="siv:BioSensorType" sensorIdRef="BIO_01" id="bio01">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
  <siv:BodyHeight xsi:type="siv:BodyHeightSensorType" value="180"
unit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:cm"/>
  <siv:BodyFat xsi:type="siv:BodyFatSensorType" value="13.5" />
  <siv:HeartRate xsi:type="siv:HeartRateSensorType" value="60" />
</iidl:SensedInfo>
```

6.44 Weather sensor type

6.44.1 General

This subclause specifies XML syntax, binary representation syntax, and semantics of the WeatherSensorType with an example instantiation of the sensed information. Unlike most of other sensed information vocabularies, the weather sensor may be considered as a virtual sensor composed of various unit sensors such as temperature, humidity, snow, and precipitation sensors. In practice, the sensed information from this type of sensor may be either acquired by a number of actual sensors or fed by a weather related service.

6.44.2 Syntax

```
<!-- ##### -->
<!-- Definition of seather sensor type -->
<!-- ##### -->
<complexType name="WeatherSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="WeatherDescription" type="mpeg7:termReferenceType"
maxOccurs="unbounded"/>
        <element name="Temperature" type="siv:TemperatureSensorType"
minOccurs="0"/>
        <element name="Precipitation" minOccurs="0" maxOccurs="unbounded">
          <complexType>
            <attribute name="value" type="float"/>
            <attribute name="valueUnit" type="mpegvct:unitType"
use="optional"/>
            <attribute name="duration" type="integer"/>
            <attribute name="durationUnit" type="mpegvct:unitType"
use="optional"/>
          </complexType>
        </element>
        <element name="Snow" minOccurs="0" maxOccurs="unbounded">
          <complexType>
            <attribute name="value" type="float"/>
            <attribute name="valueUnit" type="mpegvct:unitType"
use="optional"/>
            <attribute name="duration" type="integer"/>
          </complexType>
        </element>
      </sequence>
    </extension>
  </complexContent>
</complexType>
```

```

        <attribute name="durationUnit" type="mpegvct:unitType"
use="optional"/>
    </complexType>
</element>
<element name="Wind" minOccurs="0">
    <complexType>
        <attribute name="velocity" type="float"/>
        <attribute name="unit" type="mpegvct:unitType"
use="optional"/>
        <attribute name="direction" type="mpeg7:termReferenceType"/>
    </complexType>
</element>
<element name="Humidity" type="siv:HumiditySensorType"
minOccurs="0"/>
    <element name="Place" type="mpeg7:PlaceType" minOccurs="0"/>
</sequence>
    <attribute name="time" type="siv:timePointType" use="optional"/>
</extension>
</complexContent>
</complexType>

<!-- Definition of timePoint datatype which is the same as the one in MPEG-7-->
<simpleType name="timePointType">
<restriction base="string">
<pattern value="(\\-?\\d+(\\-\\d{2}(\\-\\d{2})?)?)?(T\\d{2}(:\\d{2}(:\\d{2}(:\\d+)?))?)?(F\\d+)?((\\-|\\+)?\\d{2}:\\d{2})?"/>
</restriction>
</simpleType>

```

6.44.3 Binary representation syntax

WeatherSensorType{	Number of bits	Mnemonic
SensedInfoBase		SensedInfoBaseType
TemperatureFlag	1	bslbf
PrecipitationFlag	1	bslbf
SnowFlag	1	bslbf
WindFlag	1	bslbf
HumidityFlag	1	bslbf
PlaceFlag	1	bslbf
TimeFlag	1	bslbf
WeatherDescriptionCount	32	uimsbf
PrecipitationCount	32	uimsbf
SnowCount	32	uimsbf

For (i=1;i<WeatherDescriptionCount;i++) {		
WeatherDescription	4	WeatherCS
}		
If (TemperatureFlag) {		
TemperatureSensor		TemperatureSensorType
}		
If (PrecipitationFlag) {		
Value	32	Flbf
valueUnitFlag	1	bslbf
If (valueUnitFlag) {		
valueUnit	8	bslbf
}		
duration	32	Simsbf
durationUnitFlag	1	bslbf
if (durationUnitFlag) {		
durationUnit	8	bslbf
}		
}		
If (SnowFlag) {		
value	32	flbf
valueUnitFlag	1	bslbf
If (valueUnitFlag) {		
valueUnit	8	bslbf
}		
duration	32	simsbf
durationUnitFlag	1	bslbf
If (durationUnitFlag) {		
durationUnit	8	bslbf
}		

}		
If (WindFlag) {		
velocity	32	flbf
velocityUnitFlag	1	bslbf
If (velocityUnitFlag) {		
velocityUnit	8	bslbf
}		
direction	5	WindDirectionTypeCS
}		
If (HumidityFlag) {		
Humidity		HumiditySensorType
}		
If (PlaceFlag) {		
Placelength		vluimsbf5
Place	8*Placelength	UTF-8
}		
If (timeFlag) {		
TimeLength		vluimsbf5
Time	8*TimeLength	UTF-8
}		
}		

6.44.4 Semantics

Semantics of the WeatherSensorType:

Names	Description
WeatherType	Tool for describing the observed weather.
WeatherDescription	Describes the observed weather as a reference to a classification scheme term provided by WeatherCS defined in B.7 using the mpeg7:termReferenceType defined in SO/IEC 15938-5:2003, 7.4.6. Binary representation of WeatherCS is as follows:

	Weather	Term ID of Weather
	0001	Sunny
	0010	Cloudy
	0011	Rainy
	0100	Snow
	0101	Windy
	0110	Partly Cloudy
	0111~1111	Reserved
Temperature	Describes the temperature using the structure defined by <code>TemperatureSensorType</code> .	
Precipitation	Describes the precipitation during the specified period of time as defined by the <code>duration</code> attribute in the default unit of millimeter or in the unit specified by the <code>valueUnit</code> attribute.	
value	Specifies the precipitation in the default unit of millimeter or in the unit specified by the <code>valueUnit</code> attribute.	
valueUnit	Specifies the unit of the precipitation value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1 using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6.	
duration	Specifies the time period up to the time of measuring the precipitation in the default unit of hour or in the unit specified by <code>durationUnit</code> attribute.	
durationUnit	Specifies the unit of the duration, if a unit other than the default unit is used, as a reference to a classification scheme term provided by <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1 using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6.	
Snow	Describes the amount of snowfall during the specified period of time as defined by the <code>duration</code> attribute in the default unit of centimeter or in the unit specified by the <code>valueUnit</code> attribute.	
value	Specifies the amount of snowfall in the default unit of centimeter or in the unit specified by the <code>valueUnit</code> attribute.	
valueUnit	Specifies the unit of the snowfall value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1 using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6.	
duration	Specifies the time period up to the time of measuring the amount of snowfall in the default unit of hour or in the unit specified by	

	durationUnit attribute.																														
durationUnit	Specifies the unit of the duration, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitTypeCS defined in ISO/IEC 23005-6:—, A.2.1 using the mpeg7:termReferenceType defined in ISO/IEC 15938-5:2003, 7.4.6.																														
Wind	Describes the strength and the direction of the wind.																														
velocity	Specifies the strength of the wind in meter per second by default, or in the unit specified by the unit attribute.																														
unit	Specifies the unit of the wind strength, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitTypeCS defined in ISO/IEC 23005-6:—, A.2.1 using the mpeg7:termReferenceType defined in ISO/IEC 15938-5:2003, 7.4.6.																														
Direction	<p>Specifies the direction of the wind coming from, as a reference to a classification scheme term provided by WindDirectionTypeCS defined in B.8 using the mpeg7:termReferenceType defined in ISO/IEC 15938-5:2003, 7.4.6.</p> <p>Binary representation of WindDirectionTypeCS is as follows:</p> <table border="1"> <thead> <tr> <th>WindDirectionType</th> <th>Term ID of WindDirectionType</th> </tr> </thead> <tbody> <tr><td>00001</td><td>N</td></tr> <tr><td>00010</td><td>W</td></tr> <tr><td>00011</td><td>S</td></tr> <tr><td>00100</td><td>E</td></tr> <tr><td>00101</td><td>NW</td></tr> <tr><td>00110</td><td>NE</td></tr> <tr><td>00111</td><td>SW</td></tr> <tr><td>01000</td><td>SE</td></tr> <tr><td>01001</td><td>NNW</td></tr> <tr><td>01010</td><td>WNW</td></tr> <tr><td>01011</td><td>NNE</td></tr> <tr><td>01100</td><td>ENE</td></tr> <tr><td>01101</td><td>SSW</td></tr> <tr><td>01110</td><td>WSW</td></tr> </tbody> </table>	WindDirectionType	Term ID of WindDirectionType	00001	N	00010	W	00011	S	00100	E	00101	NW	00110	NE	00111	SW	01000	SE	01001	NNW	01010	WNW	01011	NNE	01100	ENE	01101	SSW	01110	WSW
WindDirectionType	Term ID of WindDirectionType																														
00001	N																														
00010	W																														
00011	S																														
00100	E																														
00101	NW																														
00110	NE																														
00111	SW																														
01000	SE																														
01001	NNW																														
01010	WNW																														
01011	NNE																														
01100	ENE																														
01101	SSW																														
01110	WSW																														

	01111	SSE
	10000	ESE
	10001~11111	Reserved
Humidity	Describes the humidity using the structure defined by HumiditySensorType.	
Place	Describes the place where the given weather information is acquired.	
Time	Describes the time when the given weather information is acquired.	

6.44.5 Examples

This example shows the description of Weather description. In this example, there is a virtual weather sensor with id "WeatherSensor01." This weather sensor gives weather information of a geographic position with latitude of 37 degrees North and longitude of 127 degrees East. The weather sensed at the media time of 600 000 when 1 000 represents one second, is snow with 100 centimeter for a period of one hour.

```
<iidl:SensedInfo xsi:type="siv:WeatherSensorType" id="Weather01"
sensorIdRef="WeatherSensor01" activate="true">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="1000"
pts="600000"/>
  <siv:WeatherDescription>urn:mpeg:mpeg-v:01-CI-WeatherCS-
NS:snow</siv:WeatherDescription>
  <siv:Snow value="100" valueUnit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:cm"
duration="1"/>
  <siv:Place>
    <mpeg7:GeographicPosition>
      <mpeg7:Point latitude="37" longitude="127"/>
    </mpeg7:GeographicPosition>
  </siv:Place>
</iidl:SensedInfo>
```

6.45 Facial expression sensor type

6.45.1 General

This Subclause specifies a facial expression sensor type which senses relative displacement data of facial expression using a facial expression retargeting, a method to create facial animation for the different facial configurations of between source data and a target model. The applications of the sensor type may include avatar facial control and others.

6.45.2 Syntax

```
<!-- ##### -->
<!-- Definition of facial expression sensor type -->
<!-- ##### -->
<complexType name="FacialExpressionSensorType">
  <complexContent>
    <extension base="siv:IntelligentCameraType">
      <sequence>
```

```

        <element name="FacialExpressionBasis"
type="siv:FacialExpressionBasisType" minOccurs="0" maxOccurs="66"/>
    </sequence>
</extension>
</complexContent>
</complexType>

<complexType name="FacialExpressionBasisType">
    <attribute name="facialExpressionBasisID" type="mpeg7:termReferenceType"
use="optional"/>
    <attribute name="facialExpressionBasisValue" type="float" use="optional"/>
    <attribute name="facialExpressionBasisUnit" type="mpegvct:unitType"
use="optional"/>
</complexType>

```

6.45.3 Binary representation syntax

FacialExpressionSensorType{	Number of bits	Mnemonic
FacialExpressionBasisFlag		
IntelligentCamera		IntelligentCameraType
if(FacialExpressionBasisFlag) {		
NumOfFacialExpressionBasis	7	uimsbf
for(k=0; k<NumOfFacialExpressionBasis; k++) {		
FacialExpressionBasis[k]		FacialExpressionBasisType
}		
}		
}		
FacialExpressionBasisType {		
facialExpressionBasisIDFlag	1	bslbf
facialExpressionBasisValueFlag	1	bslbf
facialExpressionBasisUnitFlag	1	bslbf
if(facialExpressionBasisIDFlag) {		
facialExpressionBasisID	8	bslbf
}		
if(facialExpressionBasisValueFlag) {		

facialExpressionBasisValue	32	fsbf
}		
if(facialExpressionBasisUnitFlag) {		
facialExpressionBasisUnit	8	bslbf
}		
}		

6.45.4 Semantics

Semantics of the FacialExpressionSensorType:

Name	Definition
FacialExpressionSensorType	Tool for describing a facial expression sensor.
FacialExpressionBasisFlag	This field, which is only present in the binary representation, signals the presence of the attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
NumOfFacialExpressionBasis	This field, which is only present in the binary representation, indicates the number of facial expression basis in this sensed information.
FacialExpressionBasis	Describes each facial expression basis detected by the camera.
FacialExpressionBasisType	Tool for describing each facial expression basis.
facialExpressionBasisIDFlag	This field, which is only present in the binary representation, signals the presence of the attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
facialExpressionBasisValueFlag	This field, which is only present in the binary representation, signals the presence of the attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
facialExpressionBasisUnitFlag	This field, which is only present in the binary representation, signals the presence of the attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
facialExpressionBasisID	Describes the identification of the associated facial expression basis based as a reference to the classification scheme term provided by FacialExpressionBasisIDCS defined in B.9.

FacialExpressionBasi	Description

Name	Definition	
	sid	
	open_jaw	Describes the vertical jaw displacement
	lower_t_midlip	Describes the vertical top middle inner lip displacement
	raise_b_midlip	Describes the vertical bottom middle inner lip displacement
	stretch_l_cornerlip	Describes the horizontal displacement of left inner lip corner
	stretch_r_cornerlip	Describes the horizontal displacement of right inner lip corner
	lower_t_lip_lm	Describes the vertical displacement of midpoint between left corner and middle of top inner lip
	lower_t_lip_rm	Describes the vertical displacement of midpoint between right corner and middle of top inner lip
	raise_b_lip_lm	Describes the vertical displacement of midpoint between left corner and middle of bottom inner lip
	raise_b_lip_rm	Describes the vertical displacement of midpoint between right corner and middle of bottom inner lip
	raise_l_cornerlip	Describes the vertical displacement of left inner lip corner
	raise_r_cornerlip	Describes the vertical displacement of right inner lip corner
	thrust_jaw	Describes the depth displacement of jaw
	shift_jaw	Describes the side to side displacement of jaw
	push_b_lip	Describes the depth displacement of bottom middle lip
	push_t_lip	Describes the depth displacement of top middle lip
	depress_chin	Describes the upward and compressing movement of the chin (like in sadness)
	close_t_l_eyelid	Describes the vertical displacement of top left eyelid

Name	Definition	
close_t_r_eyelid		Describes the vertical displacement of top right eyelid
close_b_l_eyelid		Describes the vertical displacement of bottom left eyelid
close_b_r_eyelid		Describes the vertical displacement of bottom right eyelid
yaw_l_eyeball		Describes the horizontal orientation of left eyeball
yaw_r_eyeball		Describes the horizontal orientation of right eyeball
pitch_l_eyeball		Describes the vertical orientation of left eyeball
pitch_r_eyeball		Describes the vertical orientation of right eyeball
thrust_l_eyeball		Describes the depth displacement of left eyeball
thrust_r_eyeball		Describes the depth displacement of right eyeball
dilate_l_pupil		Describes the dilation of left pupil
dilate_r_pupil		Describes the dilation of right pupil
raise_l_i_eyebrow		Describes the vertical displacement of left inner eyebrow
raise_r_i_eyebrow		Describes the vertical displacement of right inner eyebrow
raise_l_m_eyebrow		Describes the vertical displacement of left middle eyebrow
raise_r_m_eyebrow		Describes the vertical displacement of right middle eyebrow
raise_l_o_eyebrow		Describes the vertical displacement of left outer eyebrow
raise_r_o_eyebrow		Describes the vertical displacement of right outer eyebrow

Name	Definition	
	squeeze_l_eyebrow	Describes the horizontal displacement of left eyebrow
	squeeze_r_eyebrow	Describes the horizontal displacement of right eyebrow
	puff_l_cheek	Describes the horizontal displacement of left cheek
	puff_r_cheek	Describes the horizontal displacement of right cheek
	lift_l_cheek	Describes the vertical displacement of left cheek
	lift_r_cheek	Describes the vertical displacement of right cheek
	shift_tongue_tip	Describes the horizontal displacement of tongue tip
	raise_tongue_tip	Describes the vertical displacement of tongue tip
	thrust_tongue_tip	Describes the depth displacement of tongue tip
	raise_tongue	Describes the vertical displacement of tongue
	tongue_roll	Describes the rolling of the tongue into U shape
	head_pitch	Describes the head pitch angle from top of spine
	head_yaw	Describes the head yaw angle from top of spine
	head_roll	Describes the head roll angle from top of spine
	lower_t_midlip_o	Describes the vertical top middle outer lip displacement
	raise_b_midlip_o	Describes the vertical bottom middle outer lip displacement
	stretch_l_cornerlip_o	Describes the horizontal displacement of left outer lip corner
	stretch_r_cornerlip_o	Describes the horizontal displacement of right outer lip corner
	lower_t_lip_lm_o	Describes the vertical displacement of midpoint

Name	Definition
	between left corner and middle of top outer lip
lower_t_lip_rm_o	Describes the vertical displacement of midpoint between right corner and middle of top outer lip
raise_b_lip_lm_o	Describes the vertical displacement of midpoint between left corner and middle of bottom outer lip
raise_b_lip_rm_o	Describes the vertical displacement of midpoint between right corner and middle of bottom outer lip
raise_l_cornerlip_o	Describes the vertical displacement of left outer lip corner
raise_r_cornerlip_o	Describes the vertical displacement of right outer lip corner
stretch_l_nose	Describes the horizontal displacement of left side of nose
stretch_r_nose	Describes the horizontal displacement of right side of nose
raise_nose	Describes the vertical displacement of nose tip
bend_nose	Describes the horizontal displacement of nose tip
raise_l_ear	Describes the vertical displacement of left ear
raise_r_ear	Describes the vertical displacement of right ear
pull_l_ear	Describes the horizontal displacement of left ear
pull_r_ear	Describes the horizontal displacement of right ear
push_b_lip	Describes the depth displacement of bottom middle lip
push_t_lip	Describes the depth displacement of top middle lip

STANDARDSISO.COM · Click to view the full PDF of ISO/IEC 23005-5:2016

Name	Definition	
	depress_chin	Describes the upward and compressing movement of the chin (like in sadness)
	close_t_l_eyelid	Describes the vertical displacement of top left eyelid
	close_t_r_eyelid	Describes the vertical displacement of top right eyelid
	close_b_l_eyelid	Describes the vertical displacement of bottom left eyelid
	close_b_r_eyelid	Describes the vertical displacement of bottom right eyelid
	yaw_l_eyeball	Describes the horizontal orientation of left eyeball
	yaw_r_eyeball	Describes the horizontal orientation of right eyeball
	pitch_l_eyeball	Describes the vertical orientation of left eyeball
	pitch_r_eyeball	Describes the vertical orientation of right eyeball
	thrust_l_eyeball	Describes the depth displacement of left eyeball
	thrust_r_eyeball	Describes the depth displacement of right eyeball
	dilate_l_pupil	Describes the dilation of left pupil
	dilate_r_pupil	Describes the dilation of right pupil
	raise_l_i_eyebrow	Describes the vertical displacement of left inner eyebrow
	raise_r_i_eyebrow	Describes the vertical displacement of right inner eyebrow
	raise_l_m_eyebrow	Describes the vertical displacement of left middle eyebrow
	raise_r_m_eyebrow	Describes the vertical displacement of right middle eyebrow

Name	Definition	
raise_l_o_eyebrow	Describes the vertical displacement of left outer eyebrow	
raise_r_o_eyebrow	Describes the vertical displacement of right outer eyebrow	
squeeze_l_eyebrow	Describes the horizontal displacement of left eyebrow	
squeeze_r_eyebrow	Describes the horizontal displacement of right eyebrow	
puff_l_cheek	Describes the horizontal displacement of left cheek	
puff_r_cheek	Describes the horizontal displacement of right cheek	
lift_l_cheek	Describes the vertical displacement of left cheek	
lift_r_cheek	Describes the vertical displacement of right cheek	
shift_tongue_tip	Describes the horizontal displacement of tongue tip	
raise_tongue_tip	Describes the vertical displacement of tongue tip	
thrust_tongue_tip	Describes the depth displacement of tongue tip	
raise_tongue	Describes the vertical displacement of tongue	
tongue_roll	Describes the rolling of the tongue into U shape	
head_pitch	Describes the head pitch angle from top of spine	
head_yaw	Describes the head yaw angle from top of spine	
head_roll	Describes the head roll angle from top of spine	
lower_t_midlip_o	Describes the vertical top middle outer lip displacement	
raise_b_midlip_o	Describes the vertical bottom middle outer lip displacement	
stretch_l_cornerlip_o	Describes the horizontal displacement of left outer lip	

Name	Definition
	corner
stretch_r_cornerlip_o	Describes the horizontal displacement of right outer lip corner
lower_t_lip_lm_o	Describes the vertical displacement of midpoint between left corner and middle of top outer lip
lower_t_lip_rm_o	Describes the vertical displacement of midpoint between right corner and middle of top outer lip
raise_b_lip_lm_o	Describes the vertical displacement of midpoint between left corner and middle of bottom outer lip
raise_b_lip_rm_o	Describes the vertical displacement of midpoint between right corner and middle of bottom outer lip
raise_l_cornerlip_o	Describes the vertical displacement of left outer lip corner
raise_r_cornerlip_o	Describes the vertical displacement of right outer lip corner
stretch_l_nose	Describes the horizontal displacement of left side of nose
stretch_r_nose	Describes the horizontal displacement of right side of nose
raise_nose	Describes the vertical displacement of nose tip
bend_nose	Describes the horizontal displacement of nose tip
raise_l_ear	Describes the vertical displacement of left ear
raise_r_ear	Describes the vertical displacement of right ear
pull_l_ear	Describes the horizontal displacement of left ear
pull_r_ear	Describes the horizontal

Name	Definition
	displacement of right ear

[Facial Expression Basis ID]

The following table shall be used for binary representation.

Binary representation (8 bits)	FacialExpressionBasisID
0	open_jaw
1	lower_t_midlip
2	raise_b_midlip
3	stretch_l_cornerlip
4	stretch_r_cornerlip
5	lower_t_lip_lm
6	lower_t_lip_rm
7	raise_b_lip_lm
8	raise_b_lip_rm
9	raise_l_cornerlip
10	raise_r_cornerlip
11	thrust_jaw
12	shift_jaw
13	push_b_lip
14	push_t_lip
15	depress_chin
16	close_t_l_eyelid
17	close_t_r_eyelid
18	close_b_l_eyelid
19	close_b_r_eyelid
20	yaw_l_eyeball
21	yaw_r_eyeball
22	pitch_l_eyeball
23	pitch_r_eyeball

Name	Definition
24	thrust_l_eyeball
25	thrust_r_eyeball
26	dilate_l_pupil
27	dilate_r_pupil
28	raise_l_i_eyebrow
29	raise_r_i_eyebrow
30	raise_l_m_eyebrow
31	raise_r_m_eyebrow
32	raise_l_o_eyebrow
33	raise_r_o_eyebrow
34	squeeze_l_eyebrow
35	squeeze_r_eyebrow
36	puff_l_cheek
37	puff_r_cheek
38	lift_l_cheek
39	lift_r_cheek
40	shift_tongue_tip
41	raise_tongue_tip
42	thrust_tongue_tip
43	raise_tongue
44	tongue_roll
45	head_pitch
46	head_yaw
47	head_roll
48	lower_t_midlip_o
49	raise_b_midlip_o
50	stretch_l_cornerlip_o
51	stretch_r_cornerlip_o
52	lower_t_lip_lm_o

Name	Definition	
	53	lower_t_lip_rm_o
	54	raise_b_lip_lm_o
	55	raise_b_lip_rm_o
	56	raise_l_cornerlip_o
	57	raise_r_cornerlip_o
	58	stretch_l_nose
	59	stretch_r_nose
	60	raise_nose
	61	bend_nose
	62	raise_l_ear
	63	raise_r_ear
	64	pull_l_ear
	65	pull_r_ear
	66	push_b_lip
	67	push_t_lip
	68	depress_chin
	69	close_t_l_eyelid
	70	close_t_r_eyelid
	71	close_b_l_eyelid
	72	close_b_r_eyelid
	73	yaw_l_eyeball
	74	yaw_r_eyeball
	75	pitch_l_eyeball
	76	pitch_r_eyeball
	77	thrust_l_eyeball
	78	thrust_r_eyeball
	79	dilate_l_pupil
	80	dilate_r_pupil
	81	raise_l_i_eyebrow

Name	Definition	
	82	raise_r_i_eyebrow
	83	raise_l_m_eyebrow
	84	raise_r_m_eyebrow
	85	raise_l_o_eyebrow
	86	raise_r_o_eyebrow
	87	squeeze_l_eyebrow
	88	squeeze_r_eyebrow
	89	puff_l_cheek
	90	puff_r_cheek
	91	lift_l_cheek
	92	lift_r_cheek
	93	shift_tongue_tip
	94	raise_tongue_tip
	95	thrust_tongue_tip
	96	raise_tongue
	97	tongue_roll
	98	head_pitch
	99	head_yaw
	100	head_roll
	101	lower_t_midlip_o
	102	raise_b_midlip_o
	103	stretch_l_cornerlip_o
	104	stretch_r_cornerlip_o
	105	lower_t_lip_lm_o
	106	lower_t_lip_rm_o
	107	raise_b_lip_lm_o
	108	raise_b_lip_rm_o
	109	raise_l_cornerlip_o
	110	raise_r_cornerlip_o

Name	Definition																		
	<table border="1"> <tr><td>111</td><td>stretch_l_nose</td></tr> <tr><td>112</td><td>stretch_r_nose</td></tr> <tr><td>113</td><td>raise_nose</td></tr> <tr><td>114</td><td>bend_nose</td></tr> <tr><td>115</td><td>raise_l_ear</td></tr> <tr><td>116</td><td>raise_r_ear</td></tr> <tr><td>117</td><td>pull_l_ear</td></tr> <tr><td>118</td><td>pull_r_ear</td></tr> <tr><td>119-255</td><td>Reserved</td></tr> </table>	111	stretch_l_nose	112	stretch_r_nose	113	raise_nose	114	bend_nose	115	raise_l_ear	116	raise_r_ear	117	pull_l_ear	118	pull_r_ear	119-255	Reserved
111	stretch_l_nose																		
112	stretch_r_nose																		
113	raise_nose																		
114	bend_nose																		
115	raise_l_ear																		
116	raise_r_ear																		
117	pull_l_ear																		
118	pull_r_ear																		
119-255	Reserved																		
facialExpressionBasisValue	Describes the value of the associated facial expression basis.																		
facialExpressionBasisUnit	<p>Describes the unit of each facial expression basis. In default, a percent is used to provide the relative value with respect to the range of the value.</p> <p>NOTE 1 The value of each facial expression basis can be relatively obtained by the range provided by the FacialExpressionCharacteristicsSensorType. The minimum value shall be 0 % and the maximum value shall be 100 %.</p> <p>NOTE 2 The unit of each facial expression basis can also use the unit defined in ISO/IEC14496-2:2004, Annex C.</p>																		

6.45.5 Examples

EXAMPLE 1. This example shows a description of the facial expression sensing with the following semantics. The description of the facial expression sensor has identifier of “FES1” and the sensor references an actual sensor with ID of “FESIC1”. The basis value of facial expression with the ID of “open_jaw” shall be 50 %. Also, the basis value of facial expression with the ID of “raise_l_cornerlip” shall be 50 %.

```

<iidl:SensedInfo xsi:type="siv:FacialExpressionSensorType" id="FES1"
sensorIdRef="FESIC1" activate="true">
  <siv:FacialExpressionBasis facialExpressionBasisID="open_jaw"
facialExpressionBasisValue="50"/>
  <siv:FacialExpressionBasis facialExpressionBasisID="raise_l_cornerlip"
facialExpressionBasisValue="50"/>
</iidl:SensedInfo>
```

EXAMPLE 2. This example shows a description of the facial expression sensing with the following semantics. The description of the facial expression sensor has identifier of “FES1” and the sensor references an actual sensor with ID of “FESIC1”. The basis value of facial expression with the ID of “open_jaw” shall be 10 mm. Also, the basis value of facial expression with the ID of “raise_l_cornerlip” shall be 5 mm.

```

<iidl:SensedInfo xsi:type="siv:FacialExpressionSensorType" id="FES1"
sensorIdRef="FESIC1" activate="true">
  <siv:FacialExpressionBasis facialExpressionBasisID="open_jaw"
facialExpressionBasisValue="10" facialExpressionBasisUnit="mm"/>
  <siv:FacialExpressionBasis facialExpressionBasisID="raise_l_cornerlip"
facialExpressionBasisValue="5" facialExpressionBasisUnit="mm"/>
</iidl:SensedInfo>

```

6.46 Facial morphology sensor type

6.46.1 General

This Subclause specifies a facial morphology sensor type which senses the initialization parameters supporting the facial expression sensor type for intelligent cameras, and is related to user-specific facial morphology data sensed from an intelligent camera. The applications of the sensor type may include avatar facial control and others.

6.46.2 Syntax

```

<!-- ##### -->
<!-- Definition of facial morphology sensor type -->
<!-- ##### -->
<complexType name="FacialMorphologySensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="IrisDiameter" type="float" minOccurs="0"/>
        <element name="EyeSeparation" type="float" minOccurs="0"/>
        <element name="EyeNoseSeparation" type="float" minOccurs="0"/>
        <element name="MouseNoseSeparation" type="float" minOccurs="0"/>
        <element name="MouseWidth" type="float" minOccurs="0"/>
      </sequence>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>

```


6.46.3 Binary representation syntax

FacialMorphologySensor Type{	Number of bits	Mnemonic
IrisDiameterFlag	1	bslbf
EyeSeparationFlag	1	bslbf
EyeNoseSeparationFlag	1	bslbf
MouseNoseSeparationFlag	1	bslbf
MouseWidthFlag	1	bslbf

unitFlag	1	bslbf
SensedInfoBase		SensedInfoBaseType
if(IrisDiameterFlag) {		
IrisDiameter	32	fsbf
}		
if(EyeSeparationFlag) {		
EyeSeparation	32	fsbf
}		
if(EyeNoseSeparationFlag) {		
EyeNoseSeparation	32	fsbf
}		
if(MouseNoseSeparationFlag) {		
MouseNoseSeparation	32	fsbf
}		
if(MouseWidthFlag) {		
MouseWidth	32	fsbf
}		
if(unitFlag) {		
unitFlag	8	bslbf
}		
}		

6.46.4 Semantics

Semantics of the FacialMorphologySensorType:

Name	Definition
xxxType	Tool for describing a command for a lighting device to follow.
FacialMorphologySensorType	Tool for describing a facial morphology sensor sensed information.
IrisDiameterFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
EyeSeparationFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
EyeNoseSeparationFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
MouseNoseSeparationFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
MouseWidthFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
IrisDiameter	Describes IRIS Diameter (by definition it is equal to the distance between upper and lower eyelid) in neutral face.
	
EyeSeparation	Describes eye separation.
EyeNoseSeparation	Describes eye-nose separation.

Name	Definition
MouseNoseSeparation	Describes mouth-nose separation.
MouthWidth	Describes mouth-width separation.
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1

6.46.5 Examples

This example shows a description of facial morphology sensing with the following semantics. The description of the facial morphology sensor has identifier of “FMS1” and the sensor references an actual sensor with ID of “FMSIC1”. The sensor shall be sensed at `absTime = "100"`. The value of iris diameter, eye separation, eye-to-nose separation, mouth-to-nose separation and mouth width shall be 100 %, 100 %, 100 %, 100 %, and 100 %, respectively.

```

<iidl:SensedInfo xsi:type="siv:FacialMorphologySensorType" id="FMS1"
sensorIdRef="FMSIC1" activate="true">
  <iidl:TimeStamp xsi:type="mpegvct:AbsoluteTimeType" absTime="100" />
  <siv:IrisDiameter>
    100.0
  </siv:IrisDiameter>
  <siv:EyeSeparation>
    100.0
  </siv:EyeSeparation>
  <siv:EyeNoseSeparation>
    100.0
  </siv:EyeNoseSeparation>
  <siv:MouseNoseSeparation>
    100.0
  </siv:MouseNoseSeparation>
  <siv:MouseWidth>
    100.0
  </siv:MouseWidth>
</iidl:SensedInfo>

```

6.47 Facial expression characteristics sensor type

6.47.1 General

This Subclause specifies a facial morphology sensor type which senses the parameters supporting the facial expression sensor type for intelligent cameras, and is related to the user-specific facial expression dynamic characteristics sensed from an intelligent camera. The applications of the sensor type may include avatar facial control and others.

6.47.2 Syntax

```

<!-- ##### -->
<!-- Definition of facial expression characteristics sensor type -->
<!-- ##### -->
<complexType name="FacialExpressionCharacteristicsSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <sequence>
        <element name="FacialExpressionBasisRange"
type="siv:FacialExpressionBasisRangeType" minOccurs="0" maxOccurs="66"/>
      </sequence>
    </extension>
  </complexContent>
</complexType>
<complexType name="FacialExpressionBasisRangeType">
  <attribute name="facialExpressionBasisID" type="mpeg7:termReferenceType"
use="optional"/>
  <attribute name="maxValueFacialExpressionBasis" type="float" use="optional"/>
  <attribute name="minValueFacialExpressionBasis" type="float" use="optional"/>
  <attribute name="neutralValueFacialExpressionBasis" type="float"
use="optional"/>
  <attribute name="facialExpressionBasisUnit" type="mpegvct:unitType"
use="optional"/>
</complexType>

```

6.47.3 Binary representation syntax

FacialExpressionCharacteristicsSensorType{	Number of bits	Mnemonic
FacialExpressionBasisRangeFlag	1	bslbf
SensedInfoBase		SensedInfoBaseType
if(FacialExpressionBasisRangeFlag) {		
NumOf FacialExpressionBasisRange	7	uimsbf
for(k=0; k< NumOfFacialExpressionBasisRange ; k++) {		
FacialExpressionBasisRange[k]		FacialExpressionBasisRangeType
}		
}		
}		

FacialExpressionBasisRangeType {		
facialExpressionBasisIDFlag	1	bslbf
maxValueFacialExpressionBasisFlag	1	bslbf
minValueFacialExpressionBasisFlag	1	bslbf
neutralValueFacialExpressionBasisFlag	1	bslbf
facialExpressionBasisUnitFlag	1	bslbf
if(facialExpressionBasisIDFlag) {		
facialExpressionBasisID		FacialExpressionBasisIDCSTyp e
}		
if(maxValueFacialExpressionBasisFlag) {		
maxValueFacialExpressionBasis	32	fsbf
}		
if(minValueFacialExpressionBasisFlag) {		
minValueFacialExpressionBasis	32	fsbf
}		
if(neutralValueFacialExpressionBasisFlag) {		
neutralValueFacialExpressionBasis	32	fsbf
}		
if(facialExpressionBasisUnitFlag) {		
facialExpressionBasisUnit	8	bslbf
}		
}		

6.47.4 Semantics

Semantics of the FacialExpressionCharacteristicsSensorType:

<i>Name</i>	<i>Definition</i>
FacialExpressionCharacteristicsSensorType	Tool for describing a facial expression characteristics sensor sensed information.
FacialExpressionBasisRangeFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
NumOfFacialExpressionBasisRange	This field, which is only present in the binary representation, indicates the number of facial expression basis range in this sensed information.
FacialExpressionBasisRange	Describes the range of each of facial expression basis parameters.
FacialExpressionBasisRangeType	Tool for describing a facial expression basis range.
facialExpressionBasisIDFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
maxValueFacialExpressionBasisFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
minValueFacialExpressionBasisFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
neutralValueFacialExpressionBasisFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
facialExpressionBasisUnitFlag	This field, which is only present in the binary representation, signals the presence of the activation attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
facialExpressionBasisID	Describes the identification of associated facial expression basis based as a reference to a classification scheme term provided by FacialExpressionBasisIDCS defined in B.9.
maxValueFacialExpressionBasis	Describes the maximum value of facial expression basis parameter.
minValueFacialExpressionBasis	Describes the minimum value of facial expression basis parameter.
neutralValueFacialExpressionBasis	Describes the value of facial expression basis parameter in neutral face.
facialExpressionBasisUnit	Describes the corresponding measurement units of the displacement amount described by a facial expression basis parameter.

6.47.5 Examples

This example shows a description of facial expression characteristics sensing with the following semantics. The description of the facial morphology sensor has identifier of “FECS1” and the sensor references an actual sensor with ID of “FECSIC1”. The maximum value of facial expression with the ID of “open_jaw” shall be 0 cm. The minimum value and the neutral value shall be -10 cm and 1.0 cm. Also, the maximum value of facial expression with the ID of “raise_l_cornerlip” shall be 0 cm. The minimum value and the neutral value shall be -10 cm and 1.0 cm.

```
<iidl:SensedInfo xsi:type="siv:FacialExpressionCharacteristicsSensorType"
id="FECS1" sensorIdRef="FECSIC1" activate="true">
  <siv:FacialExpressionBasisRange facialExpressionBasisID="open_jaw"
maxValueFacialExpressionBasis="0" minValueFacialExpressionBasis="-10"
neutralValueFacialExpressionBasis="1.0" facialExpressionBasisUnit="urn:mpeg:mpeg-
v:01-CI-UnitTypeCS-NS:cm"/>
  <siv:FacialExpressionBasisRange facialExpressionBasisID="raise_l_cornerlip"
maxValueFacialExpressionBasis="0" minValueFacialExpressionBasis="-10"
neutralValueFacialExpressionBasis="1.0" facialExpressionBasisUnit="urn:mpeg:mpeg-
v:01-CI-UnitTypeCS-NS:cm"/>
</iidl:SensedInfo>
```

6.48 Geomagnetic sensor type

6.48.1 General

The “Geomagnetic sensor type” provides an absolute direction reference. This sensor is useful in a handheld device such as a mobile phone used in a navigation system or AR applications indicating the direction of the destination.

6.48.2 Syntax

```
<!--##### -->
<!--Definition of geomagnetic sensor type -->
<!--##### -->
<complexType name="GeomagneticSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="azimuth" type="siv:azimuthType" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>

<!--##### -->
<!--Definition of Azimuth type -->
<!--##### -->
<simpleType name="azimuthType">
  <restriction base="float">
    <minInclusive value="0"/>
    <maxInclusive value="360"/>
  </restriction>
</simpleType>
```

6.48.3 Binary representation syntax

GeomagneticSensorType{	Number of bits	Mnemonic
azimuthFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType		SensedInfoBaseTypeType
if(azimuthFlag) {		
azimuth	32	fsbf
}		
if(unitFlag) {		
unit	8	bslbf
}		
}		

6.48.4 Semantics

Semantics of the GeomagneticSensorType:

Name	Definition
GeomagneticSensorType	Tool for describing sensed information with respect to a geomagnetic sensor.
azimuth	Describes the sensed value by the geomagnetic sensor in 0 to 360 degree. The value 0 means the "Magnetic North pole" direction and 90 means the "East" with clock wise.
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term that shall be using the <code>mpeg7:termReferenceType</code> defined in ISO/IEC 15938-5:2003, 7.4.6. The CS that may be used for this purpose is the <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The binary representation of the <code>UnitTypeCS</code> is also defined in A.2.1 of ISO/IEC 23005-6:—, A.2.1.
azimuthFlag	This field, which is only present in the binary representation, signals the presence of azimuth attribute. A value of "1" means the attribute shall be used and "0" means the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of "1" means the user-defined unit shall be used and "0" means the user-defined unit shall not be used.

Name	Definition
SensedInfoBaseType	Provides the topmost type of the base type hierarchy which each individual sensed information can inherit.

6.48.5 Examples

This example shows the description of a geomagnetic sensor sensing with the following semantics. The sensor has an ID of "GS001" and references "GSID001". The sensor shall be activated and the value shall be azimuth="90" (degrees). The sensor shall be sensed at timestamp="50000" where there are 100 clock ticks per second.

```
<iidl:InteractionInfo>
  <iidl:SensedInfoList>
    <iidl:SensedInfo xsi:type="siv:GeomagneticSensorType" id="GS001"
      sensorIdRef="GSID001" activate="true" azimuth="90.0"
      unit="urn:mpeg:mpeg-v:01-CI-UnitTypeCS-NS:degree" >
      <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
        pts="50000"/>
    </iidl:SensedInfo>
  </iidl:SensedInfoList>
</iidl:InteractionInfo>
```

6.49 Proximity sensor

6.49.1 General

This Subclause specifies a sensor type which senses a proximity from the sensor-specified point to a sensed object. The proximity sensor type does not specify any sensing methods such as ultrasonic, optical, and inductive technologies. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in a proximity sensor capability in ISO/IEC 23005-2. The applications of the sensor type may include robotics, security systems, and others.

6.49.2 Syntax

```
<!--##### -->
<!--Definition of Proximity Sensor type -->
<!--##### -->
<complexType name="ProximitySensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="value" type="float" use="optional"/>
      <attribute name="detected" type="boolean" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.49.3 Binary representation syntax

ProximitySensorType {	Number of bits	Mnemonic
valueFlag	1	bslbf
detectedFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
if (valueFlag == 1){		
value	32	fsbf
}		
if (detectedFlag == 1){		
detected	1	bslbf
}		
if (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.49.4 Semantics

Semantics of the ProximitySensorType:

Name	Definition
ProximitySensorType	Tool for describing sensed information with respect to a proximity sensor.
TimeStamp	Describes the time that the information is acquired (sensed).
value	Describes the sensed distance value by the proximity with respect to the default unit or the unit defined in the unit attribute.
detected	When any movements are detected by the proximity sensor, the value becomes <i>true</i> ; otherwise, the value becomes <i>false</i> .
unit	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by UnitTypeCS defined in ISO/IEC 23005-6:—, A.2.1. The default unit is centimeter.

Name	Definition
valueFlag	This field, which is only present in the binary representation, signals the presence of value attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
detectedFlag	This field, which is only present in the binary representation, signals the presence of detected attribute. A value of “1” means the attribute shall be used and “0” means the attribute shall not be used.
unitFlag	This field, which is only present in the binary representation, signals the presence of unit attribute. A value of “1” means the user-defined unit shall be used and “0” means the user-defined unit shall not be used.

6.49.5 Examples

This example shows the description of a proximity sensing with the following semantics. The description has identifier of “PS01” and the sensor references an actual sensor with ID of “PSID_01”. The sensor shall be activated. The distance value shall be 65 cm and the detect shall be true. The sensor shall be sensed at timestamp="60000" where there are 100 clock ticks per second.

```
<iidl:SensedInfo xsi:type="siv:ProximitySensorType" activate="true" id="PS01"
sensorIdRef="PSID_01" value="65" detected="true" unit="urn:mpeg:mpeg-v:01-CI-
UnitTypeCS-NS:Cm">
  <iidl:TimeStamp xsi:type="mpegvct:ClockTickTimeType" timeScale="100"
pts="60000"/>
</iidl:SensedInfo>
```

6.50 Switch sensor

6.50.1 General

This Subclause specifies a sensor type which senses a switch. The switch sensor type does not specify any sensing methods such as inductive technologies like a magnetic sensor. Therefore, any measurement specific to the particular sensing technologies is not the scope of the sensor type. The sensing properties of the sensor are specified in a switch sensor capability in ISO/IEC23005-2. The applications of the sensor type may include robotics, security systems, and others.

6.50.2 Syntax

```
<!--##### -->
<!--Definition of Switch Sensor type -->
<!--##### -->
<complexType name="SwitchSensorType">
  <complexContent>
    <extension base="iidl:SensedInfoBaseType">
      <attribute name="adjoin" type="boolean" use="optional"/>
      <attribute name="value" type="float" use="optional"/>
      <attribute name="unit" type="mpegvct:unitType" use="optional"/>
    </extension>
  </complexContent>
</complexType>
```

6.50.3 Binary representation syntax

SwitchSensorType {	Number of bits	Mnemonic
adjoinFlag	1	bslbf
valueFlag	1	bslbf
unitFlag	1	bslbf
SensedInfoBaseType	See above	SensedInfoBaseType
if (adjoinFlag == 1){		
adjoin	1	bslbf
}		
if (valueFlag == 1){		
value	32	fsbf
}		
if (unitFlag == 1){		
unit	8	bslbf
}		
}		

6.50.4 Semantics

Semantics of the `SwitchSensorType`:

Name	Definition
<code>SwitchSensorType</code>	Tool for describing sensed information with respect to a switch sensor.
<code>TimeStamp</code>	Describes the time that the information is acquired (sensed).
<code>adjoin</code>	If two parts of a switch sensor are joined together, <i>adjoin</i> becomes true. Otherwise, <i>adjoin</i> becomes false.
<code>value</code>	Describes the sensed value by the switch sensor with respect to the default unit or the unit defined in the unit attribute.
<code>unit</code>	Specifies the unit of the sensed value, if a unit other than the default unit is used, as a reference to a classification scheme term provided by <code>UnitTypeCS</code> defined in ISO/IEC 23005-6:—, A.2.1. The default