

Fourth edition  
2020-08

AMENDMENT 1  
2021-07

---

---

**Information technology — High  
efficiency coding and media delivery  
in heterogeneous environments —**

Part 2:  
**High efficiency video coding**

AMENDMENT 1: Shutter interval  
information SEI message

*Technologies de l'information — Codage à haute efficacité et livraison  
des médias dans des environnements hétérogènes —*

*Partie 2: Codage vidéo à haute efficacité*

*AMENDEMENT 1: Message SEI d'information sur l'intervalle  
d'obturation*



Reference number  
ISO/IEC 23008-2:2020/Amd.1:2021(E)

© ISO/IEC 2021



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier; Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives) or [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)) or the IEC list of patent declarations received (see [patents.iec.ch](http://patents.iec.ch)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html). In the IEC, see [www.iec.ch/understanding-standards](http://www.iec.ch/understanding-standards).

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 29, *Coding of audio, picture, multimedia and hypermedia information*, in collaboration with ITU-T (as Rec. ITU-T H.265).

A list of all parts in the ISO/IEC 23008 series can be found on the ISO and IEC websites.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html) and [www.iec.ch/national-committees](http://www.iec.ch/national-committees).

STANDARDSISO.COM : Click to view the full PDF of ISO/IEC 23008-2:2020/AMD1:2021

# Information technology — High efficiency coding and media delivery in heterogeneous environments —

## Part 2: High efficiency video coding

### AMENDMENT 1: Shutter interval information SEI message

#### Clause 4

Add an abbreviated term as follows:

ATSC    Advanced Television Systems Committee

#### D.2.1

Replace the contents of D.2.1 with the following:

##### D.2.1 General SEI message syntax

sei_payload( payloadType, payloadSize ) {	Descriptor
if( nal_unit_type == PREFIX_SEI_NUT )	
if( payloadType == 0 )	
buffering_period( payloadSize )	
else if( payloadType == 1 )	
pic_timing( payloadSize )	
else if( payloadType == 2 )	
pan_scan_rect( payloadSize )	
else if( payloadType == 3 )	
filter_payload( payloadSize )	
else if( payloadType == 4 )	
user_data_registered_itu_t_t35( payloadSize )	
else if( payloadType == 5 )	
user_data_unregistered( payloadSize )	
else if( payloadType == 6 )	
recovery_point( payloadSize )	
else if( payloadType == 9 )	
scene_info( payloadSize )	
else if( payloadType == 15 )	
picture_snapshot( payloadSize )	
else if( payloadType == 16 )	
progressive_refinement_segment_start( payloadSize )	

else if( payloadType == 17 )	
progressive_refinement_segment_end( payloadSize )	
else if( payloadType == 19 )	
film_grain_characteristics( payloadSize )	
else if( payloadType == 22 )	
post_filter_hint( payloadSize )	
else if( payloadType == 23 )	
tone_mapping_info( payloadSize )	
else if( payloadType == 45 )	
frame_packing_arrangement( payloadSize )	
else if( payloadType == 47 )	
display_orientation( payloadSize )	
else if( payloadType == 56 )	
green_metadata( payloadSize ) /* specified in ISO/IEC 23001-11 */	
else if( payloadType == 128 )	
structure_of_pictures_info( payloadSize )	
else if( payloadType == 129 )	
active_parameter_sets( payloadSize )	
else if( payloadType == 130 )	
decoding_unit_info( payloadSize )	
else if( payloadType == 131 )	
temporal_sub_layer_zero_idx( payloadSize )	
else if( payloadType == 133 )	
scalable_nesting( payloadSize )	
else if( payloadType == 134 )	
region_refresh_info( payloadSize )	
else if( payloadType == 135 )	
no_display( payloadSize )	
else if( payloadType == 136 )	
time_code( payloadSize )	
else if( payloadType == 137 )	
mastering_display_colour_volume( payloadSize )	
else if( payloadType == 138 )	
segmented_rect_frame_packing_arrangement( payloadSize )	
else if( payloadType == 139 )	
temporal_motion_constrained_tile_sets( payloadSize )	
else if( payloadType == 140 )	
chroma_resampling_filter_hint( payloadSize )	
else if( payloadType == 141 )	
knee_function_info( payloadSize )	
else if( payloadType == 142 )	
colour_remapping_info( payloadSize )	
else if( payloadType == 143 )	
deinterlaced_field_identification( payloadSize )	

STANDARD PDF FILE TO VIEW THE FULL PDF OF ISO/IEC 23008-2:2020/AMD1:2021

else if( payloadType == 144 )	
content_light_level_info( payloadSize )	
else if( payloadType == 145 )	
dependent_rap_indication( payloadSize )	
else if( payloadType == 146 )	
coded_region_completion( payloadSize )	
else if( payloadType == 147 )	
alternative_transfer_characteristics( payloadSize )	
else if( payloadType == 148 )	
ambient_viewing_environment( payloadSize )	
else if( payloadType == 149 )	
content_colour_volume( payloadSize )	
else if( payloadType == 150 )	
equirectangular_projection( payloadSize )	
else if( payloadType == 151 )	
cubemap_projection( payloadSize )	
else if( payloadType == 152 )	
fisheye_video_info( payloadSize )	
else if( payloadType == 154 )	
sphere_rotation( payloadSize )	
else if( payloadType == 155 )	
regionwise_packing( payloadSize )	
else if( payloadType == 156 )	
omni_viewport( payloadSize )	
else if( payloadType == 157 )	
regional_nesting( payloadSize )	
else if( payloadType == 158 )	
mcts_extraction_info_sets( payloadSize )	
else if( payloadType == 159 )	
mcts_extraction_info_nesting( payloadSize )	
else if( payloadType == 160 )	
layers_not_present( payloadSize ) /* specified in Annex F */	
else if( payloadType == 161 )	
inter_layer_constrained_tile_sets( payloadSize ) /* specified in Annex F */	
else if( payloadType == 162 )	
bsp_nesting( payloadSize ) /* specified in Annex F */	
else if( payloadType == 163 )	
bsp_initial_arrival_time( payloadSize ) /* specified in Annex F */	
else if( payloadType == 164 )	
sub_bitstream_property( payloadSize ) /* specified in Annex F */	
else if( payloadType == 165 )	
alpha_channel_info( payloadSize ) /* specified in Annex F */	
else if( payloadType == 166 )	
overlay_info( payloadSize ) /* specified in Annex F */	

else if( payloadType == 167 )	
temporal_mv_prediction_constraints( payloadSize ) /* specified in Annex F */	
else if( payloadType == 168 )	
frame_field_info( payloadSize ) /* specified in Annex F */	
else if( payloadType == 176 )	
three_dimensional_reference_displays_info( payloadSize ) /* specified in Annex G */	
else if( payloadType == 177 )	
depth_representation_info( payloadSize ) /* specified in Annex G */	
else if( payloadType == 178 )	
multiview_scene_info( payloadSize ) /* specified in Annex G */	
else if( payloadType == 179 )	
multiview_acquisition_info( payloadSize ) /* specified in Annex G */	
else if( payloadType == 180 )	
multiview_view_position( payloadSize ) /* specified in Annex G */	
else if( payloadType == 181 )	
alternative_depth_info( payloadSize ) /* specified in Annex I */	
else if( payloadType == 200 )	
sei_manifest( payloadSize )	
else if( payloadType == 201 )	
sei_prefix_indication( payloadSize )	
else if( payloadType == 202 )	
annotated_regions( payloadSize )	
else if( payloadType == 205 )	
shutter_interval_info( payloadSize )	
else	
reserved_sei_message( payloadSize )	
else /* nal_unit_type == SUFFIX_SEI_NUT */	
if( payloadType == 3 )	
filler_payload( payloadSize )	
else if( payloadType == 4 )	
user_data_registered_itu_t_t35( payloadSize )	
else if( payloadType == 5 )	
user_data_unregistered( payloadSize )	
else if( payloadType == 17 )	
progressive_refinement_segment_end( payloadSize )	
else if( payloadType == 22 )	
post_filter_hint( payloadSize )	
else if( payloadType == 132 )	
decoded_picture_hash( payloadSize )	
else if( payloadType == 146 )	
coded_region_completion( payloadSize )	
else	
reserved_sei_message( payloadSize )	

STANDARDS.PDF.COM Click to view the full PDF of ISO/IEC 23008-2:2020/Amd.1:2021

if( more_data_in_payload( ) ) {	
if( payload_extension_present( ) )	
<b>reserved_payload_extension_data</b>	u(v)
<b>payload_bit_equal_to_one</b> /* equal to 1 */	f(1)
while( !byte_aligned( ) )	
<b>payload_bit_equal_to_zero</b> /* equal to 0 */	f(1)
}	
}	

D.2.48

Renumber subclause D.2.48 as D.2.49.

Add a new subclause D.2.48, as follows:

**D.2.48 Shutter interval information SEI message syntax**

	Descriptor
shutter_interval_info( payloadSize ) {	
<b>sii_time_scale</b>	u(32)
<b>fixed_shutter_interval_within_clvs_flag</b>	u(1)
if( fixed_shutter_interval_within_clvs_flag )	
<b>sii_num_units_in_shutter_interval</b>	u(32)
else {	
<b>sii_max_sub_layers_minus1</b>	u(3)
for( i = 0; i <= sii_max_sub_layers_minus1; i++ )	
<b>sub_layer_num_units_in_shutter_interval[ i ]</b>	u(32)
}	
}	

D.3.1

Replace the three paragraphs following NOTE 2 with the following:

The list SingleLayerSeiList is set to consist of the payloadType values 2, 3, 6, 9, 15, 16, 17, 19, 22, 23, 45, 47, 56, 128, 129, 131, 132, 134 to 152, inclusive, 154 to 159, inclusive, 200 to 202, inclusive, and 205.

The list VclAssociatedSeiList is set to consist of the payloadType values 2, 3, 6, 9, 15, 16, 17, 19, 22, 23, 45, 47, 56, 128, 131, 132, 134 to 152, inclusive, 154 to 159, inclusive, 200 to 202, inclusive, and 205.

The list PicUnitRepConSeiList is set to consist of the payloadType values 0, 1, 2, 6, 9, 15, 16, 17, 19, 22, 23, 45, 47, 56, 128, 129, 131, 132, 133, 135 to 152, inclusive, 154 to 159, inclusive, 200 to 202, inclusive, and 205.

In Table D.1, insert the following row at the end of the table:

Shutter interval information	The CLVS containing the SEI message
------------------------------	-------------------------------------